

Deltek Costpoint® 7.1.1

Extensibility Designer Quick Start Guide

March 2, 2017

While Deltek has attempted to verify that the information in this document is accurate and complete, some typographical or technical errors may exist. The recipient of this document is solely responsible for all decisions relating to or use of the information provided herein.

The information contained in this publication is effective as of the publication date below and is subject to change without notice.

This publication contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, or translated into another language, without the prior written consent of Deltek, Inc.

This edition published March 2017.

© Deltek, Inc.

Deltek's software is also protected by copyright law and constitutes valuable confidential and proprietary information of Deltek, Inc. and its licensors. The Deltek software, and all related documentation, is provided for use only in accordance with the terms of the license agreement. Unauthorized reproduction or distribution of the program or any portion thereof could result in severe civil or criminal penalties.

All trademarks are the property of their respective owners.

Contents

Introduction 1

General Steps Overview..... 2

 Check the Requirements and Set Up Extensibility 2

 Create the Extension..... 2

 Test the Extension..... 2

 Package the Extension..... 3

 Deploy the Extensibility Package to Another System 3

 Verify the Deployment to the System..... 3

Step 1: License Requirement 4

Step 2: Enable System for Extensibility..... 5

Step 3: Enable Costpoint User for Extensibility Designer 6

Step 4: Log In to Extensibility Designer..... 7

Step 5: Create a Project 8

Step 6: Create a Unit for the Project..... 10

Step 7: Create an Extension..... 11

 Example 13

Step 8: Test the Extension 15

Step 9: Export Script..... 17

Step 10: Package the Extension 18

Step 11: Deploy the Extensibility Package..... 19

Step 12: Verify the Deployment to the System..... 21

Introduction

This quick start guide is designed to help you learn the basic steps in creating and deploying extensibility. Refer to other documentation for deeper or more detail discussion of the subject.

- *Deltek Costpoint Extensibility Designer User Guide* — Navigating and using the Extensibility Designer to create Costpoint extensions
- *Deltek Costpoint Screen Customization and Business Logic Extensibility* — Concepts and features of Costpoint extensibility
- *Deltek Costpoint Extensibility Coding Guide* — Creating business logic extensions with stored procedures and java classes

General Steps Overview

There are 12 general steps for creating and deploying an extension, divided into the following categories:

- Checking requirements and setting up
- Creating the extension
- Testing the extension
- Packaging the extension
- Deploying the extensibility package to another system
- Verifying the Deployment to the system

Check the Requirements and Set Up Extensibility

Step	Description
1	License Requirement.
2	Enable System for Extensibility
3	Enable Costpoint user for Extensibility Designer

Create the Extension

Step	Description
4	Log In to Extensibility Designer
5	Create a project
6	Create a unit for the project
7	Create an extension

Test the Extension

Step	Description
8	Test the Extension

Package the Extension

Step	Description
9	Run Export Script
10	Package the Extension

Deploy the Extensibility Package to Another System

Step	Description
11	Run DBWizard tool to deploy the extensibility package

Verify the Deployment to the System

Step	Description
12	Repeat “Step 8: Test the Extension” to verify the extension was successfully deployed to the system in Step 11.

Step 1: License Requirement

You must have the license for Extensibility in order to use the tool.

To verify that you have the Extensibility license:

1. In Costpoint, open the View Costpoint License Information application.
2. In the **Licensed Added-On Modules** grid, verify that there is an entry for Extensibility.

★ 5 Browse Applications Administration > Security > Security Reports/Inquiries > [View Costpoint License Information](#)

Enterprise Licenses

License Name: Costpoint

Maximum Licensed Employee: Unlimited

Active Employee: 744

Active Employee By Company

	Company	Company Name	Employee Count
1		Company 1	677
3		European Exchange Company	17
APPLEJACK2		Apple Jacks 2	48
711BIGBYTE		711 Big Byte	2

Licensed Add-On Modules

Product Code	Product Name	Termination Date
EC	Engineering Change Notice	
EI	Expedition Interface	
XT	Extensibility	
FA	Fixed Assets	
LG	German Language	
HR	Human Resources	
IW	Inter-Company Work Orders	
IN	Inventory Control	

Step 2: Enable System for Extensibility

To enable the system for extensibility:

1. Start the Costpoint Configuration Utility by running **CPWebConfigUtility.cmd** located on the application server in the \deltek\costpoint\70\bin folder.



Make sure the server is running before you start this utility.

2. Select to configure Costpoint Application Configuration.
3. When the Costpoint Configuration Utility screen displays, perform the following:
 - a. From the **Displaying System** drop-down list, select the appropriate system.
 - b. Click the Extensibility tab.
 - c. Click **Enabled** to enable the system for extensibility.

Step 3: Enable Costpoint User for Extensibility Designer

To enable a Costpoint user for the Extensibility Designer tool:

1. In the Costpoint system selected in Step 2, open the Manage Users application.
2. Query and select a user that will be using the Extensibility Designer.
3. On the Authentication tab, select the **Allow Access to Extensibility Console** check box.

The screenshot shows the 'Manage Users' application interface. At the top, there's a navigation bar with 'Browse Applications', 'Administration > Security > System Security > Manage Users'. Below this is a header section with 'Identification' and 'User ID * DOUGBROWN' and 'User Name * Doug Brown'. The main content area has tabs for 'Information', 'Workflow', 'Printing Defaults', 'Authentication', and 'User Interface'. The 'Authentication' tab is active, showing 'Authentication Settings'. Under this, there's a dropdown for 'Authentication Method' set to 'Costpoint Database'. Below that are input fields for 'Costpoint Password' and 'Verify Password', and a checkbox for 'Generate Random Password'. Further down is an input field for 'Active Directory or Certificate ID'. At the bottom of the settings section, there are two checkboxes: 'Allow Application Access via Integration Services' (unchecked) and 'Allow Access to Extensibility Console' (checked). The latter is highlighted with a red rectangle. At the very bottom, there are links for 'Company Access', 'Assigned User Groups', 'Module Rights', 'Application Rights', and 'UI Profiles'.

This user can now log in to the Extensibility Designer with their Costpoint user ID and password.




This procedure does not change any security rights for the user within Costpoint. It only allows this user to log in to the Extensibility Designer in order to create customization work.

Step 4: Log In to Extensibility Designer

To log in to the Extensibility Designer:


1. Start the Extensibility Designer by running **CPWebExtDesigner.cmd** located on the application server in the \deltek\costpoint\70\bin folder.
2. On the Deltek's J2EE Application Designer – Login dialog box, enter the **User ID** and **Password** for the user enabled in Step 3.



The image shows a login dialog box titled "Deltek's J2EE Application Designer - Login". It contains three input fields: "User" with the text "DOUGBROWN", "Password" with masked characters "*****", and "System" with a dropdown menu showing "C701RDO". Below these fields are "Login" and "Exit" buttons. At the bottom, there is a checkbox labeled "Remember Login Settings" which is currently unchecked.

3. Click **Login**.

If the user is not enabled to use the Extensibility Designer, the following message displays.




Step 5: Create a Project


A project is an umbrella under which the units created for the project reside. A project does not contain any logic except for tracking and grouping the work done in the Extensibility Designer. A project helps differentiate work done by different companies in case you have contracted customization work out to third-party companies.

To create a new project:

1. Click the **New** icon, and then click **Extensibility Project** on the shortcut menu, or click **Object » New » Extensibility Project**.




2. On the New Extensibility Project dialog box, enter the following information:
 - **Id** — Enter the new project's ID after the **XT_** prefix. All project IDs must start with **XT_**.
 - **Name** — Enter the name for the new project.
 - **Vendor** — If needed to further identify the new project, enter the name of the third-party software integrator doing the customization for a Costpoint customer.
 - **Project Version** — Enter a version number if you have revision to your customization project in the future.



3. Click **Ok** to save.

4. When asked to create the folder to contain the files for this project, click **Yes**.



The location for the files is not critical as long as the structure starting with **\com** is preserved. In this case, the structure is:

`\com\deltek\enterprise\extensions\xt_project_x\dbscripts\admin`, where **xt_project_x** is the project ID


If you develop java classes as part of the extension, the application expects the java package to follow this naming convention, so every package will have unique name.

Step 6: Create a Unit for the Project


An Extensibility Unit contains a set of changes to applications, screens, reports, or processes to be assigned as a whole to user(s) or user group(s) inside Costpoint. If there are different changes to be applied to different users or groups, they should be implemented in separate units.

To create a new unit for a project:

1. Click the **New** icon, and then click **Extensibility Unit** on the shortcut menu, or click **Object » New » Extensibility Unit**.
2. On the Select Extension Project dialog box, select the project that will contain this unit, and click **Next**.



3. On the New Extensibility Unit dialog box, enter the **Unit Id** and **Name**.
A unit ID always starts with the Project ID.
4. In the text field, enter the description of the unit as applicable.



5. Click **Ok**.


Step 7: Create an Extension

The Extensibility Designer allows you to extend the functionality of an existing result set (a subtask within an application), an action (process), or a report. You can also add brand new Result Set (subtask), action, report, message text, or constants to be used in the extended result set, report, or action. You can even create a brand new custom Application with any number of subtasks.

Each screen in an application is called result set (RS). In any screen, you can change field labels, field status text, and/or field position. You can change the behavior of a field such as non-required to required, visible to not visible, and so on. You can also add additional data fields to the screen.

To extend a result set:

1. Click **Extensions » Extend » RS**.
2. Select the project and unit in which to create the extension.
3. On the Select RS dialog box, select the result set to extend.



Use the **RS Wild Card** field to filter the list of result sets based on the RS ID. Generally, the RS ID starts with the application ID. For example SYMUSR_WUSERUGRLIST is the top level result set for the SYMUSR application (Manage Users).

4. Click **Next**.

- On the Edit Result Set dialog box, customize the result set.

Extension:

RS List | RS Description | RS Presentation

Id * Name * Type *

```

U.CHG_PROF_CONFIG_FL AS CHG_PROF_CONFIG_FL,
U.OVR_PRIORITY_FL AS OVR_PRIORITY_FL,
U.AUTO_COMPLETE_FL AS AUTO_COMPLETE_FL,
U.AUTO_POSITION_FL AS AUTO_POSITION_FL
from W_USER_UGRP_LIST U, W_LOCALE L
where U.TYPE = 'U' AND
DbF_OuterJoin(U.LOCALE_ID,L.LOCALE_ID)
order by SEC_OBJ_ID
    
```

UI Options | System Information | Classes | Extensibility Plug Ins

When	Order	Plug In Type	Plug In Name	Insert	Update	Delete
------	-------	--------------	--------------	--------	--------	--------

You can use this dialog box to customize the following: (see Extensibility Designer User Guide for details)

- Change RS title
- Register a stored procedure or additional java classes to be called after Costpoint executes the standard logics. You will need to create the stored procedure or java classes.
- Enable email notifications when certain events happen to the data.
- Add additional data fields
- Change certain attributes for existing fields such as Visible, Editable, Required, Default Value, labels, status text, and so on.



See the *Delttek Costpoint Extensibility Designer User Guide* for more information.

Example

The following example changes the email ID field in the Maintain User application from **Non-required** to **Required**.

To create a result set extension:

1. On the Edit Result Set dialog box, click the RS Description tab.
2. Browse the **Object Id** list in the left panel and select **U_EMAIL_NAME** (the Email Name field).



Object IDs on this panel are ordered alphabetically. Object IDs are created by Deltek, so they are not changeable. They are usually named after the column name in the database.

3. To make sure this is the correct object, complete the following steps:
 - a. Click the RS Presentation tab.
 - b. In the **Object Id** list, select **U_EMAIL_NAME**.

Objects in this list are generally ordered in the same sequence as the order of columns in table view when viewed in Costpoint.

- c. Verify that the **Form Label**, **Table Label**, and **Status Text** fields contain the appropriate text.

These are the labels and status text displayed for this field when you are in Costpoint.

4. Click the RS Description tab.
5. In the **Required** drop down list, select **Yes**.
6. Click the RS Presentation tab.
7. Change the **Status Text** to “Enter the email address. This is a required entry.”

Notice that any changes you make are highlighted in yellow, so you can quickly identify what you have changed.

8. Click **OK** to save and close the result set extension.

Step 8: Test the Extension

To test the extension:



This procedure verifies the result set extension created in the example for the previous step.

1. Log in to Costpoint as Administrator, and go to the Manage Extensibility Units application.
2. Verify that the unit is available and the **Valid** flag is **Y**, and then click the **Applications** subtask to make sure the application(s) shown is correct.

The screenshot shows the 'Manage Extensibility Units' application. The main table lists extensibility units with columns: Extensibility Unit ID, Extensibility Unit Name, Valid, and Notes. The unit 'XT_PROJECT_X_U1' is highlighted, showing it is valid (Y) and has the note 'Customize system screens'. Below the table, the 'Applications' subtask is open, showing a table with columns: Application and Application Name. The application 'SYMUSR' is listed with the name 'Manage Users'.

Extensibility Unit ID	Extensibility Unit Name	Valid	Notes
XT_PROJ7_UNIT7	Test Unit 7	N	
XT_PROJ8_UNIT8	Test Unit 8	Y	
XT_PROJ9_UNIT9	Test Unit 9	Y	
XT_PROJECT_X_U1	Project X Unit 1	Y	Customize system screens
XT_PROJ_3_16_UNIT1	Unit1	N	
XT_PROJ_VN1_UNIT1	Unit 1	Y	Proj VN1 Unit 1

Application	Application Name
SYMUSR	Manage Users

3. In the Manage User Interface Profile application, create a UI profile.
4. Each profile must have a different **Priority** number.

This number is in case changes are made to the same screen from different units and happen to assign to the same user. The system will resolve this by aggregating the changes. However, some changes cannot be aggregated if they are made on the same object. In such a case, the system will select the changes from the one with the highest priority.

The screenshot shows the 'Enter/Manage User Interface Profiles' application. The main table lists UI profiles with columns: UI Profile ID, UI Profile Name, and Priority. The profile 'SYSTEM_PROFILE' is highlighted, showing it has a priority of 2. Below the table, the 'Assigned Users/User Groups' subtask is open, showing a table with columns: User / User Group, Name, Type, and Company. The user group 'EVERYONE' is listed with the name 'Every One' and type 'User Group'.

UI Profile ID	UI Profile Name	Priority
VNPROFILE1	VN Profile 1	1
SYSTEM_PROFILE	System Profile	2

User / User Group	Name	Type	Company
EVERYONE	Every One	User Group	ALL

5. Assign the profile to a user group or groups or to a particular user as applicable.



The extensibility feature will only be seen and executed for the user(s) assigned to this profile. If the profile applies to everyone, assign it to the group **EVERYONE**.

6. Click the **Extensibility Units** subtask, and assign the unit to this profile.

Step 8: Test the Extension

The screenshot shows the 'Enter/Manage User Interface Profiles' window. It contains two tables: 'UI Profile' and 'Extensibility Units'. The 'UI Profile' table has columns for 'UI Profile ID', 'UI Profile Name', and 'Priority'. The 'Extensibility Units' table has columns for 'Extensibility Unit', 'Name', 'Valid', and 'Active'. A red box highlights the 'Valid' and 'Active' columns in the 'Extensibility Units' table, specifically for the row 'XT_PROJECT_X_U1'.

UI Profile ID	UI Profile Name	Priority
VNPROFILE1	VN Profile 1	1
SYSTEM_PROFILE	System Profile	2

Extensibility Unit	Name	Valid	Active
XT_PROJECT_X_U1	Project X Unit 1	Y	<input checked="" type="checkbox"/>

7. Save the profile.
8. Log off and log in to Costpoint with the user ID assigned to the UI profile that contains the extensibility changes.
9. Go to the application that has been customized. In this example, the Manage Users application was customized.
10. Verify that the **Email Name** field is now marked as required (with the red asterisk) and the status text at the bottom has been customized with the additional message.

Now, when saving a record without an **Email Name** entry, an error message displays.

Step 9: Export Script

Exporting script is needed if you are creating the extension in a design/development system and want to deploy the extension to a second system (for example, QC or production).


To export the result set extension script for deployment to another system:

1. From the Extensibility Designer main menu, expand the **Extensibility Projects** folder, and select the appropriate project.
2. Click **Extensions » Export Script**.
3. When a dialog box displays confirming the location of the folder where script files will be created, click **OK**.



This folder was created when you created the project.

4. When a message displays confirming the data has been exported to a SQL file, click **OK**.




Step 10: Package the Extension

You need to package the extension if you create the extension in a design/development system and want to deploy the extension to a second system (for example, QC or production).

To package an extension for deployment to another system:

1. From the Extensibility Designer main menu, click **Tools » Extensibility Packager**.

The Extensibility Projects Packager dialog box displays with a list of projects created in this system.



2. Select the project to package.
The location and name of the zip file to be created displays at the bottom of the dialog box.
3. Click **Pack**.
A progress dialog box displays, showing the log.
4. Click **Close** when done.
5. Navigate the folder where the extension zip file was created and verify that it is there.

Step 11: Deploy the Extensibility Package

To deploy the extensibility package:

1. On the application server machine for the system where the package is to be deployed, launch the DBWizard tool by running **CPWebExtDesigner.cmd** in the `\deltek\costpoint\70\bin` folder.




Presumably, this is the QC or production server that is different from the server used for developing the extension.


2. On the Costpoint DB Wizard screen, click **Deploy Extensions**.



3. On the Deploy Extension screen, select the system on which to deploy the package



4. Browse and select the extensibility zip file created in Step 10.



5. Optional. If your package contains a stored procedure, create tables, views, or other database objects SQL scripts to be applied, select the **Deploy Custom DB Scripts** check box.
6. Click **Next » Run** to deploy the package.

Step 12: Verify the Deployment to the System

To verify that the extension was successfully deployed, repeat “[Step 8: Test the Extension](#)” for the system in Step 11.

When completed, the extension is ready and active.



If you have application Extensions, Deltek recommends deploying the application or system hotfixes first to your testing environment where you can verify that the hotfix did not change the application in a significant manner, making your Extensions no longer valid or usable. Even though the DBWizard has built in logic to check each Extension Unit against the standard application, some features like screen layouts or your business Java or Stored Procedure plugins can be verified only by testing.

A blue geometric graphic consisting of several overlapping triangles and polygons, located in the top-left corner of the page.

Deltek is the leading global provider of enterprise software and information solutions for government contractors, professional services firms and other project- and people-based businesses. For decades, we have delivered actionable insight that empowers our customers to unlock their business potential. 20,000 organizations and millions of users in over 80 countries around the world rely on Deltek to research and identify opportunities, win new business, recruit and develop talent, optimize resources, streamline operations and deliver more profitable projects. Deltek – Know more. Do more.®

deltek.com