



Deltek

Deltek Costpoint®

8.2

Import Accounts Payable
Vouchers Preprocessor

December 20, 2023



While Deltek has attempted to verify that the information in this document is accurate and complete, some typographical or technical errors may exist. The recipient of this document is solely responsible for all decisions relating to or use of the information provided herein.

The information contained in this publication is effective as of the publication date below and is subject to change without notice.

This publication contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, or translated into another language, without the prior written consent of Deltek, Inc.

This edition published December 20, 2023.

© 2023 Deltek, Inc.

Deltek's software is also protected by copyright law and constitutes valuable confidential and proprietary information of Deltek, Inc. and its licensors. The Deltek software, and all related documentation, is provided for use only in accordance with the terms of the license agreement. Unauthorized reproduction or distribution of the program or any portion thereof could result in severe civil or criminal penalties.

All trademarks are the property of their respective owners.

Contents

- Import Accounts Payable Vouchers..... 1
 - Display the Import Accounts Payable Vouchers Screen..... 2
 - Contents of the Import Accounts Payable Vouchers Screen.....2
 - Table Information for the Import Accounts Payable Vouchers Screen..... 13
 - Related Topics for the Import Accounts Payable Vouchers Screen..... 14

Import Accounts Payable Vouchers

You must complete the Manage Accounts Payable Voucher Suspense screen before using this screen.

Use this screen to import Accounts Payable vouchers using an ASCII file, comma-separated values (CSV) file, or input tables. You can import both open payables and paid vouchers in this screen.

- To view and edit the transactions loaded by this process, use the Manage Accounts Payable Vouchers screen.
- To review the transactions loaded by this process, use the Print Voucher Edit Report screen.

There are two ways to work with input files in Costpoint:

- You can access the input file from the network by using Alternate File Locations.
- You can upload the input file to the Costpoint database; in which case, no further access to network folders is necessary.

If you decide to use the first option, click  in the **File Location** field to select an alternate file location. If you choose the second option, leave the **File Location** field blank and use the File Upload Manager to upload the input file to the Costpoint database.

Fields Validated by Company

The following fields are validated by company:

- Vendor
- Vendor Employee
- 1099 Flag
- Pay Vendor
- Pay Vendor Address Code
- Project
- Project Abbrev Code
- Project Account Abbrev Code
- Organization
- Organization Abbrev Code
- Voucher/Fiscal Year
- Account Entry Group
- Subperiod Journal Status
- AP Account
- Cash Account
- Sales/Use Tax Code

- Reference ID
- General Labor Category
- Project Labor Category

Fields Controlled by Company

The following fields are controlled by company:

- Suspense Values
- Voucher Settings
- Vendor Settings
- Multicurrency Settings

Note: The input file layout may contain fields that are available only in Costpoint Advanced. If you are using Costpoint Essentials, these fields are excluded from the import process and may be left blank or null when you create the input file.

Display the Import Accounts Payable Vouchers Screen

You access the Import Accounts Payable Vouchers screen from the Accounting domain.

Click **Accounting » Accounts Payable » Accounts Payable Interfaces » Import Accounts Payable Vouchers**.


Contents of the Import Accounts Payable Vouchers Screen


Use the fields and options to configure the Import Accounts Payable Vouchers screen.

Identification

Use the fields in this block to create a new parameter ID or to retrieve a previously saved parameter ID. A parameter ID represents a set of screen selection parameters. After you have saved a parameter ID and its related parameters, you can retrieve them using **Query**.

You can use the retrieved parameters to produce reports and run processes more efficiently and with greater consistency. The saved parameters are also useful and necessary when you want to run the process as part of a batch job. Many users save a unique set of parameters for each different way they run a report or process. When you select a previously saved parameter ID or parameter description, the associated saved screen selection parameters automatically display as selection defaults. The page setup and print options, if there are any, are also included in the saved parameter ID. You can change any of the associated selection defaults as necessary.



Field	Description
Parameter ID	Enter, or click  to select, a parameter ID of up to 15 alphanumeric characters. Choose characters for your parameter ID that help identify the type of selections you made on the screen, such as PERIOD or QUARTERLY. When you save your record, all the selections made on the screen are stored with the parameter ID. Later, you can retrieve the parameter using Query .

Field	Description
	You can use the parameter to run the process more efficiently because you can select the parameter ID with its previously defined screen selections. After the default selections display on the screen, you can override the defaults.
Description	Enter, or click  to select, a parameter description of up to 30 alphanumeric characters.

Options

Input File

Field	Description								
Select Input Format	<p>From the drop-down list, select your input source:</p> <ul style="list-style-type: none"> ▪ ASCII File (fixed length) ▪ Tables: The Tables setting uses three database tables for importing vouchers. The tables correspond to the three parts of a voucher: header, expense lines, and labor. The columns in the Input File layout are also in the tables. There are two additional columns: <ul style="list-style-type: none"> ▪ Record Number (REC_NO): Used as the primary key. You should make sure that it is unique when populating the tables with data. ▪ Status Code (S_STATUS_CD): Used to identify rows that have not been processed, are in error, or have been imported. ▪ The tables are: <table border="1"> <thead> <tr> <th>Table</th><th>Contains Information to be Imported for the:</th></tr> </thead> <tbody> <tr> <td>AOPUTLAP_INP_HDR</td><td>Header-type record</td></tr> <tr> <td>AOPUTLAP_INP_DETL</td><td>Detail-type record</td></tr> <tr> <td>AOPUTLAP_INP_LAB</td><td>Labor-type record</td></tr> </tbody> </table> ▪ Comma-Separated Values <div style="border: 1px solid red; padding: 5px; margin-top: 10px;"> <p>Warning: For the Tables setting only, the Fiscal Year column cannot be null in the tables. If you do not supply a fiscal year, you must set the Fiscal Year column to a single blank character space in the tables.</p> </div> <div style="border: 1px solid blue; padding: 5px; margin-top: 10px;"> <p>Note: International users: The data can contain non-English characters, provided they are in the ASCII character set. Before you create an ASCII text (.TXT) file, be sure that your keyboard language is set to EN (United States</p> </div>	Table	Contains Information to be Imported for the:	AOPUTLAP_INP_HDR	Header-type record	AOPUTLAP_INP_DETL	Detail-type record	AOPUTLAP_INP_LAB	Labor-type record
Table	Contains Information to be Imported for the:								
AOPUTLAP_INP_HDR	Header-type record								
AOPUTLAP_INP_DETL	Detail-type record								
AOPUTLAP_INP_LAB	Labor-type record								

Field	Description
	English) to prevent Costpoint from generating errors. Deltek recommends that you use .TXT and .CSV file-naming conventions.
File Location	<p>Enter the location of the input file you are importing. There are two ways to do this:</p> <ul style="list-style-type: none"> In the File Location field, enter, or click  to select, the alternate file location where the input file is located. Alternate file locations are set up in the Manage Alternate File Locations screen. From the Global Menu, click Process » File Upload. On the File Upload Manager dialog box, click Browse and use the dialog box to select the file you want to import. If you select the Overwrite? check box, Costpoint will overwrite any file of the same name that already exists in the Costpoint database. Click Upload when you are finished. If you use this method, leave the File Location field blank. For more information about the File Upload Manager, see the File Upload Manager topic in the Getting Started Guide.
File Name	In the unlabeled field to the right, enter, or click  to select, the name of the file to be processed.

Accounting Period

Field	Description
Fiscal Year, Period, Subperiod	Select the fiscal year, period, and subperiod to use as defaults. These settings will not override values in the Input File, but will be used if the fiscal year, period, and/or subperiod in the Input File are blank.
Fiscal Year, Period	Select the fiscal year and period to use as defaults. These settings will not override values in the Input File, but will be used if the fiscal year and period in the Input File are blank.

Voucher Numbering Method

Select one of the following methods for numbering vouchers:

Field	Description
Use Vchr Numbers in Input File	Select this option to use the voucher numbers provided in the Input File when importing vouchers to Costpoint tables. This is the default.
Use Last System Vchr Number	Select this option to assign unique voucher numbers sequentially when importing to the Costpoint tables. Costpoint uses the Last System Voucher Number from the Configure Accounts Payable Voucher Settings screen to determine the next voucher number.

Field	Description
Supply Beginning Vchr Number	<p>Select this option to enter a beginning voucher number in the adjacent field. Unique voucher numbers are assigned sequentially when you import, starting with the beginning voucher number that you specify.</p> <p>If you select the Use Last System Voucher Number option, the Costpoint system-wide setting for the Voucher Numbering Method option on the Configure Accounts Payable Voucher Settings screen must be set to System, and the Last System Voucher Number field must be greater than or equal to zero.</p> <div style="border: 1px solid red; padding: 5px; margin-top: 10px;"> <p>Warning: Assigning voucher numbers when importing can take significantly longer than using the voucher numbers provided in the Input File. The length of time required for the import also depends upon the number of vouchers being uploaded.</p> </div>



Process Table Options

For this group box to be active, you must select **Tables** as the setting for the **Select Input** option.


Field	Description
Load Unprocessed Records	<p>Select this option to process rows having a status (S_STATUS_CD) of U from the input tables. The rows are selected from the Header, Detail, and Labor tables.</p> <p>Records that pass validation and records that fail validation are loaded into separate temporary tables; this is the same procedure for processing Input Files. The status code (S_STATUS_CD) column is then updated to E (Error) in all the input tables for the corresponding records that contain errors.</p> <p>When you import vouchers, all the records that passed validation are inserted into the base tables (VCHR_HDR, VCHR_LN, VCHR_LN_ACCT, and VCHR_LAB_VEND). The Status Code column is then updated with an I (Imported) to show that these rows have been successfully imported.</p>
Reprocess Error Records	<p>Select this option to re-process rows from the input tables having a status (S_STATUS_CD) of E (Error).</p>
Delete Imported Records	<p>Select this option to delete rows from the input tables having a status (S_STATUS_CD) of I (Imported). Costpoint deletes records from the Header (AOPUTLAP_INP_HDR), Detail (AOPUTLAP_INP_DETL), and Labor (AOPUTLAP_INP_LAB) input tables.</p>
Print Edit Report during validate	<p>Select this check box to print the edit report when you run the Validate Input File process.</p>
Expand Segmented IDs	<p>Select this check box to expand the Account, Org, Project, Reference Number 1, and Reference Number 2 fields in the Input File when processing. If you select this check box, Costpoint pads any segment of fields that is shorter than the specified length for that segment:</p>

Field	Description
	<ul style="list-style-type: none"> If the value is numeric, Costpoint pads the segment with zeros on the left. If the value is alphanumeric, Costpoint pads the segment with spaces on the right. <p>Warning: If you select the Expand Segmented IDs option, processing may take significantly longer.</p>
Overwrite the existing records	Keep this check box selected (the default) to allow overwriting of existing records during the import process. Clear this check box to prevent overwriting of existing records.
Continue to process with error records	Keep this check box selected (the default) to instruct Costpoint to continue processing if it encounters error records or warnings. Clear this check box to have Costpoint stop processing if it encounters error records or warnings.
Include records not assigned to a user	<p>Select this check box to import vouchers that are not assigned to the logged on user.</p> <p>Note: This check box is only enabled when the Tables format is selected.</p>

Preview and Print Menu

Field	Description
Validate Input File	<p>Click  or  drop-down and select this option to read the input file, create the temporary tables, validate the records, write invalid records to an error output file, and print the Error Reports. This step can be performed simultaneously by more than one user.</p> <p>When you select the Print Edit Report during validate check box, the edit report prints after validation.</p> <p>Note: The validation of an input file may require you to do it more than once until all errors in the file are corrected. To prevent bottlenecks in this step, multiple users can simultaneously run it with their own set of input files. Once an input file is validated, it can be submitted to the job server where the rest of the import process do not require user interaction. You can get an e-mail notification when the process is complete.</p> <p>This step also deletes records in the temporary tables that were previously imported using the Tables option.</p>

Action Menu

Field	Description
Validate Input File and Import Vouchers	<p>Click  drop-down and select this option to validate and import vouchers. This action will print both the error and edit reports.</p> <p>Only one user at a time can perform this step in this application and you cannot run it simultaneously with the Validate Input File option.</p> <p>You can set this step on the Manage Jobs screen so that the validate and import process can be done at the job server.</p>

Technical Details

Field	Description	
Tables Read	Table	Menu
	Account (ACCT)	Accounting » General Ledger » Accounts » Manage Accounts
	Account Entry Rules (ACCT_ENTRY_RULES)	Accounting » General Ledger » Accounts » Configure Account Entry Groups
	Account Group Setup (ACCT_GRP_SETUP)	Projects » Project Setup » Project Setup Controls » Manage Project Account Groups
	Accounting Period (ACCTING_PD)	Accounting » General Ledger » Company Calendar » Manage Accounting Periods
	AP Suspense Setup (X_AP_SUSP_SETUP)	Accounting » Accounts Payable » Accounts Payable Interfaces » Manage Accounts Payable Vouchers
	Billing Labor Category (BILL_LAB_CAT)	Projects » Project Setup » Project Labor » Manage Project Labor Categories (PLC)
	Check History (VEND_CHK)	Accounting » Accounts Payable » Accounts Payable Utilities » Manage Check History
	Default A/P Accounts (DFLT_AP_ACCTS)	Accounting » Accounts Payable » Accounts Payable Controls » Manage Accounts Payable Accounts
	Default Cash Accounts (DFLT_CASH_ACCTS)	Accounting » Accounts Payable » Accounts Payable Controls » Manage Cash Accounts

Field	Description	
	Table	Menu
	Fiscal Year (FY)	Accounting » General Ledger » Company Calendar » Manage Fiscal Years
	General Labor Category (GENL_LAB_CAT)	People » Labor » Labor Controls » Manage General Labor Categories
	General Ledger Configuration File (GL_CONFIG)	Accounting » General Ledger » General Ledger Controls » Configure General Ledger Settings
	Organization (ORG)	Accounting » General Ledger » Organizations » Manage Organization Elements
	Organization Account (ORG_ACCT)	Accounting » General Ledger » Accounts » Link Accounts/ Organizations
	Project (PROJ)	Projects » Project Setup » Project Master » Manage Project User Flow
	Project Control (PROJ_CNTL)	Projects » Project Setup » Project Setup Controls » Configure Project Settings
	Project Edit (PROJ_EDIT)	Projects » Project Setup » Project Master » Manage Modifications
	Project Labor Category (PROJ_LAB_CAT)	Projects » Project Setup » Project Labor » Link Project Labor Categories to Projects
	Project Labor Category Map (PROJ_LAB_CAT_MAP)	Projects » Project Setup » Project Labor » Link Project Labor Categories to Projects » Link GLC to Project PLC
	Project Organization Account (PROJ_ORG_ACCT)	Projects » Project Setup » Charging Information » Link Projects/ Accounts/Organizations
	Project Vendor (PROJ_VEND)	Projects » Project Setup » Project Labor » Manage Vendor Work Force
	Project Vendor Labor Category (PROJ_VEND_LAB_CAT)	Projects » Project Setup » Project Labor » Link Project Labor Categories to Vendor Employee Work Force

Field	Description	
	Table	Menu
	Reference Structure (REF_STRUC)	Accounting » General Ledger » Reference Numbers » Manage Reference Structures
	Sales Tax (SALES TAX)	System Controls » System Administration » System Administration Controls » System Codes » Manage Sales or Value Added Taxes
	Subperiod (SUB_PD)	Accounting » General Ledger » Company Calendar » Manage Subperiods
	Subperiod Journal Status (SUB_PD_JNL_STATUS)	Accounting » General Ledger » Company Calendar » Manage Subperiods » Entry Edit Status (subtask)
	Vendor (VEND)	Accounting » Accounts Payable » Vendors » Manage Vendors
	Vendor Address (VEND_ADDR)	Accounting » Accounts Payable » Vendors » Manage Vendors » Addresses block
	Vendor Employee (VEND_EMPL)	Accounting » Accounts Payable » Vendors » Manage Vendors » Vendor Employees (flow)
	Vendor Settings (VEND_SETTINGS)	Accounting » Accounts Payable » Vendor and Subcontractor Controls » Configure Vendor Settings
	Vendor Terms (VEND_TERMS)	Accounting » Accounts Payable » Vendor and Subcontractor Controls » Manage Vendor Terms
	Voucher Header History (VCHR_HDR_HS)	Accounting » Accounts Payable » Accounts Payable Reports/Inquiries » Print Voucher Register Report
	Input File (User - named)	
	Table	Menu
	Account (ACCT)	Accounting » General Ledger » Accounts » Manage Accounts

Field	Description	
	Table	Menu
	Account Entry Rules (ACCT_ENTRY_RULES)	Accounting » General Ledger » Accounts » Configure Account Entry Groups
	Account Group Setup (ACCT_GRP_SETUP)	Projects » Project Setup » Project Setup Controls » Manage Project Account Groups
	Accounting Period (ACCTING_PD)	Accounting » General Ledger » Company Calendar » Manage Accounting Periods
	AP Suspense Setup (X_AP_SUSP_SETUP)	Accounting » Accounts Payable » Accounts Payable Interfaces » Manage Accounts Payable Vouchers
	Billing Labor Category (BILL_LAB_CAT)	Projects » Project Setup » Project Labor » Manage Project Labor Categories (PLC)
	Check History (VEND_CHK)	Accounting » Accounts Payable » Accounts Payable Utilities » Manage Check History
	Default A/P Accounts (DFLT_AP_ACCTS)	Accounting » Accounts Payable » Accounts Payable Controls » Manage Accounts Payable Accounts
	Default Cash Accounts (DFLT_CASH_ACCTS)	Accounting » Accounts Payable » Accounts Payable Controls » Manage Cash Accounts
	Fiscal Year (FY)	Accounting » General Ledger » Company Calendar » Manage Fiscal Years
	General Labor Category (GENL_LAB_CAT)	People » Labor » Labor Controls » Manage General Labor Categories
	General Ledger Configuration File (GL_CONFIG)	Accounting » General Ledger » General Ledger Controls » Configure General Ledger Settings
	Organization (ORG)	Accounting » General Ledger » Organizations » Manage Organization Elements
	Organization Account (ORG_ACCT)	Accounting » General Ledger » Accounts » Link Accounts/ Organizations

Field	Description	
	Table	Menu
	Project (PROJ)	Projects » Project Setup » Project Master » Manage Project User Flow
	Project Control (PROJ_CNTL)	Projects » Project Setup » Project Setup Controls » Configure Project Settings
	Project Edit (PROJ_EDIT)	Projects » Project Setup » Project Master » Manage Modifications
	Project Labor Category (PROJ_LAB_CAT)	Projects » Project Setup » Project Labor » Link Project Labor Categories to Projects
	Project Labor Category Map (PROJ_LAB_CAT_MAP)	Projects » Project Setup » Project Labor » Link Project Labor Categories to Projects » Link GLC to Project PLC
	Project Vendor (PROJ_VEND)	Projects » Project Setup » Project Labor » Manage Vendor Work Force
	Project Vendor Labor Category (PROJ_VEND_LAB_CAT)	Projects » Project Setup » Project Labor » Link Project Labor Categories to Vendor Employee Work Force
	Reference Structure (REF_STRUC)	Accounting » General Ledger » Reference Numbers » Manage Reference Structures
	Sales Tax (SALES TAX)	System Controls » System Administration » System Administration Controls » System Codes » Manage Sales or Value Added Taxes
	Subperiod (SUB_PD)	Accounting » General Ledger » Company Calendar » Manage Subperiods
	Subperiod Journal Status (SUB_PD_JNL_STATUS)	Accounting » General Ledger » Company Calendar » Manage Subperiods » Entry Edit Status (subtask)
	Vendor (VEND)	Accounting » Accounts Payable » Vendors » Manage Vendors

Field	Description	
	Table	Menu
	Vendor Address (VEND_ADDR)	Accounting » Accounts Payable » Vendors » Manage Vendors » Addresses block
	Vendor Employee (VEND_EMPL)	Accounting » Accounts Payable » Vendors » Manage Vendors » Vendor Employees (flow)
	Vendor Settings (VEND_SETTINGS)	Accounting » Accounts Payable » Vendor and Subcontractor Controls » Configure Vendor Settings
	Vendor Terms (VEND_TERMS)	Accounting » Accounts Payable » Vendor and Subcontractor Controls » Manage Vendor Terms
	Voucher Header History (VCHR_HDR_HS)	Accounting » Accounts Payable » Accounts Payable Reports/Inquiries » Print Voucher Register Report
	Input File (User - named)	
Tables Read and Written	Table	Menu
	A/P Voucher Prep Parameters (PARMS_AOPUTLAP)	Accounting » Accounts Payable » Accounts Payable Interfaces » Import Accounts Payable Vouchers
	Function Parameter Catalog (W_FUNC_PARM_CATLG)	
	Posting Semaphore (POST_SEMAPHORE)	
	Sequence Generator (SEQ_GENERATOR)	
	Voucher Header (VCHR_HDR)	Accounting » Accounts Payable » Voucher Processing » Manage Accounts Payable Vouchers
	Voucher Settings (VCHR_SETTINGS)	Accounting » Accounts Payable » Accounts Payable Controls » Configure Accounts Payable Voucher Settings

Field	Description	
Tables Written	Table	Menu
	Voucher Labor Vendor (VCHR_LAB_VEND)	Accounting » Accounts Payable » Voucher Processing » Manage Accounts Payable Vouchers
	Voucher Line (VCHR_LN)	Accounting » Accounts Payable » Voucher Processing » Manage Accounts Payable Vouchers
	Voucher Line Account (VCHR_LN_ACCT)	Accounting » Accounts Payable » Voucher Processing » Manage Accounts Payable Vouchers
Output Files	The following output files are generated by this preprocessor: <ul style="list-style-type: none"> ■ Error File (Input File name + .ERR) ■ Edit Report ■ Error Report 	

Table Information for the Import Accounts Payable Vouchers Screen

Changes to the Import Accounts Payable Vouchers screen update several tables.

Updated tables include:

- AOPUTLAP_INP_DETL
- AOPUTLAP_INP_HDR
- AOPUTLAP_INP_LAB
- POST_SEMAPHORE
- SEQ_GENERATOR
- VCHR_HDR
- VCHR_LAB_VEND
- VCHR_LN
- VCHR_LN_ACCT
- VCHR_SETTINGS
- W_FUNC_PARM_CATLG

Related Topics for the Import Accounts Payable Vouchers Screen

Use this section to view special topics related to importing accounts payable vouchers.

Processing Details

Costpoint follows a series of steps when importing accounts payable vouchers.

Processing Details for Import Accounts Payable Vouchers

1. Costpoint checks the voucher temporary tables to ensure that all rows are imported. If any rows have not been imported, Costpoint displays a message and you can continue or cancel the process. If you continue, the temporary tables are cleared.
2. Costpoint reads records from the Input File and inserts them into the temporary tables.
3. Costpoint applies defaults to fields that are blank in the Input File and that have a "default provided" status.
4. Validations are performed.
5. After the validations are completed, vouchers with errors are written to the error file. If there is an error on one line of a voucher (header, detail, or vendor labor), Costpoint rejects all lines of the voucher and writes them to the error file. It then deletes these rows from the temporary tables. The temporary tables now have only valid rows in them.
6. Costpoint performs field processing and calculations.
7. The Error Report prints. If there are errors, Costpoint displays a message on the screen. If there are no errors, the Error Report indicates that no records were found.

Import Details

1. When Costpoint uses the voucher numbers from the Input File, the Voucher Header and Voucher Header History are checked again to ensure that the vouchers being imported do not already exist. If duplicates do exist, Costpoint displays a message and will not perform the import.
2. When Costpoint assigns voucher numbers, all vouchers in the temporary tables are assigned new and unique voucher numbers.
3. Costpoint sets the **Voucher Key**, **Voucher Line Key**, **Voucher Line Account Key**, and **Voucher Line Vendor Key**.
4. Costpoint inserts rows from the temporary tables into the Voucher Header, Voucher Line, Voucher Line Account, and Voucher Labor Vendor tables.

Input File and Error File Layout

You name the Input File. The Error File has the same name with an extension of **.ERR** and will have the same layout as the Input File.

The Input File must be a fixed format file. You must fill every position with either an appropriate character or space. It is not necessary to zero-fill numbers; you can use spaces to maintain the proper format. Numeric fields must be right-justified and character fields must be left-justified. You

do not have to fill the **Notes** fields with spaces, but every record must end with a carriage return and line feed.

A record in the Input File must be in one of three formats: Header, Detail, or Vendor Labor. Each voucher Header record must have at least one matching voucher Detail record in the Input File. Vendor Labor records are optional. Each Vendor Labor record must match with a Detail record in the Input File.

Header Format (VCHR_HDR Table)

Type	CP Column/ Table	Characters	Required?	Format
Record Type		Character 1	Required	(H)
Input Voucher Number	VCHR_NO	Number 9	Required	(999999999)
Fiscal Year	FY_CD	Character 6	Default provided	
Period Number	PD_NO	Number 2	Default provided	(99)
Subperiod Number	SUB_PD_NO	Number 2	Default provided	(99)
Vendor ID	VEND_ID	Character 12	Required	
Terms	TERMS_DC	Character 15	Default provided	
Invoice Num	INVC_ID	Character 15	Optional	
Invoice Date	INVC_DT	Character 10	Required	(YYYY-MM-DD)
Invoice Amt	INVC_AMT	Number 15	Required	(-99999999999.99) (including Sales Tax)
Discount Date	DISC_DT	Character 10	Optional	(YYYY-MM-DD)
Discount Pct	DISC_PCT_RT	Number 6	Optional	(999.99) (10.00 = 10%)
Total Disc Amt	DISC_AMT	Number 15	Optional	(-99999999999.99)
Due Date	DUE_DT	Character 10	Optional	(YYYY-MM-DD)
Hold Voucher	HOLD_VCHR_FL	Character 1	Required	(Y or N)

Type	CP Column/ Table	Characters	Required?	Format
Pay When Paid FI	PAY_WHEN_ PAID_FL	Character 1	Default provided	(Y, N, or blank)
Pay Vendor ID	PAY_VEND_ID	Character 12	Default provided	
Payment Add Cd	PAY_ADDR_DC	Character 10	Default provided	
PO Num	EXT_PO_ID	Character 10	Optional	(For reference only)
PO Release Num	EXT_PO_RLSE _NO	Number 3	Optional	(999) (for reference only)
Retainage Rate	RTN_RT	Number 6	Optional	(999.99) (10.00 = 10%)
A/P Acct Desc	AP_ACCTS_KE Y (used to derive AP_ACCT_ID, AP_ORG_ID, AP_REF1_ID, and AP_REF2_ID)	Character 30	Default provided	
Cash Acct Desc	CASH_ACCTS_ KEY (used to derive CASH_ACCT_ID , CASH_ORG_ID, CASH_REF1_ID , and CASH_REF2_ID)	Character 30	Default provided	
Invoice Type	S_INVC_TYPE	Character 1	Default provided	(D, P, or N)
Delivery Value (Ship Amt)	SHIP_AMT	Number 15	Default provided	(-99999999999.99)
Check Fiscal Year	CHK_FY_CD	Character 6	Default provided	
Check Period Number	CHK_PD_NO	Number 2	Default provided	(99)

Type	CP Column/ Table	Characters	Required?	Format
Check Subperiod Number	CHK_SUB_PD_NO	Number 2	Default provided	(99)
Check Number	CHK_NO	Number 9	Optional	(999999999)
Check Date	CHK_DT	Character 10	Default provided	(YYYY-MM-DD)
Check Amount	CHK_AMT	Number 15	Optional (only needed with Check Number)	(-99999999999.99)
Discount Taken Amount	DISC_TAKEN_AMT	Number 15	Default provided	(-99999999999.99)
Invoice Period of Performance Date	INVC_POP_DT	Character 10	Optional	(YYYY-MM-DD)
Print Note-Blank Laser Check Flag	PRINT_NOTE_FL	Character 1	Default provided	(Y, N, or blank)
Separate Check Flag	SEP_CK_FL	Character 1	Default Provided	(Y or N)
Joint Payee Name	JNT_PAY_VEND_NAME	Character 40	Optional	
Notes	NOTES	Character 254	Optional	

Detail Format (VCHR_LN and VCHR_LN_ACCT tables)

Type	CP Table/ Column	Characters	Required?	Format
Record Type		Character 1	Required	(D)
Input Voucher Number		Number 9	Required	(999999999)
Fiscal Year		Character 6	Default provided	
Voucher Line Num	VCHR_LN.VCHR_LN_NO	Number 6	Required	(999999)
Account	VCHR_LN_ACCT.ACCT_ID	Character 15	Required	
Org	VCHR_LN_ACCT.ORG_ID	Character 20	Required	
Project	VCHR_LN_ACCT.PROJ_ID	Character 30	Optional	

Type	CP Table/ Column	Characters	Required?	Format
Reference Num 1	VCHR_LN_ACCT .REF1_ID	Character 20	Optional	
Reference Num 2	VCHR_LN_ACCT .REF2_ID	Character 20	Optional	
Line Amt	VCHR_LN_ACCT .CST_AMT	Number 15	Required	(-9999999999.99) (without Tax)
Taxable Code	VCHR_LN.S_TAXABLE_CD	Character 1	Required	S, U, or N
Tax Code	VCHR_LN.SALE S_TAX_CD	Character 6	Optional	(Required if Taxable Code is S or U)
Sales Tax Amt	VCHR_LN.SALE S_TAX_AMT	Number 15	Required	(-9999999999.99)
Discount Amt	VCHR_LN.DISC_AMT	Number 15	Required	(-9999999999.99)
Use Tax Amt	VCHR_LN.USE_TAX_AMT	Number 15	Required	(-9999999999.99)
AP 1099 Flag	VCHR_LN_ACCT .AP_1099_FL	Character 1	Default provided	Y, N, or blank
1099-MISC Type Code	VCHR_LN_ACCT .S_AP_1099_TY PE_CD	Character 6	Default provided	
Voucher Line Desc	VCHR_LN.VCHR_LN_DESC	Character 30	Default provided	
Org Abbreviation	VCHR_LN_ACCT .ORG_AB BRV_CD	Character 6	Optional	
Project Abbreviation	VCHR_LN_ACCT .PROJ_ABBRV_CD	Character 6	Optional	
Project Account Abbrev	VCHR_LN_ACCT .PROJ_ACCT_A BBRV_CD	Character 6	Optional	
Notes	VCHR_LN.NOTE S	Character 254	Optional	

Vendor Labor Format (VCHR_LAB_VEND Table)

Type	CP Table/ Column	Character	Required?	Format
Record Type		Character 1	Required	(V)
Input Voucher Number		Numeric 9	Required	(999999999)
Fiscal Year		Character 6	Default provided	
Voucher Line Number		Numeric 6	Required	(999999)
Vendor Subline Number	SUB_LN_NO	Numeric 5	Required	(99999)
Vendor Empl ID	VEND_EMPL_ID	Character 12	Optional	
General Labor Category	GENL_LAB_CAT_CD	Character 6	Required	
Project Labor Category	BILL_LAB_CAT_CD	Character 6	Optional	
Vendor Hours	VEND_HRS	Number 15	Optional	(-99999999999.99)
Vendor Amount	VEND_AMT	Number 15	Optional	(-99999999999.99)
Effective Billing Date	EFFECT_BILL_DT	Character 10	Default provided	(YYYY-MM-DD)

Error Messages

When errors are encountered during importing of vouchers, messages may display on the Error Report.

Account

Error Message	Meaning/Related Information
A Project cannot be used with this account.	The Project Required check box was not selected for this account on the Manage Accounts screen, but a project was found in the Input File.
Contains segments that are too long.	The account in the Input File has one or more segments that are longer than the specified length for the segment.
Contains too many segments.	The account in the Input File has too many delimiters.

Error Message	Meaning/Related Information
ID/Account Group Setup mismatch.	The account from the Input File and the default account found in the Account Group Setup table (Manage Project Account Groups screen) for the project account abbreviation supplied in the Input File did not match.
Not active.	The Active check box was not selected for this account on the Manage Accounts screen.
Not a detail account.	The Detail check box was not selected for this account on the Manage Accounts screen. You cannot charge accounts unless they are marked as detail.
Not formatted due to a fatal error.	A fatal error occurred when Costpoint tried to check the input mask format. Please call Technical Support.
Not found in Acct Entry Groups table.	The account entry group assigned to the account in the Input File does not include vouchers.
Not found in Acct table.	The account in the Input File does not exist in the Account table (the Manage Accounts screen).
Project is required for this account.	The Project Required check box was selected for this account on the Manage Accounts screen, but no project was found in the Input File.
Reformatted to match defined structure.	The account in the Input File does not match the input mask for accounts. It has been padded with spaces or zeros to match the input mask.
Too long for the defined structure.	The account in the Input File is longer than the specified length for accounts.

AP 1099 Flag

Error Message	Meaning/Related Information
Must be Y, N or blank.	The A/P 1099 Flag in the Input File is not Y , N , or blank.

AP 1099 Flag/Vendor ID

Error Message	Meaning/Related Information
WARNING: Vendor is NOT set up for 1099s.	The A/P 1099 Flag in the Input File is Y but the vendor is not set up for 1099s.

Error Message	Meaning/Related Information
WARNING: Vendor is set up to Print 1099s.	The A/P 1099 Flag in the Input File is N but the vendor is set up to print 1099s.

AP 1099 Type

Error Message	Meaning/Related Information
Cannot be entered unless 1099 Flag = Y.	The 1099-MISC Type Code was entered in the Input File, but the A/P 1099 Flag is not Y .
Does not exist in the System table.	The 1099-MISC Type Code is not set up as a valid Type Code .
Required when the 1099 Flag = Y	The 1099-MISC Type Code was blank in the Input File, but the A/P 1099 Flag is Y .

A/P Acct Desc

Error Message	Meaning/Related Information
Not found in A/P Accounts table.	The A/P Acct Desc in the Input File does not exist in the Accounts Payable Accounts table.

A/P Org/Acct

Error Message	Meaning/Related Information
Not active.	The A/P account and A/P organization combination is not flagged as Active in the Organization Account table.
Not active in selected fiscal year.	The fiscal year of the record in the Input File is not within the starting and ending fiscal years for the A/P account and A/P organization combination in the Organization Account table.
Not active in selected period.	The accounting period of the record in the Input File is not within the starting and ending periods for the A/P account and A/P organization combination in the Organization Account table.
Not found in Acct/Org table.	The A/P account and A/P organization combination does not exist in the Organization Account table.

A/P Org/Disc Acct

Costpoint performs this validation only if, on the Configure Accounts Payable Voucher Settings screen, the **Discount Account** option has been selected in the **Charge Discounts to** group box

and the **A/P Organization** option was selected in the **Charge Organization of** group box, and only on Header records from the input file with a **Total Discount Amount** greater than zero.

Error Message	Meaning/Related Information
Not active.	The discount account and accounts payable organization combination is not flagged as Active in the Organization Account table (Link Accounts/Organizations screen).
Not active in selected fiscal year.	The fiscal year of the record in the Input File is not within the starting and ending fiscal years for the discount account and A/P organization combination in the Organization Account table (Link Accounts/Organizations screen).
Not active in selected period.	The accounting period of the record in the Input File is not within the starting and ending periods for the discount account and A/P organization combination in the Organization Account table (Link Accounts/Organizations screen).
Not found in Acct/Org table.	The discount account and A/P organization combination does not exist in the Organization Account table (Link Accounts/Organizations screen).

Cash Acct Desc

Error Message	Meaning/Related Information
Not found in Cash Accounts table.	The Cash Acct Desc in the Input File does not exist in the Cash Accounts table (the Manage Cash Accounts screen).

Cash Org/Acct

Error Message	Meaning/Related Information
Not active.	The cash account and cash organization combination is not flagged as Active in the Organization Account table (Link Accounts/Organizations screen).
Not active in selected fiscal year.	The fiscal year of the record in the Input File is not within the starting and ending fiscal years for the cash account and cash organization combination in the Organization Account table (Link Accounts/Organizations screen).
Not active in selected period.	The accounting period of the record in the Input File is not within the starting and ending

Error Message	Meaning/Related Information
	periods for the cash account and cash organization combination in the Organization Account table (Link Accounts/Organizations screen).
Not found in Acct/Org table.	The cash account and cash organization combination does not exist in the Organization Account table (Link Accounts/Organizations screen).

Check Amount

Error Message	Meaning/Related Information
Cannot be less than zero.	The Check Amount field in the Input File is less than zero.
Cannot be zero when Chk No is > zero.	The Check Number in the Input File is greater than zero, but the Check Amount is zero.
Must be zero when Chk No is zero.	The Check Number is zero, but the Check Amount is not zero.
Not numeric.	The Check Amount field in the Input File is not blank and is not numeric.

Check Date

Error Message	Meaning/Related Information
Must be blank when Chk No is zero.	The Check Number is zero, but the Check Date is not blank.
Not a valid date.	The Check Date field in the Input File is not blank and is not a valid date. All dates must be in the following format: YYYY-MM-DD .

Check FY/PD/Sub PD

Error Message	Meaning/Related Information
Must be blank when Chk No is zero.	The Check Number is zero, but the check fiscal year, check period, and check subperiod are not blank.
Not found in Subperiod Table.	The check fiscal year, check period, and check subperiod combination does not exist in the Subperiod table (the Manage Subperiods screen).
Not open in Subperiod Table.	The check fiscal year, check period, and check subperiod combination is not open in the

Error Message	Meaning/Related Information
	Subperiod table (the Manage Subperiods screen).

Check FY/PD/Sub, CD

Error Message	Meaning/Related Information
Not found in Subpd Jrnl Stat Table.	The check fiscal year, check period, and check subperiod combination does not exist in the Subperiod Journal Status table (the Manage Subperiods screen) with a journal code of CD .
Not open in Subpd Jrnl Stat Table.	The check fiscal year, check period, and check subperiod combination is not open in the Subperiod Journal Status table (the Manage Subperiods screen) with a journal code of CD .

Check Number

Error Message	Meaning/Related Information
Cannot be less than zero.	The Check Number field in the Input File is less than zero.
Not numeric.	The Check Number field in the Input File is not blank and is not numeric.

Check Period

Error Message	Meaning/Related Information
Not numeric.	The Check Period Number field in the Input File is not blank and is not numeric.

Check Subperiod

Error Message	Meaning/Related Information
Not numeric.	The Check Subperiod Number field in the Input File is not blank and is not numeric.

Chk Amt, Unpaid Bal

Error Message	Meaning/Related Information
Chk Amt cannot be > than the Unpaid Bal.	The Check Amount field in the Input File is greater than the unpaid balance on the voucher. The unpaid balance is determined by the settings for the Post to G/L Discount

Error Message	Meaning/Related Information
	<p>Method group box on the Configure Accounts Payable Voucher Settings screen:</p> <ul style="list-style-type: none"> If you selected the Gross - Without Discounts option in the Post to G/L Discount Method group box, the unpaid balance is calculated as: Invoice Amt - Discount Taken Amt - (Invoice Amt * Retainage Rate) If you selected the Net - Including Discounts option in the Post to G/L Discount Method group box, the unpaid balance is calculated as: Due Amt - (Invoice Amt * Retainage Rate)

Chk No, Dt, Acct, Org

Error Message	Meaning/Related Information
Check already exists in Check History.	This check already exists in the Check History table with the same check number, check date, cash account, and cash organization.
Check in Input File with diff values.	The check (check number, check date, cash account, and cash organization) exists in the Input File on a different voucher, but one or more of the following fields are different: check fiscal year, check period, check subperiod, pay vendor, payment address, cash reference number 1, and/or cash reference number 2.
Chk in VCHR header with diff values.	The check (check number, check date, cash account, and cash organization) exists in the Voucher header table on a different voucher, but one or more of the following fields are different: check fiscal year, check period, check subperiod, pay vendor, payment address, cash reference number 1, and/or cash reference number 2.

Disc Amt, Det Disc Amt

Error Message	Meaning/Related Information
Tot Disc Amt must = sum of Detail Disc Amt.	The Total Discount Amount on the header record did not equal the sum of the Discount

Error Message	Meaning/Related Information
	Amount from all matching detail records (same voucher number and fiscal year).

Disc Date, Invoice Date

Error Message	Meaning/Related Information
WARNING: Disc Date is < or = to Invoice Date.	The Discount Date is earlier than or the same as the invoice date.

Disc Date, Pct and Amt

Error Message	Meaning/Related Information
Must all be populated or blank on Header.	The Discount Date , Discount Pct , and Discount Amount fields from the Input File must be either all populated or all blank.

Disc Taken, Disc Amt

Error Message	Meaning/Related Information
Disc Taken cannot be > than the Disc Amt.	The Discount Taken Amount field in the Input File is greater than the total discount amount on the voucher.

Disc Taken Amount

Error Message	Meaning/Related Information
Cannot be less than zero.	The Discount Taken Amount field in the Input File is less than zero.
Must be zero when Chk No is zero.	The Check Number is zero, but the Discount Taken Amount is not zero.
Not numeric.	The Discount Taken Amount field in the Input File is not blank and is not numeric.
Post to G/L Disc Method is not = G.	The Discount Taken Amount field in the Input File is greater than zero. You select the Net - Including Discounts option in the Post to G/L Discount Method group box on the Configure Accounts Payable Voucher Settings screen. The discount taken amount can be greater than zero only if the Gross - Without Discounts option is selected in the Post to G/L Discount Method group box.

Discount Account

Error Message	Meaning/Related Information
From Voucher Settings, not valid for APV.	The discount method is D but the Account Entry Group assigned to the Discount Account does not include vouchers.

Discount Amount

Error Message	Meaning/Related Information
Not Numeric.	The Total Discount Amount in the Input File is not numeric.

Discount Date

Error Message	Meaning/Related Information
Not a valid date.	The Discount Date in the Input File either is not a valid date or is in the wrong format. All dates should be in the following format: YYYY-MM-DD

Discount Pct Rate

Error Message	Meaning/Related Information
Not Numeric.	The Discount Pct in the Input File is not numeric.

Due Date

Error Message	Meaning/Related Information
Could Not Calculate.	Costpoint could not calculate a Due Date from the Invoice Date and Terms fields.
Not a valid date.	The Due Date in the Input File either is not a valid date or is in the wrong format. All dates should be in the following format: YYYY-MM-DD

Due Date, Disc Date

Error Message	Meaning/Related Information
WARNING: Due Date is < or = to Disc Date.	The Due Date is earlier than or the same as the Discount Date .

Effective Billing Date

Error Message	Meaning/Related Information
Must be in Input File.	The Effective Billing Date field in the Input File is blank and Costpoint could not find a valid default subperiod end date.
Not a valid date.	The Effective Billing Date in the Input File either is not a valid date or is in the wrong format. All dates should be in the following format: YYYY-MM-DD

FY/PD/Sub PD

Error Message	Meaning/Related Information
Not found in Subperiod table.	The fiscal year, accounting period, and subperiod combination does not exist in the Subperiod table (the Manage Subperiods screen).
Not open in Subperiod table.	The fiscal year, accounting period, and subperiod combination is flagged as Closed in the Subperiod table (the Manage Subperiods screen).

FY/PD/Sub PD and Jnl Cd

Error Message	Meaning/Related Information
Not found in Subperiod Journal Status table.	The fiscal year, accounting period, and subperiod combination, along with the code APV , does not exist in the Journal Status table (the Manage Subperiods screen).
Not open in Subperiod.	The fiscal year, accounting period, and subperiod combination, along with the code APV , is flagged as Closed in the Subperiod Journal Status table (the Manage Subperiods screen).

GLC

Error Message	Meaning/Related Information
Must be in Input File.	The GLC field in the Input File is blank.
Not found in Genl Labor Cat table.	The GLC in the Input File does not exist in the General Labor Category table (the Manage General Labor Categories screen).

Input Vendor Subline Num

Error Message	Meaning/Related Information
Must be in Input File.	The Vendor Subline Number field in the Input File is blank.
Not numeric.	The Vendor Subline Number field in the Input File is not numeric.
Not sequential beginning with 1.	The Vendor Subline Number field in the Input File is not sequential, starting with the number 1 , within each unique Voucher Number, Voucher Line Number, and Fiscal Year combination .

Hold Voucher Flag

Error Message	Meaning/Related Information
Must be in Input File.	The Hold Voucher option in the Input File is blank.
Not Y or N.	The Hold Voucher option in the Input File is not set to Y or N .

Input Voucher Line Num

Error Message	Meaning/Related Information
Must be in Input File.	The Input Voucher Line Number in the Input File is blank.
Not Numeric.	The Input Voucher Line Number in the Input File is not numeric.
Not sequential beginning with 1.	The Input Voucher Line Number in the Input File is not sequential, starting with the number 1 , within each unique voucher number and fiscal year combination.

Input Voucher Number

Error Message	Meaning/Related Information
Must be in Input File.	The Input Voucher Number field in the Input File is blank.
Not Numeric.	The Input Voucher Number field in the Input File is not numeric.

Input Voucher Number/FY

Error Message	Meaning/Related Information
Duplicate Voucher Header record in Input File.	The Input Voucher Number and Fiscal Year combination is not unique among the voucher header records.

Inv Amt, Disc Pct, Amt

Error Message	Meaning/Related Information
Inv Amt * Disc Pct (rounded) must = Disc Amt.	The Invoice Amount multiplied by the Discount Percentage Rate did not equal the Total Discount Amount from the header record.

Inv Amt, Lines + Sales Tax

Error Message	Meaning/Related Information
Inv Amt must = sum of Line Amt + Sales Tax.	The Invoice Amount on the header record did not equal the sum of the Line Amount plus the sum of the Sales Tax Amount from all matching detail records (same voucher number and fiscal year).

Invoice Amount

Error Message	Meaning/Related Information
Must be in Input File.	The Invoice Amount in the Input File is blank.
Not Numeric.	The Invoice Amount in the Input File is not numeric.

Invoice Date

Error Message	Meaning/Related Information
Must be in Input File.	The Invoice Date in the Input File is blank.
Not a valid date.	The Invoice Date in the Input File either is not a valid date or is in the wrong format. All dates should be in the following format: YYYY-MM-DD

Invoice Pd of Perf Date

Error Message	Meaning/Related Information
Not a valid date.	The Invoice Period of Performance Date in the Input File either is not a valid date or is in the wrong format. All dates should be in the following format: YYYY-MM-DD
Required for this vendor.	The Subcontractor flag is set to Y and the Subcontractor Pay Code is set to P for the vendor; therefore, the Invoice Period of Performance Date in the Input File cannot be blank.

Joint Payee Name

Error Message	Meaning/Related Information
EFT is active for Pay Vendor ID.	You provided a Joint Payee Name in the Input File and the EFT Active Flag is active for the Pay Vendor and Payment Address Code combination in the Vendor Address table. You cannot have an additional payee when EFT is active.

Line Amount

Error Message	Meaning/Related Information
Must be in Input File.	The Line Amount in the Input File is blank.
Not Numeric.	The Line Amount in the Input File is not numeric.

Line Discount Amount

Error Message	Meaning/Related Information
Must be in Input File.	The Line Discount Amount in the Input File is blank.
Not Numeric.	The Line Discount Amount in the Input File is not numeric.

Net Amt, Sum of Vend Amt

Error Message	Meaning/Related Information
Voucher Line Amount must = Sum of Vend Amt.	The sum of the Vendor Amount fields on all Vendor Labor records in the Input File for this

Error Message	Meaning/Related Information
	Voucher Number, Voucher Line Number, and Fiscal Year combination does not match the Net Amount on the corresponding Voucher Detail record.

Org/Acct

Error Message	Meaning/Related Information
Not active.	The account and organization combination is not flagged as Active in the Organization Account table (the Link Accounts/Organizations screen).
Not active in selected fiscal year.	The fiscal year of the record in the Input File is not within the starting and ending fiscal years for the account and organization combination in the Organization Account table (the Link Accounts/Organizations screen).
Not active in selected period.	The accounting period of the record in the Input File is not within the starting and ending periods for the account and organization combination in the Organization Account table (the Link Accounts/Organizations screen).
Not found in Acct/Org table.	The account and organization combination does not exist in the Organization Account table (the Link Accounts/Organizations screen).

Org/Disc Acct

Costpoint performs this validation only if, on the Configure Accounts Payable Voucher Settings screen, the **Discount Account** option is selected in the **Charge Discounts To** group box and the Individual Line Item option is selected in the **Charge Organization Of** group box, and only on detail records from the Input File with a **Discount Amount** either provided or calculated.

Error Message	Meaning/Related Information
Not active.	The discount account and organization combination is not flagged as Active in the Organization Account table (the Link Accounts/Organizations screen).
Not active in selected fiscal year.	The fiscal year of the record in the Input File is not within the starting and ending fiscal years for the discount account and organization combination in the Organization Account table (the Link Accounts/Organizations screen).

Error Message	Meaning/Related Information
Not active in selected period.	The accounting period of the record in the Input File is not within the starting and ending periods for the discount account and organization combination in the Organization Account table (the Link Accounts/ Organizations screen).
Not found in Acct/Org table.	The discount account and organization combination does not exist in the Organization Account table (the Link Accounts/ Organizations screen).

Organization

Error Message	Meaning/Related Information
Abbreviation not found.	The Organization Abbreviation from the Input File does not exist in the Organization table (the Manage Organization Elements screen).
Contains segments that are too long.	The Organization in the Input File has one or more segments that are longer than the specified length for the segment.
Contains too many segments.	The Organization in the Input File has too many delimiters.
ID / Abbreviation mismatch.	The Organization and Org Abbreviation supplied in the Input File do not match in the Organization table (the Manage Organization Elements screen).
Invalid base segment.	The Organization in the Input File has a base segment that is invalid. It is either too large or does not exist in the Organization table (the Manage Organization Elements screen).
Not formatted due to a fatal error.	A fatal error occurred when Costpoint tried to check the input mask format. Please call Technical Support.
Not found in Org table.	The Organization from the Input File does not exist in the Organization table (the Manage Organization Elements screen).
Organization was not found.	Because neither the Organization nor Org Abbrev were supplied in the Input File, Costpoint attempted to look up the Owning Organization set up on the Manage Project User Flow screen as the default organization. The lookup failed for one of the following reasons:

Error Message	Meaning/Related Information
	<ul style="list-style-type: none"> A project was not supplied. The project was supplied but did not exist in the Project table. The project was found, but the Default to Owning Org option was not selected for the project on the Manage Project User Flow screen.
Reformatted to match defined structure.	The Organization in the Input File does not match the input mask for the top-level organization. It has been padded with spaces or zeroes to match the input mask.
Too long for the defined structure.	The Organization in the Input File is longer than the specified length for the top-level organization.

Pay Address Code

Error Message	Meaning/Related Information
Must also supply a Pay Vendor.	You supplied an Address Code without a pay vendor.

Pay Vendor/Address Code

Error Message	Meaning/Related Information
Not a PAY address code.	The Pay Vendor and Address Code in the Input File exist in the Vendor Address table, but the Pmt Addr pay code was not type D (Default) or Y (Yes) (as set on the Manage Vendor screen).
Not found in Vendor Address table.	The Pay Vendor and Address Code in the Input File do not exist in the Vendor Address table (the Manage Vendors screen).

Pay Vendor ID

Error Message	Meaning/Related Information
Not found in Vendor table.	The Pay Vendor in the Input File does not exist in the Vendor table (the Manage Vendors screen).
WARNING: No default Pay Addr Code found.	The Pay Vendor did not have a Payment Address code set up with a Pmt Addr of type D (Default) on the Manage Vendors screen.

Error Message	Meaning/Related Information
WARNING: Pay Vendor on hold.	The Pay Vendor is on Hold Payments status in the Vendor table (the Hold Payments option is selected on the Manage Vendors screen).

Pay When Paid Flag

Error Message	Meaning/Related Information
Must be Y, N or blank.	The Pay When Paid Flag in the Input File is not Y , N , or blank.

Period

Error Message	Meaning/Related Information
Not numeric.	The Period Number in the Input File is not numeric and is not blank.

PLC

Error Message	Meaning/Related Information
Not found in Bill Lab Cat table.	The PLC (Project Labor Category) in the Input File does not exist in the Billing Labor Category table.
PLC requires a Project.	You entered a PLC but not a Project .
Project requires a PLC.	You entered a Project but not a PLC .

Proj / Vend / PLC

Error Message	Meaning/Related Information
Proj/Vend/PLC Work force combo does not exist.	The work force project, vendor ID, PLC combination does not exist.

Project / Acct

Error Message	Meaning/Related Information
Combo not valid in ACCT_GRP_SETUP.	The project and account combination is not valid.

Project / PLC

Error Message	Meaning/Related Information
PLC not authorized for Project.	The project and PLC combination does not exist.

Project

Error Message	Meaning/Related Information
Abbreviation not found.	The project abbreviation from the Input File does not exist in the Project table.
Contains segments that are too long.	The project in the Input File has one or more segments that are longer than the specified length for the segment.
Contains too many segments.	The project in the Input File has too many delimiters.
ID / Abbreviation mismatch.	The project and project abbreviation supplied in the Input File do not match in the Project table.
Invalid base segment.	The project in the Input File has a base segment that is invalid. It is either too large or does not exist in the Project table.
Not active.	Active is not selected in the Project table (the Active option is not selected on the Manage Project User Flow).
Not formatted due to a fatal error.	A fatal error occurred when Costpoint tried to check the input mask format. Please call Technical Support.
Not found in Project Master table.	The project in the Input File does not exist in the Project table.
Not found in Proj/Vendor Work Force table.	The project requires a work force, but the project and vendor combination does not exist in the Project Vendor table (the Manage Vendor Work Force screen).
Reformatted to match defined structure.	The project in the Input File does not match the input mask for the top-level project. It has been padded with spaces or zeros to match the input mask.
Too long for the defined structure.	The project in the Input File is longer than the specified length for the top-level project.

Project Account Abbrev

Error Message	Meaning/Related Information
Required when Account is not supplied.	The account was not supplied in the Input File. Therefore, the project account abbreviation is required in the Input File to look up a default account.

Error Message	Meaning/Related Information
Requires a Project.	The project account abbreviation was supplied in the Input File, but a valid project was not found.

Proj/Acct

Error Message	Meaning/Related Information
Not active.	Y is not selected in the Active column in the Project Organization Account table.
Not found in Proj/Org/Acct table.	The Validate Project Charging by Organizations option is not selected on the Projects tab of the Configure Project Settings screen and the combination of project and account does not exist in the Project Organization Account table.

Project/PLC

Error Message	Meaning/Related Information
Not found in Project Labor Category table.	The project in the Input File does not require a work force. The project existed in the PLC table, but the Project/PLC combination in the Input File does not exist in the PLC table.

Project/Proj Acct Abbrev

Error Message	Meaning/Related Information
Not found in Account Group Setup table.	The project and project account abbreviation combination supplied in the Input File does not exist in the Account Group Setup table (the Manage Project Account Groups screen).

Proj/Org/Acct

Error Message	Meaning/Related Information
Not active.	Y is not selected in the Active column for the project, organization, account combination in the Project Organization Account table.
Not found in Proj/Org/Acct table.	The Validate Project Charging by Organizations option is selected on the Projects tab of the Configure Project Settings screen and the combination of project,

Error Message	Meaning/Related Information
	organization, and account does not exist in the Project Organization Account table.

Proj / Vend / PLC

Error Message	Meaning/Related Information
Not in Proj Vend Lab Cat table.	The project in the Input File requires a work force, but the work force project, Vendor ID, PLC combination does not exist in the Project Vendor Labor Category table (the Assign PLC to Employee Work Force screen).

Record Type

Error Message	Meaning/Related Information
Not H, D or V.	The Record Type field in the Input File is not a valid type: H, D, or V.

Reference Number 1

Error Message	Meaning/Related Information
Not found in Reference table.	The Reference Number 1 field in the Input File is not blank and does not exist in the Reference Structure table (the Manage Reference Structures screen).
May not be used in data entry.	The Reference Number 1 field in the Input File was found in the Reference Structure table, but the Use in Data Entry option is not selected on the Manage Reference Structures screen.
This entry is not valid as a reference 1.	The Reference Number 1 field in the Input File was found in the Reference Structure table (the Manage Reference Structures screen), but the Reference Heading code was not set to Ref 1 .

Reference Number 2

Error Message	Meaning/Related Information
Not found in Reference table.	The Reference Number 2 field in the Input File is not blank and does not exist in the Reference Structure table (the Manage Reference Structures screen).
May not be used in data entry.	The Reference Number 2 field in the Input File was found in the Reference Structure table, but

Error Message	Meaning/Related Information
	the Use in Data Entry check box is not selected on the Manage Reference Structures screen.
This entry is not valid as a reference 2.	The Reference Number 2 field in the Input File was found in the Reference Structure table (the Manage Reference Structures screen), but the Reference Heading code was not set to Ref 2 .

Retainage Rate

Error Message	Meaning/Related Information
Not Numeric.	The Retainage Rate in the Input File is not numeric.

Sales Tax Amt

Error Message	Meaning/Related Information
Must be in Input File.	The Sales Tax Amount field in the Input File is blank.
Must be zero. Taxable Code is NOT S.	The Taxable Code is not S ; therefore, the Sales Tax Amount field in the Input File must be zero.
Not numeric.	The Sales Tax Amount field in the Input File is not numeric.

Subperiod

Error Message	Meaning/Related Information
Not numeric.	The Subperiod in the Input File is not numeric and is not blank.

Tax Code

Error Message	Meaning/Related Information
Must be blank because Taxable Code is N.	The Taxable Code is N ; therefore, the Tax Code field in the Input File must be blank.
Not found in Tax Code table.	The Tax Code field in the Input File does not exist in the Sales Tax table (the Manage Sales or Value Added Taxes screen).
Required because Taxable Code is S or U.	The Taxable Code is S or U ; therefore, the Tax Code field in the Input File cannot be blank.

Taxable Code

Error Message	Meaning/Related Information
Must be in Input File.	The Taxable Code field in the Input File is blank.
Not S, U or N.	The Taxable Code field in the Input File is not S , U , or N .

Terms

Error Message	Meaning/Related Information
Not found in Vendor Terms table.	The Terms field in the Input File does not exist in the Vendor Terms table (the Manage Vendor Terms screen).

Total Bef Disc Amt, Sum

Error Message	Meaning/Related Information
Voucher Line Amt must = Sum of Vend Amt.	The sum of the Vendor Amount field on all Vendor Labor records in the Input File for this Voucher Number, Voucher Line Number, and Fiscal Year combination does not match the Total Before Discount Amount on the corresponding Voucher Detail record.

Use Tax Amt

Error Message	Meaning/Related Information
Must be in Input File.	The Use Tax Amount field in the Input File is blank.
Must be zero. Taxable Code is NOT U.	The Taxable Code is not U ; therefore, the Use Tax Amount field in the Input File must be zero.
Not numeric.	The Use Tax Amount field in the Input File is not numeric.

Vend / Vend Empl

Error Message	Meaning/Related Information
Not in Vend Empl table.	The combination of the Vendor ID from the input Header record and the Vendor Employee ID from the input Vendor Labor record does not exist in the Vendor Employee

Error Message	Meaning/Related Information
	table (the Vendor Employee Details block of the Manage Vendors screen).

Vendor Amount

Error Message	Meaning/Related Information
Not numeric.	The Vendor Amount field in the Input File is not numeric.

Vendor Hours

Error Message	Meaning/Related Information
Not numeric.	The Vendor Hours field in the Input File is not numeric.

Vendor Labor Record

Error Message	Meaning/Related Information
No Matching Voucher Detail Record.	No Detail record was found that matches this Vendor Labor Record input, Voucher Number, Voucher Line Number, and Fiscal Year combination.

Vendor/Pay Vendor

Error Message	Meaning/Related Information
Different pay vendor is not allowed.	The Pay Vendor is different than the vendor in the Input File, yet the Allow Different Pay Vendor check box is not selected on the Configure Vendor Settings screen.
Edits to pay vendor on voucher are not allowed.	The Pay Vendor is different than the vendor in the Input File. The Allow Different Pay Vendor check box is selected in the Configure Vendor Settings screen in Costpoint Accounts Payable, but the Allow Edits to Pay Vendor on Voucher check box is not selected on the Defaults tab of the Manage Vendor screen.

Vendor ID

Error Message	Meaning/Related Information
Flagged as a PR Vendor.	The Vendor in the Input File is set up as a PR Vendor on the Manage Vendor screen.

Error Message	Meaning/Related Information
Inactive in the Manage Vendors Screen.	The Vendor in the Input File has a status of Inactive on the Manage Vendor screen.
Must be in Input File.	The Vendor field in the Input File is blank.
Not found in Vendor table.	The Vendor in the Input File does not exist in the Vendor table (the Manage Vendor screen).
WARNING: Vendor on hold.	The Vendor in the Input File is on Hold Payments status in the Vendor table (the Hold Payments check box is selected on the Manage Vendor screen).
WARNING: Vendor on warning status.	The Vendor in the Input File is on Warning status (the Give Warning option is selected on the Manage Vendor screen).

Voucher Detail Record

Error Message	Meaning/Related Information
No Matching Voucher Header Record.	No Header record is found that matches this Detail record's input Voucher Number and Fiscal Year .

Voucher Header Record

Error Message	Meaning/Related Information
No Matching Voucher Detail Record.	No Detail record was found that matched this Header record's input Voucher Number and Fiscal Year .

Voucher Number/FY

Costpoint performs this validation only if you use input voucher numbers to import vouchers to the Costpoint tables.

Error Message	Meaning/Related Information
Voucher Num/FY already in VCHR Header.	A voucher entry already exists in the Voucher Header table (the Manage Accounts Payable Vouchers screen) with the same input Voucher Number and Fiscal Year.
Voucher Num/FY already in VCHR Header HS.	A voucher entry already exists in the Voucher Header History table (the Print Voucher Register Report screen) with the same input Voucher Number and Fiscal Year.

Error Message	Meaning/Related Information
Voucher Num/FY already in Comp Exp Header.	A voucher entry already exists in the Company Expense Header table with the same input Voucher Number and Fiscal Year.
Voucher Num/FY already in Trav Adv Header.	A voucher entry already exists in the Travel Advance Header table with the same input Voucher Number and Fiscal Year.
Voucher Num/FY already in Trav Exp Header.	A voucher entry already exists in the Travel Expense Header table with the same input Voucher Number and Fiscal Year.

Screen Error Messages

The following error messages may display on the screen.

Error Message	Meaning/Related Information
Errors have occurred that may need correcting. Do you want to continue?	Costpoint displays this message if errors are discovered during processing. You should review the Error Report. There are two options available at this point: <ul style="list-style-type: none"> Import the records that have been validated, make any changes needed in the Error File, rename the Error File, and then process the errors. Make any corrections needed to the original Input File and process again.
File does not exist.	The Input File entered could not be found. The Input File must be in your working directory. Check your working directory.
In order to select "Use Last System Voucher Number," Costpoint-wide setting for Voucher Numbering Method must be "System."	You selected the Use Last System Voucher Number option on the Import Accounts Payable Vouchers screen, but the System option is not selected as the Costpoint system-wide setting on the Configure Accounts Payable Voucher Settings screen.
No records found in temporary voucher tables. Please process file before importing or printing.	You selected the Process AP Input File option or the Import Vouchers option on the Action menu and there are no rows in the temporary table.
No records have been selected to transfer.	All records in the Input File were rejected with errors.
Range of assigned Voucher numbers: XXXXXXXXXX to XXXXXXXXXX	This message displays the range of voucher numbers assigned by Costpoint when the Use Last System Voucher Number option is

Error Message	Meaning/Related Information
	selected in the Voucher Numbering Method group box on the Import Accounts Payable Vouchers screen.
Range of assigned Voucher numbers based on the Beginning Voucher Number: XXXXXXXXXX to XXXXXXXXXXXX	This message displays the range of voucher numbers assigned by Costpoint when the Supply Beginning Voucher Number option is selected in the Voucher Numbering Method group box on the Import Accounts Payable Vouchers screen.
Records that have not been imported exist in the temporary voucher tables. Do you want to continue?	<p>You selected the Process AP Input File option on the Action menu but there are still rows in the temporary tables that were not imported.</p> <ul style="list-style-type: none"> Select Yes to continue, and all the rows in the temporary tables will be deleted. Select Cancel to import the existing rows in the temporary tables or if you need to investigate the rows in the temporary tables.
Screen parameters have changed since the Process step was performed. Either set parameters back to what they were when the Process step was run or Process the Input File again with the new screen parameters.	You selected the Import Vouchers option on the Action menu but screen parameters were changed since you processed the screen. You can either reprocess with the new parameters before importing, or set the parameters back to the original settings before you continue.
The Beginning Voucher Number must be greater than zero.	The Beginning Voucher Number cannot be zero; you must enter a positive value.
The Beginning Voucher Number supplied already exists in Costpoint. Do you want to allow the program to renumber?	<p>You selected the Import Vouchers option on the Action menu and selected the Supply Beginning Voucher Number option in the Voucher Numbering Method group box (on the Import Accounts Payable Vouchers screen).</p> <p>The Fiscal Year and Beginning Voucher Number already exist in the Costpoint Voucher Header or Voucher Header History table.</p> <ul style="list-style-type: none"> Select Yes to have Costpoint find the next available voucher number to use as the beginning voucher number and continue the import process. Select No to stop the import. No rows will be imported to Costpoint from the

Error Message	Meaning/Related Information
	temporary voucher tables. You can process again and supply a different beginning voucher number.
The database is unable to process the records required for the requested activity. Possible reasons are: another user is using a record you wish to update, database error or hardware malfunction.	When this error occurs, note what was being done and at what point Costpoint stopped, then call Technical Support.
Vouchers to be imported already exist in the Voucher Header table. This condition must be corrected before importing.	A voucher with the same Voucher Number and Fiscal Year already exists in the Voucher Header table. This indicates that vouchers were added to Costpoint sometime between the processing of the Input File and the import of the temporary tables. If this message displays, the temporary tables will not be imported to the Costpoint voucher tables in order to prevent uploading duplicate records.
Vouchers to be imported already exist in the Voucher Header History table. This condition must be corrected before importing.	A voucher with the same Voucher Number and Fiscal Year already exists in the Voucher Header History table. This indicates that vouchers were added and/or posted in Costpoint sometime between the processing of the Input File and the import of the temporary tables. If this message displays, the temporary tables will not be imported to the Costpoint voucher tables in order to prevent uploading duplicate records.
Vouchers to be imported already exist in the Company Expense Header table. This condition must be corrected before importing.	A voucher with the same Voucher Number and Fiscal Year already exists in the Company Expense Header table. This indicates that vouchers were added and/or posted in Costpoint sometime between the processing of the Input File and the import of the temporary tables. If this message displays, the temporary tables will not be imported to the Costpoint voucher tables in order to prevent uploading duplicate records.
Vouchers to be imported already exist in the Travel Advance Header table. This condition must be corrected before importing.	A voucher with the same Voucher Number and Fiscal Year already exists in the Travel Advance Header table. This indicates that vouchers were added and/or posted in Costpoint sometime between the processing of the Input File and the import of the temporary tables. If this message displays, the temporary tables will not be imported to the Costpoint

Error Message	Meaning/Related Information
	voucher tables in order to prevent uploading duplicate records.
Vouchers to be imported already exist in the Travel Expense Header table. This condition must be corrected before importing.	A voucher with the same Voucher Number and Fiscal Year already exists in the Travel Expense Header table. This indicates that vouchers were added and/or posted in Costpoint sometime between the processing of the Input File and the import of the temporary tables. If this message displays, the temporary tables will not be imported to the Costpoint voucher tables in order to prevent uploading duplicate records.

Detailed Table Specifications Related Topics

This topic lists the Costpoint data elements that are affected by the Accounts Payable Voucher preprocessor.

Voucher Header Table

The Voucher Header table is filled as follows:

Field	Source	Costpoint performs these Validations
Anticipated Pay Date (ANTIC_PAY_DT)	The Due Date from the Input File.	
A/P Account (AP_ACCT_ID)	The A/P Account from the Default A/P Accounts table.	
A/P Accounts Key (AP_ACCTS_KEY)	This is a Costpoint-generated key that correlates to the A/P Account Description . The A/P Acct Desc field is taken from the Input File. The default value is the A/P Account Description for the vendor.	<ul style="list-style-type: none"> ▪ A/P Acct Desc is a required field and must exist in the Input File or have a default value supplied from the Vendor table. ▪ A/P Acct Desc must exist in the Default A/P Accounts table.
A/P Organization (AP_ORG_ID)	The Organization from the Default A/P Accounts table.	
A/P Reference Number 1 (AP_REF1_ID)	The Ref No 1 from the Default A/P Accounts table.	
A/P Reference Number 2 (AP_REF2_ID)	The Ref No 2 from the Default A/P Accounts table.	

Field	Source	Costpoint performs these Validations
Approval Date (APPRVL_DTT)	<p>Costpoint sets the Approval Date as follows:</p> <ul style="list-style-type: none"> ▪ If the Require Approvals check box is cleared on the Configure Accounts Payable Voucher Settings screen, Costpoint sets the approval date to the current system date. ▪ If the Require Approvals check box is selected on the Configure Accounts Payable Voucher Settings screen and the invoice amount is less than or equal to the Approval Required Above amount on the Configure Accounts Payable Voucher Settings screen, Costpoint sets the approval date to the current system date. ▪ If the Require Approvals check box is selected on the Configure Accounts Payable Voucher Settings screen and the invoice amount is greater than the Approval Required Above amount on the Configure Accounts Payable Voucher Settings screen, Costpoint sets the approval date to null. 	

Field	Source	Costpoint performs these Validations
Approved Flag (APPRVD_FL)	<p>Costpoint sets the Approved Flag as follows:</p> <ul style="list-style-type: none"> ▪ If the Require Approvals check box is cleared on the Configure Accounts Payable Voucher Settings screen, the Approved Flag is set to Y (Yes). ▪ If the Require Approvals check box is selected and the invoice amount is less than or equal to the Approval Required Above amount on the Configure Accounts Payable Voucher Settings screen, Approved Flag is set to Y (Yes). ▪ If the Require Approvals check box is selected and the invoice amount is greater than the Approval Required Above amount on the Configure Accounts Payable Voucher Settings screen, Approved Flag is set to N (No). 	
Cash Account (CASH_ACCT_ID)	The Cash Account from the Default Cash Accounts table.	
Cash Account Key (CASH_ACCTS_KEY)	This is a Costpoint-generated key that correlates to the Cash Account Description . The Cash Acct Desc field is taken from the Input File. The default value is the default Cash Account Description for the vendor.	<ul style="list-style-type: none"> ▪ Cash Acct Desc is a required field and must exist in the Input File or have a default value supplied from the Vendor table.

Field	Source	Costpoint performs these Validations
		<ul style="list-style-type: none"> ▪ Cash Acct Desc must exist in the Default Cash Accounts table.
Cash Organization (CASH_ORG_ID)	The Organization from the Default Cash Accounts table.	
Cash Reference Number 1 (CASH_REF1_ID)	The Ref No 1 from the Default Cash Accounts table.	
Cash Reference Number 2 (CASH_REF2_ID)	The Ref No 2 from the Default Cash Accounts table.	
Check Amount (CHK_AMT)	The Input File. This field is optional. The default value is zero.	<p>If the Check Amount field is not blank in the Input File, Costpoint performs the following validations:</p> <ul style="list-style-type: none"> ▪ The Check Amount field must be numeric. ▪ The check amount must be zero when the check number is zero. ▪ The check amount cannot be zero when the check number is greater than zero. ▪ The check amount cannot be less than zero. ▪ The check amount cannot be greater than the unpaid balance.
Check Date (CHK_DT)	The Input File. This field is optional. Costpoint uses the default of the current system date only if you provide a check number greater than zero in the Input File.	<p>If the Check Date field is not blank in the Input File, Costpoint performs the following validations:</p> <ul style="list-style-type: none"> ▪ The Check Date field must be a valid date. ▪ The check date must be blank when the check number is zero.

Field	Source	Costpoint performs these Validations
Check Fiscal Year (CHK_FY_CD) Check Period Number (CHK_PD_NO) Check Subperiod Number (CHK_SUB_PD_NO)	<p>You can supply values in the Input File. The Check Fiscal Year, Check Period Number, and Check Subperiod Number are optional. Costpoint uses the defaults of the fiscal year, period, and subperiod only if you provide a check number greater than zero in the Input File.</p>	<p>If the fields are not blank in the Input File, Costpoint performs the following validations:</p> <ul style="list-style-type: none"> ▪ The combination of all three fields must exist and be open in the Subperiod table. ▪ The combination of all three fields must exist and be open in the Subperiod Journal Status table with a journal code of CD. ▪ All three fields must be blank if the check number is zero. ▪ The Check Period and Check Subperiod fields must be numeric.
Check Number (CHK_NO)	<p>The Input File. This field is optional. The default value is zero.</p>	<p>If the Check Number field is not blank in the Input File, Costpoint performs the following validations:</p> <ul style="list-style-type: none"> ▪ The Check Number field must be numeric. ▪ The check number cannot be less than zero.
Company Id (COMPANY_ID)	<p>The company for which the user is currently logged in.</p>	
Delivery Value (SHIP_AMT)	<p>The Input File. This field is optional. The default value is zero.</p>	<ul style="list-style-type: none"> ▪ If the Delivery Value field is not blank in the Input File, it must be numeric. ▪ If the Delivery Value field is provided in the Input File, is numeric, and is not zero, the invoice type must be D.

Field	Source	Costpoint performs these Validations
Discount Amount (DISC_AMT)	<p>The Total Discount Amount field in the Input File.</p> <p>If the Total Discount Amount, Discount Pct, and Discount Date fields from the Input File are all blank, Costpoint calculates the Discount Amount as the rounded product of the Invoice Amount multiplied by the Discount Percent, according to the Terms.</p>	<ul style="list-style-type: none"> ▪ The Total Discount Amount, Discount Pct, and Discount Date from the Input File must either be all populated or all blank. ▪ If the Total Discount Amount is not blank in the Input File, it must be numeric. ▪ The amount in the Total Discount Amount field must equal the rounded product of the Invoice Amount multiplied by the Discount Percentage Rate. ▪ The sum of the Discount Amount field on the detail record(s) for each unique voucher number and fiscal year combination must equal the Total Discount Amount on the header record.
Discount Date (DISC_DT)	<p>The Input File.</p> <p>If the Total Discount Amount, Discount Pct, and Discount Date fields from the Input File are all blank, Costpoint sets the Discount Date equal to the invoice date plus the Discount Days, according to the Terms.</p>	<ul style="list-style-type: none"> ▪ The Total Discount Amount, Discount Pct, and Discount Date from the Input File must either be all populated or all blank. ▪ If the Discount Date field is not blank in the Input File, it must be a valid date. ▪ Costpoint displays a warning message when the Discount Date is less than or equal to the invoice date.

Field	Source	Costpoint performs these Validations
Discount Percentage Rate (DISC_PCT_RT)	Costpoint computes this rate by dividing the Discount Pct from the Input File by 100 . If the Total Discount Amount , Discount Pct , and Discount Date fields from the Input File are all blank, Costpoint sets the Discount Percentage Rate to the Discount Percent , according to the Terms .	<ul style="list-style-type: none"> The Total Discount Amount, Discount Pct, and Discount Date from the Input File must either be all populated or all blank. If the Discount Pct field is not blank in the Input File, it must be numeric.
Discount Taken Amount (DISC_TAKEN_AMT)	The Input File. This field is optional. The default value is zero.	<p>If the Discount Taken Amount field is not blank in the Input File, Costpoint performs the following validations:</p> <ul style="list-style-type: none"> The discount taken amount must be numeric. The discount taken amount must be zero if the check number is zero. The discount taken amount cannot be less than zero. The discount taken amount cannot be greater than the total discount amount. The discount taken amount must be zero if you have selected the Net - Including Discounts option in the Post to G/L Discount Method group box on the Configure Accounts Payable Voucher Settings screen.

Field	Source	Costpoint performs these Validations
Due Amount (DUE_AMT)	Costpoint calculates this amount by subtracting the Discount Amount from the Invoice Amount .	<ul style="list-style-type: none"> The Due Date must be a valid date. Costpoint displays a warning message if the Due Date field is less than or equal to the Discount Date field.
Due Date (DUE_DT)	The Input File. This field is optional. If the Due Date is blank in the Input File, Costpoint calculates the Due Date from the Invoice Date and Terms fields.	
Entry Date (ENTR_DTT)	The current system date.	
Entry User (ENTR_USER_ID)	The current user.	
Fiscal Year (FY_CD) Period Number (PD_NO) Subperiod Number (SUB_PD_NO)	The Input File or the screen. The default values are from the screen.	<ul style="list-style-type: none"> The combination of all three fields must exist in the Subperiod table. The combination must be open in the Subperiod table. The Period Number and Subperiod Number fields must be numeric.
Hold Voucher Flag (HOLD_VCHR_FL)	The Input File.	<ul style="list-style-type: none"> The Hold Voucher Flag is a required field and must exist in the Input File. The Hold Voucher Flag in the Input File must be Y (Yes) or N (No).
Input File Voucher Number (INPUT_FILE_VCHR_NO)	<p>The voucher number is taken from the Input File and is copied from the VCHR_NO field.</p> <p>The Input File Voucher Number displays on the Manage Accounts Payable</p>	

Field	Source	Costpoint performs these Validations
	Vouchers screen and is useful to link the Costpoint-assigned voucher number to the Input File voucher number when the Use Voucher Numbers In Input File option is cleared on the Import Accounts Payable Vouchers screen. The Input File Voucher Number also displays on the Print Voucher Edit Report.	
Invoice (INVC_ID)	The Input File.	
Invoice Amount (INVC_AMT)	The Input File.	<ul style="list-style-type: none"> ■ Invoice Amount is a required field and must exist in the Input File. ■ The Invoice Amount must be numeric.
Invoice Date (INVC_DT)	The Input File.	<ul style="list-style-type: none"> ■ Invoice Date is a required field and must exist in the Input File. ■ The Invoice Date must be a valid date.
Invoice Period of Performance Date (INVC_POP_DT)	The Input File.	<p>If the Invoice Period of Performance Date field is not blank in the Input File, it must contain a valid date.</p> <p>The Invoice Period of Performance Date field is required when:</p> <ul style="list-style-type: none"> ■ The Subcontractor Flag is set to Y for the vendor. ■ The Subcontractor Pay Code is set to P for the vendor.
Invoice Type (S_INVC_TYPE)	The Input File. This field is optional. The default value is N .	<ul style="list-style-type: none"> ■ The only values allowed for the invoice type are D, P, or N.

Field	Source	Costpoint performs these Validations
		<ul style="list-style-type: none"> If the value is not supplied in the Input File, or the value supplied is not D, P, or N, Costpoint sets the invoice type to N.
Joint Payee Name (JNT_PAY_VEND_NAME)	The Input File.	<ul style="list-style-type: none"> You cannot enter a Joint Payee Name if the EFT Active Flag is selected for the pay vendor and payment address code combination in the Vendor Address table.
Separate Check Flag (SEP_CHK_FL)	The Input File. The default value is N .	<ul style="list-style-type: none"> The only values allowed are Y and N. If the value is not supplied in the Input File, or if the value supplied is not Y or N, Costpoint uses the value from the VEND table column SEP_CHK_FL as the default.
Journal Code (S_JNL_CD)	Costpoint sets the Journal Code to APV .	
Notes (NOTES)	The Input File.	
Pay Vendor (PAY_VEND_ID)	The Input File. The default value is the default Pay Vendor for the vendor.	<ul style="list-style-type: none"> Pay Vendor is a required field and must exist in the Input File or have a default value supplied from the Vendor table (Manage Vendor screen). The Pay Vendor must exist in the Vendor table (Manage Vendor screen).

Field	Source	Costpoint performs these Validations
		<ul style="list-style-type: none"> If the Allow Different Pay Vendor check box is not selected on the Configure Vendor Settings screen, the pay vendor (if supplied) must be the same as the vendor. If the Allow Different Pay Vendor check box is selected on the Vendor Settings screen but the Allow Edits to Pay Vendor on Voucher check box is not selected on the Defaults subtask of the Manage Vendor screen, the pay vendor (if supplied) must be the same as the vendor. Costpoint displays a warning message if the Hold Payments check box is selected on the Manage Vendor screen.
Pay Vendor Pay When Paid Flag (PAY_WHEN_PAID_FL)	The Input File. The default value is the Pay When Paid Flag for the vendor.	<ul style="list-style-type: none"> The Pay When Paid Flag is a required field and must exist in the Input File or have a default value supplied from the Vendor table. The flag in the Input File must be Y (Yes), N (No), or blank.
Pay When Paid Amount (PAYWPD_AMT)	Costpoint sets the Pay When Paid Amount as follows: <ul style="list-style-type: none"> If Pay When Paid Flag is set to N, Pay When 	

Field	Source	Costpoint performs these Validations
	<p>Paid Amount is set to zero for the voucher.</p> <ul style="list-style-type: none"> If Pay When Paid Flag is set to Y (Yes), the Pay When Paid Amount is the sum of the Net Amount (if Post to G/L Discount Method is Net - Including Discounts on the Configure Accounts Payable Voucher Settings screen) or Total Before Discount Amount (if Post to G/L Discount Method is Gross - Without Discounts on the Configure Accounts Payable Voucher Settings screen) for lines on the voucher that have a billable project and account. 	
Payment Address (PAY_ADDR_DC)	<p>The Input File. The default value is the default payment address for the pay vendor. In other words, where the Address Code has a Pmt Addr pay code of type D (Default) (as set on the Manage Vendors screen).</p>	<ul style="list-style-type: none"> Payment Address is a required field and must exist in the Input File or have a default value supplied from the Vendor Address table (Manage Vendor screen). If you supplied a Payment Address Code in the Input File, you must supply a Pay Vendor as well. The Pay Vendor and Payment Address combination must exist in the Vendor Address

Field	Source	Costpoint performs these Validations
		table with a Pmt Addr pay code of type D (Default) or Y (Yes) (as designated on the Manage Vendor screen).
Print Note-Blank Laser Check Flag (PRINT_NOTE_FL)	The Input File. If the Print Note-Blank Laser Check Flag in the Input File is not Y (Yes), then N (No) is the default value for this field.	
PO Release Number (EXT_PO_RLSE_NO)	<ul style="list-style-type: none"> If the PO Release Number from the Input File is numeric, Costpoint uses the number in the Input File. If the PO Release Number from the Input File is blank, Costpoint sets the number to zero. 	<ul style="list-style-type: none"> If the PO Release Number is not blank in the Input File, it must be numeric.
Purchase Order Number (EXT_PO_ID)	<ul style="list-style-type: none"> If the Purchase Order Number from the Input File is not blank, Costpoint uses the number in the Input File. If the Purchase Order Number from the Input File is blank, Costpoint sets the field to a single space. 	
Retainage Percentage (RTN_RT)	<ul style="list-style-type: none"> If the Retainage Rate from the Input File is numeric, Costpoint computes the Retainage Percentage by dividing the Retainage Rate by 100. 	<ul style="list-style-type: none"> If the Retainage Rate field is not blank in the Input File, it must be numeric.

Field	Source	Costpoint performs these Validations
	<ul style="list-style-type: none"> If the Retainage Rate from the Input File is blank, Costpoint sets the Retainage Percentage to zero. 	
Sales Tax Amount (SALES_TAX_AMT)	Costpoint computes the Sales Tax Amount by summing the Detail Record(s) Sales Tax Amt field for each unique voucher number and fiscal year combination.	
Sales Tax Code (SALES_TAX_CD)	<p>Costpoint sets the Sales Tax Code as follows:</p> <ul style="list-style-type: none"> If Sales Taxable or Use Taxable is selected as the setting for the A/P Vouchers option in the Tax Code Defaults group box on the Configure Accounts Payable Voucher Settings screen, the Sales Tax Code will be the Sales Use/Tax Code from the Vendor Address table (Manage Vendor screen) where the Pay Vendor and Payment Address combination is valid. If Sales Taxable or Use Taxable is not selected for the A/P Vouchers option in the Tax Code Defaults group box, the Sales Tax Code is left null. 	
Subcontractor Pay Code (S_SUBCTR_PAY_CD)	Costpoint sets the Subcontractor Pay Code as follows:	

Field	Source	Costpoint performs these Validations
	<ul style="list-style-type: none"> If the Subcontractor » Flag is set to N for the vendor, the Subcontractor Pay Code is set to N. If the Subcontractor » Flag is set to Y for the vendor, the Subcontractor Pay Code is set to be the same as the Subcontractor Pay Code for the vendor. 	
Taxable Code (S_TAXABLE_CD)	<p>Costpoint sets the Taxable Code as follows:</p> <ul style="list-style-type: none"> Sets the Taxable Code to S if Sales Taxable is selected as the setting for the A/P Vouchers option in the Tax Code Defaults group box on the Configure Accounts Payable Voucher Settings screen. Sets the Taxable Code to U if Use Taxable is selected as the setting for the A/P Vouchers option in the Tax Code Defaults group box on the Configure Accounts Payable Voucher Settings screen. Sets the Taxable Code to N if Sales Taxable or Use Taxable is not selected for the A/P Vouchers option in the Tax Code Defaults group box on the Configure Accounts Payable Voucher Settings screen. 	

Field	Source	Costpoint performs these Validations
Taxable Flag (TAXABLE_FL)	<p>Costpoint sets the Taxable Flag as follows:</p> <ul style="list-style-type: none"> Sets the Taxable Flag to Y if Sales Taxable or Use Taxable is selected for the A/P Vouchers option in the Tax Code Defaults group box in the Configure Accounts Payable Voucher Settings screen. Sets the Taxable Flag to N if Sales Taxable or Use Taxable is not selected for the A/P Vouchers option in the Tax Code Defaults group box on the Configure Accounts Payable Voucher Settings screen. 	
Terms Description (TERMS_DC)	The Input File. The default value is Terms for the vendor.	<ul style="list-style-type: none"> Terms is a required field and must exist in the Input File or have a default value supplied from the Vendor table (Manage Vendor screen). The Terms must exist in the Vendor Terms table (Manage Vendor Terms screen).
Use Tax Amount (USE_TAX_AMT)	Costpoint computes the Use Tax Amount by summing the Detail Record(s) Use Tax Amt field for each unique voucher number and fiscal year combination.	
Vendor (VEND_ID)	The Input File.	<ul style="list-style-type: none"> Vendor is a required field and must exist in the Input File.

Field	Source	Costpoint performs these Validations
		<ul style="list-style-type: none"> The vendor must exist in the Vendor table (Manage Vendors screen). Costpoint displays a warning message if you selected the Hold Payments check box on the Manage Vendors screen.
Voucher Number (VCHR_NO)	The Voucher Number is taken from the Input File or is assigned by Costpoint, depending upon the voucher numbering method selected on the preprocessor screen.	<ul style="list-style-type: none"> The input Voucher Number is a required field and must exist in the Input File. The input Voucher Number must be numeric. The voucher number is required in the Input File regardless of the voucher numbering method selected. Costpoint uses the field as a break point to identify individual vouchers and match voucher header records with voucher detail records.
Voucher Type (S_VCHR_TYPE)	Costpoint sets the Voucher Type to AP .	

Costpoint sets the following fields to **N**:

- Auto Creation Flag (AUTO_CREATE_FL)
- Debit Memo Flag (DM_FL)
- Debit Memo Printed Flag (DM_PRNTD_FL)
- Over Budget Flag (OVR_BUD_FL)
- Posted Accounts Payable Flag (POSTED_AP_FL)
- Purchase Order Discrepancy (S_PO_DISCR_CD)
- Receipt Discrepancy (S_RECPT_DISCR_CD)

- Recurring Flag (RECUR_FL)
- Recurring Template Flag (RECUR_TMPLT_FL)

Costpoint sets the following fields to zero:

- Cost Amount (CST_AMT)
- Recurring Voucher No (RECUR_PAR_VCHR_NO)

Costpoint sets the following fields to a single space:

- Default Packing Slip (DFLT_PS_ID)
- Retainage Notes (RTN_NT)
- Sales Tax Source Code (S_SALES_TAX_SRC_CD)
- Separate Check Flag (SEP_CHK_FL)

Costpoint leaves the following fields set to null:

- Approval User ID (APPRVR_USER_ID)
- Batch Number (BATCH_ID)
- Default Warehouse (DFLT_WHSE_ID)
- Discrepancy Calculation Date (DISCR_CALC_DTT)
- Posting Sequence Number (POST_SEQ_NO)
- Purchase Order (PO_ID)
- Purchase Order Release Number (PO_RLSE_NO)
- Receipt Number (DFLT_RECPT_ID)
- Recurring Voucher Desc (RECUR_VCHR_DC)
- Last Voucher Fiscal Year (LST_VCHR_FY_CD)
- Last Voucher Period Number (LST_VCHR_PD_NO)
- Last Voucher Subperiod Number (LST_VCHR_SUB_PD_NO)
- Start Fiscal Year (START_FY_CD)
- Start Period Number (START_PD_NO)
- Start Subperiod Number (START_SUB_PD_NO)
- End Fiscal Year (END_FY_CD)
- End Period Number (END_PD_NO)
- End Subperiod Number (END_SUB_PD_NO)

Voucher Line Table

The Voucher Line table is filled as follows:

Field	Source	Costpoint performs these Validations
Discount Amount (DISC_AMT)	<p>The Input File.</p> <p>If a Total Discount Amount exists on the Voucher header record and the Discount Amount on all the matching detail record(s) has a value of zero, Costpoint computes a rounded discount amount for each detail record by multiplying the Discount Percentage Rate on the header record by the result of adding the Line Amount and Sales Tax Amount from each detail record.</p> <p>Any rounding error will be added to the Discount Amount of the first detail record - voucher line number one.</p>	<ul style="list-style-type: none"> ■ Discount Amount is a required field and must exist in the Input File. ■ The Discount Amount must be numeric.
Line Change Cost Amount (LN_CHG_CST_AMT)	The Cost Amount from the Voucher Line Account table.	
Line Change Tax Amount (LN_CHG_TAX_AMT)	Costpoint sets this amount to be equal to the amount in the Sales Tax Amount field.	
Line Change Use Tax Amount (LN_CHG_USE_TAX_AMT)	Costpoint sets this amount to be equal to the amount in the Use Tax Amount field.	
Notes (NOTES)	The Input File.	
Sales Tax Amount (SALES_TAX_AMT)	The Input File.	<ul style="list-style-type: none"> ■ Sales Tax Amount is a required field and must exist in the Input File. ■ The Sales Tax Amount must be numeric. ■ The Sales Tax Amount must be zero if the Taxable Code is not S.

Field	Source	Costpoint performs these Validations
Sales Tax Code (SALES_TAX_CD)	The Tax Code field in the Input File.	<ul style="list-style-type: none"> If the Taxable Code is N, the Tax Code must be blank in the Input File. If the Taxable Code is S or U, the Tax Code is required. If the Tax Code is required, it must exist in the Sales Tax table (the Manage Sales or Value Added Taxes screen).
Taxable Code (S_TAXABLE_CD)	The Input File.	<ul style="list-style-type: none"> Taxable Code is a required field and must exist in the Input File. The Taxable Code must be S, U, or N.
Taxable Flag (TAXABLE_FL)	Costpoint sets the Taxable Flag as follows: <ul style="list-style-type: none"> If the Taxable Code is N, the Taxable Flag is set to N. If the Taxable Code is S or U, the Taxable Flag is set to Y. 	
Total After Discount (NET_AMT)	Costpoint computes the Total After Discount by subtracting the Discount Amount from the Total Before Discount .	
Total Before Discount Amount (TOT_BEF_DISC_AMT)	Costpoint computes the Total Before Discount Amount by adding the Line Amount and the Sales Tax Amount .	
Use Tax Amount (USE_TAX_AMT)	The Input File.	<ul style="list-style-type: none"> Use Tax Amount is a required field and must exist in the Input File. The Use Tax Amount must be numeric.

Field	Source	Costpoint performs these Validations
		<ul style="list-style-type: none"> If the Taxable Code is not U, the Use Tax Amount must be zero.
Voucher Line Description (VCHR_LN_DESC)	The Input File. The default value is the Account Description .	<ul style="list-style-type: none"> Voucher Line Description is a required field. The Voucher Line Description must exist in the Input File or have the default value supplied from the Account table.
Voucher Line Number (VCHR_LN_NO)	The Input File.	<ul style="list-style-type: none"> Voucher Line Number is a required field and must exist in the Input File. The Voucher Line Number must be numeric. The Voucher Line Number must start with 1 and must be sequential within each unique voucher number and fiscal year combination.

Costpoint sets the following fields to zero:

- Extended Cost Amount (EXT_CST_AMT)
- Quantity (QTY)
- Quantity Discrepancy Percentage (DISCR_QTY_RT)
- Total Discrepancy Amount (DISCR_TOT_AMT)
- Unit Cost (UNIT_CST_AMT)
- Unit Price Discrepancy (DISCR_UNIT_PRC_AMT)
- Unit Price Discrepancy Percentage (DISCR_UNIT_PRC_RT)

Costpoint sets the following fields to a single space:

- Purchase Order Line Type (S_PO_LN_TYPE)
- Return Material Authorization Number (RMA_NO_ID)

- Sales Tax Notes (SALES_TAX_NT)

Costpoint leaves the following fields set to null:

- Miscellaneous Line Charge Type (MISC_LN_CHG_TYPE)
- Purchase Order Number (PO_ID)
- Purchase Order Line Key (PO_LN_KEY)
- PO Release Number (PO_RLSE_NO)
- Units of Measure (UM_CD)

Voucher Line Account Table

The Voucher Line Account table is filled as follows:

Field	Source	Costpoint performs these Validations
Account (ACCT_ID)	The Input File. The default value is the Account set up for the Project Account Abbreviation .	<ul style="list-style-type: none"> ▪ The Account must exist in the Account table (Manage Accounts screen). ▪ The account must be active. ▪ The account must be a detail account. ▪ The account must be available for use in voucher entry. ▪ The account must match the input mask specified for accounts. If any segment is shorter than the specified length for that segment, it will be padded. Numeric values are padded with zeroes on the left. Alphanumeric values are padded with spaces on the right.
Accounts Payable 1099 Flag (AP_1099_FL)	The Input File. The default value is from the vendor.	<ul style="list-style-type: none"> ▪ A/P 1099 Flag is a required field and must exist in the Input File or

Field	Source	Costpoint performs these Validations
		<p>have a default value supplied from the Vendor table. (The default value is supplied only if the 1099 Flag is blank and the 1099-MISC Type Code is blank in the Input File. Otherwise, the 1099 Flag defaults to N.)</p> <ul style="list-style-type: none"> The A/P 1099 Flag in the Input File must be Y, N, or blank.
1099-MISC Type Code	The Input File. The default value is from the vendor. (The default value is supplied only when the 1099 Flag is Y and the 1099-MISC Type Code is blank in the Input File.)	<ul style="list-style-type: none"> 1099-MISC Type Code is required if the A/P 1099 Flag is Y. You cannot enter a 1099-MISC Type Code unless A/P 1099 Flag is Y. The 1099-MISC Type Code must exist as a valid code in the System table (S_AP_1099_TYPE).
Cost Amount (CST_AMT)	The Line Amount field in the Input File.	<ul style="list-style-type: none"> Line Amount is a required field and must exist in the Input File. The Line Amount must be numeric. The sum of the Line Amount field plus the sum of the Sales Tax Amount field on the detail record(s) for each unique voucher number and fiscal year combination must equal the Invoice Amount on the header record.

Field	Source	Costpoint performs these Validations
Cost Amount Percentage Rate (CST_AMT_PCT_RT)	Costpoint computes the Cost Amount Percentage Rate by dividing the Total Before Discount Amount on the detail record(s) for each unique voucher number and fiscal year combination by the Invoice Amount from the header record.	
Line Change Cost Amount (LN_CHG_CST_AMT)	Costpoint sets the Line Change Cost Amount to equal the Cost Amount field.	
Organization (ORG_ID)	<p>The Input File.</p> <p>If you supplied the Org Abbrev in the Input File, the default value is the Organization associated with the Org Abbrev.</p> <p>If you did not supply an Organization or an Org Abbrev in the Input File:</p> <ul style="list-style-type: none"> ▪ Project or Proj Abbreviation will be required in the Input File. ▪ The Default to Owning Org check box for the project must be selected on the Manage Project User Flow screen (in Project Setup). ▪ The default value is the Owning Organization set up for the project. 	<ul style="list-style-type: none"> ▪ The Organization must exist in the Organization table (Manage Organization Elements screen). ▪ The Organization must match the input mask specified for the organization. If any segment is shorter than the specified length for that segment, it will be padded. Numeric values are padded with zeroes on the left. Alphanumeric values are padded with spaces on the right.
Organization Abbreviation (ORG_ABBRV_CD)	The Input File. The default value is the Org Abbrev set up for the organization.	<ul style="list-style-type: none"> ▪ The Org Abbrev must exist in the Organization table (Enter/Manage Organization Elements screen).

Field	Source	Costpoint performs these Validations
		<ul style="list-style-type: none"> If both Org Abbrev and Organization are supplied in the Input File, they must match in the Organization table (Manage Organization Elements screen).
Project (PROJ_ID)	The Input File. The default value is the Project associated with the Proj Abbrev .	<ul style="list-style-type: none"> If the Project Required check box is selected for this account on the Manage Accounts screen, Project is a required field and the Project or the Project Abbreviation must exist in the Input File. If you entered the Project Account Abbreviation, Project is a required field and either the Project or the Project Abbreviation must exist in the Input File. The Project must exist in the Project table. The Project must be active. If the project requires a work force, the project/vendor combination must exist in the Project Vendor table (the Manage Vendor Work Force screen). The project must match the input mask specified for the project. If any segment

Field	Source	Costpoint performs these Validations
		<p>is shorter than the specified length for that segment, it will be padded. Numeric values are padded with zeroes on the left. Alphanumeric values are padded with spaces on the right.</p>
Project Abbreviation (PROJ_ABBRV_CD)	The Input File. The default value is the Proj Abbrev set up for the Project .	<ul style="list-style-type: none"> ■ The Project Abbrev must exist in the Project table. ■ If both Project Abbrev and Project are supplied in the Input File, they must match in the Project table.
Project Account Abbreviation (PROJ_ACCT_ABBRV_CD)	The Input File.	<ul style="list-style-type: none"> ■ The Project Account Abbrev is required if the account is not supplied in the Input File. ■ A Project or Project Abbrev is required with a Project Account Abbrev. ■ The Project Account Abbrev must exist in the Account Group Setup table (the Manage Project Account Groups screen). ■ If both the Account and the Project Account Abbrev are supplied in the Input File, they must match in the Account Group Setup table (the

Field	Source	Costpoint performs these Validations
		Manage Project Account Groups screen).
Reference Number 1 (REF1_ID)	The Input File.	Reference Number 1 must: <ul style="list-style-type: none"> Exist in the Reference Structure table. Be available for use in data entry. Be valid as a reference entry code 1.
Reference Number 2 (REF2_ID)	The Input File.	Reference Number 2 must: <ul style="list-style-type: none"> Exist in the Reference Structure table. Be available for use in data entry. Be valid as a reference entry code 2.

Costpoint sets the following fields to be the same as the fields in the Voucher Line table:

- Discount Amount (DISC_AMT)
- Sales Tax Amount (SALES_TAX_AMT)
- Taxable Code (S_TAXABLE_CD)
- Taxable Flag (TAXABLE_FL)
- Total After Discount (NET_AMT)
- Total Before Discount Amount (TOT_BEF_DISC_AMT)
- Use Tax Amount (USE_TAX_AMT)

Costpoint sets the following fields to a single space:

- Template ID (FA_TMPLT_ID)
- Template Revision ID (FA_TMPLT_RVSN_ID)

Costpoint leaves the following field set to null:

- Template Key (FA_TMPLT_KEY)

Voucher Labor Vendor Table

The Voucher Labor Vendor Table is filled as follows:

Field	Source	Costpoint performs these Validations
Subline Number (SUB_LN_NO)	The Vendor Subline Number field is taken from the Input File.	<p>The Vendor Subline Number:</p> <ul style="list-style-type: none"> Is a required field and must exist in the Input File. Must be numeric. Must start with 1 and be sequential within each unique voucher and fiscal year combination.
Vendor Hours (VEND_HRS)	The Input File.	<ul style="list-style-type: none"> Vendor Hours is a required field and must exist in the Input File. The Vendor Hours must be numeric.
Vendor Amount (VEND_AMT)	The Input File.	<ul style="list-style-type: none"> Vendor Amount is a required field and must exist in the Input File. The Vendor Amount must be numeric.
Vendor Employee ID (VEND_EMPL_ID)	The Input File.	<ul style="list-style-type: none"> The combination of the Vendor ID from the header record and the Vendor Employee ID from the Vendor Labor record must exist in the Vendor Employee table.
Effective Billing Date (EFFECT_BILL_DT)	The Input File.	<ul style="list-style-type: none"> The Effective Billing Date must either exist in the Input File or have a default value available. The default value is the Subperiod End Date. If the Effective Billing Date is supplied in the Input File, it must be a

Field	Source	Costpoint performs these Validations
		valid date and in the format YYYY-MM-DD .
General Labor Category (GENL_LAB_CAT_CD)	The Input File.	<ul style="list-style-type: none"> ■ General Labor Category is a required field and must exist in the Input File. ■ The General Labor Category must exist in the General Labor Category table.
Project Labor Category (BILL_LAB_CAT_CD)	<p>The Input File.</p> <p>Costpoint derives the default value from the Project Vendor Labor Category table for the project and vendor ID combination.</p>	<ul style="list-style-type: none"> ■ A Project is required before you can enter a Project Labor Category. ■ The Project Labor Category must exist in the Billing Labor Category table (the Manage Project Labor Categories (PLC) screen). ■ If a work force is not required for the project, Costpoint looks for the project in the Project Labor Category table. If it finds the project, the project and PLC combination must exist in the Project Labor Category table. ■ If a work force is required for the project, the work force project, vendor ID, and PLC combination must exist in the Project Vendor Labor Category table.

About Deltek

Better software means better projects. Deltek delivers software and information solutions that enable superior levels of project intelligence, management, and collaboration. Our industry-focused expertise makes your projects successful and helps you achieve performance that maximizes productivity and revenue.

www.deltek.com