


Deltek Maconomy®

US Var List – MPL

December 20, 2024



While Deltek has attempted to verify that the information in this document is accurate and complete, some typographical or technical errors may exist. The recipient of this document is solely responsible for all decisions relating to or use of the information provided herein.

The information contained in this publication is effective as of the publication date below and is subject to change without notice.

This publication contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, or translated into another language, without the prior written consent of Deltek, Inc.

This edition published December 2024.

© Deltek, Inc.

Deltek's software is also protected by copyright law and constitutes valuable confidential and proprietary information of Deltek, Inc. and its licensors. The Deltek software, and all related documentation, is provided for use only in accordance with the terms of the license agreement. Unauthorized reproduction or distribution of the program or any portion thereof could result in severe civil or criminal penalties.

All trademarks are the property of their respective owners.

Contents

P AccessInformation	1
P AccessLevels	2
P Groups	3
P SecurityLog	4
P UserAccessLevels	5
P Users	6
P Windows	8
CommissionCalculation	9
P AllocationCode	10
P ApprHierarchySelect	11
P ApprovalHierarchy	12
P ChargeCode	13
P ChargeTable	14
P CommissionAgreement	15
P CompanyInformation	16
P Country	18
P DocumentArchive	19
P EForm	20
P Employee	24
P EuroExchangeRateTable	26
P ExchangeRateTable	27
P FinanceVATCode	28
P FinanceVATTable	29
P IntercompanyAccount	30
P LanguageText	31
P LayoutSelection	32
P LinkingRules	33
P ModulusCalculation	34
P Note	35
P NoteType	36
P NumberSeries	37
P OptionLists	38
P PaperFormat	39

P PopupFields	40
P PostingDescriptions	41
P PostingReferences	42
P Printer	43
P PrinterSelection	44
P RegistrationLetter	45
P ReportingStructure	46
P SystemInformation	48
P SystemNumbers	49
P SystemParameters	50
P TargetGroup	51
P TargetGroupType	52
P Team	53
P TransactionNumberSeries	54
P ValidationRule	55
P VATCode	56
P VATTable	57
P WeekCalendar	58
InternalTest	59
P CommitmentLevels	61
P CommitmentRules	62
P Campaign	63
P ContactCompany	64
P ContactCompanyRelation	66
P ContactGroup	67
P ContactGroupType	68
P ContactPerson	69
P ContactPersonRelation	70
P Event	71
P EventFlow	73
P EventFlowTypes	75
P EventPlan	76
P Opportunity	77
P OpportunityBudget	78
P OpportunityType	81
ApproveInterestSelection	82

ApproveReminders	86
ImportCustomerPayments	90
P CollectionFile	91
P CompanyCustomerCard	92
P CustomerAgingReport	94
P CustomerBalanceList.....	101
P CustomerBudget.....	104
P CustomerCard	107
P CustomerDiscountAgreements.....	109
P CustomerOpenEntryStatement	110
P CustomerPayment	115
P CustomerPaymentModes	116
P EndCustomers	117
P HistoricalCustomerStatement	118
P InterestReminderPrinciple	123
P InterestSelection	124
P PeriodicCustomerStatement.....	126
P ReminderTextGroups	131
P ReminderTexts	132
ReminderSelection	133
CollectionSelection.....	135
P CollectionOrder	136
AssetRelocation	137
DepreciationAdjustment	140
P Asset	142
P AssetAdjustment.....	143
P AssetGroup.....	144
P AssetHistory	145
P AssetLedgerCard.....	146
P AssetList	147
AssetInternalSale	150
ImportData.....	153
P ConvertingTable	154
P DataAgent.....	155
P ImportedData	156
P ImportMode.....	157

P AccountStatement	158
P AllocationKey	162
P BankReconciliation	163
P BudgetControl	165
P BudgetEntry	170
P BudgetFigures	172
P BudgetGroup	174
P BudgetJournal	175
P BudgetModel	176
P ChartOfAccounts	177
P Claim	179
P ColumnDescription	181
P CompanyAllocationCombination	182
P CurrencyReport	184
P DerivedDimensions	187
P DimensionAccountStatement	188
P DimensionCombination	192
P DimensionCombUsage	194
P DimensionDerivation	195
P Entity	196
P EUVATSettlement	198
P ExternalAccount	199
P FinanceAllocationCombinations	201
P FinanceReport	202
P FinanceReportColumns	207
P FinanceReportTargetGroup	208
P FinancialReports	209
P FollowUpSelection	214
P GeneralJournal	215
P IntercompanyInterestNote	218
P IntercompanyInvoiceDetails	221
P LocalAccountStatement	224
P LocalSpec1	228
P LocalSpec2	229
P LocalSpec3	230
P Location	231

P MainLedger	233
P OpenFinanceEntries	237
P PettyCashAccount	240
P PostingJournal	241
P PriceArea	244
P PriceRegister	245
P Project	246
P Purpose	248
P RegistrationCodes	250
P Specification1	251
P Specification2	253
P Specification3	255
P Transaction	257
P VATReport	260
P VATReportField	261
P VATReportingUnit	262
P VATReportSpecification	263
P VATSettlement	264
P VATSpecification	265
YearEndClosing	266
UpdateItemReservations	267
ChangeInPriceLists	269
ImportPriceLists	270
ImportSerialNumbers	271
InventoryCountList	272
P AssortedGroup	274
P BOMInformationCard	275
P DiscountTable	276
P InventoryInfoCard	277
P InventoryJournal	278
P InventoryList	279
P ItemCard	281
P ItemDiscountAgreements	282
P ItemGroup	283
P ItemVoucher	284
P PriceList	285

P ProductionRequirements	286
P ProductionVoucher	287
P PropertyCard	288
P SeasonalModel	289
P SerialNumbers	290
P ShortageList	291
P StockList	293
P WarehouseTransaction	294
ProductionSelection	295
JobInvoiceCustomerAggregation	296
P Activity	297
P ApproveInvoiceSelection	298
P ApproveJobRegistrations	301
P ApproveTimeSheets	304
P BrowseEmployeeSkills	305
P DailyTimeSheets	306
P DetailedPlanning	307
P EmployeeAbsenceCalendar	309
P EmployeeCategory	311
P EmployeeLoad	313
P EmployeeReport	317
P ExpenseSheet	319
P FinancialJobCard	322
P InvoiceEditing	327
P InvoiceLayoutRule	338
P JobAccrualList	339
P JobAccrualPlan	341
P JobAllocationCombinations	343
P JobBalanceList	344
P JobBudget	348
P JobBudgetRevisions	352
P JobCard	355
P JobCreditMemo	359
P JobDescription	369
P JobGroup	372
P JobInvoice	373

P JobInvoiceAllocation	384
P JobJournal	388
P JobOrderConfirmation	390
P JobParameter	393
P JobParameterSelectionRule	394
P JobPriceGroups	395
P JobPriceList	396
P JobProfitability	399
P JobProgress	403
P JobQuotation	406
P JobQuoteRevisions	409
P JobReallocation	413
P JobReport	414
P JobRevenueRecognition	419
P Jobs	422
P JobSearch	428
P JobSurchargeRule	429
P JobVolume	430
P LevelList	433
P PeriodicJobBudget	434
P PlanningConflicts	438
P ResourceRequirement	440
P ShowPurchaseOrders	444
P Skill	445
P SkillRequirement	446
P TaskList	447
P TimeBudget	448
P TimeSheetOverview	452
P TimeSheetReferences	454
P TimeSheets	455
P PeriodicSumJobBudget	458
P ForecastManagement	461
P MileageSheet	463
P MileageRule	465
P ShowInvoiceFoundation	466
P PendingJobActions	470

P JobPostingReference	474
BackOrderRegisterUpdate	475
ItemSubstitution	476
P BackOrderList	477
P COGSSuspense	479
P Consignment.....	480
P ConsignmentNote	482
P ConsignmentSheet	483
P CreditMemo	485
P CustomsDocument	492
P DeliveryNote	494
P DestinationCard	497
P DraftCreditMemo	498
P DraftInvoice.....	502
P FooterTemplate	507
P Invoice.....	508
P Label	516
P MainOrder	517
P MainOrderInvoice	521
P OrderConfirmation	524
P OrderList	528
P OrdreVolume	530
P PackingList	531
P PickingList.....	533
P Quotation	535
P ReturnsNote.....	539
P ItemPurchaseOrder	540
P ItemPurchaseOrderList.....	542
P Receipt.....	543
P ReceiptList	544
PurchaseSelection	545
RemoveContactData	546
RemoveItemEntries.....	547
RemoveItemPurchaseOrders.....	548
RemovePostedGeneralJournals	549
RemovePurchaseOrders.....	550

RemoveSecurityLog	551
RemoveTimeSheets	552
P EmployeePosition	553
P PositionInformationCard	554
P CommissionStatistics	555
P CurrencyPositions	557
P CustomerGroupStatistics	559
P CustomerStatistics	561
P IntrastatReport	564
P InvoiceStatistics	566
P ItemGroupStatistics	569
P ItemStatistics	571
P SalesListSystemReport	572
P VendorStatistics	573
UpdateSubscriptionOrders	574
P SubscriptionInformationCard	575
P SubscriptionOrder	576
SubscriptionHistories	578
SubscriptionUpdate	579
ImportPaymentStatus	580
P ApprovalList	581
P Check	582
P CompanyVendorInfoCard	584
P EmployeeRequisition	585
P HoldersOfApproval	587
P ImportedPaymentStatus	588
P InvoiceReallocation	589
P InvoiceReconciliation	592
P InvoiceStatus	593
P PaymentAgent	594
P PaymentList	595
P PaymentMode	596
P PaymentOrder	597
P PaymentOverview	599
P PaymentSpecification	600
P PeriodicVendorStatement	601

P PurchaseOrder	604
P PurchaseOrderLineOverview	609
P PurchaseOrderLines	611
P RequestForQuote	613
P RoyaltyAgreement	617
P RoyaltyBillingSelection	618
P RoyaltySettlement.....	619
P ShowVendorInvoiceJournal	620
P VendorAgingReport	623
P VendorBalanceList.....	629
P VendorCard	632
P VendorInvoiceJournal	633
P VendorOpenEntryStatement	636
P VendorReport	639
PaymentSelection	640
P APSuspenseOverview	642

P AccessInformation

The following cursors can be used in this printout:

ACCESSINFORMATION

AccessInformation

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

P AccessLevels

The following cursors can be used in this printout:

ACCESSLEVELHEADER	AccessLevelHeader
ACCESSLEVELLINE	AccessLevelLine
COMPANYINFORMATION	CompanyInformation
USERINFORMATION	UserInformation
USERACCESSLEVEL	UserAccessLevel

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromAccessLevelVar	STRING
ToAccessLevelVar	STRING
IncludeCompaniesVar	BOOLEAN
SUBLEVELDESCRIPTIONVAR	STRING
NUMBERCOMPANIESVAR	INTEGER
PRINTCOMPANYBLOCKVAR	BOOLEAN
IncludeUsersVar	BOOLEAN
NUMBERUSERSVAR	INTEGER
PRINTUSERSBLOCKVAR	BOOLEAN
USERNAMEVAR	STRING

P Groups

The following cursors can be used in this printout:

DIALOGGROUP	
DIALOGGROUPMEMBER	DialogGroupMember
USERDIALOGGROUP	UserDialogGroup
USERINFORMATION	UserInformation
LAYOUTGROUPMEMBER	LayoutGroupMember
VIEWGROUPMEMBER	ViewGroupMember

The following variables can be used in this printout:

LastGroup	STRING
FirstGroup	STRING
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
IncludeDialogListVar	BOOLEAN
IncludeUserListVar	BOOLEAN
CURRENTGROUPNAMEVAR	GroupNameType
IncludeLayoutListVar	BOOLEAN
IncludeViewListVar	BOOLEAN

P SecurityLog

The following cursors can be used in this printout:

SECURITYLOG

SecurityLog

The following variables can be used in this printout:

NOCONTROLTYPE
 ControlTypeVar
 ToDate
 FromDate
 ToUser
 FromUser
 PAGENUMBER
 THETIME
 TODAYSDATE
 COMPANYNAME
 LayoutName
 NAMEOFUSER

BOOLEAN
 ControltypeType
 DATE
 DATE
 STRING
 STRING
 INTEGER
 STRING
 STRING
 STRING
 LayoutNameType
 STRING

P UserAccessLevels

The following cursors can be used in this printout:

USERROLEINFORMATION
USERACCESSLEVEL

UserRoleInformation
UserAccessLevel

The following variables can be used in this printout:

NAMEOFUSER
LayoutName
COMPANYNAME
TODAYSDATE
THETIME
PAGENUMBER
FromUserVar
ToUserVar
FromRoleVar
ToRoleVar
LEVELDESCRIPTIONVAR

STRING
LayoutNameType
STRING
STRING
STRING
INTEGER
STRING
STRING
STRING
STRING
STRING

P Users

The following cursors can be used in this printout:

USERINFORMATION	UserInformation
USERROLEINFORMATION	UserRoleInformation
USERROLEACTIONINFORMATION	UserRoleActionInformation
USERDIALOGGROUP	UserDialogGroup
DIALOGGROUPMEMBER	DialogGroupMember

The following variables can be used in this printout:

GROUPNAMEIMAGE	STRING
LastUser	STRING
FirstUser	STRING
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
GROUPNAMEFIELD	STRING
FIRSTDIALOG	BOOLEAN
COMPANYNAME1VAR	STRING
ADDRESS1VAR	STRING
ADDRESS2VAR	STRING
ADDRESS3VAR	STRING
ADDRESS4VAR	STRING
ADDRESS5VAR	STRING
ADDRESS6VAR	STRING
ADDRESS7VAR	STRING
ADDRESS8VAR	STRING
IncludeDialogListVar	BOOLEAN
INCLUDEONLYGROUPSVAR	BOOLEAN
IncludeFunctionsVar	BOOLEAN
DIMENSIONCOMBDESCRIPTIONVAR	STRING
COMPANYNAMEVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING

SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P Windows

The following cursors can be used in this printout:

WINDOW	Window
WINDOWLAYOUTNAME	WindowLayoutName
PRINTOUTLAYOUT	PrintoutLayout

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromModuleVar	STRING
ToModuleVar	STRING
FromWindowVar	STRING
ToWindowVar	STRING
WindowTypeVar	InternalWindowTypeType
IncludeWindowLayoutsVar	BOOLEAN
IncludePrintoutLayoutsVar	BOOLEAN
OnlyNonValidatedLayoutsVar	BOOLEAN
INCLUDEHEADERVAR	BOOLEAN
PRINTWINDOWVAR	BOOLEAN
HASSTANDARDLAYOUTVAR	BOOLEAN
HASSOLUTIONLAYOUTVAR	BOOLEAN
HASCUSTOMLAYOUTVAR	BOOLEAN
LOCALIZATIONWANTEDVAR	BOOLEAN

CommissionCalculation

The following cursors can be used in this printout:

STANDARDCALCULATEDCOMMISSION	CalculatedCommission
DETAILEDCALCULATEDCOMMISSION	CalculatedCommission

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromSalesPerson	STRING
ToSalesPerson	STRING
EntryDate	DATE
TransactionNumberVar	INTEGER
EntryText	STRING
NUMBEROFCOMMENTS	INTEGER
LASTCOMMISSIONLINENUMBER	INTEGER
LASTDIMENSIONINDEX	INTEGER
LASTTOTALINDEX	INTEGER
NEWPAGE	BOOLEAN
ShowInvoiceLines	BOOLEAN
SHOWONLYINVOICES	BOOLEAN
COMMISSIONAMOUNTFORINVOICE	AMOUNT
COMMISSIONAMOUNTFORSALESPERSON	AMOUNT
CALCULATIONBASISFORINVOICE	AMOUNT
CALCULATIONBASISFORSALESPERSON	AMOUNT
ReprintJournalNumber	INTEGER
MonthVar	INTEGER
CalculateCommission	BOOLEAN
PRINTJOURNALNUMBER	INTEGER
YearVar	INTEGER
CURRENTJOURNALNUMBER	INTEGER
CURRENTINVOICENUMBER	INTEGER
CURRENTSALESPERSON	STRING
FROMINVOICEDATE	DATE
TOINVOICEDATE	DATE
TransactionNumberSeriesVar	TransactionNumberSeriesType
TransactionTypeVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
USERCOMPANYNUMBERVAR	STRING
COMMISSIONCALCULATIONNUMBERVAR	INTEGER
SHOWINVOICEINFORMATIONVAR	BOOLEAN
NEWINVOICEVAR	BOOLEAN

P AllocationCode

The following cursors can be used in this printout:

ALLOCATIONCODEINFO	AllocationCodeInfo
ALLOCATIONCODELINE	AllocationCodeLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromAllocationCodeName	STRING
ToAllocationCodeName	STRING
COMPANYNAMEVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P ApprHierarchySelect

The following cursors can be used in this printout:

APPRHIERARCHYSELECTHEADER
APPRHIERARCHYSELECTLINE

ApprHierarchySelectHeader
ApprHierarchySelectLine

The following variables can be used in this printout:

NAMEOFUSER
LayoutName
COMPANYNAME
TODAYSDATE
THETIME
PAGENUMBER
ApprovalTypeVar
REMOVEDVAR

STRING
LayoutNameType
STRING
STRING
STRING
INTEGER
ApprovalTypeType
ApprovalTypeType

P ApprovalHierarchy

The following cursors can be used in this printout:

APPROVALHIERARCHYHEADER	ApprovalHierarchyHeader
APPROVALHIERARCHYLINE	ApprovalHierarchyLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
ApprovalTypeVar	ApprovalTypeType
FromApprovalHierarchyNumberVar	STRING
ToApprovalHierarchyNumberVar	STRING
APPROVERNAMEVAR	STRING
SUBSTITUTENAMEVAR	STRING
SUPERAPPROVERNAMEVAR	STRING

P ChargeCode

The following cursors can be used in this printout:

CHARGECODEINFO

ChargeCodeInfo

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

ChargeCodeNameVar

STRING

P ChargeTable

The following cursors can be used in this printout:

FREIGHTTABLE	FreightTable
FREIGHTTABLELINE	FreightTableLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromChargeTableNameVar	STRING
ToChargeTableNameVar	STRING
TransporterVar	TransporterType
IssueVar	INTEGER
CountryVar	CountryType
CompanyVATCodeVar	CompanyVATCodeType
TARGETGROUPSPECIFIED	BOOLEAN
DeliveryModeVar	DeliveryModeType
DeliveryTermsVar	DeliveryTermsType
ConsignmentTypeVar	ConsignmentTypeType
DestinationNumberVar	STRING
PaymentTermsVar	PaymentTermsType
REMOVED1	STRING
REMOVED2	STRING

P CommissionAgreement

The following cursors can be used in this printout:

COMMISSIONAGREEMENT	CommissionAgreement
COMMISSIONAGREEMENTLINE	CommissionAgreementLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCommissionAgreement	STRING
ToCommissionAgreement	STRING

P CompanyInformation

The following cursors can be used in this printout:

COMPANYINFORMATION

CompanyInformation

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME1VAR	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
ACCESSDESCRIPTIONVAR	STRING
MAINCOMPANYVAR	BOOLEAN
EMPLOYEE1NAMEVAR	STRING
EMPLOYEE2NAMEVAR	STRING
EMPLOYEE3NAMEVAR	STRING
EMPLOYEE4NAMEVAR	STRING
EMPLOYEE5NAMEVAR	STRING
COMPANYNAMEVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
DIMENSIONCOMBDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING

P CompanyInformation

LOCALSPEC9DESCRIPTIONVAR
LOCALSPEC10DESCRIPTIONVAR

STRING
STRING

P Country

The following cursors can be used in this printout:

COUNTRY	Country
---------	---------

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromNameVar	STRING
ToNameVar	STRING

P DocumentArchive

The following cursors can be used in this printout:

DOCUMENTARCHIVEHEADER	DocumentArchiveHeader
DOCUMENTARCHIVELINE	DocumentArchiveLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromDocumentArchiveVar	STRING
ToDocumentArchiveVar	STRING
COMPANYNAMEVAR	STRING
LEVELDESCRIPTIONVAR	STRING
REVISIONNUMBERVAR	INTEGER
INTERNALDOCUMENTTYPEVAR	STRING
DOCUMENTTYPEVAR	STRING
DOCUMENTSIZEVAR	INTEGER
REVISIONTEXTVAR	STRING
CLOSEDVAR	BOOLEAN
CLOSEDDATEVAR	DATE
CLOSEDTIMEVAR	TIME
CLOSEDBY2VAR	STRING
CHANGEDDATEVAR	DATE
CHANGEDTIMEVAR	TIME
CHANGEDBYVAR	STRING
REMARK1VAR	STRING
REMARK2VAR	STRING
REMARK3VAR	STRING
REMARK4VAR	STRING
REMARK5VAR	STRING
REMARK6VAR	STRING
REMARK7VAR	STRING
REMARK8VAR	STRING
REMARK9VAR	STRING
REMARK10VAR	STRING

P EForm

The following cursors can be used in this printout:

EFORM

EForm

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromEFormTypeNameVar	STRING
ToEFormTypeNameVar	STRING
OnlyApprovedVar	BOOLEAN
EMPLOYEEENUMBER1NAMEVAR	STRING
EMPLOYEEENUMBER2NAMEVAR	STRING
EMPLOYEEENUMBER3NAMEVAR	STRING
EMPLOYEEENUMBER4NAMEVAR	STRING
EMPLOYEEENUMBER5NAMEVAR	STRING
EMPLOYEEENUMBER6NAMEVAR	STRING
EMPLOYEEENUMBER7NAMEVAR	STRING
EMPLOYEEENUMBER8NAMEVAR	STRING
EMPLOYEEENUMBER9NAMEVAR	STRING
EMPLOYEEENUMBER10NAMEVAR	STRING
DOCUMENTARCHIVEDESCRIPTIONVAR	STRING
JOBCLOSEDVAR	BOOLEAN
REMARK1TITLEVAR	STRING
REMARK2TITLEVAR	STRING
REMARK3TITLEVAR	STRING
REMARK4TITLEVAR	STRING
REMARK5TITLEVAR	STRING
REMARK6TITLEVAR	STRING
REMARK7TITLEVAR	STRING
REMARK8TITLEVAR	STRING
REMARK9TITLEVAR	STRING
REMARK10TITLEVAR	STRING
REMARK11TITLEVAR	STRING
REMARK12TITLEVAR	STRING
REMARK13TITLEVAR	STRING
REMARK14TITLEVAR	STRING
REMARK15TITLEVAR	STRING
REMARK16TITLEVAR	STRING
REMARK17TITLEVAR	STRING
REMARK18TITLEVAR	STRING
REMARK19TITLEVAR	STRING

REMARK20TITLEVAR	STRING
REMARK21TITLEVAR	STRING
REMARK22TITLEVAR	STRING
REMARK23TITLEVAR	STRING
REMARK24TITLEVAR	STRING
REMARK25TITLEVAR	STRING
REMARK26TITLEVAR	STRING
REMARK27TITLEVAR	STRING
REMARK28TITLEVAR	STRING
REMARK29TITLEVAR	STRING
REMARK30TITLEVAR	STRING
REMARK31TITLEVAR	STRING
REMARK32TITLEVAR	STRING
REMARK33TITLEVAR	STRING
REMARK34TITLEVAR	STRING
REMARK35TITLEVAR	STRING
REMARK36TITLEVAR	STRING
REMARK37TITLEVAR	STRING
REMARK38TITLEVAR	STRING
REMARK39TITLEVAR	STRING
REMARK40TITLEVAR	STRING
BOOLEAN1TITLEVAR	STRING
BOOLEAN2TITLEVAR	STRING
BOOLEAN3TITLEVAR	STRING
BOOLEAN4TITLEVAR	STRING
BOOLEAN5TITLEVAR	STRING
BOOLEAN6TITLEVAR	STRING
BOOLEAN7TITLEVAR	STRING
BOOLEAN8TITLEVAR	STRING
BOOLEAN9TITLEVAR	STRING
BOOLEAN10TITLEVAR	STRING
YESNO1TITLEVAR	STRING
YESNO2TITLEVAR	STRING
YESNO3TITLEVAR	STRING
YESNO4TITLEVAR	STRING
YESNO5TITLEVAR	STRING
YESNO6TITLEVAR	STRING
YESNO7TITLEVAR	STRING
YESNO8TITLEVAR	STRING
YESNO9TITLEVAR	STRING
YESNO10TITLEVAR	STRING
DATE1TITLEVAR	STRING
DATE2TITLEVAR	STRING
DATE3TITLEVAR	STRING
DATE4TITLEVAR	STRING
DATE5TITLEVAR	STRING
DATE6TITLEVAR	STRING
DATE7TITLEVAR	STRING

DATE8TITLEVAR	STRING
DATE9TITLEVAR	STRING
DATE10TITLEVAR	STRING
EMPLOYEE1TITLEVAR	STRING
EMPLOYEE2TITLEVAR	STRING
EMPLOYEE3TITLEVAR	STRING
EMPLOYEE4TITLEVAR	STRING
EMPLOYEE5TITLEVAR	STRING
EMPLOYEE6TITLEVAR	STRING
EMPLOYEE7TITLEVAR	STRING
EMPLOYEE8TITLEVAR	STRING
EMPLOYEE9TITLEVAR	STRING
EMPLOYEE10TITLEVAR	STRING
INTEGER1TITLEVAR	STRING
INTEGER2TITLEVAR	STRING
INTEGER3TITLEVAR	STRING
INTEGER4TITLEVAR	STRING
INTEGER5TITLEVAR	STRING
INTEGER6TITLEVAR	STRING
INTEGER7TITLEVAR	STRING
INTEGER8TITLEVAR	STRING
INTEGER9TITLEVAR	STRING
INTEGER10TITLEVAR	STRING
REAL1TITLEVAR	STRING
REAL2TITLEVAR	STRING
REAL3TITLEVAR	STRING
REAL4TITLEVAR	STRING
REAL5TITLEVAR	STRING
REAL6TITLEVAR	STRING
REAL7TITLEVAR	STRING
REAL8TITLEVAR	STRING
REAL9TITLEVAR	STRING
REAL10TITLEVAR	STRING
AMOUNT1TITLEVAR	STRING
AMOUNT2TITLEVAR	STRING
AMOUNT3TITLEVAR	STRING
AMOUNT4TITLEVAR	STRING
AMOUNT5TITLEVAR	STRING
AMOUNT6TITLEVAR	STRING
AMOUNT7TITLEVAR	STRING
AMOUNT8TITLEVAR	STRING
AMOUNT9TITLEVAR	STRING
AMOUNT10TITLEVAR	STRING
SELECTEDOPTION1TITLEVAR	STRING
SELECTEDOPTION2TITLEVAR	STRING
SELECTEDOPTION3TITLEVAR	STRING
SELECTEDOPTION4TITLEVAR	STRING
SELECTEDOPTION5TITLEVAR	STRING

SELECTEDOPTION6TITLEVAR	STRING
SELECTEDOPTION7TITLEVAR	STRING
SELECTEDOPTION8TITLEVAR	STRING
SELECTEDOPTION9TITLEVAR	STRING
SELECTEDOPTION10TITLEVAR	STRING
SELECTEDOPTION11TITLEVAR	STRING
SELECTEDOPTION12TITLEVAR	STRING
SELECTEDOPTION13TITLEVAR	STRING
SELECTEDOPTION14TITLEVAR	STRING
SELECTEDOPTION15TITLEVAR	STRING
SELECTEDOPTION16TITLEVAR	STRING
SELECTEDOPTION17TITLEVAR	STRING
SELECTEDOPTION18TITLEVAR	STRING
SELECTEDOPTION19TITLEVAR	STRING
SELECTEDOPTION20TITLEVAR	STRING
SELECTEDOPTION21TITLEVAR	STRING
SELECTEDOPTION22TITLEVAR	STRING
SELECTEDOPTION23TITLEVAR	STRING
SELECTEDOPTION24TITLEVAR	STRING
SELECTEDOPTION25TITLEVAR	STRING
SELECTEDOPTION26TITLEVAR	STRING
SELECTEDOPTION27TITLEVAR	STRING
SELECTEDOPTION28TITLEVAR	STRING
SELECTEDOPTION29TITLEVAR	STRING
SELECTEDOPTION30TITLEVAR	STRING
SELECTEDOPTION31TITLEVAR	STRING
SELECTEDOPTION32TITLEVAR	STRING
SELECTEDOPTION33TITLEVAR	STRING
SELECTEDOPTION34TITLEVAR	STRING
SELECTEDOPTION35TITLEVAR	STRING
SELECTEDOPTION36TITLEVAR	STRING
SELECTEDOPTION37TITLEVAR	STRING
SELECTEDOPTION38TITLEVAR	STRING
SELECTEDOPTION39TITLEVAR	STRING
SELECTEDOPTION40TITLEVAR	STRING
POPUP1TITLEVAR	STRING
POPUP2TITLEVAR	STRING
POPUP3TITLEVAR	STRING
POPUP4TITLEVAR	STRING
POPUP5TITLEVAR	STRING
POPUP6TITLEVAR	STRING
POPUP7TITLEVAR	STRING
POPUP8TITLEVAR	STRING
POPUP9TITLEVAR	STRING
POPUP10TITLEVAR	STRING

P Employee

The following cursors can be used in this printout:

EMPLOYEE	Employee
EMPLOYEEAGREEMENT	EmployeeAgreement
EMPLOYEECATEGORYMEMBER	EmployeeCategoryMember
EMPLOYEEESKILL	EmployeeSkill

The following variables can be used in this printout:

ShowBlocked	BOOLEAN
LastEmployeeNumber	STRING
FirstEmployeeNumber	STRING
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
SHOWEMPLOYEEAGREEMENT	BOOLEAN
NAMESUPERIOREMPLOYEE	STRING
SuperiorEmployeeVar	STRING
NAMESECRETARYEMPLOYEE	STRING
SecretaryEmployeeVar	STRING
NAMETUTOREMPLOYEE	STRING
TutorEmployeeVar	STRING
NAMESUBSTITUTE1VAR	STRING
Substitute1Var	STRING
NAMESUBSTITUTE2VAR	STRING
Substitute2Var	STRING
NAMESUBSTITUTE3VAR	STRING
Substitute3Var	STRING
NAMESUBSTITUTE4VAR	STRING
Substitute4Var	STRING
NAMESUBSTITUTE5VAR	STRING
Substitute5Var	STRING
NAMEABSENCEAPPROVER	STRING
AbsenceApproverVar	STRING
COMPANYNAME1VAR	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
BASECURRENCYVAR	CurrencyType

P Employee

VENDORNAME1VAR	STRING
ACCESSLEVELDESCRIPTIONVAR	STRING
DIMENSIONCOMBDESCRIPTIONVAR	STRING
COMPANYNAMEVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
ShowCategoriesVar	BOOLEAN
EMPLOYEECATEGORYNAMEVAR	STRING
NEWPAGEVAR	BOOLEAN
DOCUMENTARCHIVEDESCRIPTIONVAR	STRING
SERVICEVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P EuroExchangeRateTable

The following cursors can be used in this printout:

EUROEXCHANGERATE	EuroExchangeRate
SYSTEMINFORMATION	SystemInformation

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER

P ExchangeRateTable

The following cursors can be used in this printout:

EXCHANGERATETABLE	ExchangeRateTable
D_EXCHANGERATE	ExchangeRate
V_EXCHANGERATE	ExchangeRate

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
GlobalExchangeRateTableVar	GlobalExchangeRateTableType
SELECTEDEXCHANGERATETABLE	ExchangeRateTableNumberType
SELECTEDEXCHANGERATETABLENUMBER	INTEGER
CurrencyVar	CurrencyType
FromDateVar	DATE
ToDateVar	DATE

P FinanceVATCode

The following cursors can be used in this printout:

FINANCEVATCODE

FinanceVATCode

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FromNameVar

STRING

ToNameVar

STRING

LEVELDESCRIPTIONVAR

STRING

P FinanceVATTable

The following cursors can be used in this printout:

FINANCEVATTABLE	FinanceVATTable
FINANCEVATTABLELINE	FinanceVATTableLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromNameVar	STRING
ToNameVar	STRING
DateVar	DATE
REMOVEDVAR1	DATE

P IntercompanyAccount

The following cursors can be used in this printout:

INTERCOMPANYACCOUNTS
INTERCOMPANYREFERENCES

IntercompanyAccounts
IntercompanyReferences

The following variables can be used in this printout:

NAMEOFUSER
LayoutName
COMPANYNAME
TODAYSDATE
THETIME
PAGENUMBER

STRING
LayoutNameType
STRING
STRING
STRING
INTEGER

P LanguageText

The following cursors can be used in this printout:

LANGUAGETEXTHEADER	LanguageTextHeader
LANGUAGETEXTLINE	LanguageTextLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromTextVar	STRING
ToTextVar	STRING
LanguageVar	LanguageType
LanguageTextGroupVar	LanguageTextGroupType
FromKey1Var	STRING
ToKey1Var	STRING
STANDARDLANGUAGEVAR	LanguageType
DONOTPRINTTHISVAR	BOOLEAN

P LayoutSelection

The following cursors can be used in this printout:

PRINTOUTLAYOUT	PrintoutLayout
LAYOUTSELECTIONRULE	LayoutSelectionRule

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromWindowNameVar	STRING
ToWindowNameVar	STRING
FromLayoutNameVar	STRING
ToLayoutNameVar	STRING
FIELDTYPEVAR	FormatType
POPUPTYPEVAR	STRING
FROMVAR	STRING
TOVAR	STRING

P LinkingRules

The following cursors can be used in this printout:

LINKINGRULEHEADER	LinkingRuleHeader
LINKINGRULELINE	LinkingRuleLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromLinkingRuleNameVar	STRING
ToLinkingRuleNameVar	STRING
FromMainRelationVar	STRING
ToMainRelationVar	STRING
FromSubordinateRelationVar	STRING
ToSubordinateRelationVar	STRING
EXTERNALFIELDNAMEVAR	STRING
EXTERNALMAINNAMEVAR	STRING
EXTERNALSUBORDINATENAMEVAR	STRING
EXTERNALSUBORDINATEFIELDNAMEVAR	STRING
NEWSUBORDINATEVALUEVAR	STRING

P ModulusCalculation

The following cursors can be used in this printout:

MODULUSCALCULATION

ModulusCalculation

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FromNameVar

STRING

ToNameVar

STRING

P Note

The following cursors can be used in this printout:

NOTEHEADER	NoteHeader
NOTELINE	NoteLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromNoteNumberVar	STRING
ToNoteNumberVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
COMPANYNAMEVAR	STRING
LEVELDESCRIPTIONVAR	STRING
DOCUMENTARCHIVEDescriptionVar	STRING
PRINTHEADINGVAR	BOOLEAN
PRINTTEXTVAR	BOOLEAN
NEWSECTIONVAR	BOOLEAN
VALUEVAR	STRING

P NoteType

The following cursors can be used in this printout:

NOTETYPE	NoteType
NOTETYPESPECIFICATION	NoteTypeSpecification

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromNoteTypeVar	STRING
ToNoteTypeVar	STRING
ACCESSLEVELDESCRIPTIONVAR	STRING

P NumberSeries

The following cursors can be used in this printout:

NUMBERSERIES
COMPANYINFORMATION

NumberSeries
CompanyInformation

The following variables can be used in this printout:

NAMEOFUSER
LayoutName
COMPANYNAME
TODAYSDATE
THETIME
PAGENUMBER
FromCompanyVar
ToCompanyVar
LOCALCOMPANYVAR

STRING
LayoutNameType
STRING
STRING
STRING
INTEGER
STRING
STRING
STRING

P OptionLists

The following cursors can be used in this printout:

OPTIONLIST	OptionList
THEOPTION	TheOption

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromOptionListNumberVar	STRING
ToOptionListNumberVar	STRING
LEVELDESCRIPTIONVAR	STRING

P PaperFormat

The following cursors can be used in this printout:

PAPERFORMATINFORMATION

PaperFormatInformation

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

P PopupFields

The following cursors can be used in this printout:

POPUPTYPE	PopupType
POPUPITEM	PopupItem

The following variables can be used in this printout:

LastDescription	STRING
FirstDescription	STRING
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
HASCODES	BOOLEAN
HASNOCODES	BOOLEAN
FIRSTCODE	BOOLEAN
DESCRIPTIONFIELD	STRING
GroupVar	STRING

P PostingDescriptions

The following cursors can be used in this printout:

SUBLEDGERTEXT

SubledgerText

The following variables can be used in this printout:

REMOVING

STRING

PAGENUMBER

INTEGER

THETIME

STRING

TODAYSDATE

STRING

COMPANYNAME

STRING

LayoutName

LayoutNameType

NAMEOFUSER

STRING

P PostingReferences

The following cursors can be used in this printout:

DEPARTMENT	Department
ACCOUNTREFERENCE	AccountReference

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
SelectedDepartment	DepartmentNumberType
SELECTEDDEPARTMENTNUMBER	INTEGER
DIMENSIONCOMBDESCRIPTIONVAR	STRING

P Printer

The following cursors can be used in this printout:

PRINTER

Printer

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FromPrinterNumberVar

STRING

ToPrinterNumberVar

STRING

LEVELDESCRIPTIONVAR

STRING

P PrinterSelection

The following cursors can be used in this printout:

PRINTERSELECTIONRULE

PrinterSelectionRule

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FromUserNameVar

STRING

ToUserNameVar

STRING

GroupNameVar

GroupNameType

WindowNameVar

STRING

EMPLOYEEENUMBERVAR

STRING

EMPLOYEEENAMEVAR

STRING

P RegistrationLetter

The following cursors can be used in this printout:

INSTALLATIONLINE	InstallationLine
INSTALLATIONINFORMATION	InstallationInformation
COMPANYINSTALLATIONLINE	InstallationLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LAYOUTNAME	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
ADDRESS1	STRING
ADDRESS2	STRING
ADDRESS3	STRING
ADDRESS4	STRING
ADDRESS5	STRING
TELEPHONE	STRING
TELEFAX	STRING
PERMANENTBOOL	BOOLEAN
CHECKSUMVAR	INTEGER
NUMBEROFCHARACTERSVAR	INTEGER
PACKAGINGVAR	STRING
SPECIALVAR	STRING
CONVERSIONVAR	STRING
PATCHLEVELVAR	STRING
VERSIONVAR	STRING
ADDRESS6	STRING
ADDRESS7	STRING
ADDRESS8	STRING

P ReportingStructure

The following cursors can be used in this printout:

REPORTINGSTRUCTUREHEADER
REPORTINGSTRUCTURELINE

ReportingStructureHeader
ReportingStructureLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
SHOWGROUPING1VAR	BOOLEAN
SHOWGROUPING2VAR	BOOLEAN
SHOWGROUPING3VAR	BOOLEAN
SHOWGROUPING4VAR	BOOLEAN
SHOWGROUPING5VAR	BOOLEAN
SHOWGROUPING6VAR	BOOLEAN
SHOWGROUPING7VAR	BOOLEAN
SHOWGROUPING8VAR	BOOLEAN
SHOWGROUPING9VAR	BOOLEAN
SHOWGROUPING10VAR	BOOLEAN
SHOWGROUPING11VAR	BOOLEAN
SHOWGROUPING12VAR	BOOLEAN
SHOWLINEINGROUPING1VAR	BOOLEAN
SHOWLINEINGROUPING2VAR	BOOLEAN
SHOWLINEINGROUPING3VAR	BOOLEAN
SHOWLINEINGROUPING4VAR	BOOLEAN
SHOWLINEINGROUPING5VAR	BOOLEAN
SHOWLINEINGROUPING6VAR	BOOLEAN
SHOWLINEINGROUPING7VAR	BOOLEAN
SHOWLINEINGROUPING8VAR	BOOLEAN
SHOWLINEINGROUPING9VAR	BOOLEAN
SHOWLINEINGROUPING10VAR	BOOLEAN
SHOWLINEINGROUPING11VAR	BOOLEAN
SHOWLINEINGROUPING12VAR	BOOLEAN
NOGROUPINGVAR	BOOLEAN
SHOWGROUPING1TOTALVAR	BOOLEAN
SHOWGROUPING2TOTALVAR	BOOLEAN
SHOWGROUPING3TOTALVAR	BOOLEAN
SHOWGROUPING4TOTALVAR	BOOLEAN
SHOWGROUPING5TOTALVAR	BOOLEAN
SHOWGROUPING6TOTALVAR	BOOLEAN
SHOWGROUPING7TOTALVAR	BOOLEAN
SHOWGROUPING8TOTALVAR	BOOLEAN
SHOWGROUPING9TOTALVAR	BOOLEAN

P ReportingStructure

SHOWGROUPING10TOTALVAR	BOOLEAN
SHOWGROUPING11TOTALVAR	BOOLEAN
SHOWGROUPING12TOTALVAR	BOOLEAN
GROUPING1DESCRIPTIONVAR	STRING
GROUPING2DESCRIPTIONVAR	STRING
GROUPING3DESCRIPTIONVAR	STRING
GROUPING4DESCRIPTIONVAR	STRING
GROUPING5DESCRIPTIONVAR	STRING
GROUPING6DESCRIPTIONVAR	STRING
GROUPING7DESCRIPTIONVAR	STRING
GROUPING8DESCRIPTIONVAR	STRING
GROUPING9DESCRIPTIONVAR	STRING
GROUPING10DESCRIPTIONVAR	STRING
GROUPING11DESCRIPTIONVAR	STRING
GROUPING12DESCRIPTIONVAR	STRING
FromReportingStructureVar	STRING
ToReportingStructureVar	STRING

P SystemInformation

The following cursors can be used in this printout:

SYSTEMINFORMATION

SystemInformation

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

P SystemNumbers

The following cursors can be used in this printout:

COMPANYINFORMATION	CompanyInformation
SYSTEMNUMBER	SystemNumber
D_USEDSYSTEMNUMBER	UsedSystemNumber
L_USEDSYSTEMNUMBER	UsedSystemNumber

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCompanyVar	STRING
ToCompanyVar	STRING
FromNumberNameVar	STRING
ToNumberNameVar	STRING
FirstNumber	INTEGER
LastNumber	INTEGER
FirstDate	DATE
LastDate	DATE
NUMBERNAMEVAR	STRING

P SystemParameters

The following cursors can be used in this printout:

SYSTEMPARAMETER

SystemParameter

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FromGroupVar

STRING

ToGroupVar

STRING

PARAMETERVALUEVAR

STRING

P TargetGroup

The following cursors can be used in this printout:

TARGETGROUPSPECHEADER	TargetGroupSpecHeader
TARGETGROUPLINE	TargetGroupLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromTargetGroupNumberVar	STRING
ToTargetGroupNumberVar	STRING
TargetGroupTypeVar	STRING
OPERAND1VAR	STRING
OPERAND2VAR	STRING
ISNORMALLINEVAR	BOOLEAN
ISCONTINUATIONLINEVAR	BOOLEAN
ISGROUPINGLINEVAR	BOOLEAN
DEFINITIONFORMATVAR	TargetGroupDefinitionFormatType

P TargetGroupType

The following cursors can be used in this printout:

TARGETGROUPSPECTYPEHEADER

TargetGroupSpecTypeHeader

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FromTargetGroupTypeVar

STRING

ToTargetGroupTypeVar

STRING

DefinitionFormatVar

TargetGroupDefinitionFormatType

P Team

The following cursors can be used in this printout:

TEAM	Team
TEAMMEMBER	TeamMember

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromTeamNumberVar	STRING
ToTeamNumberVar	STRING
EMPLOYEEENAME1VAR	STRING
PRIMARYEMPLOYEECATEGORYNAMEVAR	STRING
PRIMARYEMPLOYEECATEGORYNUMBERVAR	STRING
GROUPDISTRIBUTEDVAR	BOOLEAN
ACCESSLEVELDESCRIPTIONVAR	STRING

P TransactionNumberSeries

The following cursors can be used in this printout:

COMPANYINFORMATION	CompanyInformation
TRANSACTIONNUMBERSERIES	TransactionNumberSeries

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCompanyVar	STRING
ToCompanyVar	STRING

P ValidationRule

The following cursors can be used in this printout:

VALIDATIONFIELD	ValidationField
VALIDATIONRULE	ValidationRule

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromDescriptionVar	STRING
ToDescriptionVar	STRING
CountryVar	CountryType

P VATCode

The following cursors can be used in this printout:

VATCODE

VATCode

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FromNameVar

STRING

ToNameVar

STRING

LEVELDESCRIPTIONVAR

STRING

P VATTable

The following cursors can be used in this printout:

VATTABLE	VATTable
VATTABLELINE	VATTableLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
CountryVar	CountryType
FromVATTableNameVar	STRING
ToVATTableNameVar	STRING

P WeekCalendar

The following cursors can be used in this printout:

WEEKCALENDARHEADER	WeekCalendarHeader
WEEKCALENDARLINE	WeekCalendar

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCalendarYearVar	INTEGER
ToCalendarYearVar	INTEGER
FromWeekNumberVar	INTEGER
ToWeekNumberVar	INTEGER
DATEMONDAYVAR	DATE
DATETUESDAYVAR	DATE
DATEWEDNESDAYVAR	DATE
DATETHURSDAYVAR	DATE
DATEFRIDAYVAR	DATE
DATESATURDAYVAR	DATE
DATESUNDAYVAR	DATE
FromWeekCalendarNumberVar	STRING
ToWeekCalendarNumberVar	STRING
FROMDATEVAR	DATE
TODATEVAR	DATE
PRINTTHISVAR	BOOLEAN

InternalTest

The following cursors can be used in this printout:

The following variables can be used in this printout:

JobNumberVar	STRING
NumberOfTasksVar	INTEGER
EntryDateFromVar	DATE
EntryDateToVar	DATE
DebitCreditVar	DebitCreditType
NumberOfRegistrationsVar	INTEGER
CopyCompanyNumberVar	STRING
NumberOfCompaniesVar	INTEGER
CreateCompaniesVar	BOOLEAN
CopyJobNumberVar	STRING
NumberOfJobsVar	INTEGER
CreateJobsVar	BOOLEAN
NumberOfCompanyJobsVar	INTEGER
CopyEmployeeNumberVar	STRING
NumberOfEmployeesVar	INTEGER
CreateEmployeesVar	BOOLEAN
NumberOfCompanyEmployeesVar	INTEGER
NumberOfUsersVar	INTEGER
CreateUsersVar	BOOLEAN
YearNumberVar	INTEGER
WeekNumberFromVar	INTEGER
WeekNumberToVar	INTEGER
LinesPerTimeSheetVar	INTEGER
CreateTimeSheetsVar	BOOLEAN
SubmitTimeSheetsVar	BOOLEAN
ApproveTimeSheetsVar	BOOLEAN
UserIsAdministratorVar	BOOLEAN
BudgetOnJobNumberVar	STRING
NumberOfBudgetTypesVar	INTEGER
NumberOfLinesTimeVar	INTEGER
NumberOfLinesAmountVar	INTEGER
DepthOfBudgetTreeTableVar	INTEGER
NumberOfLinesPerHeaderVar	INTEGER
ProgressbarNumberVar	INTEGER
UpdateProgressbarVar	BOOLEAN
UpdateProgressbarTextVar	BOOLEAN
PREVIOUSPSEUDORANDOMVAR	INTEGER
UpdateSystemParametersVar	BOOLEAN
EnableSplitWeekTimeSheetVar	BOOLEAN
EnableCentralTransferOfTimeSheetsVar	BOOLEAN
UpdatePostingPeriodSetupVar	BOOLEAN
KeyForStoringJobNumbersVar	STRING
AddDynamicPopupItemsVar	INTEGER

InternalTest

LockJobNumberFirstVar
LockJobNumberSecondVar

STRING
STRING

P CommitmentLevels

The following cursors can be used in this printout:

COMMITMENTLEVEL

CommitmentLevel

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FromLevelNumber

STRING

ToLevelNumber

STRING

P CommitmentRules

The following cursors can be used in this printout:

COMMITMENTRULEHEADER	CommitmentRuleHeader
COMMITMENTRULELINE	CommitmentRuleLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromLevelNumberVar	STRING
ToLevelNumberVar	STRING
CompanyNumberVar	STRING
AccountNumberVar	STRING
LOCALACCOUNTNUMBERVAR	STRING
LocationNameVar	STRING
EntityNameVar	STRING
ProjectNameVar	STRING
PurposeNameVar	STRING
Specification1NameVar	STRING
Specification2NameVar	STRING
Specification3NameVar	STRING
Specification4NameVar	STRING
Specification5NameVar	STRING
Specification6NameVar	STRING
Specification7NameVar	STRING
Specification8NameVar	STRING
Specification9NameVar	STRING
Specification10NameVar	STRING
LocalSpec1NameVar	STRING
LocalSpec2NameVar	STRING
LocalSpec3NameVar	STRING
LocalSpec4NameVar	STRING
LocalSpec5NameVar	STRING
LocalSpec6NameVar	STRING
LocalSpec7NameVar	STRING
LocalSpec8NameVar	STRING
LocalSpec9NameVar	STRING
LocalSpec10NameVar	STRING

P Campaign

The following cursors can be used in this printout:

CAMPAIGN	Campaign
CAMPAIGNTARGETGROUP	CampaignTargetGroup

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCampaignNumberVar	STRING
ToCampaignNumberVar	STRING
PLANDESCRIPTIONVAR	STRING
TARGETGROUPDESCRIPTIONVAR	STRING

P ContactCompany

The following cursors can be used in this printout:

CONTACTCOMPANY	ContactCompany
CONTACTPERSON	ContactPerson

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromContactCompanyNumberVar	STRING
ToContactCompanyNumberVar	STRING
EnterpriseVar	EnterpriseType
SegmentVar	SegmentType
AreaVar	AreaType
ShowContactPersonsVar	BOOLEAN
COMPANYNAMEVAR	STRING
LEVELDESCRIPTIONVAR	STRING
DOCUMENTARCHIVEDESCRIPTIONVAR	STRING
STATISTIC1DESCRIPTIONVAR	STRING
STATISTIC2DESCRIPTIONVAR	STRING
STATISTIC3DESCRIPTIONVAR	STRING
STATISTIC4DESCRIPTIONVAR	STRING
SELECTEDVALUE1DESCRIPTIONVAR	STRING
SELECTEDVALUE2DESCRIPTIONVAR	STRING
SELECTEDVALUE3DESCRIPTIONVAR	STRING
SELECTEDVALUE4DESCRIPTIONVAR	STRING
SELECTEDVALUE5DESCRIPTIONVAR	STRING
SELECTEDVALUE6DESCRIPTIONVAR	STRING
SELECTEDVALUE7DESCRIPTIONVAR	STRING
SELECTEDVALUE8DESCRIPTIONVAR	STRING
SELECTEDVALUE9DESCRIPTIONVAR	STRING
SELECTEDVALUE10DESCRIPTIONVAR	STRING
TERMINATIONDATEVAR	DATE
PARENTCONTACTCOMPANYNAMEVAR	STRING
LEVEL1CONTACTCOMPANYNAMEVAR	STRING
LEVEL2CONTACTCOMPANYNAMEVAR	STRING
LEVEL3CONTACTCOMPANYNAMEVAR	STRING
LEVEL4CONTACTCOMPANYNAMEVAR	STRING
LEVEL5CONTACTCOMPANYNAMEVAR	STRING
LEVEL1CONTACTCOMPANYCUSTOMERNUMBERVAR	STRING
LEVEL2CONTACTCOMPANYCUSTOMERNUMBERVAR	STRING
LEVEL3CONTACTCOMPANYCUSTOMERNUMBERVAR	STRING
LEVEL4CONTACTCOMPANYCUSTOMERNUMBERVAR	STRING

P ContactCompany

LEVEL5CONTACTCOMPANYCUSTOMERNUMBERVAR	STRING
LEVELNAMEVAR	STRING
LEVEL1NAMEVAR	STRING
LEVEL2NAMEVAR	STRING
LEVEL3NAMEVAR	STRING
LEVEL4NAMEVAR	STRING
LEVEL5NAMEVAR	STRING

P ContactCompanyRelation

The following cursors can be used in this printout:

CONTACTCOMPANY	ContactCompany
CONTACTRELATION	ContactRelation

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromContactCompanyNumberVar	STRING
ToContactCompanyNumberVar	STRING
COMPANYNAMEVAR	STRING
LEVELDESCRIPTIONVAR	STRING
DOCUMENTARCHIVEDescriptionVar	STRING
STATISTIC1DESCRIPTIONVAR	STRING
STATISTIC2DESCRIPTIONVAR	STRING
STATISTIC3DESCRIPTIONVAR	STRING
STATISTIC4DESCRIPTIONVAR	STRING
SELECTEDVALUE1DESCRIPTIONVAR	STRING
SELECTEDVALUE2DESCRIPTIONVAR	STRING
SELECTEDVALUE3DESCRIPTIONVAR	STRING
SELECTEDVALUE4DESCRIPTIONVAR	STRING
SELECTEDVALUE5DESCRIPTIONVAR	STRING
SELECTEDVALUE6DESCRIPTIONVAR	STRING
SELECTEDVALUE7DESCRIPTIONVAR	STRING
SELECTEDVALUE8DESCRIPTIONVAR	STRING
SELECTEDVALUE9DESCRIPTIONVAR	STRING
SELECTEDVALUE10DESCRIPTIONVAR	STRING
TERMINATIONDATEVAR	DATE
CONTACTNUMBERVAR	STRING
CONTACTNAMEVAR	STRING
CURRENTCUSTOMEREMPLOYEEVAR	BOOLEAN
PREVIOUSCUSTOMEREMPLOYEEVAR	BOOLEAN

P ContactGroup

The following cursors can be used in this printout:

CONTACTGROUP	ContactGroup
CONTACTGROUPMEMBER	ContactGroupMember

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromContactGroupNumberVar	STRING
ToContactGroupNumberVar	STRING
FromContactGroupTypeVar	STRING
ToContactGroupTypeVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
COMPANYNAMEVAR	STRING
LEVELDESCRIPTIONVAR	STRING
TYPEDescriptionVar	STRING
DOCUMENTARCHIVEDescriptionVar	STRING
JOBNAMEVAR	STRING

P ContactGroupType

The following cursors can be used in this printout:

CONTACTGROUPTYPE

ContactGroupType

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FromContactGroupTypeVar

STRING

ToContactGroupTypeVar

STRING

LEVELDESCRIPTIONVAR

STRING

P ContactPerson

The following cursors can be used in this printout:

CONTACTPERSON

ContactPerson

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromContactPersonNumberVar	STRING
ToContactPersonNumberVar	STRING
FromContactCompanyNumberVar	STRING
ToContactCompanyNumberVar	STRING
CONTACTCOMPANYNAMEVAR	STRING
DOCUMENTARCHIVEDESCRIPTIONVAR	STRING
EMPLOYEEENAMEVAR	STRING
LEVELDESCRIPTIONVAR	STRING
EXISTINGEMPLOYEEENUMBERVAR	STRING
AGEVAR	STRING
COMPANYNAMEVAR	STRING
SELECTEDVALUE1DESCRIPTIONVAR	STRING
SELECTEDVALUE2DESCRIPTIONVAR	STRING
SELECTEDVALUE3DESCRIPTIONVAR	STRING
SELECTEDVALUE4DESCRIPTIONVAR	STRING
SELECTEDVALUE5DESCRIPTIONVAR	STRING
SELECTEDVALUE6DESCRIPTIONVAR	STRING
SELECTEDVALUE7DESCRIPTIONVAR	STRING
SELECTEDVALUE8DESCRIPTIONVAR	STRING
SELECTEDVALUE9DESCRIPTIONVAR	STRING
SELECTEDVALUE10DESCRIPTIONVAR	STRING
DATEENDEMPLOYMENTVAR	DATE

P ContactPersonRelation

The following cursors can be used in this printout:

CONTACTPERSON	ContactPerson
CONTACTRELATION	ContactRelation

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromContactPersonNumberVar	STRING
ToContactPersonNumberVar	STRING
CONTACTCOMPANYNAMEVAR	STRING
DOCUMENTARCHIVEDESCRIPTIONVAR	STRING
EMPLOYEEENAMEVAR	STRING
LEVELDESCRIPTIONVAR	STRING
EXISTINGEMPLOYEEENUMBERVAR	STRING
AGEVAR	STRING
COMPANYNAMEVAR	STRING
SELECTEDVALUE1DESCRIPTIONVAR	STRING
SELECTEDVALUE2DESCRIPTIONVAR	STRING
SELECTEDVALUE3DESCRIPTIONVAR	STRING
SELECTEDVALUE4DESCRIPTIONVAR	STRING
SELECTEDVALUE5DESCRIPTIONVAR	STRING
SELECTEDVALUE6DESCRIPTIONVAR	STRING
SELECTEDVALUE7DESCRIPTIONVAR	STRING
SELECTEDVALUE8DESCRIPTIONVAR	STRING
SELECTEDVALUE9DESCRIPTIONVAR	STRING
SELECTEDVALUE10DESCRIPTIONVAR	STRING
DATEENDEMPLOYMENTVAR	DATE
CONTACTNUMBERVAR	STRING
CONTACTNAMEVAR	STRING
CURRENTCUSTOMEREMPLOYEEVAR	BOOLEAN
PREVIOUSCUSTOMEREMPLOYEEVAR	BOOLEAN

P Event

The following cursors can be used in this printout:

K_EVENTHEADER	EventHeader
K_NOTELINE	NoteLine
M_EVENTHEADER	EventHeader
M_NOTELINE	NoteLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromDateVar	DATE
ToDateVar	DATE
FromContactCompanyNumberVar	STRING
ToContactCompanyNumberVar	STRING
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
ContactModeVar	ContactModeType
EventtypeVar	EventtypeType
IncludeFinishedVar	BOOLEAN
ShowTextLinesVar	BOOLEAN
CONTACTCOMPANYNAMEVAR	STRING
CONTACTPERSONNAMEVAR	STRING
EMPLOYEEENAMEVAR	STRING
CAMPAIGNNAMEVAR	STRING
FromEventNumberVar	STRING
ToEventNumberVar	STRING
FromTemplateNumberVar	STRING
ToTemplateNumberVar	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromCampaignNumberVar	STRING
ToCampaignNumberVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromItemNumberVar	STRING
ToItemNumberVar	STRING
FromContactPersonNumberVar	STRING
ToContactPersonNumberVar	STRING
FromCompanyNumberVar	STRING
COMPANYNAMEVAR	STRING
ToCompanyNumberVar	STRING
PlannedStartFromVar	DATE

P Event

PlannedStartToVar	DATE
PlannedEndFromVar	DATE
PlannedEndToVar	DATE
FromEventFlowVar	STRING
ToEventFlowVar	STRING
EVENTFLOWDESCRIPTIONVAR	STRING
SUBFLOWDESCRIPTIONVAR	STRING
DOCUMENTARCHIVEDESCRIPTIONVAR	STRING
PRINTHEADINGVAR	BOOLEAN
PRINTTEXTVAR	BOOLEAN
NEWSECTIONVAR	BOOLEAN
NOTEDescriptionVar	STRING
VALUEVAR	STRING

P EventFlow

The following cursors can be used in this printout:

EVENTFLOW	EventFlow
EVENTHEADER	EventHeader

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromEventFlowVar	STRING
ToEventFlowVar	STRING
FromEventFlowTypeVar	STRING
ToEventFlowTypeVar	STRING
FromEventPlanVar	STRING
ToEventPlanVar	STRING
FromEmployeeVar	STRING
ToEmployeeVar	STRING
FromCustomerVar	STRING
ToCustomerVar	STRING
FromJobVar	STRING
ToJobVar	STRING
FromCampaignVar	STRING
ToCampaignVar	STRING
FromContactCompanyVar	STRING
ToContactCompanyVar	STRING
FromContactPersonVar	STRING
ToContactPersonVar	STRING
FromCompanyVar	STRING
ToCompanyVar	STRING
IncludeFinishedVar	BOOLEAN
EMPLOYEEENAMEVAR	STRING
EMPLOYEE1NAMEVAR	STRING
EMPLOYEE2NAMEVAR	STRING
EMPLOYEE3NAMEVAR	STRING
EMPLOYEE4NAMEVAR	STRING
EMPLOYEE5NAMEVAR	STRING
LEVELDESCRIPTIONVAR	STRING
CAMPAIGNNAMEVAR	STRING
CONTACTCOMPANYNAMEVAR	STRING
CONTACTPERSONNAMEVAR	STRING
COMPANYNAMEVAR	STRING
EVENTPLANDescriptionVar	STRING
DOCUMENTARCHIVEDescriptionVar	STRING

P EventFlow

EMPLOYEEENAMELOWERVAR
SUBFLOWDESCRIPTIONLOWERVAR

STRING
STRING

P EventFlowTypes

The following cursors can be used in this printout:

EVENTFLOWTYPE

EventFlowType

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FromEventFlowTypeVar

STRING

ToEventFlowTypeVar

STRING

FromEventPlanVar

STRING

ToEventPlanVar

STRING

EMPLOYEE1NAMEVAR

STRING

EMPLOYEE2NAMEVAR

STRING

EMPLOYEE3NAMEVAR

STRING

EMPLOYEE4NAMEVAR

STRING

EMPLOYEE5NAMEVAR

STRING

LEVELDESCRIPTIONVAR

STRING

EVENTPLANDescriptionVar

STRING

P EventPlan

The following cursors can be used in this printout:

EVENTPLAN	EventPlan
EVENTTEMPLATE	EventTemplate

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromEventPlanNumberVar	STRING
ToEventPlanNumberVar	STRING
EMPLOYEEENAMEVAR	STRING
ITEMTEXTVAR	STRING

P Opportunity

The following cursors can be used in this printout:

OPPORTUNITY	Opportunity
EVENTHEADER	EventHeader

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromOpportunityVar	STRING
ToOpportunityVar	STRING
FromOpportunityTypeVar	STRING
ToOpportunityTypeVar	STRING
StatusVar	OpportunityStatusType
FromStartingDateVar	DATE
ToStartingDateVar	DATE
FromExpectedClosingDateVar	DATE
ToExpectedClosingDateVar	DATE
FromCloseDateVar	DATE
ToCloseDateVar	DATE
FromContactCompanyNameVar	STRING
ToContactCompanyNameVar	STRING
FromCampaignNumberVar	STRING
ToCampaignNumberVar	STRING
FromEventFlowTypeVar	STRING
ToEventFlowTypeVar	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
IncludeEventFlowsVar	BOOLEAN
PHASEVAR	STRING
CONTACTCOMPANYNAMEVAR	STRING
CAMPAIGNNAMEVAR	STRING
SALESPERSONNAMEVAR	STRING
CONTACTPERSON1NAMEVAR	STRING
CONTACTPERSON2NAMEVAR	STRING
CONTACTPERSON3NAMEVAR	STRING
JOBNAMEVAR	STRING
ACCESSLEVELDESCRIPTIONVAR	STRING
COMPANYNAMEVAR	STRING
COMPANYBASECURRENCYVAR	CurrencyType
EMPLOYEEENAMELOWERVER	STRING
SUBFLOWDESCRIPTIONLOWERVER	STRING

P OpportunityBudget

The following cursors can be used in this printout:

OPPORTUNITY	Opportunity
JOB BUDGET LINE	JobBudgetLine
JOB BUDGET ITEM LINE	JobBudgetItemLine
L_JOB BUDGET ITEM LINE	JobBudgetItemLine
L_ROOT JOB BUDGET LINE	JobBudgetLine
L_FIRST LEVEL JOB BUDGET LINE	JobBudgetLine
L_SECOND LEVEL JOB BUDGET LINE	JobBudgetLine
L_THIRD LEVEL JOB BUDGET LINE	JobBudgetLine
L_FOURTH LEVEL JOB BUDGET LINE	JobBudgetLine
L_FIFTH LEVEL JOB BUDGET LINE	JobBudgetLine
L_SIXTH LEVEL JOB BUDGET LINE	JobBudgetLine

The following variables can be used in this printout:

NAME OF USER	STRING
LayoutName	LayoutNameType
COMPANY NAME	STRING
TODAY'S DATE	STRING
THE TIME	STRING
PAGE NUMBER	INTEGER
FromOpportunityVar	STRING
ToOpportunityVar	STRING
FromOpportunityTypeVar	STRING
ToOpportunityTypeVar	STRING
StatusVar	OpportunityStatusType
FromStartingDateVar	DATE
ToStartingDateVar	DATE
FromExpectedClosingDateVar	DATE
ToExpectedClosingDateVar	DATE
FromCloseDateVar	DATE
ToCloseDateVar	DATE
FromContactCompanyNumberVar	STRING
ToContactCompanyNumberVar	STRING
FromCampaignNumberVar	STRING
ToCampaignNumberVar	STRING
FromEventFlowTypeVar	STRING
ToEventFlowTypeVar	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
IncludeItemLinesVar	BOOLEAN
FixedBudgetTypeVar	JobBudgetTypeType
BudgetDisplayVar	BudgetDisplayType
PRINT BUDGET TYPE VAR	JobBudgetTypeType
JOB TIME QUANTITY VAR	REAL
EXISTS ITEM LINES VAR	BOOLEAN

EXISTSITEMLINESNOTVAR	BOOLEAN
JOBCOSTPRICEVAR	AMOUNT
JOBBILLINGPRICECURRENCYVAR	AMOUNT
JOBBILLINGPRICEBASEVAR	AMOUNT
SHOWVALUELINEVAR	BOOLEAN
SHOWITEMLINEVAR	BOOLEAN
SHOWTEXTLINEVAR	BOOLEAN
SHOWSUMLINEVAR	BOOLEAN
TASKTEXTVAR	STRING
JOBHEADERTASKLISTVAR	STRING
TIMEREGISTRATIONUNITSTRVAR	STRING
EMPLOYEECATEGORYNAMEVAR	STRING
EMPLOYEEENAMEVAR	STRING
LINETEAM1NAMEVAR	STRING
LINETEAM2NAMEVAR	STRING
LINETEAM3NAMEVAR	STRING
LINETEAM4NAMEVAR	STRING
LINETEAM5NAMEVAR	STRING
LINETEAM6NAMEVAR	STRING
MILESTONELINEVAR	BOOLEAN
NOTMILESTONELINEVAR	BOOLEAN
SHOWNTOTALCOSTPRICEVAR	AMOUNT
SHOWNENDSUMCOSTPRICEVAR	AMOUNT
SHOWNJOBCOSTPRICEVAR	AMOUNT
SHOWNJOBMARKUPVAR	AMOUNT
SHOWNACTIVITYCOSTPRICEVAR	AMOUNT
SHOWNCOSTPRICEVAR	AMOUNT
SHOWNCOSTPRICETOTALVAR	AMOUNT
COSTPRICETOTALVAR	AMOUNT
ENDSUMCOSTPRICEVAR	AMOUNT
JOBMARKUPVAR	AMOUNT
ACTIVITYCOSTPRICEVAR	AMOUNT
ENDSUMBILLINGPRICECURRENCYVAR	AMOUNT
SUMCOSTPRICEVAR	AMOUNT
SUMBILLINGPRICECURRENCYVAR	AMOUNT
SUMNUMBERVAR	REAL
SHOWBASEAMOUNTVAR	BOOLEAN
DONOTSHOWBASEAMOUNTVAR	BOOLEAN
RESPONSIBLECOMPANYNAMEVAR	STRING
PHASEVAR	STRING
CUSTOMERNUMBERVAR	STRING
BASECURRENCYVAR	CurrencyType
BILLINGPRICECURRENCYPERDAYVAR	AMOUNT
BILLINGPRICEPURCHASINGCURRENCYPERDAYVAR	AMOUNT
BILLINGPRICEBASEPERDAYVAR	AMOUNT
STDBILLINGPRICECURRENCYPERDAYVAR	AMOUNT
BILLINGPRICEENTERPRISEPERDAYVAR	AMOUNT
STDBILLINGPRICEBASEPERDAYVAR	AMOUNT

STDBILLINGPRICEENTERPRISEPERDAYVAR	AMOUNT
SHOWNCOSTPRICEPERDAYVAR	AMOUNT
SHOWNCOSTPRICEENTERPRISEVAR	AMOUNT
SHOWNCOSTPRICEPURCHASINGCURRENCYVAR	AMOUNT
SHOWNNETCOSTPRICEVAR	AMOUNT
SHOWNCOSTPRICEENTERPRISEPERDAYVAR	AMOUNT
SHOWNCOSTPRICEPURCHASINGCURRENCYPERDAYVAR	AMOUNT
SHOWNNETCOSTPRICEPERDAYVAR	AMOUNT
LEVELJOBBDGETLINEINSTANCEKEYVAR	STRING
LEVELNUMBEROFVAR	AMOUNT
LEVELCOSTPRICETOTALVAR	AMOUNT
LEVELBILLINGPRICETOTALCURRENCYVAR	AMOUNT
LEVELCOSTPRICEVAR	AMOUNT
LEVELACTIVITYTYPEVAR	ActivitytypeType
LEVELNETCOSTPRICEVAR	AMOUNT
LEVELCOSTPRICEENTERPRISEVAR	AMOUNT
LEVELCOSTPRICEPURCHASINGCURRENCYVAR	AMOUNT
LEVELBILLINGPRICECURRENCYVAR	AMOUNT
LEVELBILLINGPRICEPURCHASINGCURRENCYVAR	AMOUNT
LEVELBILLINGPRICEBASEVAR	AMOUNT
LEVELSTDBILLINGPRICECURRENCYVAR	AMOUNT
LEVELSTDBILLINGPRICEENTERPRISEVAR	AMOUNT
LEVELSTDBILLINGPRICEBASEVAR	AMOUNT
LEVELSTDBILLINGPRICEENTERPRISEVAR	AMOUNT
LEVELPURCHASINGCURRENCYVAR	CurrencyType
LEVELJOBNUMBERVAR	STRING
MaximumDepthVar	INTEGER
ENABLEFIRSTLEVELVAR	BOOLEAN
ENABLESECONDLEVELVAR	BOOLEAN
ENABLETHIRDDLEVELVAR	BOOLEAN
ENABLEFOURTHLEVELVAR	BOOLEAN
ENABLEFIFTHLEVELVAR	BOOLEAN
ENABLESIXTHLEVELVAR	BOOLEAN
NOTSHOWSUMLINEVAR	BOOLEAN
WARNINGGIVENVAR	BOOLEAN

P OpportunityType

The following cursors can be used in this printout:

OPPORTUNITYTYPE

OpportunityType

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromOpportunityTypeVar	STRING
ToOpportunityTypeVar	STRING
FromCampaignNumberVar	STRING
ToCampaignNumberVar	STRING
FromEventFlowTypeVar	STRING
ToEventFlowTypeVar	STRING
CAMPAIGNNAMEVAR	STRING
ACCESSLEVELDESCRIPTIONVAR	STRING
EVENTFLOWTYPEDESCRIPTIONVAR	STRING

ApproveInterestSelection

The following cursors can be used in this printout:

INTERESTNOTE	InterestNote
INDEBITINTERESTNOTELINE	InterestNoteLine
CUSTOMERRECONCILIATION	CustomerReconciliation
INCREDITINTERESTNOTELINE	InterestNoteLine
SEARCHINTERESTSELECTION	SearchInterestSelection

The following variables can be used in this printout:

PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME1	STRING
LAYOUTNAME	LayoutNameType
NAMEOFUSER	STRING
CURRENCYVAR	CurrencyType
SELECTEDCUSTOMERGROUPVAR	CustomerGroupType
SUMOFINTERESTAMOUNTSVAR	AMOUNT
MINIMUMINFORMATIONVAR	STRING
DEBITSTANDARDVAR	AMOUNT
ENTRYTEXTVAR	STRING
TRANSACTIONNUMBERVAR	INTEGER
DUEDATEVAR	DATE
ENTRYDATEVAR	DATE
ADDRESS7VAR	STRING
ADDRESS6VAR	STRING
ADDRESS5VAR	STRING
ADDRESS4VAR	STRING
ADDRESS3VAR	STRING
ADDRESS2VAR	STRING
ADDRESS1VAR	STRING
STATEMENTCUSTOMERADDRESS1VAR	STRING
STATEMENTCUSTOMERADDRESS2VAR	STRING
STATEMENTCUSTOMERADDRESS3VAR	STRING
STATEMENTCUSTOMERADDRESS4VAR	STRING
STATEMENTCUSTOMERADDRESS5VAR	STRING
STATEMENTCUSTOMERADDRESS6VAR	STRING
STATEMENTCUSTOMERADDRESS7VAR	STRING
STATEMENTCUSTOMERADDRESS8VAR	STRING
COMPANYINFORMATIONLINE	STRING
ADDRESS8VAR	STRING
DOLLARAMOUNTVAR	STRING
CENTAMOUNTVAR	STRING
DOLLARAMOUNTWITHOUTSEPARATINGCHARVAR	STRING
AMOUNTINCENTVAR	STRING
CONTROLDIGITSVAR	STRING

COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYGIRONUMBERVAR	STRING
COMPANYBANKACCOUNTNUMBERVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYVATNUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING
COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING
COMPANYADDRESS1VAR	STRING
COMPANYADDRESS2VAR	STRING
COMPANYADDRESS3VAR	STRING
COMPANYADDRESS4VAR	STRING
COMPANYADDRESS5VAR	STRING
COMPANYADDRESS6VAR	STRING
COMPANYADDRESS7VAR	STRING
COMPANYADDRESS8VAR	STRING
COMPANYNAME2VAR	STRING
COMPANYNAME3VAR	STRING
COMPANYNAME4VAR	STRING
COMPANYNAME5VAR	STRING
COMPANYZIPCODEVAR	STRING
COMPANYPOSTALDISTRICTVAR	STRING
COMPANYCOUNTRYVAR	CountryType
EXTACCOUNTREGNUMBERVAR	STRING
EXTACCOUNTACCOUNTNUMBERVAR	STRING
EXTACCOUNTDESCRIPTIONVAR	STRING
EXTACCOUNTIBANACCOUNTNUMBERVAR	STRING
EXTACCOUNTSWIFTCODEVAR	STRING
EXTACCOUNTTEXT1VAR	STRING

ApproveInterestSelection

EXTACCOUNTTEXT2VAR	STRING
EXTACCOUNTTEXT3VAR	STRING
PAYMENTAGENTNAMEVAR	STRING
PAYMENTAGENTBANKADDRESS1VAR	STRING
PAYMENTAGENTBANKADDRESS2VAR	STRING
PAYMENTAGENTBANKADDRESS3VAR	STRING
PAYMENTAGENTBANKADDRESS4VAR	STRING
FORMATTEDPAYERIDVAR	STRING
FORMATTEDINTERESTTOTALSTANDARDVAR	STRING
INCLUDECREDITENTRIESVAR	BOOLEAN
CALCULATEINTERESTFROMORIGINALDUEDATEVAR	BOOLEAN
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
REMAINDERSTANDARDVAR	AMOUNT
COMPANYNAME	STRING
GLOBALLOCATIONNUMBERVAR	STRING
JOBNUMBERVAR	STRING
JOBNAMEVAR	STRING
JOBREFERENCEVAR	STRING
INCLUDEAMOUNTROUNDINGBASEVAR	BOOLEAN
FORMATTEDINVOICEPAYERIDVAR	STRING
INVOICEATTENTIONVAR	STRING
INVOICEPAYERATTENTIONVAR	STRING
RECONCILIATIONDATEVAR	DATE
ORIGINALAMOUNTVAR	AMOUNT
ORIGINALINTERESTVAR	AMOUNT
ORIGINALCURRENCYVAR	CurrencyType
JOBTEXT1VAR	STRING
JOBTEXT2VAR	STRING
JOBTEXT3VAR	STRING
JOBTEXT4VAR	STRING
JOBTEXT5VAR	STRING
JOBTEXT6VAR	STRING
JOBTEXT7VAR	STRING
JOBTEXT8VAR	STRING
JOBTEXT9VAR	STRING
JOBTEXT10VAR	STRING
JOBTEXT11VAR	STRING
JOBTEXT12VAR	STRING
JOBTEXT13VAR	STRING
JOBTEXT14VAR	STRING
JOBTEXT15VAR	STRING
JOBTEXT16VAR	STRING
JOBTEXT17VAR	STRING
JOBTEXT18VAR	STRING
JOBTEXT19VAR	STRING
JOBTEXT20VAR	STRING
DELIVERYVATNUMBERVAR	STRING

ApproveInterestSelection

PAYERVATNUMBERVAR	STRING
VALIDCUSTOMERRECONCILIATIONVAR	BOOLEAN

ApproveReminders

The following cursors can be used in this printout:

REMINDERLETTER	ReminderLetter
DEBITREMINDERLETTERLINE	ReminderLetterLine
REMINDERLETTERTEXTLINE	ReminderLetterTextLine
CUSTOMERRECONCILIATION	CustomerReconciliation
CREDITREMINDERLETTERLINE	ReminderLetterLine

The following variables can be used in this printout:

PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME1	STRING
LAYOUTNAME	LayoutNameType
NAMEOFUSER	STRING
SELECTEDCUSTOMERGROUPVAR	CustomerGroupType
CURRENCYVAR	CurrencyType
TOTALREMAINDERVAR	AMOUNT
ADDRESS7VAR	STRING
ADDRESS6VAR	STRING
ADDRESS5VAR	STRING
ADDRESS4VAR	STRING
ADDRESS3VAR	STRING
ADDRESS2VAR	STRING
ADDRESS1VAR	STRING
STATEMENTCUSTOMERADDRESS1VAR	STRING
STATEMENTCUSTOMERADDRESS2VAR	STRING
STATEMENTCUSTOMERADDRESS3VAR	STRING
STATEMENTCUSTOMERADDRESS4VAR	STRING
STATEMENTCUSTOMERADDRESS5VAR	STRING
STATEMENTCUSTOMERADDRESS6VAR	STRING
STATEMENTCUSTOMERADDRESS7VAR	STRING
STATEMENTCUSTOMERADDRESS8VAR	STRING
COMPANYINFORMATIONLINEVAR	STRING
ENTRYDATEVAR	DATE
DUEDATEVAR	DATE
TRANSACTIONNUMBERVAR	INTEGER
ENTRYTEXTVAR	STRING
DEBITSTANDARDVAR	AMOUNT
MAXREMINDERLEVELVAR	INTEGER
INTERESTSUMVAR	AMOUNT
SHOWREMINDERCHARGEVAR	BOOLEAN
ADDRESS8VAR	STRING
DOLLARAMOUNTVAR	STRING
CENTAMOUNTVAR	STRING
SHOWVATVAR	BOOLEAN

DOLLARAMOUNTWITHOUTSEPARATINGCHARVAR	STRING
AMOUNTINCENTVAR	STRING
CONTROLDIGITSVAR	STRING
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYGIRONUMBERVAR	STRING
COMPANYBANKACCOUNTNUMBERVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYVATNUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING
COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING
COMPANYADDRESS1VAR	STRING
COMPANYADDRESS2VAR	STRING
COMPANYADDRESS3VAR	STRING
COMPANYADDRESS4VAR	STRING
COMPANYADDRESS5VAR	STRING
COMPANYADDRESS6VAR	STRING
COMPANYADDRESS7VAR	STRING
COMPANYADDRESS8VAR	STRING
COMPANYNAME2VAR	STRING
COMPANYNAME3VAR	STRING
COMPANYNAME4VAR	STRING
COMPANYNAME5VAR	STRING
COMPANYZIPCODEVAR	STRING
COMPANYPOSTALDISTRICTVAR	STRING
COMPANYCOUNTRYVAR	CountryType
EXTACCOUNTREGNUMBERVAR	STRING
EXTACCOUNTACCOUNTNUMBERVAR	STRING
EXTACCOUNTDESCRIPTIONVAR	STRING

EXTACCOUNTIBANACCOUNTNUMBERVAR	STRING
EXTACCOUNTSWIFTCODEVAR	STRING
EXTACCOUNTTEXT1VAR	STRING
EXTACCOUNTTEXT2VAR	STRING
EXTACCOUNTTEXT3VAR	STRING
PAYMENTAGENTNAMEVAR	STRING
PAYMENTAGENTBANKADDRESS1VAR	STRING
PAYMENTAGENTBANKADDRESS2VAR	STRING
PAYMENTAGENTBANKADDRESS3VAR	STRING
PAYMENTAGENTBANKADDRESS4VAR	STRING
FORMATTEDPAYERIDVAR	STRING
FORMATTEDTOTALREMAINDERVAR	STRING
REMINDERTEXTNAMEVAR	STRING
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
INCLUDENOTRECONCILEDVAR	BOOLEAN
COMPANYNAME	STRING
REMAINDERSTANDARDVAR	AMOUNT
INCLUDEONLYDUECREDITMEMOSVAR	BOOLEAN
REMINDERLETTERDUEDATEVAR	DATE
GLOBALLOCATIONNUMBERVAR	STRING
JOBNUMBERVAR	STRING
JOBNAMEVAR	STRING
JOBREFERENCEVAR	STRING
FORMATTEDINVOICEPAYERIDVAR	STRING
INVOICEATTENTIONVAR	STRING
INVOICEPAYERATTENTIONVAR	STRING
ORIGINALAMOUNTVAR	AMOUNT
ORIGINALCURRENCYVAR	CurrencyType
JOBTEXT1VAR	STRING
JOBTEXT2VAR	STRING
JOBTEXT3VAR	STRING
JOBTEXT4VAR	STRING
JOBTEXT5VAR	STRING
JOBTEXT6VAR	STRING
JOBTEXT7VAR	STRING
JOBTEXT8VAR	STRING
JOBTEXT9VAR	STRING
JOBTEXT10VAR	STRING
JOBTEXT11VAR	STRING
JOBTEXT12VAR	STRING
JOBTEXT13VAR	STRING
JOBTEXT14VAR	STRING
JOBTEXT15VAR	STRING
JOBTEXT16VAR	STRING
JOBTEXT17VAR	STRING
JOBTEXT18VAR	STRING
JOBTEXT19VAR	STRING

ApproveReminders

JOBTEXT20VAR	STRING
DELIVERYVATNUMBERVAR	STRING
PAYERVATNUMBERVAR	STRING
VALIDCUSTOMERRECONCILIATIONVAR	BOOLEAN

ImportCustomerPayments

The following cursors can be used in this printout:

PRINTCUSTOMERPAYMENTHEADER	InputDataHeader
PRINTCUSTOMERPAYMENTLINE	InputDataLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
ModeNumberVar	INTEGER
TransactionNumberVar	INTEGER
TransactionTypeVar	STRING
EntryTextVar	STRING
JointEntryDateVar	DATE
PaymentAgentVar	STRING
ImportFileVar	BOOLEAN
SHOWERRORENTYVAR	BOOLEAN
AMOUNTCURRENCYVAR	AMOUNT
AMOUNTBASEVAR	AMOUNT
CHARGEAMOUNTCURRENCYVAR	AMOUNT
CHARGEAMOUNTBASEVAR	AMOUNT
TOTALNUMBEROFENTRIESVAR	INTEGER
TOTALNUMBEROFERRORENTRIESVAR	INTEGER

P CollectionFile

The following cursors can be used in this printout:

OUTPUTDATAHEADER	OutputDataHeader
OUTPUTDATALINE	OutputDataLine
OUTPUTDATAGROUP	OutputDataGroup

The following variables can be used in this printout:

NAMEOFUSER	STRING
LAYOUTNAME	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
COMPANYREGISTRATIONNUMBERVAR	STRING
ACCOUNTNUMBERVAR	STRING
AMOUNTPEREXTERNALACCOUNTVAR	AMOUNT
AMOUNTTOTALVAR	AMOUNT
DELIVERYADDRESS1VAR	STRING
DELIVERYADDRESS2VAR	STRING
DELIVERYADDRESS3VAR	STRING
DELIVERYADDRESS4VAR	STRING
FROMADDRESS1VAR	STRING
FROMADDRESS2VAR	STRING
FROMADDRESS3VAR	STRING
FROMADDRESS4VAR	STRING
GROUP1FIXEDTEXTVAR	STRING
GROUP2FIXEDTEXTVAR	STRING
GROUP3FIXEDTEXTVAR	STRING
TOTALAMOUNTCOLLECTIONSVAR	AMOUNT
TOTALNUMBEROFCOLLECTIONSVAR	INTEGER
FROMADDRESS5VAR	STRING
DELIVERYADDRESS5VAR	STRING

P CompanyCustomerCard

The following cursors can be used in this printout:

COMPANYCUSTOMER

CompanyCustomer

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromSettlingCompanyVar	STRING
ToSettlingCompanyVar	STRING
CustomerGroupVar	CustomerGroupType
DepartmentVar	DepartmentNumberType
FromSalesPersonNumberVar	STRING
ToSalesPersonNumberVar	STRING
CountryVar	CountryType
CustomerTypeVar	CustomerTypeType
PAYERNAME1VAR	STRING
PAYERNAME2VAR	STRING
PAYERNAME3VAR	STRING
PAYERNAME4VAR	STRING
PAYERNAME5VAR	STRING
PAYERATTENTIONVAR	STRING
PAYERZIPCODEVAR	STRING
PAYERPOSTALDISTRICTVAR	STRING
PAYERCOUNTRYVAR	CountryType
STATEMENTNAME1VAR	STRING
STATEMENTNAME2VAR	STRING
STATEMENTNAME3VAR	STRING
STATEMENTNAME4VAR	STRING
STATEMENTNAME5VAR	STRING
STATEMENTATTENTIONVAR	STRING
STATEMENTZIPCODEVAR	STRING
STATEMENTPOSTALDISTRICTVAR	STRING
STATEMENTCOUNTRYVAR	CountryType
SETTLINGCOMPANYNAME1VAR	STRING
BASECURRENCYVAR	CurrencyType
PARENTCUSTOMERNAME1VAR	STRING
COMPANYNAME1VAR	STRING
SALESPERSONNAMEVAR	STRING
PARENTCUSTOMERNAMEVAR	STRING
PAYERTELEPHONEVAR	STRING

PAYERTELEFAXVAR	STRING
PAYERTELEXVAR	STRING
PAYERELECTRONICMAILADDRESSVAR	STRING
STATEMENTTELEPHONEVAR	STRING
STATEMENTTELEFAXVAR	STRING
STATEMENTTELEXVAR	STRING
STATEMENTELECTRONICMAILADDRESSVAR	STRING
SELECTEDFORCOLLECTIONVAR	BOOLEAN
NUMBERSELECTEDFORCOLLECTIONVAR	INTEGER
DOCUMENTARCHIVEDESCRIPTIONVAR	STRING
STATISTIC1DESCRIPTIONVAR	STRING
STATISTIC2DESCRIPTIONVAR	STRING
STATISTIC3DESCRIPTIONVAR	STRING
STATISTIC4DESCRIPTIONVAR	STRING
SELECTEDVALUE1DESCRIPTIONVAR	STRING
SELECTEDVALUE2DESCRIPTIONVAR	STRING
SELECTEDVALUE3DESCRIPTIONVAR	STRING
SELECTEDVALUE4DESCRIPTIONVAR	STRING
SELECTEDVALUE5DESCRIPTIONVAR	STRING
SELECTEDVALUE6DESCRIPTIONVAR	STRING
SELECTEDVALUE7DESCRIPTIONVAR	STRING
SELECTEDVALUE8DESCRIPTIONVAR	STRING
SELECTEDVALUE9DESCRIPTIONVAR	STRING
SELECTEDVALUE10DESCRIPTIONVAR	STRING
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE

P CustomerAgingReport

The following cursors can be used in this printout:

COMPANYCUSTOMER	CompanyCustomer
D_CUSTOMERENTRY	CustomerEntry

The following variables can be used in this printout:

CUSTOMEROUT	BOOLEAN
SelectedAmount	AMOUNT
CUSTOMERNAMEVAR	STRING
TODAYSDATE	STRING
SelectedCustomerGroup	CustomerGroupType
SelectedCountry	CountryType
SelectedCurrency	CurrencyType
CustomerTypeVar	CustomerTypeType
ControlAccountCodeVar	CustomerControlAccountType
LanguageVar	LanguageType
COMPANYNAME	STRING
CUSTOMERNUMBERVAR	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
THETIME	STRING
StartingDateVar	DATE
PAGENUMBER	INTEGER
SelectedDepartment	DepartmentNumberType
FromCustomer	STRING
ToCustomer	STRING
FromSettlingCompanyVar	STRING
ToSettlingCompanyVar	STRING
SETTLINGCOMPANYNAMEVAR	STRING
FROMENTRYDATEVAR	BOOLEAN
SPLITBYMONTHENDVAR	BOOLEAN
PERIODUNITVAR	AgingPeriodUnitType
StatementDateVar	DATE
ExchangeRateDateVar	DATE
FromDimensionCombNumberVar	STRING
ToDimensionCombNumberVar	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING

FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
EnterpriseVar	EnterpriseType
SegmentVar	SegmentType

AreaVar	AreaType
CustomerPopup1Var	CustomerPopupType1
CustomerPopup2Var	CustomerPopupType2
CustomerPopup3Var	CustomerPopupType3
CustomerPopup4Var	CustomerPopupType4
CustomerPopup5Var	CustomerPopupType5
IncludeZeroBalanceVar	BOOLEAN
AgingPrincipleNameVar	STRING
STARTINGTITLEVAR	STRING
STARTINGTITLE2VAR	STRING
STARTINGDAYVAR	STRING
STARTINGWEEKDAYVAR	STRING
STARTINGMONTHVAR	STRING
STARTINGMONTHNAMEVAR	STRING
STARTINGYEARVAR	STRING
STATEMENTTITLEVAR	STRING
STATEMENTTITLE2VAR	STRING
STATEMENTDAYVAR	STRING
STATEMENTWEEKDAYVAR	STRING
STATEMENTMONTHVAR	STRING
STATEMENTMONTHNAMEVAR	STRING
STATEMENTYEARVAR	STRING
PERIODSBFORESTARTVAR	INTEGER
PERIODSAFTERSTARTVAR	INTEGER
TOTALPERIODSVAR	INTEGER
PERIOD1TITLEVAR	STRING
PERIOD1TITLE2VAR	STRING
PERIOD1FIRSTDATEVAR	DATE
PERIOD1LASTDATEVAR	DATE
PERIOD2TITLEVAR	STRING
PERIOD2TITLE2VAR	STRING
PERIOD2FIRSTDATEVAR	DATE
PERIOD2LASTDATEVAR	DATE
PERIOD3TITLEVAR	STRING
PERIOD3TITLE2VAR	STRING
PERIOD3FIRSTDATEVAR	DATE
PERIOD3LASTDATEVAR	DATE
PERIOD4TITLEVAR	STRING
PERIOD4TITLE2VAR	STRING
PERIOD4FIRSTDATEVAR	DATE
PERIOD4LASTDATEVAR	DATE
PERIOD5TITLEVAR	STRING
PERIOD5TITLE2VAR	STRING
PERIOD5FIRSTDATEVAR	DATE
PERIOD5LASTDATEVAR	DATE
PERIOD6TITLEVAR	STRING
PERIOD6TITLE2VAR	STRING
PERIOD6FIRSTDATEVAR	DATE

PERIOD6LASTDATEVAR	DATE
PERIOD7TITLEVAR	STRING
PERIOD7TITLE2VAR	STRING
PERIOD7FIRSTDATEVAR	DATE
PERIOD7LASTDATEVAR	DATE
PERIOD8TITLEVAR	STRING
PERIOD8TITLE2VAR	STRING
PERIOD8FIRSTDATEVAR	DATE
PERIOD8LASTDATEVAR	DATE
PERIOD9TITLEVAR	STRING
PERIOD9TITLE2VAR	STRING
PERIOD9FIRSTDATEVAR	DATE
PERIOD9LASTDATEVAR	DATE
PERIOD10TITLEVAR	STRING
PERIOD10TITLE2VAR	STRING
PERIOD10FIRSTDATEVAR	DATE
PERIOD10LASTDATEVAR	DATE
BASECURRENCYVAR	CurrencyType
BALANCEBASEVAR	AMOUNT
BALANCEPERENTRYVAR	AMOUNT
AMOUNTBASEVAR	AMOUNT
RECONCILEDBASEVAR	AMOUNT
DUEPERIOD1VAR	AMOUNT
DUEPERIOD2VAR	AMOUNT
DUEPERIOD3VAR	AMOUNT
DUEPERIOD4VAR	AMOUNT
DUEPERIOD5VAR	AMOUNT
DUEPERIOD6VAR	AMOUNT
DUEPERIOD7VAR	AMOUNT
DUEPERIOD8VAR	AMOUNT
DUEPERIOD9VAR	AMOUNT
DUEPERIOD10VAR	AMOUNT
SUMPERIOD1VAR	AMOUNT
SUMPERIOD2VAR	AMOUNT
SUMPERIOD3VAR	AMOUNT
SUMPERIOD4VAR	AMOUNT
SUMPERIOD5VAR	AMOUNT
SUMPERIOD6VAR	AMOUNT
SUMPERIOD7VAR	AMOUNT
SUMPERIOD8VAR	AMOUNT
SUMPERIOD9VAR	AMOUNT
SUMPERIOD10VAR	AMOUNT
STANDARDCURRENCYVAR	CurrencyType
BALANCESTANDARDVAR	AMOUNT
BALANCEPERENTRYSTANDARDVAR	AMOUNT
AMOUNTSTANDARDVAR	AMOUNT
RECONCILEDSTANDARDVAR	AMOUNT
DUE1STANDARDVAR	AMOUNT

DUE2STANDARDVAR	AMOUNT
DUE3STANDARDVAR	AMOUNT
DUE4STANDARDVAR	AMOUNT
DUE5STANDARDVAR	AMOUNT
DUE6STANDARDVAR	AMOUNT
DUE7STANDARDVAR	AMOUNT
DUE8STANDARDVAR	AMOUNT
DUE9STANDARDVAR	AMOUNT
DUE10STANDARDVAR	AMOUNT
SUM1STANDARDVAR	AMOUNT
SUM2STANDARDVAR	AMOUNT
SUM3STANDARDVAR	AMOUNT
SUM4STANDARDVAR	AMOUNT
SUM5STANDARDVAR	AMOUNT
SUM6STANDARDVAR	AMOUNT
SUM7STANDARDVAR	AMOUNT
SUM8STANDARDVAR	AMOUNT
SUM9STANDARDVAR	AMOUNT
SUM10STANDARDVAR	AMOUNT
BALANCEENTERPRISEVAR	AMOUNT
BALANCETOTALENTERPRISEVAR	AMOUNT
BALANCEPERENTRYENTERPRISEVAR	AMOUNT
AMOUNTENTERPRISEVAR	AMOUNT
RECONCILEDENTERPRISEVAR	AMOUNT
DUE1ENTERPRISEVAR	AMOUNT
DUE2ENTERPRISEVAR	AMOUNT
DUE3ENTERPRISEVAR	AMOUNT
DUE4ENTERPRISEVAR	AMOUNT
DUE5ENTERPRISEVAR	AMOUNT
DUE6ENTERPRISEVAR	AMOUNT
DUE7ENTERPRISEVAR	AMOUNT
DUE8ENTERPRISEVAR	AMOUNT
DUE9ENTERPRISEVAR	AMOUNT
DUE10ENTERPRISEVAR	AMOUNT
SUM1ENTERPRISEVAR	AMOUNT
SUM2ENTERPRISEVAR	AMOUNT
SUM3ENTERPRISEVAR	AMOUNT
SUM4ENTERPRISEVAR	AMOUNT
SUM5ENTERPRISEVAR	AMOUNT
SUM6ENTERPRISEVAR	AMOUNT
SUM7ENTERPRISEVAR	AMOUNT
SUM8ENTERPRISEVAR	AMOUNT
SUM9ENTERPRISEVAR	AMOUNT
SUM10ENTERPRISEVAR	AMOUNT
TOTALPERIOD1ENTERPRISEVAR	AMOUNT
TOTALPERIOD2ENTERPRISEVAR	AMOUNT
TOTALPERIOD3ENTERPRISEVAR	AMOUNT
TOTALPERIOD4ENTERPRISEVAR	AMOUNT

TOTALPERIOD5ENTERPRISEVAR	AMOUNT
TOTALPERIOD6ENTERPRISEVAR	AMOUNT
TOTALPERIOD7ENTERPRISEVAR	AMOUNT
TOTALPERIOD8ENTERPRISEVAR	AMOUNT
TOTALPERIOD9ENTERPRISEVAR	AMOUNT
TOTALPERIOD10ENTERPRISEVAR	AMOUNT
ReportingCurrencyVar	CurrencyType
BALANCEREPORTINGVAR	AMOUNT
BALANCETOTALREPORTINGVAR	AMOUNT
BALANCEPERENTRYREPORTINGVAR	AMOUNT
AMOUNTREPORTINGVAR	AMOUNT
RECONCILEDREPORTINGVAR	AMOUNT
DUE1REPORTINGVAR	AMOUNT
DUE2REPORTINGVAR	AMOUNT
DUE3REPORTINGVAR	AMOUNT
DUE4REPORTINGVAR	AMOUNT
DUE5REPORTINGVAR	AMOUNT
DUE6REPORTINGVAR	AMOUNT
DUE7REPORTINGVAR	AMOUNT
DUE8REPORTINGVAR	AMOUNT
DUE9REPORTINGVAR	AMOUNT
DUE10REPORTINGVAR	AMOUNT
SUM1REPORTINGVAR	AMOUNT
SUM2REPORTINGVAR	AMOUNT
SUM3REPORTINGVAR	AMOUNT
SUM4REPORTINGVAR	AMOUNT
SUM5REPORTINGVAR	AMOUNT
SUM6REPORTINGVAR	AMOUNT
SUM7REPORTINGVAR	AMOUNT
SUM8REPORTINGVAR	AMOUNT
SUM9REPORTINGVAR	AMOUNT
SUM10REPORTINGVAR	AMOUNT
TOTALPERIOD1REPORTINGVAR	AMOUNT
TOTALPERIOD2REPORTINGVAR	AMOUNT
TOTALPERIOD3REPORTINGVAR	AMOUNT
TOTALPERIOD4REPORTINGVAR	AMOUNT
TOTALPERIOD5REPORTINGVAR	AMOUNT
TOTALPERIOD6REPORTINGVAR	AMOUNT
TOTALPERIOD7REPORTINGVAR	AMOUNT
TOTALPERIOD8REPORTINGVAR	AMOUNT
TOTALPERIOD9REPORTINGVAR	AMOUNT
TOTALPERIOD10REPORTINGVAR	AMOUNT
CurrencyTypeVar	ReportingCurrencyType
IncludeBlockedVar	BOOLEAN
SeparateBlockedVar	BOOLEAN
JobNumberVar	STRING
ProjectManagerNumberVar	STRING
SalesPersonNumberVar	STRING

P CustomerAgingReport

IncludeInactiveVar
InactiveDateVar

BOOLEAN
DATE

P CustomerBalanceList

The following cursors can be used in this printout:

COMPANYCUSTOMER	CompanyCustomer
CUSTOMERENTRYDETAILED	CustomerEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
ToCustomer	STRING
FromCustomer	STRING
SelectedDepartment	DepartmentNumberType
SelectedCurrency	CurrencyType
SelectedCountry	CountryType
SelectedCustomerGroup	CustomerGroupType
BALANCE	AMOUNT
CUSTOMERNUMBERVAR	STRING
CUSTOMERNAMEVAR	STRING
CUSTOMEROUT	BOOLEAN
IncludeZeroCustomer	BOOLEAN
SelectedDate	DATE
CONTROLACCOUNTTOTAL	AMOUNT
TOTALBALANCE	AMOUNT
CONTROLACCOUNTCODEVAR	CustomerControlAccountType
BALANCESTANDARD	AMOUNT
BALANCECURRENTEXCHRATE	AMOUNT
CONTROLACCOUNTCURRENTEXCHRATE	AMOUNT
TOTALBALANCECURRENTEXCHRATE	AMOUNT
NewControlAccountCodeVar	CustomerControlAccountType
NUMBEROFDAYSVAR	INTEGER
ORIGINALAMOUNTBASEVAR	AMOUNT
ORIGINALAMOUNTTOTALBASEVAR	AMOUNT
REMAINDERAMOUNTTOTALBASEVAR	AMOUNT
REMAINDERAMOUNTBASEVAR	AMOUNT
REMAINDERAMOUNTSTANDARDVAR	AMOUNT
REMAINDERAMOUNTENTERPRISEVAR	AMOUNT
REMAINDERAMOUNTORIGINALVAR	AMOUNT
REMAINDERAMOUNTTOTALSTANDARDVAR	AMOUNT
REMAINDERAMOUNTTOTALENTERPRISEVAR	AMOUNT
ORIGINALAMOUNTSTANDARDVAR	AMOUNT
ORIGINALAMOUNTTOTALSTANDARDVAR	AMOUNT
ORIGINALAMOUNTENTERPRISEVAR	AMOUNT
ORIGINALAMOUNTTOTALENTERPRISEVAR	AMOUNT

ORIGINALGRANDTOTALBASEVAR	AMOUNT
ORIGINALGRANDTOTALSTANDARDVAR	AMOUNT
ORIGINALGRANDTOTALENTERPRISEVAR	AMOUNT
REMAINDERGRANDTOTALBASEVAR	AMOUNT
REMAINDERGRANDTOTALSTANDARDVAR	AMOUNT
REMAINDERGRANDTOTALENTERPRISEVAR	AMOUNT
FromSettlingCompanyVar	STRING
ToSettlingCompanyVar	STRING
SETTLINGCOMPANYNAMEVAR	STRING
BASECURRENCYVAR	CurrencyType
ExchangeRateDateVar	DATE
ReportingCurrencyVar	CurrencyType
FromDimensionCombNumberVar	STRING
ToDimensionCombNumberVar	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING

FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
EnterpriseVar	EnterpriseType
SegmentVar	SegmentType
AreaVar	AreaType
CustomerPopup1Var	CustomerPopupType1
CustomerPopup2Var	CustomerPopupType2
CustomerPopup3Var	CustomerPopupType3
CustomerPopup4Var	CustomerPopupType4
CustomerPopup5Var	CustomerPopupType5
CustomerTypeVar	CustomerTypeType
LanguageVar	LanguageType
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE

P CustomerBudget

The following cursors can be used in this printout:

CUSTOMER	Customer
CUSTOMERBUDGETLINE	CustomerBudgetLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
BudgetTypeVar	BudgetTypeType
FiscalYearNumberVar	INTEGER
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
CustomerGroupVar	CustomerGroupType
DepartmentNumberVar	DepartmentNumberType
ShowCustomersWithoutBudgetVar	BOOLEAN
FISCALYEARVAR	DATE
SHOWCUSTOMERVAR	BOOLEAN
NAMEOFMONTH1VAR	STRING
NAMEOFMONTH2VAR	STRING
NAMEOFMONTH3VAR	STRING
NAMEOFMONTH4VAR	STRING
NAMEOFMONTH5VAR	STRING
NAMEOFMONTH6VAR	STRING
NAMEOFMONTH7VAR	STRING
NAMEOFMONTH8VAR	STRING
NAMEOFMONTH9VAR	STRING
NAMEOFMONTH10VAR	STRING
NAMEOFMONTH11VAR	STRING
NAMEOFMONTH12VAR	STRING
BUDGETLINEYEARVAR	AMOUNT
CUSTOMERTOTAL1VAR	AMOUNT
CUSTOMERTOTAL2VAR	AMOUNT
CUSTOMERTOTAL3VAR	AMOUNT
CUSTOMERTOTAL4VAR	AMOUNT
CUSTOMERTOTAL5VAR	AMOUNT
CUSTOMERTOTAL6VAR	AMOUNT
CUSTOMERTOTAL7VAR	AMOUNT
CUSTOMERTOTAL8VAR	AMOUNT
CUSTOMERTOTAL9VAR	AMOUNT
CUSTOMERTOTAL10VAR	AMOUNT
CUSTOMERTOTAL11VAR	AMOUNT
CUSTOMERTOTAL12VAR	AMOUNT

CUSTOMERTOTALYEARVAR	AMOUNT
GRANDTOTAL1VAR	AMOUNT
GRANDTOTAL2VAR	AMOUNT
GRANDTOTAL3VAR	AMOUNT
GRANDTOTAL4VAR	AMOUNT
GRANDTOTAL5VAR	AMOUNT
GRANDTOTAL6VAR	AMOUNT
GRANDTOTAL7VAR	AMOUNT
GRANDTOTAL8VAR	AMOUNT
GRANDTOTAL9VAR	AMOUNT
GRANDTOTAL10VAR	AMOUNT
GRANDTOTAL11VAR	AMOUNT
GRANDTOTAL12VAR	AMOUNT
GRANDTOTALYEARVAR	AMOUNT
WHOLETHOUSANDS1VAR	STRING
WHOLETHOUSANDS2VAR	STRING
WHOLETHOUSANDS3VAR	STRING
WHOLETHOUSANDS4VAR	STRING
WHOLETHOUSANDS5VAR	STRING
WHOLETHOUSANDS6VAR	STRING
WHOLETHOUSANDS7VAR	STRING
WHOLETHOUSANDS8VAR	STRING
WHOLETHOUSANDS9VAR	STRING
WHOLETHOUSANDS10VAR	STRING
WHOLETHOUSANDS11VAR	STRING
WHOLETHOUSANDS12VAR	STRING
WHOLETHOUSANDSYEARVAR	STRING
FromCompanyVar	STRING
ToCompanyVar	STRING
FromSettlingCompanyVar	STRING
ToSettlingCompanyVar	STRING
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING

ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P CustomerCard

The following cursors can be used in this printout:

CUSTOMER

Customer

The following variables can be used in this printout:

THETIME	STRING
NAMEOFUSER	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
PAGENUMBER	INTEGER
TODAYSDATE	STRING
PAYERATTENTIONVAR	STRING
PAYERNAME5VAR	STRING
PAYERNAME4VAR	STRING
PAYERNAME3VAR	STRING
PAYERNAME2VAR	STRING
PAYERNAME1VAR	STRING
FromCustomer	STRING
ToCustomer	STRING
CustomerGroupVar	CustomerGroupType
ALLDEPARTMENTS	BOOLEAN
DepartmentVar	DepartmentNumberType
ALLCUSTOMERGROUPS	BOOLEAN
CountryVar	CountryType
ALLCOUNTRIES	BOOLEAN
ToSalesPerson	STRING
FromSalesPerson	STRING
PAYERCOUNTRYVAR	CountryType
PAYERZIPCODEVAR	STRING
PAYERPOSTALDISTRICTVAR	STRING
REMOVED1	STRING
CustomerTypeVar	CustomerTypeType
ALLCUSTOMERTYPES	BOOLEAN
STATEMENTNAME1VAR	STRING
STATEMENTNAME2VAR	STRING
STATEMENTNAME3VAR	STRING
STATEMENTNAME4VAR	STRING
STATEMENTNAME5VAR	STRING
STATEMENTZIPCODEVAR	STRING
STATEMENTPOSTALDISTRICTVAR	STRING
STATEMENTCOUNTRYVAR	CountryType
STATEMENTATTENTIONVAR	STRING
COMPANYNAME1VAR	STRING
SALESPERSONNAMEVAR	STRING
PARENTCUSTOMERNAME1VAR	STRING
SELECTEDFORCOLLECTIONVAR	BOOLEAN

P CustomerCard

NUMBERSELECTEDFORCOLLECTIONVAR	INTEGER
DOCUMENTDESCRIPTIONVAR	STRING
STATISTIC1DESCRIPTIONVAR	STRING
STATISTIC2DESCRIPTIONVAR	STRING
STATISTIC3DESCRIPTIONVAR	STRING
STATISTIC4DESCRIPTIONVAR	STRING
SELECTEDVALUE1DESCRIPTIONVAR	STRING
SELECTEDVALUE2DESCRIPTIONVAR	STRING
SELECTEDVALUE3DESCRIPTIONVAR	STRING
SELECTEDVALUE4DESCRIPTIONVAR	STRING
SELECTEDVALUE5DESCRIPTIONVAR	STRING
SELECTEDVALUE6DESCRIPTIONVAR	STRING
SELECTEDVALUE7DESCRIPTIONVAR	STRING
SELECTEDVALUE8DESCRIPTIONVAR	STRING
SELECTEDVALUE9DESCRIPTIONVAR	STRING
SELECTEDVALUE10DESCRIPTIONVAR	STRING
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE

P CustomerDiscountAgreements

The following cursors can be used in this printout:

CUSTOMERDISCOUNTAGREEMENT

CustomerDiscountAgreement

The following variables can be used in this printout:

ItemNumber	STRING
REMOVING3	STRING
CUSTOMERNAME	STRING
ToCustomerNumberVar	STRING
FromCustomerNumberVar	STRING
THETIME	STRING
TODAYSDATE	STRING
PAGENUMBER	INTEGER
NAMEOFUSER	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
DeliveryDate	DATE
SelectedItemGroup	ItemGroupType
SelectedItemType	ItemTypeType
REMOVE2	BOOLEAN
REMOVING1	BOOLEAN

P CustomerOpenEntryStatement

The following cursors can be used in this printout:

COMPANYCUSTOMER	CompanyCustomer
CUSTOMERENTRY	CustomerEntry
JOBPREINVOICE	JobPreInvoice
GROUPBYORIGINALCURRENCYCUSTOMERENTRY	CustomerEntry

The following variables can be used in this printout:

ORIGINALSTANDARDVAR	AMOUNT
CREDITREMAINDERSTANDARDVAR	AMOUNT
DEBITREMAINDERSTANDARDVAR	AMOUNT
REMAINDERSTANDARDVAR	AMOUNT
ORIGINALORIGINALVAR	AMOUNT
CREDITREMAINDERORIGINALVAR	AMOUNT
DEBITREMAINDERORIGINALVAR	AMOUNT
REMAINDERORIGINALVAR	AMOUNT
DUEBASEVAR	AMOUNT
DUESTANDARDVAR	AMOUNT
DUEORIGINALVAR	AMOUNT
LayoutName	LayoutNameType
COMPANYNAME1VAR	STRING
NAMEOFUSER	STRING
PAGENUMBER	INTEGER
TODAYSDATE	STRING
THETIME	STRING
PAGEBREAKVAR	BOOLEAN
PageBreakAtNewCurrencyVar	BOOLEAN
SHOWLINEHEADERVAR	BOOLEAN
NEWSTATEMENTVAR	BOOLEAN
FirstCustomerVar	STRING
LastCustomerVar	STRING
IncludeZeroCustomersVar	BOOLEAN
INFLINEVAR	STRING
SHOWORIGINALAMOUNTVAR	BOOLEAN
SHOWSTANDARDAMOUNTVAR	BOOLEAN
SHOWNOTSTANDARDAMOUNTVAR	BOOLEAN
DEBITDUEREMAININGSTANDARDVAR	STRING
CREDITDUEREMAININGSTANDARDVAR	STRING
DEBITDUEREMAININGORIGINALVAR	STRING
CREDITDUEREMAININGORIGINALVAR	STRING
SHOWSTANDARDCURRENCYVAR	BOOLEAN
SHOWNOTORIGINALAMOUNTVAR	BOOLEAN
BALANCEBASEVAR	AMOUNT
DEBITBALANCESTANDARDVAR	STRING
CREDITBALANCESTANDARDVAR	STRING
BALANCEORIGINALVAR	AMOUNT

DEBITBALANCEORIGINALVAR	STRING
CREDITBALANCEORIGINALVAR	STRING
ADDRESS1VAR	STRING
ADDRESS2VAR	STRING
ADDRESS3VAR	STRING
ADDRESS4VAR	STRING
ADDRESS5VAR	STRING
ADDRESS6VAR	STRING
ADDRESS7VAR	STRING
ADDRESS8VAR	STRING
DOLLARAMOUNTVAR	STRING
CENTAMOUNTVAR	STRING
LanguageVar	LanguageType
CustomerGroupVar	CustomerGroupType
DepartmentNumberVar	DepartmentNumberType
CustomerTypeVar	CustomerTypeType
CUSTOMERPURCHASENUMBERVAR	STRING
REFERENCEVAR	STRING
BALANCESTANDARDVAR	AMOUNT
CONTROLDIGITSVAR	STRING
DOLLARAMOUNTWITHOUTSEPARATINGCHARVAR	STRING
AMOUNTINCENTVAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
BASECURRENCYVAR	CurrencyType
ORIGINALCURRENCYVAR	CurrencyType
FORMATTEDPAYERIDVAR	STRING
FORMATTEDAMOUNTVAR	STRING
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYGIRONUMBERVAR	STRING
COMPANYBANKACCOUNTNUMBERVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYVATNUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING

P CustomerOpenEntryStatement

COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING
COMPANYADDRESS1VAR	STRING
COMPANYADDRESS2VAR	STRING
COMPANYADDRESS3VAR	STRING
COMPANYADDRESS4VAR	STRING
COMPANYADDRESS5VAR	STRING
COMPANYADDRESS6VAR	STRING
COMPANYADDRESS7VAR	STRING
COMPANYADDRESS8VAR	STRING
COMPANYNAME2VAR	STRING
COMPANYNAME3VAR	STRING
COMPANYNAME4VAR	STRING
COMPANYNAME5VAR	STRING
COMPANYZIPCODEVAR	STRING
COMPANYPOSTALDISTRICTVAR	STRING
COMPANYCOUNTRYVAR	CountryType
EXTACCOUNTREGNUMBERVAR	STRING
EXTACCOUNTACCOUNTNUMBERVAR	STRING
EXTACCOUNTDESCRIPTIONVAR	STRING
EXTACCOUNTIBANACCOUNTNUMBERVAR	STRING
EXTACCOUNTSWIFTCODEVAR	STRING
EXTACCOUNTTEXT1VAR	STRING
EXTACCOUNTTEXT2VAR	STRING
EXTACCOUNTTEXT3VAR	STRING
PAYMENTAGENTNAMEVAR	STRING
PAYMENTAGENTBANKADDRESS1VAR	STRING
PAYMENTAGENTBANKADDRESS2VAR	STRING
PAYMENTAGENTBANKADDRESS3VAR	STRING
PAYMENTAGENTBANKADDRESS4VAR	STRING
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
INCLUDEPREINVOICEENTRIESVAR	BOOLEAN
INVOICEDATEVAR	DATE
INVOICEDUEDATEVAR	DATE
INVOICECURRENCYVAR	CurrencyType
INVOICETOTALCURRENCYVAR	AMOUNT
INVOICETOTALSTANDARDVAR	AMOUNT
INVOICETOTALBASEVAR	AMOUNT
CALLEDFROMPRINTTHISVAR	BOOLEAN
CountryVar	CountryType
CurrencyVar	CurrencyType
ControlAccountCodeVar	CustomerControlAccountType

FromDimensionCombNumberVar	STRING
ToDimensionCombNumberVar	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
EnterpriseVar	EnterpriseType
SegmentVar	SegmentType
AreaVar	AreaType
CustomerPopup1Var	CustomerPopupType1
CustomerPopup2Var	CustomerPopupType2
CustomerPopup3Var	CustomerPopupType3
CustomerPopup4Var	CustomerPopupType4
CustomerPopup5Var	CustomerPopupType5
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING

P CustomerOpenEntryStatement

FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P CustomerPayment

The following cursors can be used in this printout:

PRINTINPUTDATALINE

InputDataLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromReconciliationTransactionNumberVar	INTEGER
ToReconciliationTransactionNumberVar	INTEGER
FromCustomerPaymentDateVar	DATE
ToCustomerPaymentDateVar	DATE
IncludeOnlyErrorEntriesVar	BOOLEAN
SHOWERRORENTYVAR	BOOLEAN
AMOUNTCURRENCYVAR	AMOUNT
AMOUNTBASEVAR	AMOUNT
CHARGEAMOUNTCURRENCYVAR	AMOUNT
CHARGEAMOUNTBASEVAR	AMOUNT
TOTALNUMBEROFENTRIESVAR	INTEGER
TOTALNUMBEROFERRORENTRIESVAR	INTEGER
FromEntryDateVar	DATE
ToEntryDateVar	DATE
FromExternalAccountNumberVar	STRING
ToExternalAccountNumberVar	STRING

P CustomerPaymentModes

The following cursors can be used in this printout:

CUSTOMERPAYMENTMODE	CustomerPaymentMode
CUSTOMERPAYMENTMODEREMITTANCE	CustomerPaymentModeRemittance

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
CustomerPaymentModeVar	STRING
REMITTANCEFIXEDTEXT1VAR	STRING
REMITTANCEFIXEDTEXT2VAR	STRING
REMITTANCEFIXEDTEXT3VAR	STRING
REMITTANCEFIXEDTEXT4VAR	STRING

P EndCustomers

The following cursors can be used in this printout:

ENDCUSTOMER	EndCustomer
ENDCUSTOMERLINE	EndCustomerLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromEndCustomerNumberVar	STRING
ToEndCustomerNumberVar	STRING
CUSTOMERNAME1VAR	STRING
CUSTOMERNAME2VAR	STRING
CUSTOMERNAME3VAR	STRING
ADDRESS1	STRING
ADDRESS2	STRING
ADDRESS3	STRING
ADDRESS4	STRING
ADDRESS5	STRING
ADDRESS6	STRING
ADDRESS7	STRING
ADDRESS8	STRING

P HistoricalCustomerStatement

The following cursors can be used in this printout:

COMPANYCUSTOMER	CompanyCustomer
I_CUSTOMERENTRY	CustomerEntry
E_CUSTOMERENTRY	CustomerEntry

The following variables can be used in this printout:

ATTFIELD	STRING
COMPANYNAME1	STRING
THETIME	STRING
TODAYSDATE	STRING
PAGENUMBER	INTEGER
NAMEOFUSER	STRING
CustomerGroupVar	CustomerGroupType
LayoutName	LayoutNameType
FirstCustomer	STRING
LastCustomer	STRING
CreateStatement	BOOLEAN
StatementNumber	INTEGER
OLDSTATEMENT	BOOLEAN
DEBITOPENINGSTANDARD	STRING
DEBITCLOSINGSTANDARD	STRING
CURRENCYFIELD	CurrencyType
AMOUNTCURRENCYFIELD	STRING
DueBalanceDateVar	DATE
DUEBALANCESTANDARDVAR	AMOUNT
DUEBALANCEBASEVAR	AMOUNT
DepartmentNumberVar	DepartmentNumberType
LanguageVar	LanguageType
CREDITOPENINGSTANDARD	STRING
CREDITCLOSINGSTANDARD	STRING
COMPANYINFORMATIONLINEVAR	STRING
SHOWSTANDARDCURRENCY	BOOLEAN
SHOWPRINTINGDATE	BOOLEAN
STATEMENTDATE	DATE
SHOWORIGINALAMOUNT	BOOLEAN
SHOWSTANDARDAMOUNT	BOOLEAN
DEBITOPENINGBASE	STRING
CREDITOPENINGBASE	STRING
DEBITCLOSINGBASE	STRING
CREDITCLOSINGBASE	STRING
SHOWNOTSTANDARDAMOUNT	BOOLEAN
ADDRESS1	STRING
ADDRESS2	STRING
ADDRESS3	STRING
ADDRESS4	STRING

ADDRESS5	STRING
ADDRESS6	STRING
ADDRESS7	STRING
ADDRESS8	STRING
DOLLARAMOUNT	STRING
CENTAMOUNT	STRING
CustomerTypeVar	CustomerTypeType
DOLLARAMOUNTWITHOUTSEPARATINGCHARVAR	STRING
AMOUNTINCENTVAR	STRING
CONTROLDIGITSVAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
EXTACCOUNTREGNUMBERVAR	STRING
EXTACCOUNTACCOUNTNUMBERVAR	STRING
EXTACCOUNTDESCRIPTIONVAR	STRING
EXTACCOUNTIBANACCOUNTNUMBERVAR	STRING
EXTACCOUNTSWIFTCODEVAR	STRING
EXTACCOUNTTEXT1VAR	STRING
EXTACCOUNTTEXT2VAR	STRING
EXTACCOUNTTEXT3VAR	STRING
PAYMENTAGENTNAMEVAR	STRING
PAYMENTAGENTBANKADDRESS1VAR	STRING
PAYMENTAGENTBANKADDRESS2VAR	STRING
PAYMENTAGENTBANKADDRESS3VAR	STRING
PAYMENTAGENTBANKADDRESS4VAR	STRING
FORMATTEDPAYERIDVAR	STRING
FORMATTEDAMOUNTVAR	STRING
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYGIRONUMBERVAR	STRING
COMPANYBANKACCOUNTNUMBERVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYVATNUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING
COMPANYTEXT14VAR	STRING

COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING
COMPANYADDRESS1VAR	STRING
COMPANYADDRESS2VAR	STRING
COMPANYADDRESS3VAR	STRING
COMPANYADDRESS4VAR	STRING
COMPANYADDRESS5VAR	STRING
COMPANYADDRESS6VAR	STRING
COMPANYADDRESS7VAR	STRING
COMPANYADDRESS8VAR	STRING
COMPANYNAME2VAR	STRING
COMPANYNAME3VAR	STRING
COMPANYNAME4VAR	STRING
COMPANYNAME5VAR	STRING
COMPANYZIPCODEVAR	STRING
COMPANYPOSTALDISTRICTVAR	STRING
COMPANYCOUNTRYVAR	CountryType
BASECURRENCYVAR	CurrencyType
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
SHOWBALANCEDUEBYVAR	BOOLEAN
COMPANYNAME	STRING
CountryVar	CountryType
CurrencyVar	CurrencyType
ControlAccountCodeVar	CustomerControlAccountType
FromDimensionCombNumberVar	STRING
ToDimensionCombNumberVar	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
EnterpriseVar	EnterpriseType
SegmentVar	SegmentType
AreaVar	AreaType
CustomerPopup1Var	CustomerPopupType1
CustomerPopup2Var	CustomerPopupType2
CustomerPopup3Var	CustomerPopupType3
CustomerPopup4Var	CustomerPopupType4
CustomerPopup5Var	CustomerPopupType5
IncludeInactiveVar	BOOLEAN

InactiveDateVar	DATE
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING

P HistoricalCustomerStatement

FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P InterestReminderPrinciple

The following cursors can be used in this printout:

INTERESTREMINDERPRINCIPLE	InterestReminderPrinciple
---------------------------	---------------------------

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromInterestReminderPrincipleNameVar	STRING
ToInterestReminderPrincipleNameVar	STRING

P InterestSelection

The following cursors can be used in this printout:

COMPANYCUSTOMER	CompanyCustomer
CUSTOMERENTRY	CustomerEntry
CUSTOMERENTRYINCREDIT	CustomerEntry
SEARCHINTERESTSELECTION	SearchInterestSelection

The following variables can be used in this printout:

THETIME	STRING
TODAYSDATE	STRING
PAGENUMBER	INTEGER
NAMEOFUSER	STRING
COMPANYNAME	STRING
FIRSTCUSTOMERVAR	STRING
LASTCUSTOMERVAR	STRING
FROMCOMPANYNUMBERVAR	STRING
TOCOMPANYNUMBERVAR	STRING
SELECTEDCUSTOMERGROUPVAR	CustomerGroupType
CREATESELECTIONVAR	BOOLEAN
VALUEDATEVAR	DATE
NUMBEROFDAYSGRACEVAR	INTEGER
INCLUDEBLOCKEDENTRIESVAR	BOOLEAN
LAYOUTNAME	LayoutNameType
REPORTINGCURRENCYVAR	CurrencyType
EXCHANGERATEDATEVAR	DATE
INCLUDEINTERESTFREEVAR	BOOLEAN
CUSTOMERREMAINDERVAR	AMOUNT
CUSTOMERINTERESTVAR	AMOUNT
TOTALREMAINDERVAR	AMOUNT
TOTALINTERESTVAR	AMOUNT
INCLUDECUSTOMERVAR	BOOLEAN
COMPANYNAME1VAR	STRING
OPENCLOSED1VAR	OpenClosedType
OPENCLOSED2VAR	OpenClosedType
CUSTOMERAMOUNTVAR	AMOUNT
AMOUNTTOTALVAR	AMOUNT
SELECTEDINTERESTREMINDERPRINCIPLEVAR	STRING
CALCULATEINTERESTOFCREDITMEMOSVAR	BOOLEAN
INCLUDECREDITENTRIESVAR	BOOLEAN
CALCULATEINTERESTFROMORIGINALDUE DATEVAR	BOOLEAN
ENTRYDATEVAR	DATE
JOBNUMBERVAR	STRING
JOBNAMEVAR	STRING
FORMATTEDINVOICEPAYERIDVAR	STRING
INVOICEATTENTIONVAR	STRING
INVOICEPAYERATTENTIONVAR	STRING

P InterestSelection

RECONCILIATIONDATEVAR	DATE
ORIGINALAMOUNTVAR	AMOUNT
ORIGINALINTERESTVAR	AMOUNT
ORIGINALCURRENCYVAR	CurrencyType
JOBTEXT1VAR	STRING
JOBTEXT2VAR	STRING
JOBTEXT3VAR	STRING
JOBTEXT4VAR	STRING
JOBTEXT5VAR	STRING
JOBTEXT6VAR	STRING
JOBTEXT7VAR	STRING
JOBTEXT8VAR	STRING
JOBTEXT9VAR	STRING
JOBTEXT10VAR	STRING
JOBTEXT11VAR	STRING
JOBTEXT12VAR	STRING
JOBTEXT13VAR	STRING
JOBTEXT14VAR	STRING
JOBTEXT15VAR	STRING
JOBTEXT16VAR	STRING
JOBTEXT17VAR	STRING
JOBTEXT18VAR	STRING
JOBTEXT19VAR	STRING
JOBTEXT20VAR	STRING
DEBITSTANDARDVAR	AMOUNT
REMAINDERSTANDARDVAR	AMOUNT

P PeriodicCustomerStatement

The following cursors can be used in this printout:

COMPANYCUSTOMER	CompanyCustomer
CUSTOMERENTRY	CustomerEntry
E_CUSTOMERENTRY	CustomerEntry

The following variables can be used in this printout:

IncludeZeroCustomers	BOOLEAN
THETIME	STRING
TODAYSDATE	STRING
PAGENUMBER	INTEGER
NAMEOFUSER	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
FirstCustomer	STRING
LastCustomer	STRING
FirstYear	INTEGER
FirstMonth	INTEGER
LastYear	INTEGER
LastMonth	INTEGER
STARTINGDATE	DATE
ENDINGDATE	DATE
BALANCESTANDARD	AMOUNT
BALANCEBASE	AMOUNT
BASECURRENCY	CurrencyType
DEBITBASEFIELD	STRING
CREDITBASEFIELD	STRING
DEBITSTANDARDFIELD	STRING
CREDITSTANDARDFIELD	STRING
STANDARDFIXEDFIELD	CurrencyType
BASEFIXEDFIELD	CurrencyType
DEBITFIXEDFIELD	STRING
CREDITFIXEDFIELD	STRING
SHOWORIGINALAMOUNT	BOOLEAN
DOLLARAMOUNT	STRING
CENTAMOUNT	STRING
CustomerGroupVar	CustomerGroupType
DepartmentNumberVar	DepartmentNumberType
LanguageVar	LanguageType
CountryVar	CountryType
CurrencyVar	CurrencyType
ControlAccountCodeVar	CustomerControlAccountType
DueBalanceDateVar	DATE
SHOWBALANCEDATEVAR	BOOLEAN
DUEBALANCECLOSINGSTANDARDVAR	AMOUNT
DUEBALANCECLOSINGBASEVAR	AMOUNT

DUEBALANCEPERSTANDARDVAR	AMOUNT
DUEBALANCEPERBASEVAR	AMOUNT
DUEBALANCECLOSINGSTANDARDFIELD	STRING
DUEBALANCEPERSTANDARDFIELD	STRING
CustomerTypeVar	CustomerTypeType
ACCOUNTSTATEMENTNAME1VAR	STRING
ACCOUNTSTATEMENTNAME2VAR	STRING
ACCOUNTSTATEMENTNAME3VAR	STRING
ACCOUNTSTATEMENTNAME4VAR	STRING
ACCOUNTSTATEMENTNAME5VAR	STRING
ACCOUNTSTATEMENTZIPCODEVAR	STRING
ACCOUNTSTATEMENTPOSTALDISTRICTVAR	STRING
ACCOUNTSTATEMENTLANGUAGEVAR	LanguageType
STATEMENTADDRESS1VAR	STRING
STATEMENTADDRESS2VAR	STRING
STATEMENTADDRESS3VAR	STRING
STATEMENTADDRESS4VAR	STRING
STATEMENTADDRESS5VAR	STRING
STATEMENTADDRESS6VAR	STRING
STATEMENTADDRESS7VAR	STRING
STATEMENTADDRESS8VAR	STRING
DOLLARAMOUNTWITHOUTSEPARATINGCHARVAR	STRING
AMOUNTINCENTVAR	STRING
CONTROLDIGITSVAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FORMATTEDPAYERIDVAR	STRING
FORMATTEDAMOUNTVAR	STRING
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYGIRONUMBERVAR	STRING
COMPANYBANKACCOUNTNUMBERVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYVATNUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING

P PeriodicCustomerStatement

COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING
COMPANYADDRESS1VAR	STRING
COMPANYADDRESS2VAR	STRING
COMPANYADDRESS3VAR	STRING
COMPANYADDRESS4VAR	STRING
COMPANYADDRESS5VAR	STRING
COMPANYADDRESS6VAR	STRING
COMPANYADDRESS7VAR	STRING
COMPANYADDRESS8VAR	STRING
COMPANYINFORMATIONLINEVAR	STRING
COMPANYNAME2VAR	STRING
COMPANYNAME3VAR	STRING
COMPANYNAME4VAR	STRING
COMPANYNAME5VAR	STRING
COMPANYZIPCODEVAR	STRING
COMPANYPOSTALDISTRICTVAR	STRING
COMPANYCOUNTRYVAR	CountryType
EXTACCOUNTREGNUMBERVAR	STRING
EXTACCOUNTACCOUNTNUMBERVAR	STRING
EXTACCOUNTDESCRIPTIONVAR	STRING
EXTACCOUNTIBANACCOUNTNUMBERVAR	STRING
EXTACCOUNTSWIFTCODEVAR	STRING
EXTACCOUNTTEXT1VAR	STRING
EXTACCOUNTTEXT2VAR	STRING
EXTACCOUNTTEXT3VAR	STRING
PAYMENTAGENTNAMEVAR	STRING
PAYMENTAGENTBANKADDRESS1VAR	STRING
PAYMENTAGENTBANKADDRESS2VAR	STRING
PAYMENTAGENTBANKADDRESS3VAR	STRING
PAYMENTAGENTBANKADDRESS4VAR	STRING
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
BASECURRENCYVAR	CurrencyType
ADDRESS1	STRING
ADDRESS2	STRING
ADDRESS3	STRING
ADDRESS4	STRING
ADDRESS5	STRING
ADDRESS6	STRING
ADDRESS7	STRING
ADDRESS8	STRING
FromDimensionCombNumberVar	STRING

ToDimensionCombNumberVar	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
EnterpriseVar	EnterpriseType
SegmentVar	SegmentType
AreaVar	AreaType
CustomerPopup1Var	CustomerPopupType1
CustomerPopup2Var	CustomerPopupType2
CustomerPopup3Var	CustomerPopupType3
CustomerPopup4Var	CustomerPopupType4
CustomerPopup5Var	CustomerPopupType5
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING

P PeriodicCustomerStatement

ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P ReminderTextGroups

The following cursors can be used in this printout:

REMINDERTEXTGROUPHEADER
REMINDERTEXTGROUPLINE

ReminderTextGroupHeader
ReminderTextGroupLine

The following variables can be used in this printout:

NAMEOFUSER
LayoutName
COMPANYNAME
TODAYSDATE
THETIME
PAGENUMBER
FromReminderTextGroupNameVar
ToReminderTextGroupNameVar

STRING
LayoutNameType
STRING
STRING
STRING
INTEGER
STRING
STRING

P ReminderTexts

The following cursors can be used in this printout:

REMINDERTEXTHEADER	ReminderTextHeader
REMINDERTEXTLINE	ReminderTextLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromReminderTextNameVar	STRING
ToReminderTextNameVar	STRING

ReminderSelection

The following cursors can be used in this printout:

DUECUSTOMERENTRY	CustomerEntry
COMPANYCUSTOMER	CompanyCustomer
CUSTOMERENTRY	CustomerEntry
CUSTOMERENTRYINCREDIT	CustomerEntry
SEARCHREMINDERSELECTION	SearchReminderSelection

The following variables can be used in this printout:

COMPANYNAME	STRING
NAMEOFUSER	STRING
PAGENUMBER	INTEGER
TODAYSDATE	STRING
THETIME	STRING
FIRSTCUSTOMERVAR	STRING
LASTCUSTOMERVAR	STRING
FROMCOMPANYNUMBERVAR	STRING
TOCOMPANYNUMBERVAR	STRING
SELECTEDCUSTOMERGROUPVAR	CustomerGroupType
FROMREMINDERLEVELVAR	INTEGER
TOREMINDERLEVELVAR	INTEGER
SELECTEDINTERESTREMINDERPRINCIPLEVAR	STRING
CREATESELECTIONVAR	BOOLEAN
VALUEDATEVAR	DATE
NUMBEROFDAYSGRACEVAR	INTEGER
INCLUDEBLOCKEDENTRIESVAR	BOOLEAN
LAYOUTNAME	LayoutNameType
REPORTINGCURRENCYVAR	CurrencyType
EXCHANGERATEDATEVAR	DATE
INCLUDEREMINDERFREEVAR	BOOLEAN
INCLUDECUSTOMERVAR	BOOLEAN
AMOUNTTOTALVAR	AMOUNT
CUSTOMERAMOUNTVAR	AMOUNT
COMPANYNAME1VAR	STRING
JOBNUMBERVAR	STRING
JOBNAMEVAR	STRING
FORMATTEDINVOICEPAYERIDVAR	STRING
INVOICEATTENTIONVAR	STRING
INVOICEPAYERATTENTIONVAR	STRING
ORIGINALAMOUNTVAR	AMOUNT
ORIGINALCURRENCYVAR	CurrencyType
JOBTEXT1VAR	STRING
JOBTEXT2VAR	STRING
JOBTEXT3VAR	STRING
JOBTEXT4VAR	STRING
JOBTEXT5VAR	STRING

ReminderSelection

JOBTEXT6VAR	STRING
JOBTEXT7VAR	STRING
JOBTEXT8VAR	STRING
JOBTEXT9VAR	STRING
JOBTEXT10VAR	STRING
JOBTEXT11VAR	STRING
JOBTEXT12VAR	STRING
JOBTEXT13VAR	STRING
JOBTEXT14VAR	STRING
JOBTEXT15VAR	STRING
JOBTEXT16VAR	STRING
JOBTEXT17VAR	STRING
JOBTEXT18VAR	STRING
JOBTEXT19VAR	STRING
JOBTEXT20VAR	STRING
DEBITSTANDARDVAR	AMOUNT
REMAINDERSTANDARDVAR	AMOUNT

CollectionSelection

The following cursors can be used in this printout:

COMPANYCUSTOMER	CompanyCustomer
CUSTOMERENTRY	CustomerEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
CustomerGroupVar	CustomerGroupType
CustomerPaymentModeVar	STRING
CreateSelectionVar	BOOLEAN
OverwriteExistingVar	BOOLEAN
CollectionDateVar	DATE
SHOWALLDUEVAR	BOOLEAN
INCLUDECUSTOMERVAR	BOOLEAN
CUSTOMERCOLLECTIONVAR	AMOUNT
CUSTOMERREMAINDERVAR	AMOUNT
TOTALCOLLECTIONVAR	AMOUNT
TOTALREMAINDERVAR	AMOUNT
COLLECTIONCURRENCYVAR	AMOUNT
REMAINDERCURRENCYVAR	AMOUNT
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
COMPANYNAME1VAR	STRING

P CollectionOrder

The following cursors can be used in this printout:

OUTPUTDATALINE

OutputDataLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCollectionDateVar	DATE
ToCollectionDateVar	DATE
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromCollectionNumberVar	INTEGER
ToCollectionNumberVar	INTEGER
PaymentAgentVar	STRING
CustomerPaymentModeVar	STRING
CustomerPaymentFormVar	CustomerPaymentFormType
ShowConcludedVar	BOOLEAN
ShowErrorReportedAndReversedVar	BOOLEAN
ShowNonFinishedVar	BOOLEAN
STATUSVAR	STRING
TOTALNUMBERVAR	INTEGER
AMOUNTTOTALVAR	AMOUNT
NUMBERCOLLECTEDVAR	INTEGER
AMOUNTCOLLECTEDVAR	AMOUNT
NUMBEROFERRORREPORTEDVAR	INTEGER
AMOUNTERRORREPORTEDVAR	AMOUNT
NUMBEROFREGISTEREDVAR	INTEGER
AMOUNTREGISTEREDVAR	AMOUNT
NUMBERNOTFINISHEDTREATMENTVAR	INTEGER
AMOUNTNOTFINISHEDTREATMENTVAR	AMOUNT
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE

AssetRelocation

The following cursors can be used in this printout:

The following variables can be used in this printout:

FromAssetNumberVar	STRING
ToAssetNumberVar	STRING
FromAssetGroupVar	STRING
ToAssetGroupVar	STRING
AssetSubGroupVar	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromTaskNameVar	STRING
ToTaskNameVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
NewJobNumberVar	STRING
NewActivityNumberVar	STRING
NewTaskNameVar	STRING
NewCompanyNumberVar	STRING
NewLocationNameVar	STRING
NewEntityNameVar	STRING
NewProjectNameVar	STRING
NewPurposeNameVar	STRING
NewSpecification1NameVar	STRING
NewSpecification2NameVar	STRING
NewSpecification3NameVar	STRING
NewSpecification4NameVar	STRING
NewSpecification5NameVar	STRING
NewSpecification6NameVar	STRING
NewSpecification7NameVar	STRING
NewSpecification8NameVar	STRING
NewSpecification9NameVar	STRING
NewSpecification10NameVar	STRING
NewLocalSpec1NameVar	STRING
NewLocalSpec2NameVar	STRING
NewLocalSpec3NameVar	STRING
NewLocalSpec4NameVar	STRING
NewLocalSpec5NameVar	STRING
NewLocalSpec6NameVar	STRING
NewLocalSpec7NameVar	STRING
NewLocalSpec8NameVar	STRING
NewLocalSpec9NameVar	STRING
NewLocalSpec10NameVar	STRING
EntryDateVar	DATE
EntryTextVar	STRING

ResponsibleVar	STRING
TransactionNumberSeriesVar	TransactionNumberSeriesType
TransactionNumberVar	INTEGER
TransactionTypeVar	STRING
PostAutomaticallyVar	BOOLEAN
TransferDimensionsFromEmployeeVar	BOOLEAN
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING

AssetRelocation

FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

DepreciationAdjustment

The following cursors can be used in this printout:

The following variables can be used in this printout:

FromAssetGroupVar	STRING
ToAssetGroupVar	STRING
FromAssetSubGroupVar	STRING
ToAssetSubGroupVar	STRING
FromAssetNumberVar	STRING
ToAssetNumberVar	STRING
EntryDateVar	DATE
TransactionNumberVar	INTEGER
TransactionTypeVar	STRING
RemarkVar	STRING
TransactionNumberSeriesVar	TransactionNumberSeriesType
COMPANYNUMBERVAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
REMOVED1	STRING
REMOVED2	STRING
REMOVED3	STRING
PostAutomaticallyVar	BOOLEAN
ApproveAutomaticallyVar	BOOLEAN
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING

DepreciationAdjustment

FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P Asset

The following cursors can be used in this printout:

ASSET

Asset

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromAssetNumberVar	STRING
ToAssetNumberVar	STRING
FromAssetGroupVar	STRING
ToAssetGroupVar	STRING
FromAssetSubGroupVar	STRING
ToAssetSubGroupVar	STRING
COMPANYNAME1VAR	STRING
ENTERPRISECURRENCYVAR	CurrencyType
BASECURRENCYVAR	CurrencyType
TAXVALUEVAR	AMOUNT
TAXVALUEENTERPRISEVAR	AMOUNT
DOCUMENTARCHIVEDescriptionVar	STRING
ACCESSLEVELDescriptionVar	STRING

P AssetAdjustment

The following cursors can be used in this printout:

ASSETADJUSTMENT	AssetAdjustment
ASSETENTRY	AssetEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromAssetAdjustmentNumberVar	INTEGER
ToAssetAdjustmentNumberVar	INTEGER
IncludeApprovedVar	BOOLEAN
INCLUDEEXTRALINEVAR	BOOLEAN
BASECURRENCYVAR	CurrencyType
JOURNALNUMBERVAR	INTEGER

P AssetGroup

The following cursors can be used in this printout:

ASSETGROUP

AssetGroup

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FromAssetGroupNameVar

STRING

ToAssetGroupNameVar

STRING

ACCESSLEVELDESCRIPTIONVAR

STRING

P AssetHistory

The following cursors can be used in this printout:

ASSET	Asset
ASSETHISTORY	AssetHistory

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromAssetGroupVar	STRING
ToAssetGroupVar	STRING
FromAssetSubGroupVar	STRING
ToAssetSubGroupVar	STRING
FromAssetNumberVar	STRING
ToAssetNumberVar	STRING
FromPeriodVar	DATE
ToPeriodVar	DATE
PAGEBREAKVAR	BOOLEAN
FIRSTPAGEVAR	BOOLEAN
PAGEBREAKCHECKVAR	BOOLEAN
BASECURRENCYVAR	CurrencyType
COMPANYNAME1VAR	STRING

P AssetLedgerCard

The following cursors can be used in this printout:

ASSET	Asset
ASSETENTRY	AssetEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromAssetGroupVar	STRING
ToAssetGroupVar	STRING
FromAssetSubGroupVar	STRING
ToAssetSubGroupVar	STRING
FromAssetNumberVar	STRING
ToAssetNumberVar	STRING
FromEntryDateVar	DATE
ToEntryDateVar	DATE
TransactionTypeVar	TransactiontypeType
IncludeNonApprovedVar	BOOLEAN
INCLUDEEXTRALINE	BOOLEAN
BASECURRENCYVAR	CurrencyType

P AssetList

The following cursors can be used in this printout:

ASSETGROUP	AssetGroup
ASSET	Asset

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromAssetGroupVar	STRING
ToAssetGroupVar	STRING
FromAssetSubGroupVar	STRING
ToAssetSubGroupVar	STRING
FromPeriodVar	DATE
ToPeriodVar	DATE
FromAssetNumberVar	STRING
ToAssetNumberVar	STRING
ACQUISITIONOPENINGREPORTINGVAR	AMOUNT
ACQUISITIONADDITIONREPORTINGVAR	AMOUNT
ACQUISITIONDISPOSALREPORTINGVAR	AMOUNT
ACQUISITIONCLOSINGREPORTINGVAR	AMOUNT
PURCHASETRANSFERREPORTINGVAR	AMOUNT
WRITEUPOPENINGREPORTINGVAR	AMOUNT
WRITEUPDISPOSALREPORTINGVAR	AMOUNT
WRITEUPADDITIONREPORTINGVAR	AMOUNT
WRITEUPCLOSINGREPORTINGVAR	AMOUNT
WRITEUPTRANSFERREPORTINGVAR	AMOUNT
DEPRECIATIONOPENINGREPORTINGVAR	AMOUNT
DEPRECIATIONADDITIONREPORTINGVAR	AMOUNT
DEPRECIATIONDISPOSALREPORTINGVAR	AMOUNT
DEPRECIATIONCLOSINGREPORTINGVAR	AMOUNT
DEPRECIATIONTRANSFERREPORTINGVAR	AMOUNT
DEPRECIATIONFINANCEVAR	AMOUNT
DEPRECIATIONJOBVAR	AMOUNT
POSTEDVALUECLOSINGREPORTINGVAR	AMOUNT
ACQUISITIONOPENINGENTERPRISEVAR	AMOUNT
ACQUISITIONADDITIONENTERPRISEVAR	AMOUNT
ACQUISITIONDISPOSALENTERPRISEVAR	AMOUNT
ACQUISITIONCLOSINGENTERPRISEVAR	AMOUNT
PURCHASETRANSFERENTERPRISEVAR	AMOUNT
WRITEUPOPENINGENTERPRISEVAR	AMOUNT
WRITEUPRECEIPTENTERPRISEVAR	AMOUNT
WRITEUPSHIPMENTENTERPRISEVAR	AMOUNT

WRITEUPCLOSINGENTERPRISEVAR	AMOUNT
WRITEUPTRANSFERENTERPRISEVAR	AMOUNT
DEPRECIATIONOPENINGENTERPRISEVAR	AMOUNT
DEPRECIATIONADDITIONENTERPRISEVAR	AMOUNT
DEPRECIATIONDISPOSALENTERPRISEVAR	AMOUNT
DEPRECIATIONCLOSINGENTERPRISEVAR	AMOUNT
DEPRECIATIONTRANSFERENTERPRISEVAR	AMOUNT
DEPRECIATIONFINANCEENTERPRISEVAR	AMOUNT
DEPRECIATIONJOBENTERPRISEVAR	AMOUNT
POSTEDVALUECLOSINGENTERPRISEVAR	AMOUNT
ACQUISITIONOPENINGASSETREPORTINGVAR	AMOUNT
ACQUISITIONADDITIONASSETREPORTINGVAR	AMOUNT
ACQUISITIONDISPOSALASSETREPORTINGVAR	AMOUNT
ACQUISITIONCLOSINGASSETREPORTINGVAR	AMOUNT
PURCHASETRANSFERASSETREPORTINGVAR	AMOUNT
WRITEUPOPENINGASSETREPORTINGVAR	AMOUNT
WRITEUPDISPOSALASSETREPORTINGVAR	AMOUNT
WRITEUPADDITIONASSETREPORTINGVAR	AMOUNT
WRITEUPCLOSINGASSETREPORTINGVAR	AMOUNT
WRITEUPTRANSFERASSETREPORTINGVAR	AMOUNT
DEPRECIATIONOPENINGASSETREPORTINGVAR	AMOUNT
DEPRECIATIONADDITIONASSETREPORTINGVAR	AMOUNT
DEPRECIATIONDISPOSALASSETREPORTINGVAR	AMOUNT
DEPRECIATIONCLOSINGASSETREPORTINGVAR	AMOUNT
DEPRECIATIONTRANSFERASSETREPORTINGVAR	AMOUNT
DEPRECIATIONFINANCEASSETVAR	AMOUNT
DEPRECIATIONJOBASSETVAR	AMOUNT
POSTEDVALUECLOSINGASSETREPORTINGVAR	AMOUNT
ACQUISITIONOPENINGASSETENTERPRISEVAR	AMOUNT
ACQUISITIONADDITIONASSETENTERPRISEVAR	AMOUNT
ACQUISITIONDISPOSALASSETENTERPRISEVAR	AMOUNT
ACQUISITIONCLOSINGASSETENTERPRISEVAR	AMOUNT
PURCHASETRANSFERASSETENTERPRISEVAR	AMOUNT
WRITEUPOPENINGASSETENTERPRISEVAR	AMOUNT
WRITEUPADDITIONASSETENTERPRISEVAR	AMOUNT
WRITEUPDISPOSALASSETENTERPRISEVAR	AMOUNT
WRITEUPCLOSINGASSETENTERPRISEVAR	AMOUNT
WRITEUPTRANSFERASSETENTERPRISEVAR	AMOUNT
DEPRECIATIONOPENINGASSETENTERPRISEVAR	AMOUNT
DEPRECIATIONADDITIONASSETENTERPRISEVAR	AMOUNT
DEPRECIATIONDISPOSALASSETENTERPRISEVAR	AMOUNT
DEPRECIATIONCLOSINGASSETENTERPRISEVAR	AMOUNT
DEPRECIATIONTRANSFERASSETENTERPRISEVAR	AMOUNT
DEPRECIATIONFINANCEASSETENTERPRISEVAR	AMOUNT
DEPRECIATIONJOBASSETENTERPRISEVAR	AMOUNT
POSTEDVALUECLOSINGASSETENTERPRISEVAR	AMOUNT
ACQUISITIONOPENINGREPTXTVAR	STRING
ACQUISITIONADDITIONREPTXTVAR	STRING

ACQUISITIONDISPOSALREPTTEXTVAR	STRING
ACQUISITIONCLOSINGREPTTEXTVAR	STRING
PURCHASETRANSFERREPTTEXTVAR	STRING
WRITEUPOPENINGREPTTEXTVAR	STRING
WRITEUPDISPOSALREPTTEXTVAR	STRING
WRITEUPADDITIONREPTTEXTVAR	STRING
WRITEUPCLOSINGREPTTEXTVAR	STRING
WRITEUPTRANSFERREPTTEXTVAR	STRING
DEPRECIATIONOPENINGREPTTEXTVAR	STRING
DEPRECIATIONADDITIONREPTTEXTVAR	STRING
DEPRECIATIONDISPOSALREPTTEXTVAR	STRING
DEPRECIATIONCLOSINGREPTTEXTVAR	STRING
DEPRECIATIONTRANSFERREPTTEXTVAR	STRING
DEPRECIATIONFINANCETEXTVAR	STRING
DEPRECIATIONJOBTEXTVAR	STRING
POSTEDVALUECLOSINGREPTTEXTVAR	STRING
ACQUISITIONOPENINGENTERPRISETEXTVAR	STRING
ACQUISITIONADDITIONENTERPRISETEXTVAR	STRING
ACQUISITIONDISPOSALENTERPRISETEXTVAR	STRING
ACQUISITIONCLOSINGENTERPRISETEXTVAR	STRING
PURCHASETRANSFERENTERPRISETEXTVAR	STRING
WRITEUPOPENINGENTERPRISETEXTVAR	STRING
WRITEUPDISPOSALENTERPRISETEXTVAR	STRING
WRITEUPADDITIONENTERPRISETEXTVAR	STRING
WRITEUPCLOSINGENTERPRISETEXTVAR	STRING
WRITEUPTRANSFERENTERPRISETEXTVAR	STRING
DEPRECIATIONOPENINGENTERPRISETEXTVAR	STRING
DEPRECIATIONADDITIONENTERPRISETEXTVAR	STRING
DEPRECIATIONDISPOSALENTERPRISETEXTVAR	STRING
DEPRECIATIONCLOSINGENTERPRISETEXTVAR	STRING
DEPRECIATIONTRANSFERENTERPRISETEXTVAR	STRING
DEPRECIATIONFINANCEENTERPRISETEXTVAR	STRING
DEPRECIATIONJOBENTERPRISETEXTVAR	STRING
POSTEDVALUECLOSINGENTERPRISETEXTVAR	STRING
SHOWGROUPVAR	BOOLEAN
SHOWASSETVAR	BOOLEAN
FromCompanyVar	STRING
ToCompanyVar	STRING
COMPANYNAMEVAR	STRING
ReportingCurrencyVar	CurrencyType
ENTERPRISECURRENCYVAR	CurrencyType
ExchangeRateDateVar	DATE
NumberFormatVar	NumberFormatType

AssetInternalSale

The following cursors can be used in this printout:

The following variables can be used in this printout:

FromAssetNumberVar	STRING
ToAssetNumberVar	STRING
FromAssetGroupVar	STRING
ToAssetGroupVar	STRING
AssetSubGroupVar	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromTaskNameVar	STRING
ToTaskNameVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
NewJobNumberVar	STRING
NewActivityNumberVar	STRING
NewTaskNameVar	STRING
NewCompanyNumberVar	STRING
NewLocationNameVar	STRING
NewEntityNameVar	STRING
NewProjectNameVar	STRING
NewPurposeNameVar	STRING
NewSpecification1NameVar	STRING
NewSpecification2NameVar	STRING
NewSpecification3NameVar	STRING
NewSpecification4NameVar	STRING
NewSpecification5NameVar	STRING
NewSpecification6NameVar	STRING
NewSpecification7NameVar	STRING
NewSpecification8NameVar	STRING
NewSpecification9NameVar	STRING
NewSpecification10NameVar	STRING
NewLocalSpec1NameVar	STRING
NewLocalSpec2NameVar	STRING
NewLocalSpec3NameVar	STRING
NewLocalSpec4NameVar	STRING
NewLocalSpec5NameVar	STRING
NewLocalSpec6NameVar	STRING
NewLocalSpec7NameVar	STRING
NewLocalSpec8NameVar	STRING
NewLocalSpec9NameVar	STRING
NewLocalSpec10NameVar	STRING
EntryDateVar	DATE
EntryTextVar	STRING

ResponsibleVar	STRING
TransactionNumberSeriesVar	TransactionNumberSeriesType
TransactionNumberVar	INTEGER
TransactionTypeVar	STRING
PostAutomaticallyVar	BOOLEAN
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING

AssetInternalSale

ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

ImportData

The following cursors can be used in this printout:

INPUTDATAHEADER	InputDataHeader
INPUTDATA LINE	InputDataLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYS DATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
DataAgentVar	DataAgentType
ModeNumberVar	INTEGER
ImportModeVar	ImportModeType
TransactionNumberVar	INTEGER
TransactionTypeVar	STRING
EntryTextVar	STRING
EXTERNALACCOUNTVAR	STRING
SHOWERRORTEXTVAR	BOOLEAN

P ConvertingTable

The following cursors can be used in this printout:

CONVERSIONTABLE	ConversionTable
CONVERSIONTABLELINE	ConversionTableLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
ToConversionTableNameVar	STRING
FromConversionTableNameVar	STRING
DIMENSIONCOMBDESCRIPTIONVAR	STRING
COMPANYNAMEVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P DataAgent

The following cursors can be used in this printout:

DATAAGENT

DataAgent

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
DataAgentVar	DataAgentType
DATAAGENTNUMBERVAR	INTEGER
COMPANYNAMEVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P ImportedData

The following cursors can be used in this printout:

INPUTDATALINE	InputDataLine
FINANCEENTRY	FinanceEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromModeNumberVar	INTEGER
ToModeNumberVar	INTEGER
FromExternalAccountNumberVar	STRING
ToExternalAccountNumberVar	STRING

P ImportMode

The following cursors can be used in this printout:

DATAIMPORTMODE

DataImportMode

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
ImportModeVar	ImportModeType
IMPORTMODENUMBERVAR	INTEGER
FIELD1FIXEDTEXTVAR	STRING
FIELD2FIXEDTEXTVAR	STRING
FIELD3FIXEDTEXTVAR	STRING
FIELD4FIXEDTEXTVAR	STRING
FIELD5FIXEDTEXTVAR	STRING
FIELD6FIXEDTEXTVAR	STRING
FIELD7FIXEDTEXTVAR	STRING
FIELD8FIXEDTEXTVAR	STRING
FIELD9FIXEDTEXTVAR	STRING
FIELD10FIXEDTEXTVAR	STRING

P AccountStatement

The following cursors can be used in this printout:

ACCOUNT	Account
FINANCEENTRY	FinanceEntry

The following variables can be used in this printout:

CREDITFIELD	STRING
DEBITFIELD	STRING
VAT	AMOUNT
LayoutName	LayoutNameType
FirstAccount	STRING
LastAccount	STRING
FirstYear	INTEGER
FirstMonth	INTEGER
LastYear	INTEGER
LastMonth	INTEGER
StartingDate	DATE
EndingDate	DATE
PERIODINDEXCLOSING	INTEGER
BALANCE	STRING
NAMEOFUSER	STRING
PAGENUMBER	INTEGER
TODAYSDATE	STRING
THETIME	STRING
COMPANYNAME	STRING
SelectedDepartment	DepartmentNumberType
FirstStatistic1	STRING
FirstStatistic2	STRING
FirstStatistic3	STRING
FirstStatistic4	STRING
LastStatistic1	STRING
LastStatistic2	STRING
LastStatistic3	STRING
LastStatistic4	STRING
NOSTATISTICCODE	BOOLEAN
NODEPARTMENT	BOOLEAN
IncludeZeroAccounts	BOOLEAN
IncludeDimensions	BOOLEAN
SHOWDIMENSIONS	BOOLEAN
PERIODINDEXOPENING	INTEGER
FISCALYEARCLOSING	DATE
FISCALYEAROPENING	DATE
MOVEMENT	AMOUNT
IncludeOpening	BOOLEAN
FIRSTDAYINPERIOD	DATE
TRANSFERREDBALANCEVAR	STRING

FromCompany	STRING
ToCompany	STRING
FromLocalAccountNumberVar	STRING
ToLocalAccountNumberVar	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING

FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
OPENINGBALANCECURRENCYVAR	AMOUNT
CLOSINGBALANCECURRENCYVAR	AMOUNT
RUNNINGBALANCECURRENCYVAR	AMOUNT
STARTINGDATEMIDPERIODVAR	BOOLEAN
OPENINGBALANCEENTERPRISEVAR	AMOUNT
RUNNINGBALANCEENTERPRISEVAR	AMOUNT
OPENINGQUANTITYAVAR	REAL
OPENINGQUANTITYBVAR	REAL
RUNNINGQUANTITYAVAR	REAL
RUNNINGQUANTITYBVAR	REAL
RATIOVATVAR	AMOUNT
CLOSINGBALANCEENTERPRISEVAR	AMOUNT
CLOSINGQUANTITYAVAR	REAL
CLOSINGQUANTITYBVAR	REAL
HAVECOMMONBASECURRENCYVAR	BOOLEAN
ExchangeRateDateVar	DATE
ReportingCurrencyVar	CurrencyType
RUNNINGBALANCEBASEVAR	AMOUNT
OPENINGBALANCEBASEVAR	AMOUNT
RUNNINGBALANCEINREPORTINGVAR	AMOUNT
TRANSFERREDBALANCEINCURRENCYVAR	AMOUNT
TRANSFERREDBALANCEINENTERPRISEVAR	AMOUNT
TRANSFERREDBALANCEINBASEVAR	AMOUNT
VATSETTLEMENTTYPEVAR	VATSettlementTypeType
VATCODE1VAR	STRING
VAT1RATEVAR	REAL
VATREPORTINGUNIT1VAR	STRING
VATSETTLEMENT1APPROVEDDATEVAR	DATE
VAT1CURRENCYVAR	AMOUNT
VAT1BASEVAR	AMOUNT
VAT1ENTERPRISEVAR	AMOUNT
VATCODE2VAR	STRING
VAT2RATEVAR	REAL
VATREPORTINGUNIT2VAR	STRING
VATSETTLEMENT2APPROVEDDATEVAR	DATE
VAT2CURRENCYVAR	AMOUNT
VAT2BASEVAR	AMOUNT
VAT2ENTERPRISEVAR	AMOUNT
VATCODE3VAR	STRING
VAT3RATEVAR	REAL
VATREPORTINGUNIT3VAR	STRING
VATSETTLEMENT3APPROVEDDATEVAR	DATE
VAT3CURRENCYVAR	AMOUNT

P AccountStatement

VAT3BASEVAR
VAT3ENTERPRISEVAR

AMOUNT
AMOUNT

P AllocationKey

The following cursors can be used in this printout:

ALLOCATIONKEY

AllocationKey

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FromAllocationKeyVar

STRING

ToAllocationKeyVar

STRING

P BankReconciliation

The following cursors can be used in this printout:

REMOVED2	Account
REMOVED1	BankReconciliationLine
BANKRECONCILIATIONHEADER	BankReconciliationHeader
GKBANKRECONCILIATIONLINE	BankReconciliationLine
ONGOINGBANKRECONCILIATIONHEADER	BankReconciliationHeader
I_BANKRECONCILIATIONLINE	BankReconciliationLine
IGBANKRECONCILIATIONLINE	BankReconciliationLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromAccountNumberVar	STRING
ToAccountNumberVar	STRING
FromStatementDateVar	DATE
ToStatementDateVar	DATE
SortingKeyVar	SortingKeyType
LatestEntryDateVar	DATE
RUNNINGBALANCEVAR	AMOUNT
BLOCKOPENINGBALANCEVAR	AMOUNT
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
JOBNAMEVAR	STRING
ACTIVITYTEXTVAR	STRING
TASKTEXTVAR	STRING
EMPLOYEEENAMEVAR	STRING
CUSTOMERNAMEVAR	STRING
VENDORNAMEVAR	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING

ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P BudgetControl

The following cursors can be used in this printout:

TEMPALLOCATIONCOMBINATION

TempAllocationCombination

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
IncludeBlockedVar	BOOLEAN
IncludeNonApprovedVar	BOOLEAN
BudgetModelNameVar	STRING
BudgetVersionNumberVar	INTEGER
FromAccountNumberVar	STRING
ToAccountNumberVar	STRING
FromLocalAccountNumberVar	STRING
ToLocalAccountNumberVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromTaskNameVar	STRING
ToTaskNameVar	STRING
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
FromItemNumberVar	STRING
ToItemNumberVar	STRING
FromAssetNumberVar	STRING
ToAssetNumberVar	STRING
ItemizeAccountVar	BOOLEAN
ItemizeLocalAccountVar	BOOLEAN
ItemizeCompanyVar	BOOLEAN
ItemizeLocationVar	BOOLEAN
ItemizeEntityVar	BOOLEAN
ItemizeProjectVar	BOOLEAN
ItemizePurposeVar	BOOLEAN
ItemizeSpecification1Var	BOOLEAN
ItemizeSpecification2Var	BOOLEAN

ItemizeSpecification3Var	BOOLEAN
ItemizeSpecification4Var	BOOLEAN
ItemizeSpecification5Var	BOOLEAN
ItemizeSpecification6Var	BOOLEAN
ItemizeSpecification7Var	BOOLEAN
ItemizeSpecification8Var	BOOLEAN
ItemizeSpecification9Var	BOOLEAN
ItemizeSpecification10Var	BOOLEAN
ItemizeLocalSpec1Var	BOOLEAN
ItemizeLocalSpec2Var	BOOLEAN
ItemizeLocalSpec3Var	BOOLEAN
ItemizeLocalSpec4Var	BOOLEAN
ItemizeLocalSpec5Var	BOOLEAN
ItemizeLocalSpec6Var	BOOLEAN
ItemizeLocalSpec7Var	BOOLEAN
ItemizeLocalSpec8Var	BOOLEAN
ItemizeLocalSpec9Var	BOOLEAN
ItemizeLocalSpec10Var	BOOLEAN
ItemizeCustomerVar	BOOLEAN
ItemizeVendorVar	BOOLEAN
ItemizeJobVar	BOOLEAN
ItemizeActivityVar	BOOLEAN
ItemizeTaskVar	BOOLEAN
ItemizeEmployeeVar	BOOLEAN
ItemizeItemVar	BOOLEAN
ItemizeAssetVar	BOOLEAN
BUDGETMODELDESCRIPTIONVAR	STRING
FISCALYEARVAR	DATE
COMPANYNAME1VAR	STRING
BUDGETOPENINGVAR	AMOUNT
BUDGET1VAR	AMOUNT
BUDGET2VAR	AMOUNT
BUDGET3VAR	AMOUNT
BUDGET4VAR	AMOUNT
BUDGET5VAR	AMOUNT
BUDGET6VAR	AMOUNT
BUDGET7VAR	AMOUNT
BUDGET8VAR	AMOUNT
BUDGET9VAR	AMOUNT
BUDGET10VAR	AMOUNT
BUDGET11VAR	AMOUNT
BUDGET12VAR	AMOUNT
BUDGETCLOSINGVAR	AMOUNT
COMMITTED1VAR	AMOUNT
COMMITTED2VAR	AMOUNT
COMMITTED3VAR	AMOUNT
COMMITTED4VAR	AMOUNT
COMMITTED5VAR	AMOUNT

COMMITTED6VAR	AMOUNT
COMMITTED7VAR	AMOUNT
COMMITTED8VAR	AMOUNT
COMMITTED9VAR	AMOUNT
COMMITTED10VAR	AMOUNT
COMMITTED11VAR	AMOUNT
COMMITTED12VAR	AMOUNT
COMMITTEDCLOSINGVAR	AMOUNT
ACTUALOPENINGVAR	AMOUNT
ACTUAL1VAR	AMOUNT
ACTUAL2VAR	AMOUNT
ACTUAL3VAR	AMOUNT
ACTUAL4VAR	AMOUNT
ACTUAL5VAR	AMOUNT
ACTUAL6VAR	AMOUNT
ACTUAL7VAR	AMOUNT
ACTUAL8VAR	AMOUNT
ACTUAL9VAR	AMOUNT
ACTUAL10VAR	AMOUNT
ACTUAL11VAR	AMOUNT
ACTUAL12VAR	AMOUNT
ACTUALCLOSINGVAR	AMOUNT
VARIANCEOPENINGVAR	AMOUNT
VARIANCE1VAR	AMOUNT
VARIANCE2VAR	AMOUNT
VARIANCE3VAR	AMOUNT
VARIANCE4VAR	AMOUNT
VARIANCE5VAR	AMOUNT
VARIANCE6VAR	AMOUNT
VARIANCE7VAR	AMOUNT
VARIANCE8VAR	AMOUNT
VARIANCE9VAR	AMOUNT
VARIANCE10VAR	AMOUNT
VARIANCE11VAR	AMOUNT
VARIANCE12VAR	AMOUNT
VARIANCECLOSINGVAR	AMOUNT
PERCENTAGEOPENINGVAR	REAL
PERCENTAGE1VAR	REAL
PERCENTAGE2VAR	REAL
PERCENTAGE3VAR	REAL
PERCENTAGE4VAR	REAL
PERCENTAGE5VAR	REAL
PERCENTAGE6VAR	REAL
PERCENTAGE7VAR	REAL
PERCENTAGE8VAR	REAL
PERCENTAGE9VAR	REAL
PERCENTAGE10VAR	REAL
PERCENTAGE11VAR	REAL

PERCENTAGE12VAR	REAL
PERCENTAGECLOSINGVAR	REAL
IncludeMovementOnlyVar	BOOLEAN
PRINTBLOCKVAR	BOOLEAN
PAGEBREAKVAR	BOOLEAN
PriceYearVar	DATE
PriceRegisterNameVar	STRING
ReportingCurrencyVar	CurrencyType
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING

FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P BudgetEntry

The following cursors can be used in this printout:

BUDGETENTRY

BudgetEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromBudgetModelVar	STRING
ToBudgetModelVar	STRING
FromAccountVar	STRING
ToAccountVar	STRING
FromLocalAccountVar	STRING
ToLocalAccountVar	STRING
FromCompanyVar	STRING
ToCompanyVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromTaskNameVar	STRING
ToTaskNameVar	STRING
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
FromItemNumberVar	STRING
ToItemNumberVar	STRING
FromAssetNumberVar	STRING
ToAssetNumberVar	STRING
FromJournalNumberVar	INTEGER
ToJournalNumberVar	INTEGER
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING

ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P BudgetFigures

The following cursors can be used in this printout:

BUDGETSUM	BudgetSum
BUDGETENTRY	BudgetEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
COMPANYNAMEVAR	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
BudgetModelVar	STRING
PAGEBREAKVAR	BOOLEAN
FromAccountVar	STRING
ToAccountVar	STRING
FromLocalAccountVar	STRING
ToLocalAccountVar	STRING
FromCompanyVar	STRING
ToCompanyVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromTaskNameVar	STRING
ToTaskNameVar	STRING
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
FromItemNumberVar	STRING
ToItemNumberVar	STRING
FromAssetNumberVar	STRING
ToAssetNumberVar	STRING
ShowEntriesVar	BOOLEAN
CALLEDFROMPRINTTHISVAR	BOOLEAN
LASTBUDGETMODELVAR	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING

FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P BudgetGroup

The following cursors can be used in this printout:

BUDGETGROUPHEADER	BudgetGroupHeader
BUDGETGROUPLINE	BudgetGroupLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromBudgetGroupVar	STRING
ToBudgetGroupVar	STRING
FISCALYEARVAR	DATE
DESCRIPTIONVAR	STRING
BUDGETTYPEVAR	BudgetTypeType
PRICEYEARVAR	DATE

P BudgetJournal

The following cursors can be used in this printout:

BUDGETJOURNALHEADER	BudgetJournalHeader
BUDGETJOURNALLINE	BudgetJournalLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FirstJournalVar	INTEGER
LastJournalVar	INTEGER
DESCRIPTIONVAR	STRING
FISCALYEARVAR	DATE
BUDGETTYPEVAR	BudgetTypeType

P BudgetModel

The following cursors can be used in this printout:

BUDGETMODEL	BudgetModel
BUDGETVERSION	BudgetVersion

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromBudgetModelVar	STRING
ToBudgetModelVar	STRING
BudgetTypeVar	BudgetTypeType
FromFiscalYearVar	DATE
ToFiscalYearVar	DATE

P ChartOfAccounts

The following cursors can be used in this printout:

ACCOUNT

Account

The following variables can be used in this printout:

SelectedDepartment	DepartmentNumberType
ShowBlockedAccounts	BOOLEAN
THETIME	STRING
COMPANYNAME	STRING
NAMEOFUSER	STRING
FirstAccount	STRING
LastAccount	STRING
LayoutName	LayoutNameType
ACCOUNTNUMBERFIELD	STRING
PAGENUMBER	INTEGER
TODAYSDATE	STRING
FirstStatistic1	STRING
FirstStatistic2	STRING
FirstStatistic3	STRING
FirstStatistic4	STRING
LastStatistic1	STRING
LastStatistic2	STRING
LastStatistic3	STRING
LastStatistic4	STRING
NOSTATISTICCODE	BOOLEAN
NODEPARTMENT	BOOLEAN
AccountGroupVar	AccountGroupType
NOACCOUNTGROUPVAR	BOOLEAN
DIMENSIONCOMBDESCRIPTIONVAR	STRING
SHOWVAT2	BOOLEAN
SHOWVAT3	BOOLEAN
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING

P ChartOfAccounts

LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P Claim

The following cursors can be used in this printout:

COMPANYINFORMATION	CompanyInformation
CLAIM	Claim

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
ApprovedClaimAmountPriority1BaseVar	AMOUNT
SelectedForPaymentClaimAmountPriority1BaseVar	AMOUNT
TransferredClaimAmountPriority1BaseVar	AMOUNT
ApprovedClaimAmountPriority2BaseVar	AMOUNT
SelectedForPaymentClaimAmountPriority2BaseVar	AMOUNT
TransferredClaimAmountPriority2BaseVar	AMOUNT
ApprovedClaimAmountPriority3BaseVar	AMOUNT
SelectedForPaymentClaimAmountPriority3BaseVar	AMOUNT
TransferredClaimAmountPriority3BaseVar	AMOUNT
ApprovedClaimAmountPriority4BaseVar	AMOUNT
SelectedForPaymentClaimAmountPriority4BaseVar	AMOUNT
TransferredClaimAmountPriority4BaseVar	AMOUNT
ApprovedClaimAmountPriority5BaseVar	AMOUNT
SelectedForPaymentClaimAmountPriority5BaseVar	AMOUNT
TransferredClaimAmountPriority5BaseVar	AMOUNT
ApprovedClaimAmountPriority6BaseVar	AMOUNT
SelectedForPaymentClaimAmountPriority6BaseVar	AMOUNT
TransferredClaimAmountPriority6BaseVar	AMOUNT
ApprovedClaimAmountPriority7BaseVar	AMOUNT
SelectedForPaymentClaimAmountPriority7BaseVar	AMOUNT
TransferredClaimAmountPriority7BaseVar	AMOUNT
ApprovedClaimAmountPriority8BaseVar	AMOUNT
SelectedForPaymentClaimAmountPriority8BaseVar	AMOUNT
TransferredClaimAmountPriority8BaseVar	AMOUNT
ApprovedClaimAmountPriority9BaseVar	AMOUNT
SelectedForPaymentClaimAmountPriority9BaseVar	AMOUNT
TransferredClaimAmountPriority9BaseVar	AMOUNT
ApprovedClaimAmountPriority10BaseVar	AMOUNT
SelectedForPaymentClaimAmountPriority10BaseVar	AMOUNT
TransferredClaimAmountPriority10BaseVar	AMOUNT
ApprovedClaimAmountPriorityOtherBaseVar	AMOUNT
SelectedForPaymentClaimAmountPriorityOtherBaseVar	AMOUNT
TransferredClaimAmountPriorityOtherBaseVar	AMOUNT
TotalApprovedClaimAmountBaseVar	AMOUNT

P Claim

TotalSelectedForPaymentClaimAmountBaseVar	AMOUNT
TotalTransferredClaimAmountBaseVar	AMOUNT
PriorityTypeCountVar	INTEGER
PRIORITYVAR	INTEGER
Priority1NameVar	STRING
Priority2NameVar	STRING
Priority3NameVar	STRING
Priority4NameVar	STRING
Priority5NameVar	STRING
Priority6NameVar	STRING
Priority7NameVar	STRING
Priority8NameVar	STRING
Priority9NameVar	STRING
Priority10NameVar	STRING
APPROVEDCLAIMAMOUNTSUMBASEVAR	AMOUNT
SELECTEDFORPAYMENTSUMBASEVAR	AMOUNT
TRANSFERREDFORPAYMENTSUMBASEVAR	AMOUNT
ExchangeRateDateVar	DATE
GlobalExchangeRateTableVar	GlobalExchangeRateTableType
EXCHANGERATETABLEVAR	ExchangeRateTableNumberType
VENDORNAMEVAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING

P ColumnDescription

The following cursors can be used in this printout:

COLUMNDESCRIPTION	ColumnDescription
COLUMNDESCRIPTIONLINE	ColumnDescriptionLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromNameVar	STRING
ToNameVar	STRING

P CompanyAllocationCombination

The following cursors can be used in this printout:

COMPANYALLOCATIONHEADER	CompanyAllocationHeader
COMPANYALLOCATIONLINE	CompanyAllocationLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
DONTPRINTTHISVAR	BOOLEAN
AccountNumberVar	STRING
LocalAccountNumberVar	STRING
EmployeeNumberVar	STRING
VATCODEVAR	STRING
FinanceVATCodeVar	STRING
FinanceVATCode2Var	STRING
FinanceVATCode3Var	STRING
ShowFinanceVar	BOOLEAN
ShowJobVar	BOOLEAN
FromCompanyVar	STRING
ToCompanyVar	STRING
NAME1VAR	STRING
NAME2VAR	STRING
NAME3VAR	STRING
NAME4VAR	STRING
NAME5VAR	STRING
ZIPCODEVAR	STRING
POSTALDISTRICTVAR	STRING
LocationNameVar	STRING
EntityNameVar	STRING
ProjectNameVar	STRING
PurposeNameVar	STRING
Specification1NameVar	STRING
Specification2NameVar	STRING
Specification3NameVar	STRING
Specification4NameVar	STRING
Specification5NameVar	STRING
Specification6NameVar	STRING
Specification7NameVar	STRING
Specification8NameVar	STRING
Specification9NameVar	STRING
Specification10NameVar	STRING
LocalSpec1NameVar	STRING

P CompanyAllocationCombination

LocalSpec2NameVar	STRING
LocalSpec3NameVar	STRING
LocalSpec4NameVar	STRING
LocalSpec5NameVar	STRING
LocalSpec6NameVar	STRING
LocalSpec7NameVar	STRING
LocalSpec8NameVar	STRING
LocalSpec9NameVar	STRING
LocalSpec10NameVar	STRING

P CurrencyReport

The following cursors can be used in this printout:

ACCOUNT	Account
DIMENSIONPERIOD	DimensionPeriod
LOCALSPEC1DIMENSIONPERIOD	DimensionPeriod
LOCALSPEC2DIMENSIONPERIOD	DimensionPeriod
LOCALSPEC3DIMENSIONPERIOD	DimensionPeriod
COMPANYCUSTOMER	CompanyCustomer
COMPANYVENDOR	CompanyVendor
COMPANYINFORMATION	CompanyInformation
JOBENTRY	JobEntry
JOBINVOICEONACCOUNT	JobInvoiceOnAccount
VENDORENTRY	VendorEntry
CUSTOMERENTRY	CustomerEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
IncludeFinanceAccountsVar	BOOLEAN
IncludeVendorsVar	BOOLEAN
IncludeCustomersVar	BOOLEAN
IncludeJobsWorkInProgressVar	BOOLEAN
IncludeJobsNetOnAccountVar	BOOLEAN
TransactionNumberVar	INTEGER
ENTERPRISECURRENCYVAR	CurrencyType
CURRENTFISCALYEAR	DATE
ACCOUNTAMOUNTBASEVAR	AMOUNT
ACCOUNTCURRENCYAMOUNTVAR	AMOUNT
ACCOUNTCONVERTEDCURRENCYAMOUNTVAR	AMOUNT
ACCOUNTEXCHANGERATEVARIANCEVAR	AMOUNT
AMOUNTTOTALBASEVAR	AMOUNT
TOTALCONVERTEDCURRENCYAMOUNTVAR	AMOUNT
TOTALEXCHANGERATEVARIANCEVAR	AMOUNT
WIPAMOUNTBASEVAR	AMOUNT
WIPCURRENCYAMOUNTVAR	AMOUNT
WIPCONVERTEDCURRENCYAMOUNTVAR	AMOUNT
WIPEXCHANGERATEVARIANCEVAR	AMOUNT
IOAAMOUNTBASEVAR	AMOUNT
IOACURRENCYAMOUNTVAR	AMOUNT
IOACONVERTEDCURRENCYAMOUNTVAR	AMOUNT
IOAEXCHANGERATEVARIANCEVAR	AMOUNT
CUSTOMERNUMBERVAR	STRING

JOURNALNUMBERVAR	INTEGER
CreateFinanceEntriesVar	BOOLEAN
CurrencyVar	CurrencyType
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromJobGroupVar	JobGroupType
ToJobGroupVar	JobGroupType
AMOUNTCOMPANYBASEVAR	AMOUNT
COMPANYCURRENCYAMOUNTVAR	AMOUNT
COMPANYCONVERTEDCURRENCYAMOUNTVAR	AMOUNT
COMPANYEXCHANGERATEVARIANCEVAR	AMOUNT
COMPANYNUMBERVAR	STRING
ReversionDateVar	DATE
JOURNALS_CREATEDVAR	BOOLEAN
COMPANYNAME1VAR	STRING
PRINTTOTALVAR	BOOLEAN
COMPANYCURRENCYVAR	CurrencyType
ReportingCurrencyVar	CurrencyType
AccountGroupVar	AccountGroupType
StatementDateVar	DATE
CustomerControlAccountTargetGroupVar	CustomerControlAccountType
CustomerTypeVar	CustomerTypeType
CustomerGroupVar	CustomerGroupType
TransactionNumberSeriesVar	TransactionNumberSeriesType
TransactionTypeVar	STRING
VendorControlAccountTargetGroupVar	VendorControlAccountType
VendorGroupVar	VendorGroupType
REVERSIONJOURNALNUMBERVAR	INTEGER
NUMBEROFJOURNALS_CREATEDVAR	INTEGER
LASTCURRENCYVAR	CurrencyType
LASTDEPARTMENTNUMBERVAR	DepartmentNumberType
LASTGENERALJOURNALACCOUNTNUMBERVAR	STRING
GroupOffsetEntriesByCurrencyVar	BOOLEAN
ENTRYREMAINDERBASEVAR	AMOUNT
ENTRYREMAINDERORIGINALVAR	AMOUNT
ENTRYACTUALREMAINDERBASEVAR	AMOUNT
ENTRYORIGINALCURRENCYVAR	CurrencyType
ENTRYCUSTOMERNUMBERVAR	STRING
ENTRYCUSTOMERNAME1VAR	STRING
ENTRYVENDORNUMBERVAR	STRING
ENTRYVENDORNAME1VAR	STRING
ENTRYCOMPANYNUMBERVAR	STRING
ENTRYDEPARTMENTNUMBERVAR	DepartmentNumberType
JOBCAPITALIZATIONMETHODVAR	CapitalizationMethodType
SHOWCUSTOMERVAR	BOOLEAN
SHOWVENDORVAR	BOOLEAN
SHOWCOMPANYHEADERVAR	BOOLEAN
SHOWCOMPANYTOTALVAR	BOOLEAN

SHOWACCOUNTVAR	BOOLEAN
GlobalSalesExchangeRateTableIntVar	INTEGER
GlobalSalesExchangeRateTableVar	STRING
GlobalPurchaseExchangeRateTableIntVar	INTEGER
GlobalPurchaseExchangeRateTableVar	STRING
SALESEXCHANGERATETABLEVAR	ExchangeRateTableNumberType
PURCHASEEXCHANGERATETABLEVAR	ExchangeRateTableNumberType
FISCALYEAROFSTATEMENTVAR	DATE
USINGCHARTOFACCOUNTSLOCALSPECVAR	BOOLEAN
USINGCHARTOFACCOUNTSLOCALACCOUNTVAR	BOOLEAN
NOTUSINGCHARTOFACCOUNTSLOCALSPECVAR	BOOLEAN
NOTUSINGCHARTOFACCOUNTSLOCALACCOUNTVAR	BOOLEAN
LOCALACCOUNTDESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
CHARTOFACCOUNTSLOCALSPEC1VAR	BOOLEAN
CHARTOFACCOUNTSLOCALSPEC2VAR	BOOLEAN
CHARTOFACCOUNTSLOCALSPEC3VAR	BOOLEAN

P DerivedDimensions

The following cursors can be used in this printout:

DIMCOMBVERSIONHEADER	DimCombVersionHeader
DIMCOMBVERSIONLINE	DimCombVersionLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
UsedInRelationVar	DimensionCombUsageType
FromKey1	STRING
ToKey1	STRING
FromKey2	STRING
ToKey2	STRING
DIMCOMBDESCRIPTIONVAR	STRING
COMPANYNAMEVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P DimensionAccountStatement

The following cursors can be used in this printout:

FINANCEENTRY	FinanceEntry
LOCALACCOUNTFINANCEENTRY	FinanceEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCompanyVar	STRING
ToCompanyVar	STRING
FromAccountNumberVar	STRING
ToAccountNumberVar	STRING
FromLocalAccountNumberVar	STRING
ToLocalAccountNumberVar	STRING
FromIntercompanyCompanyVar	STRING
ToIntercompanyCompanyVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromTaskNameVar	STRING
ToTaskNameVar	STRING
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
FromAssetNumberVar	STRING
ToAssetNumberVar	STRING
FromItemNumberVar	STRING
ToItemNumberVar	STRING
FromDateVar	DATE
ToDateVar	DATE
FirstYearVar	INTEGER
FirstMonthVar	INTEGER
LastMonthVar	INTEGER
LastYearVar	INTEGER
FROMDATEOLDVAR	DATE
TODATEOLDVAR	DATE
FIRSTYEAROLDVAR	INTEGER
FIRSTMONTHOLDVAR	INTEGER

LASTMONTHOLDVAR	INTEGER
LASTYEAROLDVAR	INTEGER
COMPANYFROMOLDVAR	STRING
COMPANYTOOLDVAR	STRING
CalculateOpeningBalancesVar	BOOLEAN
LINEBALANCEVAR	AMOUNT
BALANCEENTERPRISEVAR	AMOUNT
QUANTITYABALANCEVAR	REAL
QUANTITYBBALANCEVAR	REAL
SHOWDIMENSIONSVAR	BOOLEAN
IncludeDimensionsVar	BOOLEAN
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
GlobalExchangeRateTableVar	GlobalExchangeRateTableType
EXCHANGERATETABLEVAR	ExchangeRateTableNumberType
COMPANYNAMEVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING

FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
CUSTOMERDESCRIPTIONVAR	STRING
VENDORDESCRIPTIONVAR	STRING
JOBDESCRIPTIONVAR	STRING
ACTIVITYDESCRIPTIONVAR	STRING
TASKDESCRIPTIONVAR	STRING
EMPLOYEEDESCRIPTIONVAR	STRING

ITEMDESCRIPTIONVAR	STRING
AMOUNTBASEVAR	AMOUNT
VATBASEVAR	AMOUNT
AMOUNTINCLVATBASEVAR	AMOUNT
FIRSTPAGEVAR	BOOLEAN
NEWPAGEVAR	BOOLEAN
LOCALACCOUNTNUMBERVAR	STRING
VATSETTLEMENTTYPEVAR	VATSettlementTypeType
VATCODE1VAR	STRING
VAT1RATEVAR	REAL
VATREPORTINGUNIT1VAR	STRING
VATSETTLEMENT1APPROVEDDATEVAR	DATE
VAT1CURRENCYVAR	AMOUNT
VAT1BASEVAR	AMOUNT
VAT1ENTERPRISEVAR	AMOUNT
VATCODE2VAR	STRING
VAT2RATEVAR	REAL
VATREPORTINGUNIT2VAR	STRING
VATSETTLEMENT2APPROVEDDATEVAR	DATE
VAT2CURRENCYVAR	AMOUNT
VAT2BASEVAR	AMOUNT
VAT2ENTERPRISEVAR	AMOUNT
VATCODE3VAR	STRING
VAT3RATEVAR	REAL
VATREPORTINGUNIT3VAR	STRING
VATSETTLEMENT3APPROVEDDATEVAR	DATE
VAT3CURRENCYVAR	AMOUNT
VAT3BASEVAR	AMOUNT
VAT3ENTERPRISEVAR	AMOUNT

P DimensionCombination

The following cursors can be used in this printout:

DIMENSIONCOMBHEADER	DimensionCombHeader
DIMENSIONCOMBLINE	DimensionCombLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromDimensionCombNumberVar	STRING
ToDimensionCombNumberVar	STRING
DimensionCombTypeVar	DimensionCombTypeType
ACCESSLEVELDESCRIPTIONVAR	STRING
COMPANYNUMBERVAR	STRING
MAINCOMPANYNAMEVAR	STRING
MAINACCOUNTTEXTVAR	STRING
MAINLOCALACCOUNTDESCRIPTIONVAR	STRING
LINECOMPANYNAMEVAR	STRING
LINEACCOUNTTEXTVAR	STRING
LINELOCALACCOUNTDESCRIPTIONVAR	STRING
CARDLOCATIONDESCRIPTIONVAR	STRING
CARDENTITYDESCRIPTIONVAR	STRING
CARDPROJECTDESCRIPTIONVAR	STRING
CARDPURPOSEDESCRIPTIONVAR	STRING
CARDSPECIFICATION1DESCRIPTIONVAR	STRING
CARDSPECIFICATION2DESCRIPTIONVAR	STRING
CARDSPECIFICATION3DESCRIPTIONVAR	STRING
CARDSPECIFICATION4DESCRIPTIONVAR	STRING
CARDSPECIFICATION5DESCRIPTIONVAR	STRING
CARDSPECIFICATION6DESCRIPTIONVAR	STRING
CARDSPECIFICATION7DESCRIPTIONVAR	STRING
CARDSPECIFICATION8DESCRIPTIONVAR	STRING
CARDSPECIFICATION9DESCRIPTIONVAR	STRING
CARDSPECIFICATION10DESCRIPTIONVAR	STRING
CARDLOCALSPEC1DESCRIPTIONVAR	STRING
CARDLOCALSPEC2DESCRIPTIONVAR	STRING
CARDLOCALSPEC3DESCRIPTIONVAR	STRING
CARDLOCALSPEC4DESCRIPTIONVAR	STRING
CARDLOCALSPEC5DESCRIPTIONVAR	STRING
CARDLOCALSPEC6DESCRIPTIONVAR	STRING
CARDLOCALSPEC7DESCRIPTIONVAR	STRING
CARDLOCALSPEC8DESCRIPTIONVAR	STRING
CARDLOCALSPEC9DESCRIPTIONVAR	STRING

CARDLOCALSPEC10DESCRIPTIONVAR	STRING
TABLELOCATIONDESCRIPTIONVAR	STRING
TABLEENTITYDESCRIPTIONVAR	STRING
TABLEPROJECTDESCRIPTIONVAR	STRING
TABLEPURPOSEDESCRIPTIONVAR	STRING
TABLESPECIFICATION1DESCRIPTIONVAR	STRING
TABLESPECIFICATION2DESCRIPTIONVAR	STRING
TABLESPECIFICATION3DESCRIPTIONVAR	STRING
TABLESPECIFICATION4DESCRIPTIONVAR	STRING
TABLESPECIFICATION5DESCRIPTIONVAR	STRING
TABLESPECIFICATION6DESCRIPTIONVAR	STRING
TABLESPECIFICATION7DESCRIPTIONVAR	STRING
TABLESPECIFICATION8DESCRIPTIONVAR	STRING
TABLESPECIFICATION9DESCRIPTIONVAR	STRING
TABLESPECIFICATION10DESCRIPTIONVAR	STRING
TABLELOCALSPEC1DESCRIPTIONVAR	STRING
TABLELOCALSPEC2DESCRIPTIONVAR	STRING
TABLELOCALSPEC3DESCRIPTIONVAR	STRING
TABLELOCALSPEC4DESCRIPTIONVAR	STRING
TABLELOCALSPEC5DESCRIPTIONVAR	STRING
TABLELOCALSPEC6DESCRIPTIONVAR	STRING
TABLELOCALSPEC7DESCRIPTIONVAR	STRING
TABLELOCALSPEC8DESCRIPTIONVAR	STRING
TABLELOCALSPEC9DESCRIPTIONVAR	STRING
TABLELOCALSPEC10DESCRIPTIONVAR	STRING

P DimensionCombUsage

The following cursors can be used in this printout:

DIMENSIONCOMBHEADER	DimensionCombHeader
DIMENSIONCOMBUSAGE	DimensionCombUsage

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
KEY1NAMEVAR	STRING
KEY2NAMEVAR	STRING
FromDimensionCombNumberVar	STRING
ToDimensionCombNumberVar	STRING
DimensionCombTypeVar	DimensionCombTypeType
ACCESSLEVELDESCRIPTIONVAR	STRING

P DimensionDerivation

The following cursors can be used in this printout:

DIMENSIONDERIVATION

DimensionDerivation

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

DimensionDerivationNameVar

STRING

P Entity

The following cursors can be used in this printout:

ENTITY

Entity

The following variables can be used in this printout:

IncludeDiscontinuedEntities	BOOLEAN
ToEntity	STRING
FromEntity	STRING
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
FromStatistic1	STRING
ToStatistic1	STRING
FromStatistic2	STRING
ToStatistic2	STRING
FromStatistic3	STRING
ToStatistic3	STRING
FromStatistic4	STRING
ToStatistic4	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
DIMENSIONCOMBDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING

P Entity

LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P EUVATSettlement

The following cursors can be used in this printout:

FINANCEENTRY

FinanceEntry

The following variables can be used in this printout:

ACCOUNTNUMBERPRINTED	BOOLEAN
NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromAccountNumber	STRING
ToAccountNumber	STRING
EUVATCode	EUVATtype
BALANCE	AMOUNT
FromDate	DATE
ToDate	DATE
OnlyManualEntriesVar	BOOLEAN
OnlyManualVATEntriesVar	BOOLEAN
CURRENTACCOUNTNUMBER	STRING
POPUPITEMNUMBERVAR	INTEGER
SHOWENTRY	BOOLEAN
ACCOUNTNUMBERVAR	STRING
ACCOUNTTEXT	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING

P ExternalAccount

The following cursors can be used in this printout:

EXTERNALACCOUNT	ExternalAccount
EXTERNALACCOUNTASSIGNMENT	ExternalAccountAssignment

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCompanyVar	STRING
ToCompanyVar	STRING
FromAccountVar	STRING
ToAccountVar	STRING
FromLocalAccountVar	STRING
ToLocalAccountVar	STRING
PaymentAgentVar	STRING
REMOVEDVAR1	STRING
FromRegistrationVar	STRING
ToRegistrationVar	STRING
FromBankAccountVar	STRING
ToBankAccountVar	STRING
BankReconciliationVar	BOOLEAN
COMPANYNAME1VAR	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING

FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P FinanceAllocationCombinations

The following cursors can be used in this printout:

FINANCEALLOCATIONHEADER	FinanceAllocationHeader
FINANCEALLOCATIONLINE	FinanceAllocationLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
DONTPRINTTHISVAR	BOOLEAN
AccountNumberVar	STRING
LocalAccountNumberVar	STRING
EmployeeNumberVar	STRING
FinanceVATCodeVar	STRING
FinanceVATCode2Var	STRING
FinanceVATCode3Var	STRING
ShowFinanceVar	BOOLEAN
ShowJobVar	BOOLEAN
LocationNameVar	STRING
EntityNameVar	STRING
ProjectNameVar	STRING
PurposeNameVar	STRING
Specification1NameVar	STRING
Specification2NameVar	STRING
Specification3NameVar	STRING
Specification4NameVar	STRING
Specification5NameVar	STRING
Specification6NameVar	STRING
Specification7NameVar	STRING
Specification8NameVar	STRING
Specification9NameVar	STRING
Specification10NameVar	STRING
LocalSpec1NameVar	STRING
LocalSpec2NameVar	STRING
LocalSpec3NameVar	STRING
LocalSpec4NameVar	STRING
LocalSpec5NameVar	STRING
LocalSpec6NameVar	STRING
LocalSpec7NameVar	STRING
LocalSpec8NameVar	STRING
LocalSpec9NameVar	STRING
LocalSpec10NameVar	STRING

P FinanceReport

The following cursors can be used in this printout:

FINANCEREPORT	FinanceReport
FINANCEREPORTLINE	FinanceTempReportLine
HEADERLINE	FinanceTempReportLine
FINANCETEMPREPORT	FinanceTempReport

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
PRINTHEADERVER	BOOLEAN
PRINTREPORTVAR	BOOLEAN
SHOWFORMAT1VAR	BOOLEAN
SHOWFORMAT2VAR	BOOLEAN
SHOWFORMAT3VAR	BOOLEAN
SHOWFORMAT4VAR	BOOLEAN
SHOWFORMAT5VAR	BOOLEAN
PAGEBREAKLINEVAR	BOOLEAN
TRUEVAR	BOOLEAN
LINETEXTVAR	STRING
O_LINETEXTVAR	STRING
SHOWTRANSFERREDLINEVAR	BOOLEAN
O_FORMATVAR	ReportLineFormatType
PRINTEDHEADER	BOOLEAN
CURRENTEXPANSIONNUMBERVAR	INTEGER
NEWPAGEVAR	BOOLEAN
FIELD1STRINGVALUEVAR	STRING
FIELD2STRINGVALUEVAR	STRING
FIELD3STRINGVALUEVAR	STRING
FIELD4STRINGVALUEVAR	STRING
FIELD5STRINGVALUEVAR	STRING
FIELD6STRINGVALUEVAR	STRING
FIELD7STRINGVALUEVAR	STRING
FIELD8STRINGVALUEVAR	STRING
FIELD9STRINGVALUEVAR	STRING
FIELD10STRINGVALUEVAR	STRING
FIELD11STRINGVALUEVAR	STRING
FIELD12STRINGVALUEVAR	STRING
FIELD13STRINGVALUEVAR	STRING
FIELD14STRINGVALUEVAR	STRING
FIELD15STRINGVALUEVAR	STRING
FIELD16STRINGVALUEVAR	STRING

FIELD17STRINGVALUEVAR	STRING
FIELD18STRINGVALUEVAR	STRING
FIELD19STRINGVALUEVAR	STRING
FIELD20STRINGVALUEVAR	STRING
FIELD21STRINGVALUEVAR	STRING
FIELD22STRINGVALUEVAR	STRING
FIELD23STRINGVALUEVAR	STRING
FIELD24STRINGVALUEVAR	STRING
FIELD25STRINGVALUEVAR	STRING
FIELD26STRINGVALUEVAR	STRING
FIELD27STRINGVALUEVAR	STRING
FIELD28STRINGVALUEVAR	STRING
FIELD29STRINGVALUEVAR	STRING
FIELD30STRINGVALUEVAR	STRING
FIELD31STRINGVALUEVAR	STRING
FIELD32STRINGVALUEVAR	STRING
FIELD33STRINGVALUEVAR	STRING
FIELD34STRINGVALUEVAR	STRING
FIELD35STRINGVALUEVAR	STRING
FIELD36STRINGVALUEVAR	STRING
FIELD37STRINGVALUEVAR	STRING
FIELD38STRINGVALUEVAR	STRING
FIELD39STRINGVALUEVAR	STRING
FIELD40STRINGVALUEVAR	STRING
O_FIELD1STRINGVALUEVAR	STRING
O_FIELD2STRINGVALUEVAR	STRING
O_FIELD3STRINGVALUEVAR	STRING
O_FIELD4STRINGVALUEVAR	STRING
O_FIELD5STRINGVALUEVAR	STRING
O_FIELD6STRINGVALUEVAR	STRING
O_FIELD7STRINGVALUEVAR	STRING
O_FIELD8STRINGVALUEVAR	STRING
O_FIELD9STRINGVALUEVAR	STRING
O_FIELD10STRINGVALUEVAR	STRING
O_FIELD11STRINGVALUEVAR	STRING
O_FIELD12STRINGVALUEVAR	STRING
O_FIELD13STRINGVALUEVAR	STRING
O_FIELD14STRINGVALUEVAR	STRING
O_FIELD15STRINGVALUEVAR	STRING
O_FIELD16STRINGVALUEVAR	STRING
O_FIELD17STRINGVALUEVAR	STRING
O_FIELD18STRINGVALUEVAR	STRING
O_FIELD19STRINGVALUEVAR	STRING
O_FIELD20STRINGVALUEVAR	STRING
O_FIELD21STRINGVALUEVAR	STRING
O_FIELD22STRINGVALUEVAR	STRING
O_FIELD23STRINGVALUEVAR	STRING
O_FIELD24STRINGVALUEVAR	STRING

O_FIELD25STRINGVALUEVAR	STRING
O_FIELD26STRINGVALUEVAR	STRING
O_FIELD27STRINGVALUEVAR	STRING
O_FIELD28STRINGVALUEVAR	STRING
O_FIELD29STRINGVALUEVAR	STRING
O_FIELD30STRINGVALUEVAR	STRING
O_FIELD31STRINGVALUEVAR	STRING
O_FIELD32STRINGVALUEVAR	STRING
O_FIELD33STRINGVALUEVAR	STRING
O_FIELD34STRINGVALUEVAR	STRING
O_FIELD35STRINGVALUEVAR	STRING
O_FIELD36STRINGVALUEVAR	STRING
O_FIELD37STRINGVALUEVAR	STRING
O_FIELD38STRINGVALUEVAR	STRING
O_FIELD39STRINGVALUEVAR	STRING
O_FIELD40STRINGVALUEVAR	STRING
ReportNumberVar	INTEGER
DIRECTPRINTOUTVAR	BOOLEAN
ColumnDescriptionNameVar	STRING
StandardColumnDescriptionVar	BOOLEAN
EXPANSIONNUMBERVAR	INTEGER
REPORTIDENTIFICATIONVAR	STRING
SUBREPORTNUMBERVAR	INTEGER
NOTETEXTVAR	STRING
O_NOTETEXTVAR	STRING
TargetGroupNameVar	STRING
ReprintVar	BOOLEAN
FromPeriodMonthVar	INTEGER
FromPeriodYearVar	INTEGER
ToPeriodMonthVar	INTEGER
ToPeriodYearVar	INTEGER
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromAccountNumberVar	STRING
ToAccountNumberVar	STRING
FromLocalAccountNumberVar	STRING
ToLocalAccountNumberVar	STRING
FromIntercompanyCompanyVar	STRING
ToIntercompanyCompanyVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromTaskNameVar	STRING

ToTaskNameVar	STRING
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
FromAssetNumberVar	STRING
ToAssetNumberVar	STRING
FromItemNumberVar	STRING
ToItemNumberVar	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
GlobalExchangeRateTableVar	GlobalExchangeRateTableType
EXCHANGERATETABLEVAR	ExchangeRateTableNumberType
ExchangeRateDateVar	DATE
CurrencyVar	CurrencyType
SaveOutputDataVar	BOOLEAN
PrintReportTargetGroupVar	BOOLEAN
NotifyUsersVar	BOOLEAN
NumberOfDaysToExpiryVar	INTEGER
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING

ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P FinanceReportColumns

The following cursors can be used in this printout:

FINANCEREPORT	FinanceReport
FINANCEREPORTLINE	FinanceReportLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
SHOWACCOUNTVAR	BOOLEAN
SHOWPERIODSTATISTICCODESVAR	BOOLEAN
FromReportNumberVar	INTEGER
ToReportNumberVar	INTEGER
ReportNameVar	STRING
SHOWSPECIALFIELDVAR	BOOLEAN
LEVELDESCRIPTIONVAR	STRING

P FinanceReportTargetGroup

The following cursors can be used in this printout:

FINANCEREPORTTARGETGROUP

FinanceReportTargetGroup

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FromNameVar

STRING

ToNameVar

STRING

P FinancialReports

The following cursors can be used in this printout:

REPORTINGSTRUCTURELINE

ReportingStructureLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
ReportingStructureNameVar	STRING
SumLineInstanceKeyVar	STRING
SumLineClassificationVar	STRING
SumLevelVar	INTEGER
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromAccountNumberVar	STRING
ToAccountNumberVar	STRING
FromLocalAccountNumberVar	STRING
ToLocalAccountNumberVar	STRING
FromStatistic1Var	STRING
FromStatistic2Var	STRING
FromStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic1Var	STRING
ToStatistic2Var	STRING
ToStatistic3Var	STRING
ToStatistic4Var	STRING
SelectedDepartmentVar	DepartmentNumberType
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING

FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
FromMonthVar	INTEGER
ToMonthVar	INTEGER
FromYearVar	INTEGER
ToYearVar	INTEGER
BudgetModelNameVar	STRING
BudgetVersionNumberVar	INTEGER
BudgetTypeVar	BudgetTypeType
BudgetVersionTypeVar	BudgetVersionTypeType
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
GlobalExchangeRateTableVar	GlobalExchangeRateTableType
ReportingBasisVar	ReportingCurrencyType
NumberFormatVar	NumberFormatType
IncludeHeadingsVar	BOOLEAN
IncludeDimensionLinesVar	BOOLEAN
IncludeZeroBalancesVar	BOOLEAN

IncludePageBreakVar	BOOLEAN
CompareWithBudgetVar	BOOLEAN
SHOWGROUPING1VAR	BOOLEAN
SHOWGROUPING2VAR	BOOLEAN
SHOWGROUPING3VAR	BOOLEAN
SHOWGROUPING4VAR	BOOLEAN
SHOWGROUPING5VAR	BOOLEAN
SHOWGROUPING6VAR	BOOLEAN
SHOWGROUPING7VAR	BOOLEAN
SHOWGROUPING8VAR	BOOLEAN
SHOWGROUPING9VAR	BOOLEAN
SHOWGROUPING10VAR	BOOLEAN
SHOWGROUPING11VAR	BOOLEAN
SHOWGROUPING12VAR	BOOLEAN
SHOWLINEINGROUPING1VAR	BOOLEAN
SHOWLINEINGROUPING2VAR	BOOLEAN
SHOWLINEINGROUPING3VAR	BOOLEAN
SHOWLINEINGROUPING4VAR	BOOLEAN
SHOWLINEINGROUPING5VAR	BOOLEAN
SHOWLINEINGROUPING6VAR	BOOLEAN
SHOWLINEINGROUPING7VAR	BOOLEAN
SHOWLINEINGROUPING8VAR	BOOLEAN
SHOWLINEINGROUPING9VAR	BOOLEAN
SHOWLINEINGROUPING10VAR	BOOLEAN
SHOWLINEINGROUPING11VAR	BOOLEAN
SHOWLINEINGROUPING12VAR	BOOLEAN
NOGROUPINGVAR	BOOLEAN
MOVEMENTVARIANCEPERCENTAGETOTALVAR	REAL
CLOSINGVARIANCEPERCENTAGETOTALVAR	REAL
PERIODINDEXPERCENTAGEVAR	REAL
OPENINGTOTALFIELDVAR	STRING
CLOSINGTOTALFIELDVAR	STRING
MOVEMENTTOTALFIELDVAR	STRING
MOVEMENTBUDGETTOTALFIELDVAR	STRING
PERIODDEBITTOTALFIELDVAR	STRING
PERIODCREDITTOTALFIELDVAR	STRING
MOVEMENTDEBITTOTALFIELDVAR	STRING
MOVEMENTCREDITTOTALFIELDVAR	STRING
MOVEMENTVARIANCETOTALFIELDVAR	STRING
CLOSINGBUDGETTOTALFIELDVAR	STRING
CLOSINGVARIANCETOTALFIELDVAR	STRING
OPENINGFIELDVAR	STRING
CLOSINGFIELDVAR	STRING
MOVEMENTFIELDVAR	STRING
MOVEMENTBUDGETFIELDVAR	STRING
PERIODINDEXPERCENTAGEFIELDVAR	STRING
MOVEMENTDEBITFIELDVAR	STRING
MOVEMENTCREDITFIELDVAR	STRING

CLOSINGBUDGETFIELDVAR	STRING
MOVEMENTVARIANCEFIELDVAR	STRING
MOVEMENTVARIANCEPERCENTAGEFIELDVAR	STRING
CLOSINGVARIANCEFIELDVAR	STRING
CLOSINGVARIANCEPERCENTAGEFIELDVAR	STRING
SHOWGROUPING1TOTALVAR	BOOLEAN
SHOWGROUPING2TOTALVAR	BOOLEAN
SHOWGROUPING3TOTALVAR	BOOLEAN
SHOWGROUPING4TOTALVAR	BOOLEAN
SHOWGROUPING5TOTALVAR	BOOLEAN
SHOWGROUPING6TOTALVAR	BOOLEAN
SHOWGROUPING7TOTALVAR	BOOLEAN
SHOWGROUPING8TOTALVAR	BOOLEAN
SHOWGROUPING9TOTALVAR	BOOLEAN
SHOWGROUPING10TOTALVAR	BOOLEAN
SHOWGROUPING11TOTALVAR	BOOLEAN
SHOWGROUPING12TOTALVAR	BOOLEAN
GROUPING1DESCRIPTIONVAR	STRING
GROUPING2DESCRIPTIONVAR	STRING
GROUPING3DESCRIPTIONVAR	STRING
GROUPING4DESCRIPTIONVAR	STRING
GROUPING5DESCRIPTIONVAR	STRING
GROUPING6DESCRIPTIONVAR	STRING
GROUPING7DESCRIPTIONVAR	STRING
GROUPING8DESCRIPTIONVAR	STRING
GROUPING9DESCRIPTIONVAR	STRING
GROUPING10DESCRIPTIONVAR	STRING
GROUPING11DESCRIPTIONVAR	STRING
GROUPING12DESCRIPTIONVAR	STRING
GROUPING1PAGEBREAKVAR	BOOLEAN
GROUPING2PAGEBREAKVAR	BOOLEAN
GROUPING3PAGEBREAKVAR	BOOLEAN
GROUPING4PAGEBREAKVAR	BOOLEAN
GROUPING5PAGEBREAKVAR	BOOLEAN
GROUPING6PAGEBREAKVAR	BOOLEAN
GROUPING7PAGEBREAKVAR	BOOLEAN
GROUPING8PAGEBREAKVAR	BOOLEAN
GROUPING9PAGEBREAKVAR	BOOLEAN
GROUPING10PAGEBREAKVAR	BOOLEAN
GROUPING11PAGEBREAKVAR	BOOLEAN
GROUPING12PAGEBREAKVAR	BOOLEAN
DIMENSIONDESCRIPTIONVAR	STRING
PERIODDEBITFIELDVAR	STRING
PERIODCREDITFIELDVAR	STRING
FROMDATEVAR	DATE
TODATEVAR	DATE
EXCHANGERATETABLEVAR	ExchangeRateTableNumberType
MAKEPAGEBREAKVAR	BOOLEAN

BUDGETVERSIONNUMBERSTRINGVAR	STRING
SUMLEVELSTRINGVAR	STRING
REPORTINGSTRUCTURETYPEVAR	ReportingStructureTypeType
YEARENDRESULTACCOUNTVAR	STRING
COMPARISONFIXEDTEXTVAR	STRING
ACCOUNTNUMBERVAR	STRING
LOCALACCOUNTNUMBERVAR	STRING
FROMDATELASTYEARVAR	DATE
TODATELASTYEARVAR	DATE
REPORTINGSTRUCTURETYPETITLEVAR	STRING
DIMENSIONVAR	STRING
SHOWGROUPINGTOTALVAR	BOOLEAN
SUMLINEDEPTHVAR	INTEGER

P FollowUpSelection

The following cursors can be used in this printout:

PETTYCASHACCOUNT

PettyCashAccount

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromPettyCashAccountVar	STRING
ToPettyCashAccountVar	STRING
INCLUDEPETTYCASHACCOUNTVAR	BOOLEAN
PAYMENTTYPEVAR	STRING
VENDORVAR	STRING
VENDORNAMEVAR	STRING
PAYMENTMODEVAR	STRING
AMOUNTVAR	AMOUNT
CUSTOMERVAR	STRING
CUSTOMERNAMEVAR	STRING

P GeneralJournal

The following cursors can be used in this printout:

JOURNAL	Journal
GENERALJOURNAL	GeneralJournal
POPUPITEM	PopupItem

The following variables can be used in this printout:

QUANTITYTOTAL	REAL
CREDITTOTAL	AMOUNT
DEBITTOTAL	AMOUNT
LayoutName	LayoutNameType
FirstJournal	INTEGER
LastJournal	INTEGER
COMPANYNAME	STRING
NAMEOFUSER	STRING
PAGENUMBER	INTEGER
TODAYSDATE	STRING
THETIME	STRING
NOLASTJOURNAL	BOOLEAN
SHOWEXTRALINE	BOOLEAN
OFFSETENTRYSUMVAR	AMOUNT
OFFSETENTRYBALANCEVAR	AMOUNT
QUANTITYBTOTAL	REAL
JOURNALCOMPANYNAMEVAR	STRING
GENERALJOURNALCOMPANYNAMEVAR	STRING
OFFSETENTRYSUM1VAR	AMOUNT
OFFSETENTRYSUM2VAR	AMOUNT
OFFSETENTRYSUM3VAR	AMOUNT
OFFSETENTRYSUM4VAR	AMOUNT
OFFSETENTRYSUM5VAR	AMOUNT
OFFSETENTRYBALANCE1VAR	AMOUNT
OFFSETENTRYBALANCE2VAR	AMOUNT
OFFSETENTRYBALANCE3VAR	AMOUNT
OFFSETENTRYBALANCE4VAR	AMOUNT
OFFSETENTRYBALANCE5VAR	AMOUNT
SHOWOFFSETCODE1VAR	BOOLEAN
SHOWOFFSETCODE2VAR	BOOLEAN
SHOWOFFSETCODE3VAR	BOOLEAN
SHOWOFFSETCODE4VAR	BOOLEAN
SHOWOFFSETCODE5VAR	BOOLEAN
SHOWOFFSETACCOUNT1VAR	STRING
SHOWOFFSETACCOUNT2VAR	STRING
SHOWOFFSETACCOUNT3VAR	STRING
SHOWOFFSETACCOUNT4VAR	STRING
SHOWOFFSETACCOUNT5VAR	STRING
OFFSETENTRYACCOUNTNUMBER1VAR	STRING

OFFSETENTRYACCOUNTNUMBER2VAR	STRING
OFFSETENTRYACCOUNTNUMBER3VAR	STRING
OFFSETENTRYACCOUNTNUMBER4VAR	STRING
OFFSETENTRYACCOUNTNUMBER5VAR	STRING
OFFSETENTRYLOCALACCOUNTNUMBER1VAR	STRING
OFFSETENTRYLOCALACCOUNTNUMBER2VAR	STRING
OFFSETENTRYLOCALACCOUNTNUMBER3VAR	STRING
OFFSETENTRYLOCALACCOUNTNUMBER4VAR	STRING
OFFSETENTRYLOCALACCOUNTNUMBER5VAR	STRING
SHOWTAX2	BOOLEAN
SHOWTAX3	BOOLEAN
CARDLOCATIONDESCRIPTIONVAR	STRING
CARDENTITYDESCRIPTIONVAR	STRING
CARDPROJECTDESCRIPTIONVAR	STRING
CARDPURPOSEDESCRIPTIONVAR	STRING
CARDSPECIFICATION1DESCRIPTIONVAR	STRING
CARDSPECIFICATION2DESCRIPTIONVAR	STRING
CARDSPECIFICATION3DESCRIPTIONVAR	STRING
CARDSPECIFICATION4DESCRIPTIONVAR	STRING
CARDSPECIFICATION5DESCRIPTIONVAR	STRING
CARDSPECIFICATION6DESCRIPTIONVAR	STRING
CARDSPECIFICATION7DESCRIPTIONVAR	STRING
CARDSPECIFICATION8DESCRIPTIONVAR	STRING
CARDSPECIFICATION9DESCRIPTIONVAR	STRING
CARDSPECIFICATION10DESCRIPTIONVAR	STRING
CARDLOCALSPEC1DESCRIPTIONVAR	STRING
CARDLOCALSPEC2DESCRIPTIONVAR	STRING
CARDLOCALSPEC3DESCRIPTIONVAR	STRING
CARDLOCALSPEC4DESCRIPTIONVAR	STRING
CARDLOCALSPEC5DESCRIPTIONVAR	STRING
CARDLOCALSPEC6DESCRIPTIONVAR	STRING
CARDLOCALSPEC7DESCRIPTIONVAR	STRING
CARDLOCALSPEC8DESCRIPTIONVAR	STRING
CARDLOCALSPEC9DESCRIPTIONVAR	STRING
CARDLOCALSPEC10DESCRIPTIONVAR	STRING
TABLELOCATIONDESCRIPTIONVAR	STRING
TABLEENTITYDESCRIPTIONVAR	STRING
TABLEPROJECTDESCRIPTIONVAR	STRING
TABLEPURPOSEDESCRIPTIONVAR	STRING
TABLESPECIFICATION1DESCRIPTIONVAR	STRING
TABLESPECIFICATION2DESCRIPTIONVAR	STRING
TABLESPECIFICATION3DESCRIPTIONVAR	STRING
TABLESPECIFICATION4DESCRIPTIONVAR	STRING
TABLESPECIFICATION5DESCRIPTIONVAR	STRING
TABLESPECIFICATION6DESCRIPTIONVAR	STRING
TABLESPECIFICATION7DESCRIPTIONVAR	STRING
TABLESPECIFICATION8DESCRIPTIONVAR	STRING
TABLESPECIFICATION9DESCRIPTIONVAR	STRING

TABLESPECIFICATION10DESCRIPTIONVAR	STRING
TABLELOCALSPEC1DESCRIPTIONVAR	STRING
TABLELOCALSPEC2DESCRIPTIONVAR	STRING
TABLELOCALSPEC3DESCRIPTIONVAR	STRING
TABLELOCALSPEC4DESCRIPTIONVAR	STRING
TABLELOCALSPEC5DESCRIPTIONVAR	STRING
TABLELOCALSPEC6DESCRIPTIONVAR	STRING
TABLELOCALSPEC7DESCRIPTIONVAR	STRING
TABLELOCALSPEC8DESCRIPTIONVAR	STRING
TABLELOCALSPEC9DESCRIPTIONVAR	STRING
TABLELOCALSPEC10DESCRIPTIONVAR	STRING

P IntercompanyInterestNote

The following cursors can be used in this printout:

INTCOMPINTERESTNOTE	IntcompInterestNote
INTCOMPINTERESTCALCSPECIFICATION	IntcompInterestCalcSpecification

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromExecutingCompanyNumberVar	STRING
ToExecutingCompanyNumberVar	STRING
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
COMPANYINFORMATIONLINEVAR	STRING
CURRENCYVAR	CurrencyType
ADDRESS1VAR	STRING
ADDRESS2VAR	STRING
ADDRESS3VAR	STRING
ADDRESS4VAR	STRING
ADDRESS5VAR	STRING
ADDRESS6VAR	STRING
ADDRESS7VAR	STRING
ADDRESS8VAR	STRING
COMPANYNAME1VAR	STRING
COMPANYNAME2VAR	STRING
COMPANYNAME3VAR	STRING
COMPANYNAME4VAR	STRING
COMPANYNAME5VAR	STRING
COMPANYZIPCODEVAR	STRING
COMPANYPOSTALDISTRICTVAR	STRING
COMPANYCOUNTRYVAR	CountryType
COMPANYADDRESS1VAR	STRING
COMPANYADDRESS2VAR	STRING
COMPANYADDRESS3VAR	STRING
COMPANYADDRESS4VAR	STRING
COMPANYADDRESS5VAR	STRING
COMPANYADDRESS6VAR	STRING
COMPANYADDRESS7VAR	STRING
COMPANYADDRESS8VAR	STRING
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING

COMPANYTELEXVAR	STRING
COMPANYGIRONUMBERVAR	STRING
COMPANYBANKACCOUNTNUMBERVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYVATNUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING
COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING
EXTACCOUNTREGNUMBERVAR	STRING
EXTACCOUNTACCOUNTNUMBERVAR	STRING
EXTACCOUNTDESCRIPTIONVAR	STRING
EXTACCOUNTIBANACCOUNTNUMBERVAR	STRING
EXTACCOUNTSWIFTCODEVAR	STRING
EXTACCOUNTTEXT1VAR	STRING
EXTACCOUNTTEXT2VAR	STRING
EXTACCOUNTTEXT3VAR	STRING
PAYMENTAGENTNAMEVAR	STRING
PAYMENTAGENTBANKADDRESS1VAR	STRING
PAYMENTAGENTBANKADDRESS2VAR	STRING
PAYMENTAGENTBANKADDRESS3VAR	STRING
PAYMENTAGENTBANKADDRESS4VAR	STRING
FORMATTEDPAYERIDVAR	STRING
ENTRYTEXTVAR	STRING
DOLLARAMOUNTVAR	STRING
CENTAMOUNTVAR	STRING
DOLLARAMOUNTWITHOUTSEPARATINGCHARVAR	STRING
TEXTRECONCILIATIONVAR	STRING
AMOUNTINCENTVAR	STRING
CONTROLDIGITSVAR	STRING
FORMATTEDINTERESTBASERESPONSIBLEVAR	STRING
ENTRYDATEVAR	DATE

P IntercompanyInterestNote

POSTINGDATEVAR	DATE
TRANSACTIONNUMBERVAR	INTEGER
INTERCOMPANYENTRYTEXTVAR	STRING
BASISAMOUNTBASEVAR	AMOUNT
BASISAMOUNTCURRENCYVAR	AMOUNT
BASISAMOUNTENTERPRISEVAR	AMOUNT
INTERESTAMOUNTBASEVAR	AMOUNT
INTERESTAMOUNTENTERPRISEVAR	AMOUNT
INTERCOMPANYENTRYCURRENCYVAR	CurrencyType
INTERCOMPANYTYPEVAR	IntercompanyTypeType
JOURNALTYPE	JournalTypeType

P IntercompanyInvoiceDetails

The following cursors can be used in this printout:

INVOICE	Invoice
INTERCOMPANYENTRY	IntercompanyEntry

The following variables can be used in this printout:

FromInvoiceNumberVar	INTEGER
ToInvoiceNumberVar	INTEGER
FromInvoiceDateVar	DATE
ToInvoiceDateVar	DATE
FromExecutingCompanyNumberVar	STRING
ToExecutingCompanyNumberVar	STRING
IntercompanyTypeVar	IntercompanyTypeType
FromEntryDateVar	DATE
ToEntryDateVar	DATE
FromResponsibleCompanyNumberVar	STRING
ToResponsibleCompanyNumberVar	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromTaskNameVar	STRING
ToTaskNameVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromAssetNumberVar	STRING
ToAssetNumberVar	STRING
FromItemNumberVar	STRING
ToItemNumberVar	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING

P IntercompanyInvoiceDetails

ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
COMPANYNAME1VAR	STRING
COMPANYNAME2VAR	STRING
COMPANYNAME3VAR	STRING
COMPANYNAME4VAR	STRING
COMPANYNAME5VAR	STRING
COMPANYZIPCODEVAR	STRING
COMPANYPOSTALDISTRICTVAR	STRING
COMPANYCOUNTRYVAR	CountryType
AMOUNTBASEEXECUTINGINTARGETGROUPVAR	AMOUNT
RESPONSIBLECOMPANYNAMEVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING

P IntercompanyInvoiceDetails

PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING
JOBNAMEVAR	STRING
EMPLOYEEENAMEVAR	STRING
ACTIVITYTEXTVAR	STRING
TASKDESCRIPTIONVAR	STRING
CUSTOMERNAMEVAR	STRING
VENDORNAMEVAR	STRING
ASSETNAMEVAR	STRING
ITEMTEXTVAR	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
NAMEOFUSER	STRING
PAGENUMBER	INTEGER
TODAYSDATE	STRING
THETIME	STRING

P LocalAccountStatement

The following cursors can be used in this printout:

LOCALACCOUNT	LocalAccount
FINANCEENTRY	FinanceEntry

The following variables can be used in this printout:

CREDITFIELD	STRING
DEBITFIELD	STRING
VAT	AMOUNT
LayoutName	LayoutNameType
FirstAccount	STRING
LastAccount	STRING
FirstYear	INTEGER
FirstMonth	INTEGER
LastYear	INTEGER
LastMonth	INTEGER
StartingDate	DATE
EndingDate	DATE
PERIODINDEXCLOSING	INTEGER
BALANCE	STRING
NAMEOFUSER	STRING
PAGENUMBER	INTEGER
TODAYSDATE	STRING
THETIME	STRING
COMPANYNAME	STRING
SelectedDepartment	DepartmentNumberType
FirstStatistic1	STRING
FirstStatistic2	STRING
FirstStatistic3	STRING
FirstStatistic4	STRING
LastStatistic1	STRING
LastStatistic2	STRING
LastStatistic3	STRING
LastStatistic4	STRING
NOSTATISTICCODE	BOOLEAN
NODEPARTMENT	BOOLEAN
IncludeZeroAccounts	BOOLEAN
IncludeDimensions	BOOLEAN
SHOWDIMENSIONS	BOOLEAN
PERIODINDEXOPENING	INTEGER
FISCALYEARCLOSING	DATE
FISCALYEAROPENING	DATE
MOVEMENT	AMOUNT
IncludeOpening	BOOLEAN
FIRSTDAYINPERIOD	DATE
TRANSFERREDBALANCEVAR	STRING

FromCompany	STRING
ToCompany	STRING
FromLocalAccountNumberVar	STRING
ToLocalAccountNumberVar	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING

FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
OPENINGBALANCECURRENCYVAR	AMOUNT
CLOSINGBALANCECURRENCYVAR	AMOUNT
RUNNINGBALANCECURRENCYVAR	AMOUNT
STARTINGDATEMIDPERIODVAR	BOOLEAN
OPENINGBALANCEENTERPRISEVAR	AMOUNT
RUNNINGBALANCEENTERPRISEVAR	AMOUNT
OPENINGQUANTITYAVAR	REAL
OPENINGQUANTITYBVAR	REAL
RUNNINGQUANTITYAVAR	REAL
RUNNINGQUANTITYBVAR	REAL
RATIOVATVAR	AMOUNT
CLOSINGBALANCEENTERPRISEVAR	AMOUNT
CLOSINGQUANTITYAVAR	REAL
CLOSINGQUANTITYBVAR	REAL
HAVECOMMONBASECURRENCYVAR	BOOLEAN
ExchangeRateDateVar	DATE
ReportingCurrencyVar	CurrencyType
RUNNINGBALANCEBASEVAR	AMOUNT
OPENINGBALANCEBASEVAR	AMOUNT
RUNNINGBALANCEINREPORTINGVAR	AMOUNT
TRANSFERREDBALANCEINCURRENCYVAR	AMOUNT
TRANSFERREDBALANCEINENTERPRISEVAR	AMOUNT
TRANSFERREDBALANCEINBASEVAR	AMOUNT
VATSETTLEMENTTYPEVAR	VATSettlementTypeType
VATCODE1VAR	STRING
VAT1RATEVAR	REAL
VATREPORTINGUNIT1VAR	STRING
VATSETTLEMENT1APPROVEDDATEVAR	DATE
VAT1CURRENCYVAR	AMOUNT
VAT1BASEVAR	AMOUNT
VAT1ENTERPRISEVAR	AMOUNT
VATCODE2VAR	STRING
VAT2RATEVAR	REAL
VATREPORTINGUNIT2VAR	STRING
VATSETTLEMENT2APPROVEDDATEVAR	DATE
VAT2CURRENCYVAR	AMOUNT
VAT2BASEVAR	AMOUNT
VAT2ENTERPRISEVAR	AMOUNT
VATCODE3VAR	STRING
VAT3RATEVAR	REAL
VATREPORTINGUNIT3VAR	STRING
VATSETTLEMENT3APPROVEDDATEVAR	DATE
VAT3CURRENCYVAR	AMOUNT

P LocalAccountStatement

VAT3BASEVAR
VAT3ENTERPRISEVAR

AMOUNT
AMOUNT

P LocalSpec1

The following cursors can be used in this printout:

LOCALSPEC1HEADER	LocalSpec1Header
LOCALSPEC1LINE	LocalSpec1Line

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
IncludeDiscontinuedLines	BOOLEAN
FromListName	STRING
ToListName	STRING
DIMENSIONCOMBDESCRIPTIONVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
ACCESSLEVELDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P LocalSpec2

The following cursors can be used in this printout:

LOCALSPEC2HEADER	LocalSpec2Header
LOCALSPEC2LINE	LocalSpec2Line

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
IncludeDiscontinuedLines	BOOLEAN
FromListName	STRING
ToListName	STRING
DIMENSIONCOMBDESCRIPTIONVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
ACCESSLEVELDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P LocalSpec3

The following cursors can be used in this printout:

LOCALSPEC3HEADER	LocalSpec3Header
LOCALSPEC3LINE	LocalSpec3Line

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
IncludeDiscontinuedLines	BOOLEAN
FromListName	STRING
ToListName	STRING
DIMENSIONCOMBDESCRIPTIONVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
ACCESSLEVELDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P Location

The following cursors can be used in this printout:

LOCATION	Location
----------	----------

The following variables can be used in this printout:

IncludeDiscontinuedLocations	BOOLEAN
ToLocation	STRING
FromLocation	STRING
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
FromStatistic1	STRING
ToStatistic1	STRING
FromStatistic2	STRING
ToStatistic2	STRING
FromStatistic3	STRING
ToStatistic3	STRING
FromStatistic4	STRING
ToStatistic4	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
DIMENSIONCOMBDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING

P Location

LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P MainLedger

The following cursors can be used in this printout:

ACCOUNT	Account
FINANCEENTRY	FinanceEntry
FINANCEENTRYJ	FinanceEntry

The following variables can be used in this printout:

PageBreakAtNewAccount	BOOLEAN
CREDITFIELD	STRING
DEBITFIELD	STRING
BALANCE	AMOUNT
VAT	AMOUNT
DEBITBASEVAR	AMOUNT
CREDITBASEVAR	AMOUNT
VATBASEVAR	AMOUNT
DEBITAMOUNTVAR	AMOUNT
CREDITAMOUNTVAR	AMOUNT
SHOWDIMENSIONS	BOOLEAN
IncludeDimensions	BOOLEAN
IncludeZeroAccounts	BOOLEAN
ENDINGDATE	DATE
STARTINGDATE	DATE
LastMonth	INTEGER
LastYear	INTEGER
FirstMonth	INTEGER
FirstYear	INTEGER
NODEPARTMENT	BOOLEAN
NOSTATISTICCODE	BOOLEAN
LastStatistic4	STRING
LastStatistic3	STRING
LastStatistic2	STRING
LastStatistic1	STRING
FirstStatistic4	STRING
FirstStatistic3	STRING
FirstStatistic2	STRING
FirstStatistic1	STRING
SelectedDepartment	DepartmentNumberType
LastAccount	STRING
FirstAccount	STRING
FromLocalAccountNumberVar	STRING
ToLocalAccountNumberVar	STRING
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType

NAMEOFUSER	STRING
NEWPAGE	BOOLEAN
ACCOUNTINCLUDED	BOOLEAN
POSTINGDATEVAR	DATE
POSTEDBYVAR	STRING
DEBITSUMVAR	AMOUNT
CREDITSUMVAR	AMOUNT
JOURNALNUMBERVAR	INTEGER
PERIODINDEXOPENING	INTEGER
PERIODINDEXCLOSING	INTEGER
FISCALYEAROPENING	DATE
FISCALYEARCLOSING	DATE
FromCompany	STRING
ToCompany	STRING
ReportingCurrencyVar	CurrencyType
COMPANYCURRENCYVAR	CurrencyType
ExchangeRateDateVar	DATE
COMPANYNAMEVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING

P MainLedger

ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
VATSETTLEMENTTYPEVAR	VATSettlementTypeType
VATCODE1VAR	STRING
VAT1RATEVAR	REAL
VATREPORTINGUNIT1VAR	STRING
VATSETTLEMENT1APPROVEDDATEVAR	DATE

P MainLedger

VAT1CURRENCYVAR	AMOUNT
VAT1BASEVAR	AMOUNT
VAT1ENTERPRISEVAR	AMOUNT
VATCODE2VAR	STRING
VAT2RATEVAR	REAL
VATREPORTINGUNIT2VAR	STRING
VATSETTLEMENT2APPROVEDDATEVAR	DATE
VAT2CURRENCYVAR	AMOUNT
VAT2BASEVAR	AMOUNT
VAT2ENTERPRISEVAR	AMOUNT
VATCODE3VAR	STRING
VAT3RATEVAR	REAL
VATREPORTINGUNIT3VAR	STRING
VATSETTLEMENT3APPROVEDDATEVAR	DATE
VAT3CURRENCYVAR	AMOUNT
VAT3BASEVAR	AMOUNT
VAT3ENTERPRISEVAR	AMOUNT

P OpenFinanceEntries

The following cursors can be used in this printout:

ACCOUNT	Account
FINANCEENTRY	FinanceEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromAccountNumber	STRING
ToAccountNumber	STRING
FromStatistic1	STRING
ToStatistic1	STRING
FromStatistic2	STRING
ToStatistic2	STRING
FromStatistic3	STRING
ToStatistic3	STRING
FromStatistic4	STRING
ToStatistic4	STRING
ToTransactionNumberVar	INTEGER
FromTransactionNumberVar	INTEGER
ToEntryDateVar	DATE
FromEntryDateVar	DATE
ToCompanyNumberVar	STRING
FromCompanyNumberVar	STRING
Department	DepartmentNumberType
IncludeZeroAccounts	BOOLEAN
COMPANYNAMEVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
COMPANYCURRENCYVAR	CurrencyType
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING

SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING

P OpenFinanceEntries

FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
BALANCEBASEVAR	AMOUNT
BALANCEDEBITBASEVAR	AMOUNT
BALANCECREDITBASEVAR	AMOUNT
BALANCECURRENCYVAR	AMOUNT
BALANCEDEBITCURRENCYVAR	AMOUNT
BALANCECREDITCURRENCYVAR	AMOUNT
BALANCEENTERPRISEVAR	AMOUNT
BALANCEDEBITENTERPRISEVAR	AMOUNT
BALANCECREDITENTERPRISEVAR	AMOUNT
BALANCEQUANTITYVAR	REAL
BALANCEQUANTITYBVAR	REAL

P PettyCashAccount

The following cursors can be used in this printout:

PETTYCASHACCOUNT
BANKRECONCILIATIONHEADER

PettyCashAccount
BankReconciliationHeader

The following variables can be used in this printout:

NAMEOFUSER
LayoutName
COMPANYNAME
TODAYSDATE
THETIME
PAGENUMBER
FromPettyCashAccountVar
ToPettyCashAccountVar
POSTEDBALANCEVAR
APPROVEDBALANCEVAR
POSTEDBALANCELINEVAR
BEINGFOLLOWEDUPVAR
CURRENCYVAR

STRING
LayoutNameType
STRING
STRING
STRING
INTEGER
STRING
STRING
AMOUNT
AMOUNT
AMOUNT
BOOLEAN
CurrencyType

P PostingJournal

The following cursors can be used in this printout:

JOURNAL	Journal
FINANCEENTRY	FinanceEntry
CUSTOMERENTRY	CustomerEntry
VENDORENTRY	VendorEntry
JOBNTRY	JobEntry
FINANCEENTRYSUM	FinanceEntry
INTERCOMPANYJOURNAL	Journal

The following variables can be used in this printout:

OnlyPostEntries	BOOLEAN
SHOWFINANCEENTRIES	BOOLEAN
VENDORNAME	STRING
AMOUNTBASE	AMOUNT
INCLUDEJOB	BOOLEAN
INCLUDEVENDOR	BOOLEAN
INCLUDECUSTOMER	BOOLEAN
CUSTOMERNAME	STRING
FirstJournal	INTEGER
LastJournal	INTEGER
COMPANYOFGJOURNALNUMBERVAR	INTEGER
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
VAT	AMOUNT
LayoutName	LayoutNameType
COMPANYNAME	STRING
NAMEOFUSER	STRING
PAGENUMBER	INTEGER
TODAYSDATE	STRING
BASESUM	AMOUNT
DEBITSUM	AMOUNT
CREDITSUM	AMOUNT
VATSUM	AMOUNT
THETIME	STRING
SumsToBeIncluded	BOOLEAN
DEBITACCOUNTSUM	AMOUNT
CREDITACCOUNTSUM	AMOUNT
VATAccountSUM	AMOUNT
Reprint	BOOLEAN
COSTPRICEREGSUMVAR	AMOUNT
BILLINGPRICEREGBASESUMVAR	AMOUNT
COMPANYNAME1VAR	STRING
PostGeneralVar	BOOLEAN
PostCommissionVar	BOOLEAN
PostInvoiceVar	BOOLEAN

PostJobInvoiceAllocationVar	BOOLEAN
PostItemVar	BOOLEAN
PostCustomerReconciliationVar	BOOLEAN
PostInterestNoteVar	BOOLEAN
PostReminderLetterVar	BOOLEAN
PostCollectionVar	BOOLEAN
PostVendorVar	BOOLEAN
PostVendorInvoiceVar	BOOLEAN
PostIntercompanyVendorInvoiceVar	BOOLEAN
PostIntercompanyInterestNoteVar	BOOLEAN
PostIntercompanyGroupingVar	BOOLEAN
PostCustomerAccrualVar	BOOLEAN
PostJobVar	BOOLEAN
PostTransferVar	BOOLEAN
PostAssetVar	BOOLEAN
PostAssetDepreciationVar	BOOLEAN
PostAssetSaleVar	BOOLEAN
PostAssetInternalSaleVar	BOOLEAN
PostAssetRelocationVar	BOOLEAN
PostAssetTransferVar	BOOLEAN
PostAssetAcquisitionVar	BOOLEAN
PostCustomerPaymentAutomaticallyVar	BOOLEAN
PostBankReconciliationVar	BOOLEAN
PostJobReallocationVar	BOOLEAN
PostJobFixedPriceInclusionVar	BOOLEAN
PostJobTransferVar	BOOLEAN
PostPaymentVar	BOOLEAN
PostTimeSheetVar	BOOLEAN
PostRoyaltyVar	BOOLEAN
PostExpenseSheetVar	BOOLEAN
PostMileageSheetVar	BOOLEAN
PostJobAccrualVar	BOOLEAN
PostFollowUpSelectionVar	BOOLEAN
PostJobItemVar	BOOLEAN
FinanceReallocation	BOOLEAN
PostImportVar	BOOLEAN
PostJobRevenueRecognitionVar	BOOLEAN
PostIngoingCustomerPaymentVar	BOOLEAN
PostVATSettlementVar	BOOLEAN
PostUnrealizedExchangeRateVarianceVar	BOOLEAN
PostGrossPayVar	BOOLEAN
FromCompanyVar	STRING
ToCompanyVar	STRING
ACCOUNTNUMBERVAR	STRING
LOCALACCOUNTNUMBERVAR	STRING
COMPANYNAMEVAR	STRING
PAGEBREAKVAR	BOOLEAN
EXISTSINTERCOMPANYJOURNALVAR	BOOLEAN

PrintNonprintedJournalVar	BOOLEAN
JOURNALNUMBERVAR	INTEGER
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING
VATSETTLEMENTTYPEVAR	VATSettlementTypeType
VATCODE1VAR	STRING
VAT1RATEVAR	REAL
VATREPORTINGUNIT1VAR	STRING
VATSETTLEMENT1APPROVEDDATEVAR	DATE
VAT1CURRENCYVAR	AMOUNT
VAT1BASEVAR	AMOUNT
VAT1ENTERPRISEVAR	AMOUNT
VATCODE2VAR	STRING
VAT2RATEVAR	REAL
VATREPORTINGUNIT2VAR	STRING
VATSETTLEMENT2APPROVEDDATEVAR	DATE
VAT2CURRENCYVAR	AMOUNT
VAT2BASEVAR	AMOUNT
VAT2ENTERPRISEVAR	AMOUNT
VATCODE3VAR	STRING
VAT3RATEVAR	REAL
VATREPORTINGUNIT3VAR	STRING
VATSETTLEMENT3APPROVEDDATEVAR	DATE
VAT3CURRENCYVAR	AMOUNT
VAT3BASEVAR	AMOUNT
VAT3ENTERPRISEVAR	AMOUNT

P PriceArea

The following cursors can be used in this printout:

REMOVED1	PriceAreaLine
PRICEAREAHEADER	PriceAreaHeader
PRICEAREALINE	PriceAreaLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
AccountVar	STRING
LocalAccountVar	STRING
CompanyNumberVar	STRING
FromPriceAreaVar	STRING
ToPriceAreaVar	STRING
LocationNameVar	STRING
EntityNameVar	STRING
ProjectNameVar	STRING
PurposeNameVar	STRING
Specification1NameVar	STRING
Specification2NameVar	STRING
Specification3NameVar	STRING
Specification4NameVar	STRING
Specification5NameVar	STRING
Specification6NameVar	STRING
Specification7NameVar	STRING
Specification8NameVar	STRING
Specification9NameVar	STRING
Specification10NameVar	STRING
LocalSpec1NameVar	STRING
LocalSpec2NameVar	STRING
LocalSpec3NameVar	STRING
LocalSpec4NameVar	STRING
LocalSpec5NameVar	STRING
LocalSpec6NameVar	STRING
LocalSpec7NameVar	STRING
LocalSpec8NameVar	STRING
LocalSpec9NameVar	STRING
LocalSpec10NameVar	STRING

P PriceRegister

The following cursors can be used in this printout:

PRICEREGISTERHEADER	PriceRegisterHeader
REMOVED1	PriceRegisterLine
PRICEAREALINE	PriceAreaLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromPriceRegisterVar	STRING
ToPriceRegisterVar	STRING
PRICEINDEXVAR	REAL

P Project

The following cursors can be used in this printout:

PROJECT

Project

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromProject	STRING
ToProject	STRING
IncludeDiscontinuedProjects	BOOLEAN
FromStatistic1	STRING
ToStatistic1	STRING
FromStatistic2	STRING
ToStatistic2	STRING
FromStatistic3	STRING
ToStatistic3	STRING
FromStatistic4	STRING
ToStatistic4	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
DIMENSIONCOMBDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING

P Project

LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P Purpose

The following cursors can be used in this printout:

PURPOSE

Purpose

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
IncludeBlockedCompany	BOOLEAN
ToPurpose	STRING
FromPurpose	STRING
FromStatistic1	STRING
ToStatistic1	STRING
FromStatistic2	STRING
ToStatistic2	STRING
FromStatistic3	STRING
ToStatistic3	STRING
FromStatistic4	STRING
ToStatistic4	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
DIMENSIONCOMBDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING

P Purpose

LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P RegistrationCodes

The following cursors can be used in this printout:

REGISTRATIONCODEHEADER	RegistrationCodeHeader
REGISTRATIONCODELINE	RegistrationCodeLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromRegistrationCode	STRING
ToRegistrationCode	STRING
FROMREGISTRATIONLIST	STRING
TOREGISTRATIONLIST	STRING
COMPANYNAMEVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P Specification1

The following cursors can be used in this printout:

SPECIFICATION1

Specification1

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
IncludeBlockedVar	BOOLEAN
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
COMPANYNAMEVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
DIMENSIONCOMBDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING

P Specification1

LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P Specification2

The following cursors can be used in this printout:

SPECIFICATION2

Specification2

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
IncludeBlockedVar	BOOLEAN
ToSpecification2NameVar	STRING
FromSpecification2NameVar	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
COMPANYNAMEVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
DIMENSIONCOMBDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING

P Specification2

LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P Specification3

The following cursors can be used in this printout:

SPECIFICATION3

Specification3

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
IncludeBlockedVar	BOOLEAN
ToSpecification3NameVar	STRING
FromSpecification3NameVar	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
COMPANYNAMEVAR	STRING
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
DIMENSIONCOMBDESCRIPTIONVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING

P Specification3

LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P Transaction

The following cursors can be used in this printout:

FINANCEENTRY

FinanceEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromTransactionNumber	INTEGER
ToTransactionNumber	INTEGER
PREVIOUS TRANSACTIONNUMBERVAR	INTEGER
NEWTRANSACTIONNUMBERVAR	BOOLEAN
ACCOUNTTEXTVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
FromEntryDateVar	DATE
ToEntryDateVar	DATE
FromAccountNumberVar	STRING
ToAccountNumberVar	STRING
FromLocalAccountNumberVar	STRING
ToLocalAccountNumberVar	STRING
REMOVED1VAR	CurrencyType
FromCompanyVar	STRING
ToCompanyVar	STRING
DATASENDERVAR	STRING
DELIVERYNUMBERVAR	STRING
VATSETTLEMENTTYPEVAR	VATSettlementTypeType
VATCODE1VAR	STRING
VAT1RATEVAR	REAL
VATREPORTINGUNIT1VAR	STRING
VATSETTLEMENT1APPROVEDDATEVAR	DATE
VAT1CURRENCYVAR	AMOUNT
VAT1BASEVAR	AMOUNT
VAT1ENTERPRISEVAR	AMOUNT
VATCODE2VAR	STRING
VAT2RATEVAR	REAL
VATREPORTINGUNIT2VAR	STRING
VATSETTLEMENT2APPROVEDDATEVAR	DATE
VAT2CURRENCYVAR	AMOUNT
VAT2BASEVAR	AMOUNT
VAT2ENTERPRISEVAR	AMOUNT
VATCODE3VAR	STRING
VAT3RATEVAR	REAL
VATREPORTINGUNIT3VAR	STRING

P Transaction

VATSETTLEMENT3APPROVEDDATEVAR	DATE
VAT3CURRENCYVAR	AMOUNT
VAT3BASEVAR	AMOUNT
VAT3ENTERPRISEVAR	AMOUNT
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING

P Transaction

FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P VATReport

The following cursors can be used in this printout:

VATREPORTINGUNIT	VATReportingUnit
VATREPORTPERIOD	VATReportPeriod

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
MonthVar	INTEGER
YearVar	INTEGER
PERIODVAR	DATE
FIELDNAMEVAR	STRING
FromVATReportingUnitVar	STRING
ToVATReportingUnitVar	STRING

P VATReportField

The following cursors can be used in this printout:

VATCODEFIELD

VATCodeField

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FromFieldNumberVar

STRING

ToFieldNumberVar

STRING

P VATReportingUnit

The following cursors can be used in this printout:

VATREPORTINGUNIT	VATReportingUnit
VATREPORTINGACCOUNTREFERENCES	VATReportingAccountReferences

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromVATReportingUnitVar	STRING
ToVATReportingUnitVar	STRING
DESCRIPTIONVAR	STRING

P VATReportSpecification

The following cursors can be used in this printout:

VATREPORTSPECIFICATION

VATReportSpecification

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

VATDirectionVar

SerialNumberImportttypeType

REMOVEDVAR

STRING

P VATSettlement

The following cursors can be used in this printout:

FINANCEENTRY

FinanceEntry

The following variables can be used in this printout:

ACCOUNTNUMBERPRINTEDVAR	BOOLEAN
NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromAccountNumberVar	STRING
ToAccountNumberVar	STRING
FromLocalAccountNumberVar	STRING
ToLocalAccountNumberVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromDateVar	DATE
ToDateVar	DATE
IncludeOnlyVaryingEntriesVar	BOOLEAN
IncludeOnlyManualEntriesVar	BOOLEAN
CURRENTACCOUNTNUMBERVAR	STRING
SHOWENTRYVAR	BOOLEAN
ACCOUNTNUMBERVAR	STRING
ACCOUNTTEXTVAR	STRING
SelectedVATNatureVar	VATNatureType
SelectedVATTypeVar	VATTypeType
INCLUDEONLYMANUALVATENTRIESVAR	BOOLEAN
STANDARDVATTYPEVAR	VATTypeType
STANDARDVATNATUREVAR	VATNatureType
SHOWVARYINGVATINFORMATIONVAR	BOOLEAN
ACCOUNTVATTYPEVAR	VATTypeType
ACCOUNTVATNATUREVAR	VATNatureType
DEBITTOTALVAR	AMOUNT
CREDITTOTALVAR	AMOUNT

P VATSpecification

The following cursors can be used in this printout:

VATINFORMATION	VATInformation
VATCALCULATION	VATCalculation
VATSPECIFICATION	VATSpecificationLine
VATTYPECODE	PopupItem

The following variables can be used in this printout:

LayoutName	LayoutNameType
SHOWENTRY	BOOLEAN
ENDINGDATE	DATE
STARTINGDATE	DATE
COMPANYNAME	STRING
NAMEOFUSER	STRING
PAGENUMBER	INTEGER
TODAYSDATE	STRING
THETIME	STRING
REGISTRATIONNUMBERVAR	STRING
SETTLEMENTFIXEDTEXT	STRING
MOVEMENTVAR	AMOUNT
MOVEMENTBASISVAR	AMOUNT
TAXESTOTALVAR	AMOUNT
TAXALLOWANCETOTALVAR	AMOUNT
SETTLEMENTAMOUNT	AMOUNT
ShowVATSpecificationVar	BOOLEAN
NONVATEXEMPTSALESLEVEL1VAR	AMOUNT
NOTSUBJECTTOVATSALESLEVEL1VAR	AMOUNT
NONVATEXEMPTSALESLEVEL2VAR	AMOUNT
NOTSUBJECTTOVATSALESLEVEL2VAR	AMOUNT
NONVATEXEMPTSALESLEVEL3VAR	AMOUNT
NOTSUBJECTTOVATSALESLEVEL3VAR	AMOUNT
FromNameVar	STRING
ToNameVar	STRING
FromYearVar	INTEGER
FromMonthVar	INTEGER
ToYearVar	INTEGER
ToMonthVar	INTEGER
CreateIndications	BOOLEAN
ApproveIndications	BOOLEAN
TAXDESCRIPTIONVAR	STRING
VATTYPEREMARKVAR	STRING
NEGATIVEMOVEMENTVATVAR	AMOUNT
NEGATIVEMOVEMENTBASISVAR	AMOUNT
CURRENCYVAR	CurrencyType
EntryDateVar	DATE

YearEndClosing

The following cursors can be used in this printout:

CLOSINGVOUCHER	ClosingVoucher
ACCOUNTCLOSINGENTRY	ClosingEntry
LOCALACCOUNTCLOSINGENTRY	ClosingEntry

The following variables can be used in this printout:

PRINTTHISVAR	BOOLEAN
ACCOUNTTEXT	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
FROMSELECTEDYEARCLOSEVAR	STRING
SelectedFiscalYearVar	DATE
LASTFISCALYEARVAR	DATE
PAGENUMBER	INTEGER
TODAYSDATE	STRING
THETIME	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
NAMEOFUSER	STRING
NETRESULT	AMOUNT
DEBITFIELD	STRING
CREDITFIELD	STRING
SUMCREDIT	AMOUNT
SUMDEBIT	AMOUNT
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
DoYearEndResultVar	BOOLEAN
TOSELECTEDYEARCLOSEVAR	STRING
COMPANYNAMEVAR	STRING
PRINTACCOUNTVAR	BOOLEAN
PRINTLOCALACCOUNTVAR	BOOLEAN

UpdateItemReservations

The following cursors can be used in this printout:

SESSIONTEMPORAL1	Temporal1
STATUSTEMPORAL1	Temporal1
ERRORTEMPORAL1	Temporal1
ERRORORDERLINE	OrderLine
ERRORBACKORDERLINE	OrderLine
ERRORITEMPURCHASELINE	ItemPurchaseLine
ERRORITEM	ItemInformation

The following variables can be used in this printout:

NAMEOFUSER	STRING
LAYOUTNAME	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
InventoryNumberVar	InventoryNumberType
FromItemNumberVar	STRING
ToItemNumberVar	STRING
FromDeliveryDateVar	DATE
ToDeliveryDateVar	DATE
FromOrderNumberVar	INTEGER
ToOrderNumberVar	INTEGER
FromItemPurchaseOrderNumberVar	INTEGER
ToItemPurchaseOrderNumberVar	INTEGER
UpdateItemReservationVar	BOOLEAN
SplitOrderLineVar	BOOLEAN
AssignToConsignmentVar	BOOLEAN
ReactivateOrderLineVar	BOOLEAN
FromItemPurchaseOrdersVar	BOOLEAN
ShouldQuotesBeIncludedVar	BOOLEAN
INCLUDEQUOTATIONSVAR	BOOLEAN
INCLUDEONLYORDERSWITHDESTINATIONVAR	BOOLEAN
INCLUDESUBSCRIPTIONORDERSVAR	BOOLEAN
INCLUDEONLYBLOCKEDLINESVAR	BOOLEAN
SESSIONNUMBERVAR	INTEGER
AllowPartialUpdatingVar	BOOLEAN
RemoveLogVar	BOOLEAN
EXECUTEDITEMRESERVATIONFROMITEMPURCHASEHEADERVAR	BOOLEAN
EXECUTEDITEMRESERVATIONFROMITEMVAR	BOOLEAN
EXECUTEDSPLITORDERLINEVAR	BOOLEAN
EXECUTEDASSIGNTOCONSIGNMENTVAR	BOOLEAN
EXECUTEDREACTIVATEORDERLINEVAR	BOOLEAN
EXECUTEDREACTIVATEBACKORDERLINEVAR	BOOLEAN
DONEDISTRIBUTEBACKORDERSVAR	BOOLEAN

UpdateItemReservations

EXISTSErrorOrderLineVar	BOOLEAN
EXISTSErrorBackOrderLineVar	BOOLEAN
EXISTSErrorItemPurchaseLineVar	BOOLEAN
EXISTSErrorItemVar	BOOLEAN

ChangeInPriceLists

The following cursors can be used in this printout:

The following variables can be used in this printout:

Usage1Var	PriceListUseType
Use2Var	PriceListUseType
PriceListChangeVar	PriceListChangeType
Name1Var	STRING
Currency1Var	CurrencyType
BasedOnPriceListVar	PriceListType
NewPercentageVar	REAL
FromPriceListVar	PriceListType
ToPriceListVar	PriceListType
ChangePriceListVar	PriceListType
ChangePercentageVar	REAL
Name2Var	STRING
Currency2Var	CurrencyType
FROMPRICELISTNUMBERVAR	INTEGER
TOPRICELISTNUMBERVAR	INTEGER
TOITEMNUMBERVAR	STRING
PRICELISTNAMEVAR	STRING
NewIssuePriceListVar	PriceListType
NewIssueVar	INTEGER
StartingDateVar	DATE
BasedOnPriceListIssueVar	INTEGER
ChangePriceListIssueVar	INTEGER
FromIssueVar	INTEGER
ToIssueVar	INTEGER
TOPRICELISTISSUEVAR	INTEGER
FROMPRICELISTISSUEVAR	INTEGER
TODAYSDATEVAR	DATE
NEWPERIODENDINGDATEVAR	DATE
UPDATEPRICELISTNUMBERVAR	INTEGER
InventoryNumberVar	InventoryNumberType

ImportPriceLists

The following cursors can be used in this printout:

The following variables can be used in this printout:

ImportAllPriceLevelsVar	BOOLEAN
Currency	CurrencyType
PriceListVar	PriceListType
CreateNewVar	BOOLEAN
PercentageChange	REAL
WriteOverPriceListVar	BOOLEAN
IgnoreNotCreatedItemsVar	BOOLEAN
PriceListIssueVar	INTEGER

ImportSerialNumbers

The following cursors can be used in this printout:

The following variables can be used in this printout:

FileName	STRING
ImportType	SerialNumberImporttypeType
TOTALNUMBEROFSERIALNUMBERS	INTEGER
ORDERNUMBEROF	INTEGER
NUMBEROFSUBSERIALNUMBERS	INTEGER
LINENUMBER	INTEGER
ORDERNUMBERVAR	INTEGER
ORDERSEPARATOR	STRING
ERROR	BOOLEAN
LINEERROR	BOOLEAN
NUMBEROFERRORS	INTEGER

InventoryCountList

The following cursors can be used in this printout:

INVENTORYCOUNTLIST	InventoryCountList
INVENTORYCOUNTLINE	InventoryCountLine
INVENTORYCOUNTSERIALNUMBERLINE	InventoryCountSerialNumberLine
LOCATIONINVENCOUNTSERIALNOLINE	InventoryCountSerialNumberLine

The following variables can be used in this printout:

IncludeVariancesGreaterThenVar	AMOUNT
ToListNumberVar	INTEGER
FromListNumberVar	INTEGER
IncludeApprovedVar	BOOLEAN
IncludeVariancesGreaterPercThanVar	REAL
LISTNUMBERVAR	INTEGER
ItemGroupVar	ItemGroupType
CreateCountListVar	BOOLEAN
RemarkVar	STRING
InventoryNumberVar	InventoryNumberType
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
FromStockLocationVar	STRING
ItemTypeVar	ItemTypeType
FromItemNumberVar	STRING
FromStatistic1Var	STRING
FromStatistic2Var	STRING
FromStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
ToStatistic3Var	STRING
ToStatistic2Var	STRING
ToStatistic1Var	STRING
ToItemNumberVar	STRING
ToStockLocationVar	STRING
MUSTINCLUDELINEVAR	BOOLEAN
VARIANCEVAR	REAL
VARIANCEPERCVAR	REAL
TODATEVAR	DATE
FROMDATEVAR	DATE
COMPANYNUMBERVAR	STRING
COMPANYNAME1VAR	STRING
ITEMTEXTVAR	STRING
DoNotIncludeSublistsVar	BOOLEAN

InventoryCountList

PrecompletedNumberOfSerialNumbersVar	BOOLEAN
CompleteSerialNumberCountVar	BOOLEAN
IncludeUnexpectedItemsVar	BOOLEAN

P AssortedGroup

The following cursors can be used in this printout:

ASSORTEDGROUP

AssortedGroup

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FirstAssortedGroupNameVar

STRING

LastAssortedGroupNameVar

STRING

P BOMInformationCard

The following cursors can be used in this printout:

ITEMINFORMATION	ItemInformation
REMOVED1	BOMPart
TEMPORAL1	Temporal1
BOMPART	BOMPart

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromItemNumber	STRING
ToItemNumber	STRING
PARTITEMTEXT1	STRING
COSTPRICE	AMOUNT
COSTPRICESUM	AMOUNT
THELEVEL	INTEGER
NumberOfLevels	INTEGER
NUMBERTOTAL	REAL
CURRENCYVAR	CurrencyType
InventoryNumberVar	InventoryNumberType
ITEMINVENTORYNUMBERVAR	InventoryNumberType
ITEMWITHVAR	BOOLEAN

P DiscountTable

The following cursors can be used in this printout:

DISCOUNTTABLE	DiscountTable
DISCOUNTTABLELINE	DiscountTableLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER

P InventoryInfoCard

The following cursors can be used in this printout:

INVENTORY	Inventory
STOCKLOCATION	StockLocation

The following variables can be used in this printout:

INVENTORYNUMBERVAR	INTEGER
StockVar	InventoryNumberType
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
COMPANYNAME1VAR	STRING
LEVELDESCRIPTIONVAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
BlockedForPickingVar	YesNoType
BlockedForReceptionVar	YesNoType
PickingLocationsVar	YesNoType
StorageLocationNumberVar	YesNoType
EmptyLocationsVar	YesNoType
ToLocationNumberVar	STRING
FromLocationNumberVar	STRING
THISINVENTORYNUMBERVAR	InventoryNumberType

P InventoryJournal

The following cursors can be used in this printout:

D_ITEMENTRY	ItemEntry
V_ITEMENTRY	ItemEntry

The following variables can be used in this printout:

ENTRYDATEFIELD	DATE
ITEMNUMBERFIELD	STRING
CURRENTENTRYDATE	DATE
SelectedInventoryNumber	InventoryNumberType
UNITVAR	UnitType
ITEMTEXT1VAR	STRING
FromEntryDate	DATE
ToEntryDate	DATE
FromItemNumber	STRING
ToItemNumber	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
CURRENTITEMNUMBER	STRING
MovementTypeVar	ItemMovementTypeType
REMOVED1	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
TransactionModeVar	TransactionModeType

P InventoryList

The following cursors can be used in this printout:

INVENTORY	Inventory
WAREHOUSEINFORMATION	WarehouseInformation
ITEMBATCH	ItemBatch

The following variables can be used in this printout:

InventoryPrinciple	InventoryListType
InventoryYear	INTEGER
INVENTORYDATE	DATE
CURRENTYEAR	INTEGER
VOLUME	REAL
DATEPERIODSTART	DATE
InventoryMonth	INTEGER
INCLUDEALL	BOOLEAN
COMPANYNAME	STRING
MONTHRECEIVED	REAL
MONTHSHIPPED	REAL
YEARRECEIVED	REAL
YEARSHIPPED	REAL
InventoryNumberVal	InventoryNumberType
ITEMTEXT	STRING
INVENTORYTOTAL	AMOUNT
GRANDTOTAL	AMOUNT
ITEMTOTAL	AMOUNT
LayoutName	LayoutNameType
COSTPRICE	AMOUNT
FromItem	STRING
ToItem	STRING
BATCHINVENTORYVAR	REAL
TODAYSDATE	STRING
PAGENUMBER	INTEGER
INVENTORYNUMBERPOS	INTEGER
IncludeBatchInformationVar	BOOLEAN
BATCHINFORMATIONTOBEPRINTEDVAR	BOOLEAN
BATCHCOSTPRICEVAR	AMOUNT
ToIncludeNegative	BOOLEAN
NAMEOFUSER	STRING
THETIME	STRING
IncludeItemsOutOfStockVar	BOOLEAN
PRINTITEM	BOOLEAN
FIFOITEMINVENTORYVALUEVAR	AMOUNT
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
BATCHTOTAL	AMOUNT
FromStatistic1Var	STRING

P InventoryList

ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
ItemGroupVar	ItemGroupType
ItemTypeVar	ItemTypeType
GRANDTOTALCURRENCYVAR	CurrencyType
ENTERPRISECURRENCYVAR	CurrencyType
INVENTORYTOTALENTERPRISE	AMOUNT
GRANDTOTALENTERPRISE	AMOUNT
COSTPRICEENTERPRISEVAR	AMOUNT
BATCHTOTALENTERPRISEVAR	AMOUNT
FIFOITEMINVENTORYVALUEENTERPRISEVAR	AMOUNT
ITEMTOTALENTERPRISEVAR	AMOUNT
BATCHCOSTPRICEENTERPRISEVAR	AMOUNT

P ItemCard

The following cursors can be used in this printout:

ITEMINFORMATION	ItemInformation
LANGUAGETEXTLINE	LanguageTextLine
WAREHOUSEINFORMATION	WarehouseInformation
ITEMSUPPLIER	ItemSupplier
ITEMPROPERTYLINE	ItemPropertyLine

The following variables can be used in this printout:

PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
NAMEOFUSER	STRING
ENTERPRISECURRENCYVAR	CurrencyType
FromItem	STRING
ToItem	STRING
LayoutName	LayoutNameType
IncludeDiscontinued	BOOLEAN
SelectedItemGroup	ItemGroupType
JOINTINVENTORYVALUEVAR	AMOUNT
SUPPLIERNAMEVAR	STRING
DOCUMENTARCHIVEDESCRIPTIONVAR	STRING
NOTEDescriptionVAR	STRING
TEMPLATENOTEDescriptionVAR	STRING

P ItemDiscountAgreements

The following cursors can be used in this printout:

ITEMDISCOUNTAGREEMENT

ItemDiscountAgreement

The following variables can be used in this printout:

DeliveryDate	DATE
SelectedCustomerGroup	CustomerGroupType
PRICEUNIT	REAL
SMALLESTSALESUNIT	REAL
UNIT	UnitType
ITEMTEXT1	STRING
LastItem	STRING
FirstItem	STRING
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
CustomerNumber	STRING
EnterpriseVar	EnterpriseType
SegmentVar	SegmentType
AreaVar	AreaType
DestinationNumberVar	STRING
SupplierNumberVar	STRING
VendorGroupVar	VendorGroupType
UsageVar	SerialNumberImportttypeType
ENTERPRISECURRENCYVAR	CurrencyType

P ItemGroup

The following cursors can be used in this printout:

ITEMGROUPINFORMATION
ITEMGROUPREFERENCE

ItemGroupInformation
ItemGroupReference

The following variables can be used in this printout:

NAMEOFUSER
LayoutName
COMPANYNAME
TODAYSDATE
THETIME
PAGENUMBER
ItemGroupVar
ITEMGROUPNUMBERVAR

STRING
LayoutNameType
STRING
STRING
STRING
INTEGER
ItemGroupType
INTEGER

P ItemVoucher

The following cursors can be used in this printout:

MOVEMENTVOUCHER	MovementVoucher
ITEMMOVEMENT	ItemMovement
SERIALNUMBERMOVEMENT	SerialNumberMovement

The following variables can be used in this printout:

SHOWPURCHASEINFO	BOOLEAN
LastVoucher	INTEGER
FirstVoucher	INTEGER
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
COMPANYNAME1VAR	STRING

P PriceList

The following cursors can be used in this printout:

V_PRICELISTLINE	PriceListLine
P_PRICELIST	PriceList
P_PRICELISTLINE	PriceListLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
LastItem	STRING
FirstItem	STRING
SelectedPriceList	PriceListType
SELECTEDPRICELISTNO	INTEGER
IssueVar	INTEGER
PREVIOUSITEM	STRING
ITEMNOFIELD	STRING
SHOW6LEVEL	BOOLEAN
SHOW5LEVEL	BOOLEAN
SHOW4LEVEL	BOOLEAN
SHOW3LEVEL	BOOLEAN
SHOW2LEVEL	BOOLEAN
SHOW1LEVEL	BOOLEAN
PREVIOUSPRICELIST	STRING
PRICELISTFIELD	PriceListType
ITEMTEXTFIELD	STRING
ITEMTEXTFIELD2	STRING
ITEMTEXTFIELD3	STRING
SUPPLEMENTARYTEXTVAR1	STRING
SUPPLEMENTARYTEXTVAR2	STRING
SUPPLEMENTARYTEXTVAR3	STRING
SUPPLEMENTARYTEXTVAR4	STRING
SUPPLEMENTARYTEXTVAR5	STRING
SUPPLEMENTARYTEXTVAR6	STRING
SUPPLEMENTARYTEXTVAR7	STRING
SUPPLEMENTARYTEXTVAR8	STRING
SUPPLEMENTARYTEXTVAR9	STRING
SUPPLEMENTARYTEXTVAR10	STRING
SHOWRECOMMENDEDBILLINGPRICE	BOOLEAN
UNITVAR	UnitType
GRADEDQUANTITYDISCOUNTVAR	STRING

P ProductionRequirements

The following cursors can be used in this printout:

PRODUCTIONSPECIFICATION
WAREHOUSEINFORMATION

ProductionSpecification
WarehouseInformation

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
RawMaterialsInventoryVar	InventoryNumberType
FinishedItemInventoryVar	InventoryNumberType
FromTransactionNumberVar	INTEGER
ToTransactionNumberVar	INTEGER
FromRawMaterialNumberVar	STRING
ToRawMaterialNumberVar	STRING
FromFinishedItemNumberVar	STRING
ToFinishedItemNumberVar	STRING
RAWMATERIALNUMBERVAR	STRING
RAWMATERIALTOTALINVENTORYREQUIREMENT	REAL
TRANSACTIONNUMBERVAR	INTEGER
SPECIFICATIONLINEOUT	BOOLEAN
STOCKVAR	InventoryNumberType
AVAILABLEVAR	REAL
InclItemsWithoutInventoryControl	BOOLEAN
FINISHEDITEMINVENTORYITEMTEXTVAR	STRING
HEADEROUTVAR	BOOLEAN
TOTALOUTVAR	BOOLEAN
FIRSTLINEVAR	BOOLEAN
TimeSpanVar	DATE
ITEMTEXTVAR	STRING
RAWMATERIALTOTALREQUIREMENTVAR	REAL
INVENTORYVOLUMETOTALVAR	REAL
AVAILABLETOTALVAR	REAL
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING

P ProductionVoucher

The following cursors can be used in this printout:

PRODUCTIONVOUCHER	ProductionVoucher
PRODUCTIONLINE	ProductionLine
PRODUCTIONSPECIFICATION	ProductionSpecification

The following variables can be used in this printout:

IncludeSpecification	BOOLEAN
IncludeApproved	BOOLEAN
LastTransactionNumber	INTEGER
FirstTransactionNumber	INTEGER
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
SALESUNITVAR	REAL
STARTEDFROMDIALOG	BOOLEAN
STOCKLOCATIONVAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING

P PropertyCard

The following cursors can be used in this printout:

PROPERTY

Property

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

FromPropertyNameVar

STRING

ToPropertyNameVar

STRING

PropertyTypeVar

PropertyTypeType

P SeasonalModel

The following cursors can be used in this printout:

SEASONALMODEL	SeasonalModel
SEASONALMODELLINE	SeasonalModelLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FirstSeasonalModelNumber	STRING
LastSeasonalModelNumber	STRING

P SerialNumbers

The following cursors can be used in this printout:

SERIALNUMBER

SerialNumber

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromDeliveryDateVar	DATE
ToDeliveryDateVar	DATE
OnlyInInventoryVar	BOOLEAN
FromSeriesNumberVar	STRING
ToSeriesNumberVar	STRING
FromAltSeriesNumberVar	STRING
ToAltSeriesNumberVar	STRING
InventoryNumberVar	InventoryNumberType
FromReceiptDateVar	DATE
ToReceiptDateVar	DATE
FromItemNumberVar	STRING
ToItemNumberVar	STRING
FromItemPurchaseOrderNumberVar	INTEGER
ToItemPurchaseOrderNumberVar	INTEGER
FromTransactionNumberVar	INTEGER
ToTransactionNumberVar	INTEGER
FromSupplierNumberVar	STRING
ToSupplierNumberVar	STRING
FromOrderNumberVar	INTEGER
ToOrderNumberVar	INTEGER
FromDeliveryNoteNumberVar	INTEGER
ToDeliveryNoteNumberVar	INTEGER
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromPaymentCustomerVar	STRING
ToPaymentCustomerVar	STRING
FromProductionDateVar	DATE
ToProductionDateVar	DATE
FromLastSalesDateVar	DATE
ToLastSalesDateVar	DATE
FromExpiryDateVar	DATE
ToExpiryDateVar	DATE

P ShortageList

The following cursors can be used in this printout:

INVENTORY	Inventory
INVWAREHOUSEINFORMATION	WarehouseInformation
SUPPWAREHOUSEINFORMATION	WarehouseInformation

The following variables can be used in this printout:

SUPPLIERNUMBERVAR	STRING
InventoryNumberVar	InventoryNumberType
THETIME	STRING
COMPANYNAME	STRING
NAMEOFUSER	STRING
ITEMNUMBERVAR	STRING
INVENTORYNUMBERVALVAR	InventoryNumberType
FromSupplierVar	STRING
ToSupplierVar	STRING
FromPurchaserVar	STRING
ToPurchaserVar	STRING
INVENTORYPOSVAR	INTEGER
ITEMTEXTVAR	STRING
GRANDTOTALENTERPRISEVAR	AMOUNT
GRANDTOTALVAR	AMOUNT
TOTALININVENTORYCURRENCYVAR	AMOUNT
LayoutName	LayoutNameType
COSTPRICEVAR	AMOUNT
PURCHASEVOLUMEVAR	REAL
FromItemVar	STRING
ToItemVar	STRING
PURCHASERVAR	STRING
PAGENUMBER	INTEGER
TODAYSDATE	STRING
TOTALCURRENCYVAR	CurrencyType
WRITEITEMVAR	BOOLEAN
SUPPLIERNAMEVAR	STRING
WRITESUPPLIERVAR	BOOLEAN
ShowShortageOnlyVar	BOOLEAN
PURCHASEUNITVAR	UnitType
ITEMTEXT2VAR	STRING
ITEMTEXT3VAR	STRING
INTERNALTEXTVAR	STRING
PURCHASEPRICEVAR	AMOUNT
SUPPLEMENTARYTEXT1VAR	STRING
SUPPLEMENTARYTEXT2VAR	STRING
SUPPLEMENTARYTEXT3VAR	STRING
SUPPLEMENTARYTEXT4VAR	STRING
SUPPLEMENTARYTEXT5VAR	STRING

P ShortageList

SUPPLEMENTARYTEXT6VAR	STRING
SUPPLEMENTARYTEXT7VAR	STRING
SUPPLEMENTARYTEXT8VAR	STRING
SUPPLEMENTARYTEXT9VAR	STRING
SUPPLEMENTARYTEXT10VAR	STRING
ORDERVOLUMEVAR	REAL
AVAILABLEINVENTORYVAR	REAL
PURCHASEORDERVOLUMEVAR	REAL
PRODUCTIONVOLUMEVAR	REAL
PURCHASEPRICEITEMTOTALVAR	AMOUNT
PURCHASEPRICESTOTALVAR	AMOUNT
PURCHASEPRICESGRANDTOTALVAR	AMOUNT
SALESUNITVAR	UnitType
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
ItemGroupVar	ItemGroupType
ItemTypeVar	ItemTypeType
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
ENTERPRISECURRENCYVAR	CurrencyType
GRANDTOTALCURRENCYVAR	CurrencyType
TOTALINSUPPLIERCURRENCYVAR	AMOUNT
ITEMTOTALININVENTORYCURRENCYVAR	AMOUNT
ITEMTOTALINSUPPLIERCURRENCYVAR	AMOUNT
ITEMTOTALVAR	AMOUNT
TOTALVAR	AMOUNT

P StockList

The following cursors can be used in this printout:

INVENTORY	Inventory
WAREHOUSEINFORMATION	WarehouseInformation
SERIALNUMBER	SerialNumber
ITEMINFORMATION	ItemInformation
PRITEMWAREHOUSEINFORMATION	WarehouseInformation
PERITEMSERIALNUMBER	SerialNumber

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
InventoryNumberVar	InventoryNumberType
FromItemVar	STRING
ToItemVar	STRING
IncludeSerialNumbersVar	BOOLEAN
ITEMTEXT	STRING
INCLUDEALL	BOOLEAN
INVENTORYNUMBERPOS	INTEGER
IncludeItemsOutOfStockVar	BOOLEAN
OnlyInInventoryVar	BOOLEAN
INCLUDEITEM	BOOLEAN
FIRSTLOOP	BOOLEAN
PAGEBREAK	BOOLEAN
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING

P WarehouseTransaction

The following cursors can be used in this printout:

WAREHOUSETRANSACTION	WarehouseTransaction
WAREHOUSETRANSACTIONLINE	WarehouseTransactionLine
ITEMINFORMATION	ItemInformation

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
ITEMNUMBERVAR	STRING

ProductionSelection

The following cursors can be used in this printout:

The following variables can be used in this printout:

FinishedItemInventoryVar	InventoryNumberType
RawMaterialsInventoryVar	InventoryNumberType
FromFinishedItemNumberVar	STRING
ToFinishedItemNumberVar	STRING
ItemGroupVar	ItemGroupType
ItemTypeVar	ItemTypeType
ItemsPerVoucherVar	BOOLEAN
CostPriceBasedOnRawMaterialsVar	BOOLEAN

JobInvoiceCustomerAggregation

The following cursors can be used in this printout:

The following variables can be used in this printout:

IncludeClosedAndBlockedJobsVar	BOOLEAN
CreatedDateFromVar	DATE
CreatedDateToVar	DATE
EntryDateYearVar	INTEGER

P Activity

The following cursors can be used in this printout:

ACTIVITY	Activity
JOBPOSTINGREFERENCELINE	JobPostingReferenceLine

The following variables can be used in this printout:

ShowBlocked	BOOLEAN
LastActivityNumber	STRING
FirstActivityNumber	STRING
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
COMPANYNAME1VAR	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
BASECURRENCYVAR	CurrencyType
ACCESSLEVELDESCRIPTIONVAR	STRING
NOTEDESCRIPTIONVAR	STRING
JOBPOSTINGREFERENCEDESCRIPTIONVAR	STRING
SHOWJOBTARGETGROUPVAR	BOOLEAN
SHOWCUSTOMERTARGETGROUPVAR	BOOLEAN
SHOWEMPLOYEE TARGETGROUPVAR	BOOLEAN
SHOWVENDORTARGETGROUPVAR	BOOLEAN

P ApproveInvoiceSelection

The following cursors can be used in this printout:

APPROVEINVOICESELECTIONACTION	ApproveInvoiceSelectionAction
JOBHEADER	JobHeader

The following variables can be used in this printout:

BILLINGPRICESUMCURRENCYVAR	AMOUNT
BILLINGPRICEAMOUNTCURRENCYVAR	AMOUNT
BILLINGPRICETIMECURRENCYVAR	AMOUNT
BILLINGPRICESUMBASEVAR	AMOUNT
BILLINGPRICECURRENCYTOTALVAR	AMOUNT
COSTPRICESUMVAR	AMOUNT
FromJobNumberVar	STRING
ToJobNumberVar	STRING
JobGroupVar	JobGroupType
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromPaymentCustomerVar	STRING
ToPaymentCustomerVar	STRING
DepartmentNumberVar	DepartmentNumberType
LanguageVar	LanguageType
ResponsibleVar	STRING
SalesPersonVar	STRING
Popup1Var	JobPopupType1
Popup2Var	JobPopupType2
Popup3Var	JobPopupType3
Popup4Var	JobPopupType4
Popup5Var	JobPopupType5
IncludeOnlySelectedVar	BOOLEAN
NAMEOFUSER	STRING
NAMEOFROLE	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
TIMEQUANTITYVAR	REAL
COSTPRICETIMEVAR	AMOUNT
COSTPRICEAMOUNTVAR	AMOUNT
INCLUDEJOBVAR	BOOLEAN
NUMBEROFJOBSINTARGETGROUPVAR	INTEGER
NUMBEROFJOBSFORAPPROVALVAR	INTEGER
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
BILLINGPRICETIMEBASEVAR	AMOUNT
BILLINGPRICEAMOUNTBASEVAR	AMOUNT

BILLINGPRICEBASETOTALVAR	AMOUNT
PrintOnlyJobsWithOpenBillingPriceVar	BOOLEAN
ProjectManagerVar	STRING
FromJobLocationNameVar	STRING
ToJobLocationNameVar	STRING
FromJobEntityNameVar	STRING
ToJobEntityNameVar	STRING
FromJobProjectNameVar	STRING
ToJobProjectNameVar	STRING
FromJobPurposeNameVar	STRING
ToJobPurposeNameVar	STRING
FromJobSpec1NameVar	STRING
ToJobSpec1NameVar	STRING
FromJobSpec2NameVar	STRING
ToJobSpec2NameVar	STRING
FromJobSpec3NameVar	STRING
ToJobSpec3NameVar	STRING
FromJobSpec4NameVar	STRING
ToJobSpec4NameVar	STRING
FromJobSpec5NameVar	STRING
ToJobSpec5NameVar	STRING
FromJobSpec6NameVar	STRING
ToJobSpec6NameVar	STRING
FromJobSpec7NameVar	STRING
ToJobSpec7NameVar	STRING
FromJobSpec8NameVar	STRING
ToJobSpec8NameVar	STRING
FromJobSpec9NameVar	STRING
ToJobSpec9NameVar	STRING
FromJobSpec10NameVar	STRING
ToJobSpec10NameVar	STRING
FromJobLocalSpec1NameVar	STRING
ToJobLocalSpec1NameVar	STRING
FromJobLocalSpec2NameVar	STRING
ToJobLocalSpec2NameVar	STRING
FromJobLocalSpec3NameVar	STRING
ToJobLocalSpec3NameVar	STRING
FromJobLocalSpec4NameVar	STRING
ToJobLocalSpec4NameVar	STRING
FromJobLocalSpec5NameVar	STRING
ToJobLocalSpec5NameVar	STRING
FromJobLocalSpec6NameVar	STRING
ToJobLocalSpec6NameVar	STRING
FromJobLocalSpec7NameVar	STRING
ToJobLocalSpec7NameVar	STRING
FromJobLocalSpec8NameVar	STRING
ToJobLocalSpec8NameVar	STRING
FromJobLocalSpec9NameVar	STRING

P ApproveInvoiceSelection

ToJobLocalSpec9NameVar	STRING
FromJobLocalSpec10NameVar	STRING
ToJobLocalSpec10NameVar	STRING
PROJECTMANAGERNAMEVAR	STRING
SALESPERSONNAMEVAR	STRING
BILLINGPRICESUMENTERPRISEVAR	AMOUNT
INVOICEBILLINGPRICECURRENCYVAR	AMOUNT
PrintOnlyJobsWithInvPlanLinesForInvOnAccountVar	BOOLEAN

P ApproveJobRegistrations

The following cursors can be used in this printout:

JOBHEADER

JobHeader

The following variables can be used in this printout:

FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
ProjectManagerNumberVar	STRING
ProjectManagerNameVar	STRING
WeekNumberVar	INTEGER
MonthNumberVar	INTEGER
YearVar	INTEGER
FromDateVar	DATE
ToDateVar	DATE
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
IncludeApprovedVar	BOOLEAN
NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
JOBPROJECTMANAGERNAMEVAR	STRING
EMPLOYEEENUMBERVAR	STRING
ACCESSTOALLTIMESHEETSVAR	BOOLEAN
ACCESSTOALLEXPENSESHEETSVAR	BOOLEAN
CANCHANGEALLTIMESHEETSVAR	BOOLEAN
CANCHANGEALLEXPENSESHEETSVAR	BOOLEAN
TargetGroupNewApprovalStatusExpensesVar	ApprovalStatusType
TargetGroupNewApprovalStatusTimeVar	ApprovalStatusType
NEWAPPROVALSTATUSEXPENSESVAR	ApprovalStatusMiscellaneousType
NEWAPPROVALSTATUSTIMEVAR	ApprovalStatusMiscellaneousType
TIMENOTAPPROVEDVAR	REAL
EXPENSESNOTAPPROVEDVAR	REAL
INCLUDEJOBVAR	BOOLEAN
TimeRegistrationUnitVar	TimeRegistrationUnitType
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING

ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
CARDCOSTPRICEBUDGETENTERPRISEVAR	AMOUNT
CARDBILLINGPRICEBUDGETENTERPRISEVAR	AMOUNT
CARDTIMENOTAPPROVEDVAR	REAL
CARDTIMEMARKEDFORAPPROVALVAR	REAL
CARDTIMEMARKEDFORREJECTIONVAR	REAL
CARDTIMEMARKEDFORRELEASEVAR	REAL
CARDTIMEAPPROVEDVAR	REAL

CARDTIMEREJECTEDVAR	REAL
CARDTIMERELEASEDVAR	REAL
CARDTOTALTIMEVAR	REAL
CARDEXPENSESNOTAPPROVEDVAR	AMOUNT
CARDEXPENSESMARKEDFORAPPROVALVAR	AMOUNT
CARDEXPENSESMARKEDFORREJECTIONVAR	AMOUNT
CARDEXPENSESMARKEDFORRELEASEVAR	AMOUNT
CARDEXPENSESAPPROVEDVAR	AMOUNT
CARDEXPENSESREJECTEDVAR	AMOUNT
CARDEXPENSESRELEASEDVAR	AMOUNT
CARDTOTALEXPENSESVAR	AMOUNT
TABLETIMENOTAPPROVEDVAR	REAL
TABLETIMEMARKEDFORAPPROVALVAR	REAL
TABLETIMEMARKEDFORREJECTIONVAR	REAL
TABLETIMEMARKEDFORRELEASEVAR	REAL
TABLETIMEAPPROVEDVAR	REAL
TABLETIMEREJECTEDVAR	REAL
TABLETIMERELEASEDVAR	REAL
TABLETOTALTIMEVAR	REAL
TABLEEXPENSESNOTAPPROVEDVAR	AMOUNT
TABLEEXPENSESMARKEDFORAPPROVALVAR	AMOUNT
TABLEEXPENSESMARKEDFORREJECTIONVAR	AMOUNT
TABLEEXPENSESMARKEDFORRELEASEVAR	AMOUNT
TABLEEXPENSESAPPROVEDVAR	AMOUNT
TABLEEXPENSESREJECTEDVAR	AMOUNT
TABLEEXPENSESRELEASEDVAR	AMOUNT
TABLEEXPENSESTOTALVAR	AMOUNT
TABLEPROJECTMANAGERNAMEVAR	STRING
SAVECARDCOSTPRICEBUDGETENTERPRISEVAR	AMOUNT
SAVECARDBILLINGPRICEBUDGETENTERPRISEVAR	AMOUNT
SAVECARDTIMENOTAPPROVEDVAR	REAL
SAVECARDTIMEMARKEDFORAPPROVALVAR	REAL
SAVECARDTIMEMARKEDFORREJECTIONVAR	REAL
SAVECARDTIMEMARKEDFORRELEASEVAR	REAL
SAVECARDTIMEAPPROVEDVAR	REAL
SAVECARDTIMEREJECTEDVAR	REAL
SAVECARDTIMERELEASEDVAR	REAL
SAVECARDTOTALTIMEVAR	REAL
SAVECARDEXPENSESNOTAPPROVEDVAR	AMOUNT
SAVECARDEXPENSESMARKEDFORAPPROVALVAR	AMOUNT
SAVECARDEXPENSESMARKEDFORREJECTIONVAR	AMOUNT
SAVECARDEXPENSESMARKEDFORRELEASEVAR	AMOUNT
SAVECARDEXPENSESAPPROVEDVAR	AMOUNT
SAVECARDEXPENSESREJECTEDVAR	AMOUNT
SAVECARDEXPENSESRELEASEDVAR	AMOUNT
SAVECARDTOTALEXPENSESVAR	AMOUNT

P ApproveTimeSheets

The following cursors can be used in this printout:

TIMESHEETHEADER

TimeSheetHeader

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
TimeRegistrationUnitVar	TimeRegistrationUnitType
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
FromDateVar	DATE
ToDateVar	DATE
FromWeekNumberVar	INTEGER
ToWeekNumberVar	INTEGER
FromYearVar	INTEGER
ToYearVar	INTEGER
SuperiorEmployeeVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
ShowVar	TimeSheetHandlingType
SecretaryEmployeeVar	STRING
TIMETOTALVAR	REAL
ACCESSTOALLTIMESHEETSVAR	BOOLEAN
USERSEMPLOYEEENUMBERVAR	STRING

P BrowseEmployeeSkills

The following cursors can be used in this printout:

TARGETGROUPSKILLSEARCH	TargetGroupSkillSearch
SKILLSEARCHRESULT	SkillSearchResult

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
SearchSkill1NameVar	STRING
SearchSkill2NameVar	STRING
SearchSkill3NameVar	STRING
SearchSkill4NameVar	STRING
SearchSkill5NameVar	STRING
SearchSkill6NameVar	STRING
SearchSkill7NameVar	STRING
SearchSkill8NameVar	STRING
SearchSkill9NameVar	STRING
SearchSkill10NameVar	STRING
SearchSkill11DescrVar	STRING
SearchSkill12DescrVar	STRING
SearchSkill13DescrVar	STRING
SearchSkill14DescrVar	STRING
SearchSkill15DescrVar	STRING
SearchSkill16DescrVar	STRING
SearchSkill17DescrVar	STRING
SearchSkill18DescrVar	STRING
SearchSkill19DescrVar	STRING
SearchSkill10DescrVar	STRING
EmployeeCategoryNameVar	STRING
TableEmployeeNameVar	STRING
TablePrimaryCategoryNumberVar	STRING
TableCategoryNameVar	STRING

P DailyTimeSheets

The following cursors can be used in this printout:

DAILYTIMESHEETHEADER	DailyTimeSheetHeader
DAILYTIMESHEETLINE	DailyTimeSheetLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FirstEmployeeNumberVar	STRING
LastEmployeeNumberVar	STRING
SuperiorEmployeeVar	STRING
SecretaryEmployeeVar	STRING
TutorEmployeeVar	STRING
ShowOnlySubmittedVar	BOOLEAN
REMOVED1VAR	DATE
REMOVED2VAR	INTEGER
REMOVED3VAR	INTEGER
REMOVED4VAR	DATE
REMOVED5VAR	INTEGER
REMOVED6VAR	INTEGER
IncludeAmountActInTotalVar	BOOLEAN
ACCESSTOALLTIMESHEETSVAR	BOOLEAN
USERSEMPLOYEEENUMBERVAR	STRING
FirstDateVar	DATE
LastDateVar	DATE
WEEKDAYVAR	STRING
JOBNAMEVAR	STRING
TASKTEXTVAR	STRING
GRANDTOTALVAR	REAL
CUSTOMERNUMBERVAR	STRING
CUSTOMERNAMEVAR	STRING
LANGUAGEVAR	LanguageType

P DetailedPlanning

The following cursors can be used in this printout:

PLANNINGLINE	PlanningLine
JOBHEADER	JobHeader
JOBPLANNINGLINE	PlanningLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromEmployeeCategoryNumberVar	STRING
ToEmployeeCategoryNumberVar	STRING
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
ProjectManagerNumberVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromTaskNameVar	STRING
ToTaskNameVar	STRING
CANSEEALLEMPLOYEEPLANSVAR	BOOLEAN
USERSEMPLOYEEENUMBERVAR	STRING
UseEarlyIntervalsVar	BOOLEAN
IgnoreBlankDatesVar	BOOLEAN
StartingDateVar	DATE
ENDINGDATEVAR	DATE
WeekDayVar	WeekDayType
WeekNumberVar	INTEGER
YearVar	INTEGER
PlanningUnitVar	PlanningUnitType
NumberOfUnitsShownVar	INTEGER
NUMBEROFDAYSVAR	INTEGER
EMPLOYEEENAMEVAR	STRING
UNITFIXEDTEXTVAR	STRING
PERIODFIXEDTEXTVAR	STRING
CANPLANALLJOBSVAR	BOOLEAN
FIXEDTEXT1VAR	STRING
FIXEDTEXT2VAR	STRING
FIXEDTEXT3VAR	STRING
FIXEDTEXT4VAR	STRING

FIXEDTEXT5VAR	STRING
FIXEDTEXT6VAR	STRING
FIXEDTEXT7VAR	STRING
FIXEDTEXT8VAR	STRING
FIXEDTEXT9VAR	STRING
FIXEDTEXT10VAR	STRING
NUMBERUNIT1VAR	STRING
NUMBERUNIT2VAR	STRING
NUMBERUNIT3VAR	STRING
NUMBERUNIT4VAR	STRING
NUMBERUNIT5VAR	STRING
NUMBERUNIT6VAR	STRING
NUMBERUNIT7VAR	STRING
NUMBERUNIT8VAR	STRING
NUMBERUNIT9VAR	STRING
NUMBERUNIT10VAR	STRING
TOTALUNIT1VAR	STRING
TOTALUNIT2VAR	STRING
TOTALUNIT3VAR	STRING
TOTALUNIT4VAR	STRING
TOTALUNIT5VAR	STRING
TOTALUNIT6VAR	STRING
TOTALUNIT7VAR	STRING
TOTALUNIT8VAR	STRING
TOTALUNIT9VAR	STRING
TOTALUNIT10VAR	STRING
TOTALVAR	REAL
TOTALTOTALVAR	REAL
EMPLOYEENUMBERVAR	STRING
ACTIVITYNAMEVAR	STRING
JOBNAMEVAR	STRING
TASKTEXTVAR	STRING
EMPLOYEECATEGORYNAMEVAR	STRING
EXISTSJOBPLANNINGLINEVAR	BOOLEAN
UNITSSHOWNUNDER6VAR	BOOLEAN
UNITSSHOWNABOVE5VAR	BOOLEAN
EXISTSEMPLOYEEVAR	BOOLEAN
EXISTSEMPLOYEENOTVAR	BOOLEAN
STARTINGDATEOLDVAR	DATE
WEEKNUMBEROLDVAR	INTEGER
WEEKDAYOLDVAR	WeekDayType
YEAROLDVAR	INTEGER
BookingTypeVar	BookingTypeType

P EmployeeAbsenceCalendar

The following cursors can be used in this printout:

EMPLOYEE	Employee
ABSENCECALENDARLINE	AbsenceCalendarLine
EMPLOYEEABSENCECALENDARLINE	AbsenceCalendarLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
AbsenceIntervalStartVar	DATE
AbsenceIntervalEndVar	DATE
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
DepartmentNumberVar	DepartmentNumberType
SuperiorEmployeeNumberVar	STRING
SecretaryEmployeeNumberVar	STRING
TutorEmployeeNumberVar	STRING
ABSENCEAPPROVERNUMBERVAR	STRING
SUPERIORNAMEVAR	STRING
SECRETARYNAMEVAR	STRING
TUTORNAMEVAR	STRING
ABSENCEAPPROVERNAMEVAR	STRING
ExcludeTentativeVar	BOOLEAN
EXCLUDENOTSUBMITTEDVAR	BOOLEAN
ExcludeNonApprovedVar	BOOLEAN
AbsenceTypeVar	STRING
SHOWABSENCECALENDARLINEVAR	BOOLEAN
NUMBEROFABSENCEININTERVALVAR	REAL
NUMBEROFTENTATIVEABSENCEININTERVALVAR	REAL
NUMBEROFAPPROVEDDAYSOFABSENCEININTERVALVAR	REAL
NUMBEROFSUBMITTEDDAYSOFABSENCEININTERVALVAR	REAL
EMPLOYEEENAMEVAR	STRING
TIMEUNITFORSUMVAR	TimeRegistrationUnitType
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING

ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P EmployeeCategory

The following cursors can be used in this printout:

EMPLOYEECATEGORY	EmployeeCategory
EMPLOYEECATEGORYMEMBER	EmployeeCategoryMember

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromEmployeeCategoryNumberVar	STRING
ToEmployeeCategoryNumberVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
DepartmentNumberVar	DepartmentNumberType
EmployeeTypeVar	EmployeeTypeType
PrimaryCategoryOnlyVar	BOOLEAN
LEVELDESCRIPTIONVAR	STRING
EMPLOYEEENAME1VAR	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING

ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P EmployeeLoad

The following cursors can be used in this printout:

TEMPORAL1

Temporal1

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromPlanningDateVar	DATE
ToPlanningDateVar	DATE
FromWeekVar	INTEGER
FromYearVar	INTEGER
ToWeekVar	INTEGER
ToYearVar	INTEGER
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
FromEmployeeCategoryVar	STRING
ToEmployeeCategoryVar	STRING
FromEmployeeCompanyNumber	STRING
ToEmployeeCompanyNumber	STRING
FromEmployeeLocationNameVar	STRING
ToEmployeeLocationNameVar	STRING
FromEmployeeEntityNameVar	STRING
ToEmployeeEntityNameVar	STRING
FromEmployeeProjectNameVar	STRING
ToEmployeeProjectNameVar	STRING
FromEmployeePurposeNameVar	STRING
ToEmployeePurposeNameVar	STRING
FromEmployeeSpecification1NameVar	STRING
ToEmployeeSpecification1NameVar	STRING
FromEmployeeSpecification2NameVar	STRING
ToEmployeeSpecification2NameVar	STRING
FromEmployeeSpecification3NameVar	STRING
ToEmployeeSpecification3NameVar	STRING
FromEmployeeSpecification4NameVar	STRING
ToEmployeeSpecification4NameVar	STRING
FromEmployeeSpecification5NameVar	STRING
ToEmployeeSpecification5NameVar	STRING
FromEmployeeSpecification6NameVar	STRING
ToEmployeeSpecification6NameVar	STRING
FromEmployeeSpecification7NameVar	STRING
ToEmployeeSpecification7NameVar	STRING
FromEmployeeSpecification8NameVar	STRING

ToEmployeeSpecification8NameVar	STRING
FromEmployeeSpecification9NameVar	STRING
ToEmployeeSpecification9NameVar	STRING
FromEmployeeSpecification10NameVar	STRING
ToEmployeeSpecification10NameVar	STRING
FromEmployeeLocalSpec1NameVar	STRING
ToEmployeeLocalSpec1NameVar	STRING
FromEmployeeLocalSpec2NameVar	STRING
ToEmployeeLocalSpec2NameVar	STRING
FromEmployeeLocalSpec3NameVar	STRING
ToEmployeeLocalSpec3NameVar	STRING
FromEmployeeLocalSpec4NameVar	STRING
ToEmployeeLocalSpec4NameVar	STRING
FromEmployeeLocalSpec5NameVar	STRING
ToEmployeeLocalSpec5NameVar	STRING
FromEmployeeLocalSpec6NameVar	STRING
ToEmployeeLocalSpec6NameVar	STRING
FromEmployeeLocalSpec7NameVar	STRING
ToEmployeeLocalSpec7NameVar	STRING
FromEmployeeLocalSpec8NameVar	STRING
ToEmployeeLocalSpec8NameVar	STRING
FromEmployeeLocalSpec9NameVar	STRING
ToEmployeeLocalSpec9NameVar	STRING
FromEmployeeLocalSpec10NameVar	STRING
ToEmployeeLocalSpec10NameVar	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
JobGroupVar	JobGroupType
FromJobCompanyNumberVar	STRING
ToJobCompanyNumberVar	STRING
SalesPersonVar	STRING
ProjectManagerVar	STRING
Popup1Var	JobPopupType1
Popup2Var	JobPopupType2
Popup3Var	JobPopupType3
Popup4Var	JobPopupType4
Popup5Var	JobPopupType5
FromJobLocationNameVar	STRING
ToJobLocationNameVar	STRING
FromJobEntityNameVar	STRING
ToJobEntityNameVar	STRING
FromJobProjectNameVar	STRING
ToJobProjectNameVar	STRING
FromJobPurposeNameVar	STRING
ToJobPurposeNameVar	STRING
FromJobSpec1NameVar	STRING
ToJobSpec1NameVar	STRING
FromJobSpec2NameVar	STRING

P EmployeeLoad

ToJobSpec2NameVar	STRING
FromJobSpec3NameVar	STRING
ToJobSpec3NameVar	STRING
FromJobSpec4NameVar	STRING
ToJobSpec4NameVar	STRING
FromJobSpec5NameVar	STRING
ToJobSpec5NameVar	STRING
FromJobSpec6NameVar	STRING
ToJobSpec6NameVar	STRING
FromJobSpec7NameVar	STRING
ToJobSpec7NameVar	STRING
FromJobSpec8NameVar	STRING
ToJobSpec8NameVar	STRING
FromJobSpec9NameVar	STRING
ToJobSpec9NameVar	STRING
FromJobSpec10NameVar	STRING
ToJobSpec10NameVar	STRING
FromJobLocalSpec1NameVar	STRING
ToJobLocalSpec1NameVar	STRING
FromJobLocalSpec2NameVar	STRING
ToJobLocalSpec2NameVar	STRING
FromJobLocalSpec3NameVar	STRING
ToJobLocalSpec3NameVar	STRING
FromJobLocalSpec4NameVar	STRING
ToJobLocalSpec4NameVar	STRING
FromJobLocalSpec5NameVar	STRING
ToJobLocalSpec5NameVar	STRING
FromJobLocalSpec6NameVar	STRING
ToJobLocalSpec6NameVar	STRING
FromJobLocalSpec7NameVar	STRING
ToJobLocalSpec7NameVar	STRING
FromJobLocalSpec8NameVar	STRING
ToJobLocalSpec8NameVar	STRING
FromJobLocalSpec9NameVar	STRING
ToJobLocalSpec9NameVar	STRING
FromJobLocalSpec10NameVar	STRING
ToJobLocalSpec10NameVar	STRING
Level1Var	EmployeeLoadLevelType
Level2Var	EmployeeLoadLevelType
Level3Var	EmployeeLoadLevelType
FIXEDTEXT1VAR	STRING
FIXEDTEXT2VAR	STRING
FIXEDTEXT3VAR	STRING
TEXT1VAR	STRING
TEXT2VAR	STRING
TEXT3VAR	STRING
PRINTEMLINHEADINGVAR	BOOLEAN
FIELDNAME1VAR	STRING

P EmployeeLoad

FIELDNAME2VAR	STRING
LOADTOTALLEVEL3VAR	REAL
FIELDNAME3VAR	STRING
PRINTEMPLEVEL1VAR	BOOLEAN
DONOTPRINTEMPLEVEL1VAR	BOOLEAN
INCLUDELEVEL1VAR	BOOLEAN
INCLUDELEVEL2VAR	BOOLEAN
PRINTEMPLEVEL2VAR	BOOLEAN
DONOTPRINTEMPLEVEL2VAR	BOOLEAN
PRINTEMPLEVEL3VAR	BOOLEAN
DONOTPRINTEMPLEVEL3VAR	BOOLEAN
LoadAboveVar	INTEGER
LoadBelowVar	INTEGER
PLANNINGTIMEVAR	REAL
REMAININGTIMEVAR	REAL
LOADVAR	REAL
PLANNEDTIMETOTALLEVEL3VAR	REAL
REMAININGTIMETOTALLEVEL3VAR	REAL
PLANNINGTIMETOTALLEVEL3VAR	REAL
PLANNINGTIMETOTALLEVEL2VAR	REAL
PLANNEDTIMETOTALLEVEL2VAR	REAL
REMAININGTIMETOTALLEVEL2VAR	REAL
LOADTOTALLEVEL2VAR	REAL
PLANNINGTIMETOTALLEVEL1VAR	REAL
PLANNEDTIMETOTALLEVEL1VAR	REAL
REMAININGTIMETOTALLEVEL1VAR	REAL
LOADTOTALLEVEL1VAR	REAL
DONOTPRINTEMPINHEADINGVAR	BOOLEAN
PRINTTOTALEMPLLEVEL3VAR	BOOLEAN
FICTITIOUSUNIQUEUSERNAMEVAR	STRING
PERIODSTART1VAR	DATE
PERIODEND1VAR	DATE
PERIODSTART2VAR	DATE
PERIODEND2VAR	DATE
PERIODSTART3VAR	DATE
PERIODEND3VAR	DATE
FROMPLANNINGDATEOLDVAR	DATE
TOPLANNINGDATEOLDVAR	DATE
FROMWEEKOLDVAR	INTEGER
TOWEEKOLDVAR	INTEGER
FROMYEAROLDVAR	INTEGER
TOYEAROLDVAR	INTEGER
IncludePreliminaryVar	BOOLEAN
IncludeRequestedVar	BOOLEAN
IncludeConfirmedVar	BOOLEAN

P EmployeeReport

The following cursors can be used in this printout:

EMPLOYEE	Employee
CUSTOMERTIMEACTIVITY	Activity
INTERNALTIMEACTIVITY	Activity

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FirstEntryDateVar	DATE
LastEntryDateVar	DATE
FirstEmployeeNumberVar	STRING
LastEmployeeNumberVar	STRING
FirstJobNumberVar	STRING
LastJobNumberVar	STRING
BASECURRENCYVAR	CurrencyType
REMOVED2VAR	STRING
ShowActivitiesVar	BOOLEAN
TimeRegistrationUnitVar	TimeRegistrationUnitType
TIMEREGISTRATIONUNITSTRVAR	STRING
TIMEQUANTITYVAR	REAL
COSTPRICEVAR	AMOUNT
BILLINGPRICEREGVAR	AMOUNT
OPDOWNWRITINGVAR	AMOUNT
BILLINGPRICEOPENVAR	AMOUNT
SUMTIMEQUANTITYVAR	REAL
SUMCOSTPRICEVAR	AMOUNT
SUMBILLINGPRICEREGVAR	AMOUNT
SUMUPDOWNWRITINGVAR	AMOUNT
SUMBILLINGPRICEOPENVAR	AMOUNT
CUSTOMERTIMEQUANTITYVAR	REAL
CUSTOMERCOSTPRICEVAR	AMOUNT
CUSTOMERBILLINGPRICEREGVAR	AMOUNT
CUSTOMERUPDOWNWRITINGVAR	AMOUNT
CUSTOMERBILLINGPRICEOPENVAR	AMOUNT
INTERNALTIMEQUANTITYVAR	REAL
INTERNALCOSTPRICEVAR	AMOUNT
TOTALTIMEQUANTITYVAR	REAL
TOTALCOSTPRICEVAR	AMOUNT
GROSSMARGINVAR	AMOUNT
GMPVAR	REAL
INVOICINGDEGREEVAR	REAL

P EmployeeReport

DIFFERENTFROMZEROVAR	BOOLEAN
SUMDIFFERENTFROMZEROVAR	BOOLEAN
SHOWTOTALVAR	BOOLEAN
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
SHOWSUMACTIVITYVAR	BOOLEAN
DONOTSHOWSUMACTIVITYVAR	BOOLEAN

P ExpenseSheet

The following cursors can be used in this printout:

EXPENSESHEETHEADER	ExpenseSheetHeader
EXPENSESHEETLINE	ExpenseSheetLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
TOTALVATBASEVAR	AMOUNT
AMOUNTTOTALBASEVAR	AMOUNT
EMPLOYEEENAMEVAR	STRING
JOBNAMEVAR	STRING
ACTIVITYTEXTVAR	STRING
TASKNAMEVAR	STRING
BANKVAR	STRING
REGISTRATIONNUMBERVAR	STRING
ACCOUNTNUMBERVAR	STRING
FromExpenseSheetNumberVar	INTEGER
ToExpenseSheetNumberVar	INTEGER
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
IncludeOnlySubmittedVar	BOOLEAN
BASECURRENCYVAR	CurrencyType
IncludeApprovedVar	BOOLEAN
ACCESSTOALLEXPENSESHEETSVAR	BOOLEAN
USERSEMPLOYEEENUMBERVAR	STRING
VENDORNUMBERVAR	STRING
VENDORNAME1VAR	STRING
AMOUNTTOTALTOVENDORBASEVAR	AMOUNT
LINECOMPANYNAMEVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING

SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING
CUSTOMERNUMBERVAR	STRING
CUSTOMERNAMEVAR	STRING
LANGUAGEVAR	LanguageType
TOTALVAT1BASEVAR	AMOUNT
TOTALVAT2BASEVAR	AMOUNT
TOTALVAT3BASEVAR	AMOUNT
EMPLOYEEENAME2VAR	STRING
EMPLOYEEENAME3VAR	STRING
EMPLOYEEZIPCODEVAR	STRING
EMPLOYEEPOSTALDISTRICTVAR	STRING
EMPLOYEETELEPHONEVAR	STRING
EMPLOYEEELECTRONICMAILADDRESSVAR	STRING
VENDORNAME2VAR	STRING
VENDORNAME3VAR	STRING
VENDORZIPCODEVAR	STRING
VENDORPOSTALDISTRICTVAR	STRING
VENDORGIROVAR	STRING
VENDORBANKACCOUNTVAR	STRING
VENDORBANKREGISTRATIONNUMBERVAR	STRING
VENDORPAYMENTSERVICENUMBERVAR	STRING
VENDORCPCNUMBERVAR	STRING
COMPANYNAME1VAR	STRING
COMPANYNAME2VAR	STRING
COMPANYNAME3VAR	STRING
COMPANYNAME4VAR	STRING
COMPANYNAME5VAR	STRING
COMPANYZIPCODEVAR	STRING
COMPANYPOSTALDISTRICTVAR	STRING
COMPANYCOUNTRYVAR	CountryType
COMPANYADDRESS1VAR	STRING
COMPANYADDRESS2VAR	STRING
COMPANYADDRESS3VAR	STRING
COMPANYADDRESS4VAR	STRING
COMPANYADDRESS5VAR	STRING
COMPANYADDRESS6VAR	STRING
COMPANYADDRESS7VAR	STRING

COMPANYADDRESS8VAR	STRING
COMPANYVATNUMBERVAR	STRING
COMPANYBANKACCOUNTNUMBERVAR	STRING
COMPANYGIRONUMBERVAR	STRING
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING
COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING

P FinancialJobCard

The following cursors can be used in this printout:

JOBHEADER	JobHeader
JOBENTRY	JobEntry

The following variables can be used in this printout:

FromJobNumberVar	STRING
ToJobNumberVar	STRING
NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
COMPANYNAMEVAR	STRING
OriginVar	JournalTypeType
OvertimeTypeVar	OvertimeTypeType
TypeOfEntryVar	JobEntryTypeType
ShowAccrualEntriesVar	BOOLEAN
ShowVar	IncludedInFixedPriceType
ActivityTypeVar	ActivitytypeType
CostTypeVar	CostTypeType
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
FromExecutingCompanyNumberVar	STRING
ToExecutingCompanyNumberVar	STRING
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromTaskNameVar	STRING
ToTaskNameVar	STRING
FromFinanceEntryDateVar	DATE
ToFinanceEntryDateVar	DATE
CurrencyTypeVar	CurrencyTypeType
PROJECTMANAGERNAMEVAR	STRING
EMPLOYEE1NAMEVAR	STRING
EMPLOYEE2NAMEVAR	STRING
EMPLOYEE3NAMEVAR	STRING
EMPLOYEE4NAMEVAR	STRING
EMPLOYEE5NAMEVAR	STRING
EMPLOYEE6NAMEVAR	STRING
EMPLOYEE7NAMEVAR	STRING
EMPLOYEE8NAMEVAR	STRING
EMPLOYEE9NAMEVAR	STRING
EMPLOYEE10NAMEVAR	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING

FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
CARDCOSTPRICEREGOPENINGVAR	AMOUNT
CARDCOSTPRICEREGMOVEMENTVAR	AMOUNT

CARDCOSTPRICEREGCLOSINGVAR	AMOUNT
CARDREVENUERECOGNIZEDOPENINGVAR	AMOUNT
CARDREVENUERECOGNIZEDMOVEMENTVAR	AMOUNT
CARDREVENUERECOGNIZEDCLOSINGVAR	AMOUNT
CARDHEREOFREVENUEADJUSTEDOPENINGVAR	AMOUNT
CARDHEREOFREVENUEADJUSTEDMOVEMENTVAR	AMOUNT
CARDHEREOFREVENUEADJUSTEDCLOSINGVAR	AMOUNT
CARDWORKINPROGRESSOPENINGVAR	AMOUNT
CARDWORKINPROGRESSMOVEMENTVAR	AMOUNT
CARDWORKINPROGRESSCLOSINGVAR	AMOUNT
CARDBILLINGPRICEREGOPENINGVAR	AMOUNT
CARDBILLINGPRICEREGMOVEMENTVAR	AMOUNT
CARDBILLINGPRICEREGCLOSINGVAR	AMOUNT
CARDBILLINGPRICEOPENOPENINGVAR	AMOUNT
CARDBILLINGPRICEOPENMOVEMENTVAR	AMOUNT
CARDBILLINGPRICEOPENCLOSINGVAR	AMOUNT
CARDCOSTPRICEOPENOPENINGVAR	AMOUNT
CARCOSTPRICEOPENMOVEMENTVAR	AMOUNT
CARDCOSTPRICEOPENCLOSINGVAR	AMOUNT
CARDINVOICEDOPENINGVAR	AMOUNT
CARDINVOICEDMOVEMENTVAR	AMOUNT
CARDINVOICEDCLOSINGVAR	AMOUNT
CARDCOSTPRICEINVOICEDOPENINGVAR	AMOUNT
CARDCOSTPRICEINVOICEDMOVEMENTVAR	AMOUNT
CARDCOSTPRICEINVOICEDCLOSINGVAR	AMOUNT
CARDUPDOWNINVOICEDOPENINGVAR	AMOUNT
CARDUPDOWNINVOICEDMOVEMENTVAR	AMOUNT
CARDUPDOWNINVOICEDCLOSINGVAR	AMOUNT
CARDONACCOUNTNETOPENINGVAR	AMOUNT
CARDONACCOUNTNETMOVEMENTVAR	AMOUNT
CARDONACCOUNTNETCLOSINGVAR	AMOUNT
CARDONACCOUNTVATNETOPENINGVAR	AMOUNT
CARDONACCOUNTVATNETMOVEMENTVAR	AMOUNT
CARDONACCOUNTVATNETCLOSINGVAR	AMOUNT
CARDBILLINGPRICETRANSFFROMOPENINGVAR	AMOUNT
CARDBILLINGPRICETRANSFFROMMOVEMENTVAR	AMOUNT
CARDBILLINGPRICETRANSFFROMCLOSINGVAR	AMOUNT
CARDBILLINGPRICETRANSFTOOPENINGPARVAR	AMOUNT
CARDBILLINGPRICETRANSFTOMOVEMENTPARVAR	AMOUNT
CARDBILLINGPRICETRANSFTOCLOSINGPARVAR	AMOUNT
CARDCOSTPRICETRANSFERREDFROMOPENINGVAR	AMOUNT
CARDCOSTPRICETRANSFERREDFROMMOVEMENTVAR	AMOUNT
CARDCOSTPRICETRANSFERREDFROMCLOSINGVAR	AMOUNT
CARDCOSTPRICETRANSFERREDTOOPENINGVAR	AMOUNT
CARDCOSTPRICETRANSFERREDTOMOVEMENTVAR	AMOUNT
CARDCOSTPRICETRANSFERREDTOCLOSINGVAR	AMOUNT
CARDSTDBILLINGPRICEOPENINGVAR	AMOUNT
CARDSTDBILLINGPRICEMOVEMENTVAR	AMOUNT

CARDSTDBILLINGPRICECLOSINGVAR	AMOUNT
CARDSTDUPDOWNOPENINGVAR	AMOUNT
CARDSTDUPDOWNMOVEMENTVAR	AMOUNT
CARDSTDUPDOWNCLOSINGVAR	AMOUNT
CARDTOTALUPDOWNOPENINGVAR	AMOUNT
CARDTOTALUPDOWNMOVEMENTVAR	AMOUNT
CARDTOTALUPDOWNCLOSINGVAR	AMOUNT
TABLENUMBERREGISTEREDOPENINGVAR	AMOUNT
TABLECOSTPRICEREGOPENINGVAR	AMOUNT
TABLEBILLINGPRICEREGOPENINGVAR	AMOUNT
TABLEREVENUERECONGIZEDOPENINGVAR	AMOUNT
TABLEHEREOFREVENUEADJUSTEDOPENINGVAR	AMOUNT
TABLENUMBERINVOICEDOPENINGVAR	AMOUNT
TABLEBILLINGPRICEINVOICEDOPENINGVAR	AMOUNT
TABLECOSTPRICEINVOICEDOPENINGVAR	AMOUNT
TABLENUMBERUPDOWNOPENINGVAR	AMOUNT
TABLEBILLINGPRICEUPDOWNOPENINGVAR	AMOUNT
TABLEBILLINGPRICETRANSFFROMOPENINGVAR	AMOUNT
TABLEBILLINGPRICETRANSFTOOPENINGVAR	AMOUNT
TABLECOSTPRICETRANSFERREDFROMOPENINGVAR	AMOUNT
TABLECOSTPRICETRANSFERREDTOOPENINGVAR	AMOUNT
TABLENUMBERREGISTEREDMOVEMENTVAR	AMOUNT
TABLECOSTPRICEREGMOVEMENTVAR	AMOUNT
TABLEBILLINGPRICEREGMOVEMENTVAR	AMOUNT
TABLEREVENUERECONGIZEDMOVEMENTVAR	AMOUNT
TABLEHEREOFREVENUEADJUSTEDMOVEMENTVAR	AMOUNT
TABLENUMBERINVOICEDMOVEMENTVAR	AMOUNT
TABLEBILLINGPRICEINVOICEDMOVEMENTVAR	AMOUNT
TABLECOSTPRICEINVOICEDMOVEMENTVAR	AMOUNT
TABLENUMBERUPDOWNMOVEMENTVAR	AMOUNT
TABLEBILLINGPRICEUPDOWNMOVEMENTVAR	AMOUNT
TABLEBILLINGPRICETRANSFFROMMOVEMENTVAR	AMOUNT
TABLEBILLINGPRICETRANSFTOMOVEMENTVAR	AMOUNT
TABLECOSTPRICETRANSFERREDFROMMOVEMENTVAR	AMOUNT
TABLECOSTPRICETRANSFERREDTOMOVEMENTVAR	AMOUNT
TABLENUMBERREGISTEREDCLOSINGVAR	AMOUNT
TABLECOSTPRICEREGCLOSINGVAR	AMOUNT
TABLEBILLINGPRICEREGCLOSINGVAR	AMOUNT
TABLEREVENUERECONGIZEDCLOSINGVAR	AMOUNT
TABLEHEREOFREVENUEADJUSTEDCLOSINGVAR	AMOUNT
TABLENUMBERINVOICEDCLOSINGVAR	AMOUNT
TABLEBILLINGPRICEINVOICEDCLOSINGVAR	AMOUNT
TABLECOSTPRICEINVOICEDCLOSINGVAR	AMOUNT
TABLENUMBERUPDOWNCLOSINGVAR	AMOUNT
TABLEBILLINGPRICEUPDOWNCLOSINGVAR	AMOUNT
TABLEBILLINGPRICETRANSFFROMCLOSINGVAR	AMOUNT
TABLEBILLINGPRICETRANSFTOCLOSINGVAR	AMOUNT
TABLECOSTPRICETRANSFERREDFROMCLOSINGVAR	AMOUNT

TABLECOSTPRICETRANSFERREDTOCLOSINGVAR	AMOUNT
TABLESTDBILLINGPRICEVAR	AMOUNT
TABLESTDUPDOWNVAR	AMOUNT
TABLETOTALUPDOWNOPENINGVAR	AMOUNT
TABLETOTALUPDOWNMOVEMENTVAR	AMOUNT
TABLETOTALUPDOWNCLOSINGVAR	AMOUNT
PrintEntriesVar	BOOLEAN
JOENTRYISINCLUDEDVAR	BOOLEAN
ProjectManagerNumberVar	STRING

P InvoiceEditing

The following cursors can be used in this printout:

INVOICEEDITINGHEADER	InvoiceEditingHeader
INVOICEPRINTOUTLINE	InvoicePrintoutLine
SUMMARYINVOICEPRINTOUTLINE	InvoicePrintoutLine
DETAILEDINVOICEPRINTOUTLINE	InvoicePrintoutLine
DRAFTINVICERECONCILIATION	DraftInvoiceReconciliation
JOBPREINVOICE	JobPreInvoice
K_INVOICEEDITINGHEADER	InvoiceEditingHeader
K_INVOICEPRINTOUTLINE	InvoicePrintoutLine
K_SUMMARYINVOICEPRINTOUTLINE	InvoicePrintoutLine
K_DETAILEDINVOICEPRINTOUTLINE	InvoicePrintoutLine
K_DRAFTINVICERECONCILIATION	DraftInvoiceReconciliation
DRAFTINVOICEVATSPECIFICATION	DraftInvoiceVATSpecification
DRAFTINVOICEENTRY	DraftInvoiceEntry
INVOICECUSTOMERSTATEMENT	InvoiceCustomerStatement
INVOICECUSTOMERAGING	InvoiceCustomerAging
OTHERCURRENCYINVOICECUSTOMERAGING	InvoiceCustomerAging

The following variables can be used in this printout:

FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromSettlingCompanyNumberVar	STRING
SHOWTOTAL	BOOLEAN
SHOWVATAMOUNT	BOOLEAN
VATCODEVAR	STRING
VATCODEVARIABLEHASBEENSETVAR	BOOLEAN
VATCODEVARIABLEISVALIDVAR	BOOLEAN
SHOWINVOICEDISCOUNT	BOOLEAN
ToSettlingCompanyNumberVar	STRING
TOTALAMOUNTTOPAYINVOICECURRENCYVAR	AMOUNT
SETOFFONACCOUNTVATCURRENCY	AMOUNT
SETOFFONACCOUNTNETCURRENCY	AMOUNT
RECEIVERCUSTOMERNUMBERFIXED	STRING
RECEIVERFIXED	STRING
COMPANYINFORMATIONLINE	STRING
LastJobNumber	STRING
FirstJobNumber	STRING
INVOICEDISCOUNTCURRENCY	AMOUNT
RECEIVINGCUSTOMERNUMBER	STRING
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME1	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING

SelectedLanguage	LanguageType
SHOWSETOFFONACCOUNTNET	BOOLEAN
SHOWSETOFFONACCOUNTVAT	BOOLEAN
DELIVERYADDRESS1	STRING
DELIVERYADDRESS2	STRING
DELIVERYADDRESS3	STRING
DELIVERYADDRESS4	STRING
DELIVERYADDRESS5	STRING
DELIVERYADDRESS6	STRING
DELIVERYADDRESS7	STRING
DELIVERYADDRESS8	STRING
PAYMENTADDRESS1	STRING
PAYMENTADDRESS2	STRING
PAYMENTADDRESS3	STRING
PAYMENTADDRESS4	STRING
PAYMENTADDRESS5	STRING
PAYMENTADDRESS6	STRING
PAYMENTADDRESS7	STRING
PAYMENTADDRESS8	STRING
DEBITINVOICECURRENCYVAR	AMOUNT
CREDITINVOICECURRENCYVAR	AMOUNT
VATDEBITINVOICECURRENCYVAR	AMOUNT
VATCREDITINVOICECURRENCYVAR	AMOUNT
BALANCEINVOICECURRENCYVAR	AMOUNT
BALANCEDEBITINVOICECURRENCYVAR	AMOUNT
BALANCECREDITINVOICECURRENCYVAR	AMOUNT
GROSSINVOICECURRENCYVAR	AMOUNT
SHOWOURDUEBALANCEVAR	BOOLEAN
SHOWYOURDUEBALANCEVAR	BOOLEAN
SHOWORDINARYLINE	BOOLEAN
SHOWSUBTOTALLINE	BOOLEAN
SUBTOTALDEBITINVOICECURRENCYVAR	AMOUNT
SUBTOTALCREDITINVOICECURRENCYVAR	AMOUNT
BILLINGPRICEFORINVOICINGINVOICECURRENCYVAR	AMOUNT
VATFORINVOICINGINVOICECURRENCYVAR	AMOUNT
PAYMENTCUSTOMERVAR	STRING
SETTLINGCOMPANYLINEVAR	STRING
SETTLINGCOMPANYNAME1VAR	STRING
SHOWAMOUNTSTANDARDCURRENCYVAR	BOOLEAN
SHOEUROAMOUNTVAR	BOOLEAN
TOTALEUROAMOUNTVAR	AMOUNT
EUROCURRENCYTYPEVAR	CurrencyType
STANDARDCURRENCYTYPEVAR	CurrencyType
TOTALAMOUNTSTANDARDCURRENCYVAR	AMOUNT
COMPANYADDRESS1VAR	STRING
COMPANYADDRESS2VAR	STRING
COMPANYADDRESS3VAR	STRING
COMPANYADDRESS4VAR	STRING

COMPANYADDRESS5VAR	STRING
COMPANYADDRESS6VAR	STRING
COMPANYADDRESS7VAR	STRING
COMPANYADDRESS8VAR	STRING
COMPANYVATNUMBERVAR	STRING
COMPANYBANKACCOUNTNUMBERVAR	STRING
COMPANYGIRONUMBERVAR	STRING
SETTLINGCOMPANYADDRESS1VAR	STRING
SETTLINGCOMPANYADDRESS2VAR	STRING
SETTLINGCOMPANYADDRESS3VAR	STRING
SETTLINGCOMPANYADDRESS4VAR	STRING
SETTLINGCOMPANYADDRESS5VAR	STRING
SETTLINGCOMPANYADDRESS6VAR	STRING
SETTLINGCOMPANYADDRESS7VAR	STRING
SETTLINGCOMPANYADDRESS8VAR	STRING
SETTLINGCOMPANYVATNUMBERVAR	STRING
SETTLINGCOMPANYBANKACCOUNTNUMBERVAR	STRING
SETTLINGCOMPANYGIRONUMBERVAR	STRING
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING
COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING
SETTLINGCOMPANYTELEPHONEVAR	STRING
SETTLINGCOMPANYTELEFAXVAR	STRING
SETTLINGCOMPANYTELEXVAR	STRING
SETTLINGCOMPANYPAYMENTSERVICENUMBERVAR	STRING
SETTLINGCOMPANYTEXT1VAR	STRING
SETTLINGCOMPANYTEXT2VAR	STRING

SETTLINGCOMPANYTEXT3VAR	STRING
SETTLINGCOMPANYTEXT4VAR	STRING
SETTLINGCOMPANYTEXT5VAR	STRING
SETTLINGCOMPANYTEXT6VAR	STRING
SETTLINGCOMPANYTEXT7VAR	STRING
SETTLINGCOMPANYTEXT8VAR	STRING
SETTLINGCOMPANYTEXT9VAR	STRING
SETTLINGCOMPANYTEXT10VAR	STRING
SETTLINGCOMPANYTEXT11VAR	STRING
SETTLINGCOMPANYTEXT12VAR	STRING
SETTLINGCOMPANYTEXT13VAR	STRING
SETTLINGCOMPANYTEXT14VAR	STRING
SETTLINGCOMPANYTEXT15VAR	STRING
SETTLINGCOMPANYTEXT16VAR	STRING
SETTLINGCOMPANYTEXT17VAR	STRING
SETTLINGCOMPANYTEXT18VAR	STRING
SETTLINGCOMPANYTEXT19VAR	STRING
SETTLINGCOMPANYTEXT20VAR	STRING
COMPANYNAME2VAR	STRING
COMPANYNAME3VAR	STRING
COMPANYNAME4VAR	STRING
COMPANYNAME5VAR	STRING
COMPANYZIPCODEVAR	STRING
COMPANYPOSTALDISTRICTVAR	STRING
COMPANYCOUNTRYVAR	CountryType
SETTLINGCOMPANYNAME2VAR	STRING
SETTLINGCOMPANYNAME3VAR	STRING
SETTLINGCOMPANYNAME4VAR	STRING
SETTLINGCOMPANYNAME5VAR	STRING
SETTLINGCOMPANYZIPCODEVAR	STRING
SETTLINGCOMPANYPOSTALDISTRICTVAR	STRING
SETTLINGCOMPANYCOUNTRYVAR	CountryType
STATEMENTCUSTOMERNAME1VAR	STRING
STATEMENTCUSTOMERNAME2VAR	STRING
STATEMENTCUSTOMERNAME3VAR	STRING
STATEMENTCUSTOMERNAME4VAR	STRING
STATEMENTCUSTOMERNAME5VAR	STRING
STATEMENTCUSTOMERATTENTIONVAR	STRING
STATEMENTCUSTOMERTELEPHONEVAR	STRING
STATEMENTCUSTOMERTELEFAXVAR	STRING
STATEMENTCUSTOMERTELEXVAR	STRING
STATEMENTCUSTOMERELECTRONICMAILADDRESSVAR	STRING
STATEMENTCUSTOMERZIPCODEVAR	STRING
STATEMENTCUSTOMERPOSTALDISTRICTVAR	STRING
STATEMENTCUSTOMERCOUNTRYVAR	CountryType
JOBEMPLOYEE1NAMEVAR	STRING
JOBEMPLOYEE2NAMEVAR	STRING
JOBEMPLOYEE3NAMEVAR	STRING

JOBEMPLOYEE4NAMEVAR	STRING
JOBEMPLOYEE5NAMEVAR	STRING
JOBEMPLOYEE6NAMEVAR	STRING
JOBEMPLOYEE7NAMEVAR	STRING
JOBEMPLOYEE8NAMEVAR	STRING
JOBEMPLOYEE9NAMEVAR	STRING
JOBEMPLOYEE10NAMEVAR	STRING
PROJECTMANAGERNAMEVAR	STRING
NOWINVOICEDONJOBCURRENCYVAR	AMOUNT
BEFOREINVOICEDONJOBCURRENCYVAR	AMOUNT
JOBINVOICEDTIMECURRENCYVAR	AMOUNT
JOBINVOICEDAMOUNTCURRENCYVAR	AMOUNT
FIXEDPRICECURRENCYVAR	AMOUNT
TOTALEXCLVATINVOICECURRENCYVAR	AMOUNT
REMAINDERFORINVOICINGCURRENCYVAR	AMOUNT
PAYERNAME1VAR	STRING
PAYERNAME2VAR	STRING
PAYERNAME3VAR	STRING
PAYERNAME4VAR	STRING
PAYERNAME5VAR	STRING
PAYERZIPCODEVAR	STRING
PAYERPOSTALDISTRICTVAR	STRING
PAYERCOUNTRYVAR	CountryType
PAYERELECTRONICMAILADDRESSVAR	STRING
PAYERTELEPHONEVAR	STRING
PAYERTELEFAXVAR	STRING
PAYERTELEXVAR	STRING
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
RESPONSIBLEVAR	STRING
JOBEMPLOYEE1VAR	STRING
JOBEMPLOYEE2VAR	STRING
JOBEMPLOYEE3VAR	STRING
JOBEMPLOYEE4VAR	STRING
JOBEMPLOYEE5VAR	STRING
JOBEMPLOYEE6VAR	STRING
JOBEMPLOYEE7VAR	STRING
JOBEMPLOYEE8VAR	STRING
JOBEMPLOYEE9VAR	STRING
JOBEMPLOYEE10VAR	STRING
JOBCOLLECTIONNUMBERVAR	STRING
JOBCOLLECTIONDESCRIPTIONVAR	STRING
JOBTEXT1VAR	STRING
JOBTEXT2VAR	STRING
JOBTEXT3VAR	STRING
JOBTEXT4VAR	STRING
JOBTEXT5VAR	STRING
JOBTEXT6VAR	STRING

JOBTEXT7VAR	STRING
JOBTEXT8VAR	STRING
JOBTEXT9VAR	STRING
JOBTEXT10VAR	STRING
JOBTEXT11VAR	STRING
JOBTEXT12VAR	STRING
JOBTEXT13VAR	STRING
JOBTEXT14VAR	STRING
JOBTEXT15VAR	STRING
JOBTEXT16VAR	STRING
JOBTEXT17VAR	STRING
JOBTEXT18VAR	STRING
JOBTEXT19VAR	STRING
JOBTEXT20VAR	STRING
JOBDATE1VAR	DATE
JOBDATE2VAR	DATE
JOBDATE3VAR	DATE
JOBDATE4VAR	DATE
JOBDATE5VAR	DATE
JOBPOPUP1VAR	JobPopupType1
JOBPOPUP2VAR	JobPopupType2
JOBPOPUP3VAR	JobPopupType3
JOBPOPUP4VAR	JobPopupType4
JOBPOPUP5VAR	JobPopupType5
PAYMENTTERMSVAR	PaymentTermsType
ROUNDINGAMOUNTVAR	AMOUNT
SHOWROUNDINGOFFVAR	BOOLEAN
DEPARTMENTNUMBERVAR	DepartmentNumberType
INVENTORYNUMBERVAR	InventoryNumberType
CUSTOMERGROUPVAR	CustomerGroupType
CUSTOMERZIPCODEVAR	STRING
CUSTOMERPOSTALDISTRICTVAR	STRING
CUSTOMERCOUNTRYVAR	CountryType
CUSTOMERTELEPHONEVAR	STRING
CUSTOMERTELEFAXVAR	STRING
CUSTOMERTELEXVAR	STRING
CUSTOMERELECTRONICMAILADDRESSVAR	STRING
GLOBALLOCATIONNUMBERVAR	STRING
VATNUMBERVAR	STRING
DELIVERYVATNUMBERVAR	STRING
JOBNAMEVAR	STRING
COMPANYVATCODEVAR	CompanyVATCodeType
ENTERPRISEVAR	EnterpriseType
SEGMENTVAR	SegmentType
AREAVAR	AreaType
CUSTOMERPAYMENTMODEVAR	STRING
CUSTOMERPOPUP1VAR	CustomerPopupType1
CUSTOMERPOPUP2VAR	CustomerPopupType2

CUSTOMERPOPUP3VAR	CustomerPopupType3
CUSTOMERPOPUP4VAR	CustomerPopupType4
CUSTOMERPOPUP5VAR	CustomerPopupType5
JOBNAMEINVOICEONACCOUNTVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING
JOBNUMBERVAR	STRING
INVOICEEDITINGNUMBERVAR	STRING
INCLUDEVATSPECIFICATIONVAR	BOOLEAN
PAYERATTENTIONVAR	STRING
SHOWSPLITBILLINFORMATIONVAR	BOOLEAN
EFFECTIVEPERCENTAGEVAR	REAL
TOTALAMOUNTFORINVOICINGSPLITBILLVAR	AMOUNT
AMOUNTAFTERONACCOUNTREDUCTIONINVOICECURRENCYVAR	AMOUNT
VATAFTERONACCOUNTREDUCTIONINVOICECURRENCYVAR	AMOUNT
EXTERNALBASESALARYMARKUPPCTVAR	REAL
LINEBILLINGPRICETOTALINCLVATINVOICECURRENCYVAR	AMOUNT
TOTALINTEGERPARTASTEXTVAR	STRING
TOTALFRACTIONALPARTASTEXTVAR	STRING
SHOWBASEDONINVOICEVAR	BOOLEAN
BASEDONINVOICEITEMSUMVAR	AMOUNT
BASEDONINVOICEINVOICEDISCOUNTVAR	AMOUNT
BASEDONINVOICEONACCOUNTREDUCTIONVAR	AMOUNT
BASEDONINVOICEVATVAR	AMOUNT
BASEDONINVOICEONACCOUNTVATVAR	AMOUNT
BASEDONINVOICEAMOUNTAFTERONACCOUNTREDVAR	AMOUNT

BASEDONINVOICEVATAFTERONACCOUNTREDVAR	AMOUNT
BASEDONINVOICETOTALVAR	AMOUNT
VAT1FORINVOICINGINVOICECURRENCYVAR	AMOUNT
VAT2FORINVOICINGINVOICECURRENCYVAR	AMOUNT
VAT3FORINVOICINGINVOICECURRENCYVAR	AMOUNT
TIMEQUANTITYSUMMARYVAR	REAL
TIMEQUANTITYDETAILEDVAR	REAL
UNITTEXTVAR	STRING
SETOFFONACCOUNTVAT1CURRENCY	AMOUNT
SETOFFONACCOUNTVAT2CURRENCY	AMOUNT
SETOFFONACCOUNTVAT3CURRENCY	AMOUNT
SHOWVATAMOUNT2	BOOLEAN
SHOWVATAMOUNT3	BOOLEAN
SHOWSETOFFONACCOUNTVAT2	BOOLEAN
SHOWSETOFFONACCOUNTVAT3	BOOLEAN
TOTALTOTALVAT1BASISBASEVAR	AMOUNT
TOTALTOTALVAT2BASISBASEVAR	AMOUNT
TOTALTOTALVAT3BASISBASEVAR	AMOUNT
TOTALTOTALVAT1AMOUNTBASEVAR	AMOUNT
TOTALTOTALVAT2AMOUNTBASEVAR	AMOUNT
TOTALTOTALVAT3AMOUNTBASEVAR	AMOUNT
TOTALTOTALVAT1BASISINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT2BASISINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT3BASISINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT1AMOUNTINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT2AMOUNTINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT3AMOUNTINVOICECURRENCYVAR	AMOUNT
ISONLEVEL0VAR	BOOLEAN
ISONLEVEL1VAR	BOOLEAN
ISONLEVEL2VAR	BOOLEAN
ISONLEVEL3VAR	BOOLEAN
ISONLEVEL4VAR	BOOLEAN
ISONLEVEL5VAR	BOOLEAN
ISONLEVEL6VAR	BOOLEAN
ISONLEVEL7VAR	BOOLEAN
ISNOTONLEVEL0VAR	BOOLEAN
ISNOTONLEVEL1VAR	BOOLEAN
ISNOTONLEVEL2VAR	BOOLEAN
ISNOTONLEVEL3VAR	BOOLEAN
ISNOTONLEVEL4VAR	BOOLEAN
ISNOTONLEVEL5VAR	BOOLEAN
ISNOTONLEVEL6VAR	BOOLEAN
ISNOTONLEVEL7VAR	BOOLEAN
ISHEADERVER	BOOLEAN
ISNOTHEADERVER	BOOLEAN
INCLUDEONACCOUNTSPECIFICATIONVAR	BOOLEAN
ONACCOUNTDATEVAR	DATE
LINEONACCOUNTVAT1CURRENCYVAR	AMOUNT

LINEONACCOUNTVAT2CURRENCYVAR	AMOUNT
LINEONACCOUNTVAT3CURRENCYVAR	AMOUNT
LINEONACCOUNTAMOUNTCURRENCYVAR	AMOUNT
LINEONACCOUNTVATCURRENCYVAR	AMOUNT
TOTALONACCOUNTAMOUNTCURRENCYVAR	AMOUNT
TOTALONACCOUNTVATCURRENCYVAR	AMOUNT
TOTALONACCOUNTVAT1CURRENCYVAR	AMOUNT
TOTALONACCOUNTVAT2CURRENCYVAR	AMOUNT
TOTALONACCOUNTVAT3CURRENCYVAR	AMOUNT
INCLUDECANCELLEDPREINVOICESVAR	BOOLEAN
INCLUDEUNCANCELLEDPREINVOICESVAR	BOOLEAN
LINEPREINVOICEDATEVAR	DATE
LINEPREINVOICETOTALVAR	AMOUNT
LINEPREINVOICECURRENCYVAR	CurrencyType
PREFERREDINVOICEDATEFORMATTEDVAR	STRING
EXTACCOUNTREGNUMBERVAR	STRING
EXTACCOUNTACCOUNTNUMBERVAR	STRING
EXTACCOUNTDESCRIPTIONVAR	STRING
EXTACCOUNTIBANACCOUNTNUMBERVAR	STRING
EXTACCOUNTSWIFTCODEVAR	STRING
EXTACCOUNTTEXT1VAR	STRING
EXTACCOUNTTEXT2VAR	STRING
EXTACCOUNTTEXT3VAR	STRING
BILLINGPRICEUPDOWNAMOUNTCURRENCYVAR	AMOUNT
INCLUDEWRITEUPDOWNVAR	BOOLEAN
TASKDESCRIPTIONVAR	STRING
ACTIVITYTEXTVAR	STRING
EMPLOYEEENAMEVAR	STRING
BILLINGPRICECURRENCYORIGINALVAR	AMOUNT
CHARGECODE1VAR	STRING
CHARGECODE2VAR	STRING
CHARGECODE3VAR	STRING
CHARGECODE4VAR	STRING
CHARGE1TEXTVAR	STRING
CHARGE2TEXTVAR	STRING
CHARGE3TEXTVAR	STRING
CHARGE4TEXTVAR	STRING
CHARGECURRENCYVAR	AMOUNT
CHARGE1CURRENCYVAR	AMOUNT
CHARGE2CURRENCYVAR	AMOUNT
CHARGE3CURRENCYVAR	AMOUNT
CHARGE4CURRENCYVAR	AMOUNT
CHARGEVATVAR	AMOUNT
CHARGEVAT1VAR	AMOUNT
CHARGEVAT2VAR	AMOUNT
CHARGEVAT3VAR	AMOUNT
SHOWCUSTOMERSTATEMENTBEFOREINVOICEDTAILSVAR	BOOLEAN
SHOWCUSTOMERSTATEMENTAFTERINVOICEDTAILSVAR	BOOLEAN

SHOWCUSTOMERBALANCESONINVOICEVAR	BOOLEAN
FIRSTCUSTOMERSTATEMENTENTRYVAR	BOOLEAN
CONTAINSDETAILEDSPECIFICATIONVAR	BOOLEAN
EXISTSCUSTOMERSTATEMENTENTRYVAR	BOOLEAN
EXISTSCUSTOMERAGINGENTRYVAR	BOOLEAN
OLDSTATEMENTCURRENCYVAR	CurrencyType
PREVIOUSSTATEMENTCURRENCYVAR	CurrencyType
PRINTCUSTOMERSTATEMENTCURRENCYTOTALVAR	BOOLEAN
CUSTOMERSTATEMENTAMOUNTCURRENCYTOTALVAR	AMOUNT
CUSTOMERSTATEMENTREMAINDERCURRENCYTOTALVAR	AMOUNT
NEWCUSTOMERSTATEMENTAMOUNTCURRENCYTOTALVAR	AMOUNT
NEWCUSTOMERSTATEMENTREMAINDERCURRENCYTOTALVAR	AMOUNT
RESETCUSTOMERSTATEMENTTOTALVAR	BOOLEAN
PRIORBALANCEVAR	AMOUNT
NEWBALANCEVAR	AMOUNT
LASTDETAILEDINVOICEPRINTOUTLINEVAR	INTEGER
STARTINGTITLEVAR	STRING
STARTINGTITLE2VAR	STRING
STARTINGDAYVAR	STRING
STARTINGWEEKDAYVAR	STRING
STARTINGMONTHVAR	STRING
STARTINGMONTHNAMEVAR	STRING
STARTINGYEARVAR	STRING
STATEMENTTITLEVAR	STRING
STATEMENTTITLE2VAR	STRING
STATEMENTDAYVAR	STRING
STATEMENTWEEKDAYVAR	STRING
STATEMENTMONTHVAR	STRING
STATEMENTMONTHNAMEVAR	STRING
STATEMENTYEARVAR	STRING
PERIODSBFORESTARTVAR	INTEGER
PERIODSAFTERSTARTVAR	INTEGER
TOTALPERIODSVAR	INTEGER
PERIOD1TITLEVAR	STRING
PERIOD1TITLE2VAR	STRING
PERIOD1FIRSTDATEVAR	DATE
PERIOD1LASTDATEVAR	DATE
PERIOD2TITLEVAR	STRING
PERIOD2TITLE2VAR	STRING
PERIOD2FIRSTDATEVAR	DATE
PERIOD2LASTDATEVAR	DATE
PERIOD3TITLEVAR	STRING
PERIOD3TITLE2VAR	STRING
PERIOD3FIRSTDATEVAR	DATE
PERIOD3LASTDATEVAR	DATE
PERIOD4TITLEVAR	STRING
PERIOD4TITLE2VAR	STRING
PERIOD4FIRSTDATEVAR	DATE

PERIOD4LASTDATEVAR	DATE
PERIOD5TITLEVAR	STRING
PERIOD5TITLE2VAR	STRING
PERIOD5FIRSTDATEVAR	DATE
PERIOD5LASTDATEVAR	DATE
PERIOD6TITLEVAR	STRING
PERIOD6TITLE2VAR	STRING
PERIOD6FIRSTDATEVAR	DATE
PERIOD6LASTDATEVAR	DATE
PERIOD7TITLEVAR	STRING
PERIOD7TITLE2VAR	STRING
PERIOD7FIRSTDATEVAR	DATE
PERIOD7LASTDATEVAR	DATE
PERIOD8TITLEVAR	STRING
PERIOD8TITLE2VAR	STRING
PERIOD8FIRSTDATEVAR	DATE
PERIOD8LASTDATEVAR	DATE
PERIOD9TITLEVAR	STRING
PERIOD9TITLE2VAR	STRING
PERIOD9FIRSTDATEVAR	DATE
PERIOD9LASTDATEVAR	DATE
PERIOD10TITLEVAR	STRING
PERIOD10TITLE2VAR	STRING
PERIOD10FIRSTDATEVAR	DATE
PERIOD10LASTDATEVAR	DATE

P InvoiceLayoutRule

The following cursors can be used in this printout:

INVOICELAYOUTINFORMATION

InvoiceLayoutInformation

The following variables can be used in this printout:

NAMEOFUSER

STRING

LayoutName

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

SelectedInvoiceLayoutVar

InvoiceLayoutType

SELECTEDINVOICELAYOUTNUMBERVAR

INTEGER

P JobAccrualList

The following cursors can be used in this printout:

JOBHEADER	JobHeader
PURCHASEORDERLINE	PurchaseOrderLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
NUMBEROFLINESFORACCRUALVAR	INTEGER
IncludeOnlyLinesForAccrualVar	BOOLEAN
IncludeOnlyReceivedVar	BOOLEAN
IncludeFullyAccruedVar	BOOLEAN
FromPurchaseOrderNumberVar	INTEGER
ToPurchaseOrderNumberVar	INTEGER
FromPurchaseOrderLineNumberVar	INTEGER
ToPurchaseOrderLineNumberVar	INTEGER
PARAMETERCHANGEDVAR	BOOLEAN
REMOVED2	STRING
REMOVED3	STRING
REMOVED4	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
JobGroupVar	JobGroupType
ResponsibleVar	STRING
PURCHASEORDERCURRENCYVAR	CurrencyType
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING

ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P JobAccrualPlan

The following cursors can be used in this printout:

PURCHASEORDERLINE	PurchaseOrderLine
JOBACCRUALPLANLINE	JobAccrualPlanLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromPurchaseOrderNumberVar	INTEGER
ToPurchaseOrderNumberVar	INTEGER
FromPurchaseOrderLineNumberVar	INTEGER
ToPurchaseOrderLineNumberVar	INTEGER
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
IncludeOnlyApprovedVar	BOOLEAN
PrintOnlyValidVar	BOOLEAN
PrintTransferredVar	BOOLEAN
JOBNAMEVAR	STRING
JOBGROUPVAR	JobGroupType
JOBRESPONSIBLEVAR	STRING
JOBPROJECTMANAGERNUMBERVAR	STRING
JOBPROJECTMANAGERNAMEVAR	STRING
CUSTOMERNUMBERVAR	STRING
CUSTOMERNAME1VAR	STRING
NUMBEROFLINESVAR	INTEGER
NUMBEROFVALIDLINESVAR	INTEGER
NUMBEROFTRANSFERREDLINESVAR	INTEGER
PURCHASEORDERCURRENCYVAR	CurrencyType
TOTALNUMBERVAR	REAL
AMOUNTTOTALCURRENCYVAR	AMOUNT
AMOUNTTOTALBASEVAR	AMOUNT
NUMBERTRANSFERREDVAR	REAL
TRANSFERREDAMOUNTCURRENCYVAR	AMOUNT
TRANSFERREDAMOUNTBASEVAR	AMOUNT
PARAMETERCHANGEDVAR	BOOLEAN
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromTaskNameVar	STRING
ToTaskNameVar	STRING
FromLocationNameVar	STRING

ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P JobAllocationCombinations

The following cursors can be used in this printout:

JOBALLOCATIONHEADER	JobAllocationHeader
JOBALLOCATIONLINE	JobAllocationLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromJobAllocationNameVar	STRING
ToJobAllocationNameVar	STRING

P JobBalanceList

The following cursors can be used in this printout:

JOBHEADER	JobHeader
JOBHEADERSORTEDBYPAYMENTCUSTOMER	JobHeader
JOBHEADERSORTEDBYCUSTOMERNUMBER	JobHeader

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
StatementDateVar	DATE
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromPaymentCustomerNumberVar	STRING
ToPaymentCustomerNumberVar	STRING
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
DepartmentVar	DepartmentNumberType
JobGroupVar	JobGroupType
CustomerGroupVar	CustomerGroupType
FromCompanyNumberVar	STRING
CURRENTJOBGROUPVAR	JobGroupType
CURRENTCUSTOMERVAR	STRING
CURRENTCUSTOMERNAMEVAR	STRING
SHOWJOBVAR	BOOLEAN
JOBCOSTPRICEVAR	AMOUNT
JOBBILLINGPRICEVAR	AMOUNT
JOBONACCOUNTVAR	AMOUNT
JOBGROUPCOSTPRICEVAR	AMOUNT
JOBGROUPBILLINGPRICEVAR	AMOUNT
JOBGROUPONACCOUNTVAR	AMOUNT
CUSTOMERCOSTPRICEVAR	AMOUNT
CUSTOMERBILLINGPRICEVAR	AMOUNT
CUSTOMERONACCOUNTVAR	AMOUNT
TOTALCOSTPRICEVAR	AMOUNT
TOTALTOTALBILLINGPRICEVAR	AMOUNT
TOTALONACCOUNTVAR	AMOUNT
ToCompanyNumberVar	STRING
BaseCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
FromTaskVar	STRING

ToTaskVar	STRING
JOBBILLINGPRICEADJVAR	AMOUNT
JOBGROUPEBILLINGPRICEADJVAR	AMOUNT
CUSTOMERBILLINGPRICEADJUSTVAR	AMOUNT
TOTALBILLINGPRICEADJVAR	AMOUNT
ShowTimeVar	BOOLEAN
ShowAmountVar	BOOLEAN
ShowAdjustmentVar	BOOLEAN
JOBCOSTPRICETIMEVAR	AMOUNT
JOBBILLINGPRICETIMEVAR	AMOUNT
JOBCOSTPRICEAMOUNTVAR	AMOUNT
JOBBILLINGPRICEAMOUNTVAR	AMOUNT
JOBGROUPECOSTPRICETIMEVAR	AMOUNT
JOBGROUPEBILLINGPRICETIMEVAR	AMOUNT
JOBGROUPECOSTPRICEAMOUNTVAR	AMOUNT
JOBGROUPEBILLINGPRICEAMOUNTVAR	AMOUNT
CUSTOMERCOSTPRICETIMEVAR	AMOUNT
CUSTOMERBILLINGPRICETIMEVAR	AMOUNT
CUSTOMERCOSTPRICEAMOUNTVAR	AMOUNT
CUSTOMERBILLINGPRICEAMOUNTVAR	AMOUNT
TOTALCOSTPRICETIMEVAR	AMOUNT
TOTALBILLINGPRICETIMEVAR	AMOUNT
TOTALCOSTPRICEAMOUNTVAR	AMOUNT
TOTALBILLINGPRICEAMOUNTVAR	AMOUNT
JOBCOSTPRICEOFWHICHOUTLAYSVAR	AMOUNT
JOBBILLINGPRICEOFWHICHOUTLAYSVAR	AMOUNT
JOBGROUPECOSTPRICEOFWHICHOUTLAYSVAR	AMOUNT
JOBGROUPEBILLINGPRICEOFWHICHOUTLAYSVAR	AMOUNT
CUSTOMERCOSTPRICEHEREOFOUTLAYSVAR	AMOUNT
CUSTOMERBILLINGPRICEHEREOFOUTLAYSVAR	AMOUNT
TOTALCOSTPRICEOFWHICHOUTLAYSVAR	AMOUNT
TOTALBILLINGPRICEOFWHICHOUTLAYSVAR	AMOUNT
JOBGROUPEVENUERECONGNIZEDVAR	AMOUNT
JOBGROUPEVENUERECONGNIZEDTIMEVAR	AMOUNT
JOBGROUPEVENUERECONGNIZEDAMOUNTVAR	AMOUNT
JOBGROUPEVENUEADJUSTEDVAR	AMOUNT
CUSTOMERREVENUERECONGNIZEDVAR	AMOUNT
CUSTOMERTIMEREVENUERECONGNIZEDVAR	AMOUNT
CUSTOMERAMOUNTREVENUERECONGNIZEDVAR	AMOUNT
CUSTOMERREVENUEADJUSTEDVAR	AMOUNT
JOBREVENUERECONGNIZEDVAR	AMOUNT
JOBREVENUERECONGNIZEDTIMEVAR	AMOUNT
JOBREVENUERECONGNIZEDAMOUNTVAR	AMOUNT
JOBREVENUEADJUSTEDVAR	AMOUNT
TOTALREVENUERECONGNIZEDVAR	AMOUNT
TOTALREVENUERECONGNIZEDTIMEVAR	AMOUNT
TOTALREVENUERECONGNIZEDAMOUNTVAR	AMOUNT
TOTALREVENUEADJUSTEDVAR	AMOUNT

CURRENCYCONVERSIONDATEVAR	DATE
PURCHASEEXCHANGERATETABLEVAR	ExchangeRateTableNumberType
SALESEXCHANGERATETABLEVAR	ExchangeRateTableNumberType
BASETOREPORTINGEXCHRATEVAR	REAL
REPORTINGCURRENCYROUNDING	AMOUNT
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING

P JobBalanceList

ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P JobBudget

The following cursors can be used in this printout:

JOBHEADER	JobHeader
A_ACTIVITY	Activity
A_JOBBDGETLINE	JobBudgetLine
S_JOBBDGETLINE	JobBudgetLine
S_JOBBDGETITEMLINE	JobBudgetItemLine
P_JOBSPECIFICEMPLOYEECATEGORYPRICE	JobSpecificEmployeeCategoryPrice
P_LINESPECIFICBILLINGPRICETIMEJOBBDGETLINE	JobBudgetLine
P_LINESPECIFICBILLINGPRICEAMOUNTJOBBDGETLINE	JobBudgetLine
L_JOBBDGETITEMLINE	JobBudgetItemLine
L_ROOTJOBBDGETLINE	JobBudgetLine
L_FIRSTLEVELJOBBDGETLINE	JobBudgetLine
L_SECONDLEVELJOBBDGETLINE	JobBudgetLine
L_THIRDLEVELJOBBDGETLINE	JobBudgetLine
L_FOURTHLEVELJOBBDGETLINE	JobBudgetLine
L_FIFTHLEVELJOBBDGETLINE	JobBudgetLine
L_SIXTHLEVELJOBBDGETLINE	JobBudgetLine
JOBBDGETTIMEDETAILLINE	JobBudgetTimeDetailLine

The following variables can be used in this printout:

DONOTSHOWBASEAMOUNT	BOOLEAN
PAYMENTCUSTOMERNAME	STRING
SUMCOSTPRICE	AMOUNT
ACTIVITYCOSTPRICE	AMOUNT
SUMNUMBER	REAL
ACTIVITYNUMBER	REAL
NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FirstJobNumber	STRING
LastJobNumber	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
SelectedStatus	JobStatusType
SelectedDepartment	DepartmentNumberType
SelectedJobGroup	JobGroupType
SelectedCustomerGroup	CustomerGroupType
SelectedResponsible	STRING
ShowClosed	BOOLEAN
ACTIVITYBILLINGPRICECURRENCY	AMOUNT
SUMBILLINGPRICECURRENCY	AMOUNT
SHOWACTIVITY	BOOLEAN

ACTIVITYNUMBERFIELD	STRING
SHOWSUMACTIVITY	BOOLEAN
JOBMARKUP	AMOUNT
SHOWBASEAMOUNT	BOOLEAN
JOBTIMEQUANTITYVAR	REAL
UNITTEXTVAR	STRING
SHOWVALUELINE	BOOLEAN
SHOWTEXTLINE	BOOLEAN
SHOWSUMLINE	BOOLEAN
ENDSUMCOSTPRICE	AMOUNT
ENDSUMBILLINGPRICECURRENCY	AMOUNT
IncludeItemLinesVar	BOOLEAN
SHOWITEMLINEVAR	BOOLEAN
COSTPRICETOTALVAR	AMOUNT
EXISTSITEMLINESVAR	BOOLEAN
EXISTSITEMLINESNOTVAR	BOOLEAN
PRINTBUDGETTYPEVAR	JobBudgetTypeType
JOBCOSTPRICE	AMOUNT
JOBBILLINGPRICECURRENCY	AMOUNT
JOBBILLINGPRICEBASE	AMOUNT
SHOWNTOTALCOSTPRICEVAR	AMOUNT
SHOWNENDSUMCOSTPRICE	AMOUNT
SHOWNJOBCOSTPRICE	AMOUNT
SHOWNJOBMARKUP	AMOUNT
SHOWNACTIVITYCOSTPRICE	AMOUNT
SHOWNCOSTPRICEVAR	AMOUNT
SHOWNCOSTPRICETOTALVAR	AMOUNT
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromSettlingCompanyVar	STRING
ToSettlingCompanyVar	STRING
EMPLOYEE1NAMEVAR	STRING
EMPLOYEE2NAMEVAR	STRING
EMPLOYEE3NAMEVAR	STRING
EMPLOYEE4NAMEVAR	STRING
EMPLOYEE5NAMEVAR	STRING
EMPLOYEE6NAMEVAR	STRING
EMPLOYEE7NAMEVAR	STRING
EMPLOYEE8NAMEVAR	STRING
EMPLOYEE9NAMEVAR	STRING
EMPLOYEE10NAMEVAR	STRING
PROJECTMANAGERNAMEVAR	STRING
TIMEREGISTRATIONUNITSTRVAR	STRING
REVISIONNUMBERVAR	INTEGER
RESPONSIBLECOMPANYNAMEVAR	STRING
TASKTEXTVAR	STRING
EMPLOYEECATEGORYNAMEVAR	STRING
INTERCOMPANYPRICEVAR	AMOUNT

EMPLOYEE_NAMEVAR	STRING
IncludeTemplatesVar	BOOLEAN
JOBTEAM1_NAMEVAR	STRING
JOBTEAM2_NAMEVAR	STRING
JOBTEAM3_NAMEVAR	STRING
JOBTEAM4_NAMEVAR	STRING
JOBTEAM5_NAMEVAR	STRING
JOBTEAM6_NAMEVAR	STRING
LINETEAM1_NAMEVAR	STRING
LINETEAM2_NAMEVAR	STRING
LINETEAM3_NAMEVAR	STRING
LINETEAM4_NAMEVAR	STRING
LINETEAM5_NAMEVAR	STRING
LINETEAM6_NAMEVAR	STRING
MILESTONE_LINEVAR	BOOLEAN
NOT_MILESTONE_LINEVAR	BOOLEAN
INCLUDE_ONLY_EXTERNAL_DATESVAR	BOOLEAN
CUSTOMER_REMARK15VAR	STRING
CUSTOMER_REMARK16VAR	STRING
CUSTOMER_REMARK17VAR	STRING
CUSTOMER_REMARK18VAR	STRING
CUSTOMER_REMARK19VAR	STRING
CUSTOMER_REMARK20VAR	STRING
BudgetDisplayVar	BudgetDisplayType
FixedBudgetTypeVar	JobBudgetTypeType
FixedBudgetTypeProperty1Var	STRING
FixedBudgetTypeProperty2Var	STRING
FixedBudgetTypeProperty3Var	STRING
TASK_DESCRIPTIONVAR	STRING
ACTIVITY_TEXTVAR	STRING
SHOWNCOSTPRICEPERDAYVAR	AMOUNT
BILLINGPRICECURRENCYPERDAYVAR	AMOUNT
SHOWNCOSTPRICEPURCHASINGCURRENCYPERDAYVAR	AMOUNT
BILLINGPRICEPURCHASINGCURRENCYPERDAYVAR	AMOUNT
BILLINGPRICEBASEPERDAYVAR	AMOUNT
STDBILLINGPRICECURRENCYPERDAYVAR	AMOUNT
SHOWNNETCOSTPRICEPERDAYVAR	AMOUNT
SHOWNCOSTPRICEENTERPRISEPERDAYVAR	AMOUNT
BILLINGPRICEENTERPRISEPERDAYVAR	AMOUNT
STDBILLINGPRICEBASEPERDAYVAR	AMOUNT
STDBILLINGPRICEENTERPRISEPERDAYVAR	AMOUNT
SHOWNNETCOSTPRICEVAR	AMOUNT
SHOWNCOSTPRICEENTERPRISEVAR	AMOUNT
SHOWNCOSTPRICEPURCHASINGCURRENCYVAR	AMOUNT
LEVELJOB_BUDGET_LINE_INSTANCE_KEYVAR	STRING
LEVELNUMBEROFVAR	AMOUNT
LEVELCOSTPRICETOTALVAR	AMOUNT
LEVELBILLINGPRICETOTALCURRENCYVAR	AMOUNT

LEVELCOSTPRICEVAR	AMOUNT
LEVELACTIVITYTYPEVAR	ActivitytypeType
LEVELNETCOSTPRICEVAR	AMOUNT
LEVELCOSTPRICEENTERPRISEVAR	AMOUNT
LEVELCOSTPRICEPURCHASINGCURRENCYVAR	AMOUNT
LEVELBILLINGPRICECURRENCYVAR	AMOUNT
LEVELBILLINGPRICEPURCHASINGCURRENCYVAR	AMOUNT
LEVELBILLINGPRICEBASEVAR	AMOUNT
LEVELSTDBILLINGPRICECURRENCYVAR	AMOUNT
LEVELBILLINGPRICEENTERPRISEVAR	AMOUNT
LEVELSTDBILLINGPRICEBASEVAR	AMOUNT
LEVELSTDBILLINGPRICEENTERPRISEVAR	AMOUNT
LEVELPURCHASINGCURRENCYVAR	CurrencyType
LEVELACTIVITYTEXTVAR	STRING
MaximumDepthVar	INTEGER
ENABLEFIRSTLEVELVAR	BOOLEAN
ENABLESECONDLEVELVAR	BOOLEAN
ENABLETHIRDDLEVELVAR	BOOLEAN
ENABLEFOURTHLEVELVAR	BOOLEAN
ENABLEFIFTHLEVELVAR	BOOLEAN
ENABLESIXTHLEVELVAR	BOOLEAN
NOTSHOWSUMLINE	BOOLEAN
WARNINGGIVENVAR	BOOLEAN
EMPLOYEENUMBERVAR	STRING
EMPLOYEECATEGORYNUMBERVAR	STRING
TIMEBUDGETRESOURCEHEADINGVAR	STRING
SHOWTIMEDETAILSVAR	BOOLEAN
IncludeTimeDetailsVar	BOOLEAN

P JobBudgetRevisions

The following cursors can be used in this printout:

JOB BUDGET REVISION	JobBudgetRevision
S_JOB BUDGET LINE	JobBudgetLine
S_JOB BUDGET ITEM LINE	JobBudgetItemLine
L_JOB BUDGET ITEM LINE	JobBudgetItemLine
L_ROOT JOB BUDGET LINE	JobBudgetLine
L_FIRST LEVEL JOB BUDGET LINE	JobBudgetLine
L_SECOND LEVEL JOB BUDGET LINE	JobBudgetLine
L_THIRD LEVEL JOB BUDGET LINE	JobBudgetLine
L_FOURTH LEVEL JOB BUDGET LINE	JobBudgetLine
L_FIFTH LEVEL JOB BUDGET LINE	JobBudgetLine
L_SIXTH LEVEL JOB BUDGET LINE	JobBudgetLine
JOB BUDGET TIME DETAIL LINE	JobBudgetTimeDetailLine

The following variables can be used in this printout:

NAME OF USER	STRING
LayoutName	LayoutNameType
COMPANY NAME	STRING
TODAY'S DATE	STRING
THE TIME	STRING
PAGE NUMBER	INTEGER
FromJobNumberVar	STRING
ToJobNumberVar	STRING
JobGroupVar	JobGroupType
BudgetTypeVar	JobBudgetTypeType
BudgetTypeProperty1Var	STRING
BudgetTypeProperty2Var	STRING
BudgetTypeProperty3Var	STRING
FromRevisionNumberVar	INTEGER
ToRevisionNumberVar	INTEGER
FromRevisionCodeVar	STRING
ToRevisionCodeVar	STRING
IncludeItemLinesVar	BOOLEAN
SHOW ITEM LINE VAR	BOOLEAN
EXISTS ITEM LINES NOT VAR	BOOLEAN
EXISTS ITEM LINES VAR	BOOLEAN
SHOW NCOST PRICE	AMOUNT
SHOW VALUE LINE	BOOLEAN
SHOW NCOST PRICE TOTAL VAR	AMOUNT
SHOW TEXT LINE VAR	BOOLEAN
SHOW SUM LINE	BOOLEAN
SHOW NEND SUM COST PRICE VAR	AMOUNT
END SUM BILLING PRICE CURRENCY VAR	AMOUNT
DONOT SHOW BASE AMOUNT VAR	BOOLEAN
SHOW BASE AMOUNT VAR	BOOLEAN

TIMEREISTRATIONUNITSTRVAR	STRING
JOBTIMEQUANTITYVAR	REAL
SHOWNJOBCOSTPRICEVAR	AMOUNT
JOBBILLINGPRICECURRENCYVAR	AMOUNT
SHOWNJOBMARKUPVAR	AMOUNT
JOBBILLINGPRICEBASEVAR	AMOUNT
ENDSUMCOSTPRICEVAR	AMOUNT
JOBCOSTPRICEVAR	AMOUNT
JOBMARKUPVAR	AMOUNT
SUMNUMBERVAR	AMOUNT
SUMCOSTPRICEVAR	AMOUNT
SUMBILLINGPRICECURRENCYVAR	AMOUNT
REMOVED1	STRING
BASECURRENCYVAR	CurrencyType
BILLINGPRICECURRENCYPERDAYVAR	AMOUNT
BILLINGPRICEPURCHASINGCURRENCYPERDAYVAR	AMOUNT
BILLINGPRICEBASEPERDAYVAR	AMOUNT
STDBILLINGPRICECURRENCYPERDAYVAR	AMOUNT
BILLINGPRICEENTERPRISEPERDAYVAR	AMOUNT
STDBILLINGPRICEBASEPERDAYVAR	AMOUNT
STDBILLINGPRICEENTERPRISEPERDAYVAR	AMOUNT
SHOWNCOSTPRICEPERDAYVAR	AMOUNT
SHOWNCOSTPRICEENTERPRISEVAR	AMOUNT
SHOWNCOSTPRICEPURCHASINGCURRENCYVAR	AMOUNT
SHOWNNETCOSTPRICEVAR	AMOUNT
SHOWNCOSTPRICEENTERPRISEPERDAYVAR	AMOUNT
SHOWNCOSTPRICEPURCHASINGCURRENCYPERDAYVAR	AMOUNT
SHOWNNETCOSTPRICEPERDAYVAR	AMOUNT
SHOWNTOTALCOSTPRICEVAR	AMOUNT
MaximumDepthVar	INTEGER
ENABLEFIRSTLEVELVAR	BOOLEAN
ENABLESECONDLEVELVAR	BOOLEAN
ENABLETHIRDDLEVELVAR	BOOLEAN
ENABLEFOURTHLEVELVAR	BOOLEAN
ENABLEFIFTHLEVELVAR	BOOLEAN
ENABLESIXTHLEVELVAR	BOOLEAN
LEVELJOBBUDGETLINEINSTANCEKEYVAR	STRING
LEVELJOBNUMBERVAR	STRING
LEVELNUMBEROFVAR	AMOUNT
LEVELCOSTPRICETOTALVAR	AMOUNT
LEVELBILLINGPRICETOTALCURRENCYVAR	AMOUNT
LEVELCOSTPRICEVAR	AMOUNT
LEVELACTIVITYTYPEVAR	ActivitytypeType
LEVELNETCOSTPRICEVAR	AMOUNT
LEVELCOSTPRICEENTERPRISEVAR	AMOUNT
LEVELCOSTPRICEPURCHASINGCURRENCYVAR	AMOUNT
LEVELBILLINGPRICECURRENCYVAR	AMOUNT
LEVELBILLINGPRICEPURCHASINGCURRENCYVAR	AMOUNT

P JobBudgetRevisions

LEVELBILLINGPRICEBASEVAR	AMOUNT
LEVELSTDBILLINGPRICECURRENCYVAR	AMOUNT
LEVELBILLINGPRICEENTERPRISEVAR	AMOUNT
LEVELSTDBILLINGPRICEBASEVAR	AMOUNT
LEVELSTDBILLINGPRICEENTERPRISEVAR	AMOUNT
LEVELPURCHASINGCURRENCYVAR	CurrencyType
NOTSHOWSUMLINE	BOOLEAN
MILESTONELINEVAR	BOOLEAN
NOTMILESTONELINEVAR	BOOLEAN
WARNINGGIVENVAR	BOOLEAN
SHOWTIMEDETAILSVAR	BOOLEAN
IncludeTimeDetailsVar	BOOLEAN
EMPLOYEEENUMBERVAR	STRING
EMPLOYEECATEGORYNUMBERVAR	STRING
TIMEBUDGETRESOURCEHEADINGVAR	STRING

P JobCard

The following cursors can be used in this printout:

JOBHEADER	JobHeader
JOENTRY	JobEntry
JOENTRYBYACTIVITY	JobEntry
TASKJOENTRY	JobEntry

The following variables can be used in this printout:

DONOTSHOWBASEAMOUNT	BOOLEAN
SHOWBASEAMOUNT	BOOLEAN
EMPLOYEEName	STRING
JOBCOSTPRICEINVOICEVAR	AMOUNT
JOBCOSTPRICETRANSFERREDVAR	AMOUNT
REGISTEREDTIMEQUANTITYVAR	REAL
INVOICEDTIMEQUANTITYVAR	REAL
TRANSFERREDTIMEQUANTITYVAR	REAL
ShowClosed	BOOLEAN
SelectedResponsible	STRING
SelectedCustomerGroup	CustomerGroupType
SelectedJobGroup	JobGroupType
SelectedDepartment	DepartmentNumberType
SelectedStatus	JobStatusType
ToCustomerNumberVar	STRING
FromCustomerNumberVar	STRING
LastJobNumber	STRING
FirstJobNumber	STRING
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromPeriodVar	DATE
ToPeriodVar	DATE
VARIABLEINITIALIZEDVAR	BOOLEAN
ShowOnlyOpenEntriesVar	BOOLEAN
ACTIVITYNUMBERVAR	STRING
TASKNAMEVAR	STRING
ACTIVITYNUMBEROFREGVAR	REAL
ACTIVITYNUMBERMOVEDVAR	REAL
ACTIVITYCOSTPRICEREGVAR	AMOUNT
ACTIVITYCOSTPRICEMOVEDVAR	AMOUNT

ACTIVITYCOSTPRICEINVOICEVAR	AMOUNT
ACTIVITYBILLINGPRICEREGVAR	AMOUNT
ACTIVITYBILLINGPRICEMOVEDVAR	AMOUNT
ACTIVITYBILLINGPRICEINVOICEDVAR	AMOUNT
TASKNUMBEROFREGVAR	REAL
TASKNUMBERMOVEDVAR	REAL
TASKCOSTPRICEREGVAR	AMOUNT
TASKCOSTPRICEMOVEDVAR	AMOUNT
TASKCOSTPRICEINVOICEVAR	AMOUNT
TASKBILLINGPRICEREGVAR	AMOUNT
TASKBILLINGPRICEMOVEDVAR	AMOUNT
TASKBILLINGPRICEINVOICEDVAR	AMOUNT
JOBCOSTPRICEREGVAR	AMOUNT
JOBBILLINGPRICEREGVAR	AMOUNT
JOBBILLINGPRICEINVOICEDVAR	AMOUNT
JOBBILLINGPRICETRANSFVAR	AMOUNT
SHOWSIMPLETOTALVAR	BOOLEAN
SHOWCURRENCYTOTALVAR	BOOLEAN
BASECURRENCYVAR	CurrencyType
JOBBILLINGPRICEREGBASEVAR	AMOUNT
JOBBILLINGPRICEINVOICEDBASEVAR	AMOUNT
JOBBILLINGPRICETRANSFBASEVAR	AMOUNT
FromTaskVar	STRING
ToTaskVar	STRING
SUPPLIERNAMEVAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromSettlingCompanyVar	STRING
ToSettlingCompanyVar	STRING
FromExecutingCompanyNumberVar	STRING
ToExecutingCompanyNumberVar	STRING
FromInvoiceNumberVar	INTEGER
ToInvoiceNumberVar	INTEGER
EMPLOYEE1NAMEVAR	STRING
EMPLOYEE2NAMEVAR	STRING
EMPLOYEE3NAMEVAR	STRING
EMPLOYEE4NAMEVAR	STRING
EMPLOYEE5NAMEVAR	STRING
EMPLOYEE6NAMEVAR	STRING
EMPLOYEE7NAMEVAR	STRING
EMPLOYEE8NAMEVAR	STRING
EMPLOYEE9NAMEVAR	STRING
EMPLOYEE10NAMEVAR	STRING
COMPANYNAME1VAR	STRING
SETTLINGCOMPANYNAME1VAR	STRING
TASKTEXTVAR	STRING
CURRENTPHASERESPONSIBLENAMEVAR	STRING
CURRENTPHASEDUEVAR	BOOLEAN

CURRENTPHASERESPONSIBLEEMPLOYEEENUMBERVAR	STRING
FromFinanceEntryDateVar	DATE
ToFinanceEntryDateVar	DATE
OriginVar	JournalTypeType
OvertimeTypeVar	OvertimeTypeType
TypeOfEntryVar	JobEntryTypeType
ShowAccrualEntriesVar	BOOLEAN
ActivityTypeVar	ActivitytypeType
CostTypeVar	CostTypeType
JOBREVENUERECOGNIZEDVAR	AMOUNT
JOBREVENUERECOGNIZEDBASEVAR	AMOUNT
ACTIVITYREVENUERECOGNIZEDVAR	AMOUNT
ACTIVITYREVENUERECOGNIZEDBASEVAR	AMOUNT
TASKREVENUERECOGNIZEDVAR	AMOUNT
TASKREVENUERECOGNIZEDBASEVAR	AMOUNT
ShowTransferredVar	BOOLEAN
NOTSHOWTRANSFERREDVAR	BOOLEAN
NUMBERMOVEDVAR	REAL
COSTPRICETRANSFERREDVAR	AMOUNT
BILLINGPRICETRANSFCURRENCYVAR	AMOUNT
BILLINGPRICETRANSFBASEVAR	AMOUNT
ShowVar	IncludedInFixedPriceType
PROJECTMANAGERNAMEVAR	STRING
ProjectManagerNumberVar	STRING
TASKNAMETEXTVAR	STRING
TITLEREGISTEREDTIMEQUANTITYVAR	STRING
TITLEINVOICEDTIMEQUANTITYVAR	STRING
TITLETRANSFERREDTIMEQUANTITYVAR	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING

FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
OPENCOSTPRICEVAR	AMOUNT
OPENCOSTPRICEENTERPRISEVAR	AMOUNT
OPENBILLINGPRICEBASEVAR	AMOUNT
OPENBILLINGPRICECURRENCYVAR	AMOUNT
OPENBILLINGPRICEENTERPRISEVAR	AMOUNT

P JobCreditMemo

The following cursors can be used in this printout:

INVOICE	Invoice
INVOICETEXTLINE	InvoiceTextLine
INVOICEPRINTOUTLINE	InvoicePrintoutLine
SUMMARYINVOICEPRINTOUTLINE	InvoicePrintoutLine
DETAILEDINVOICEPRINTOUTLINE	InvoicePrintoutLine
INVOICEVATSPECIFICATION	InvoiceVATSpecification
JOBINVOICEONACCOUNTRECONCILIATION	JobInvoiceOnAccountReconciliation
JOBPREINVOICEEVENT	JobPreInvoiceEvent

The following variables can be used in this printout:

LastJobNumber	STRING
FirstJobNumber	STRING
LastInvoiceNumber	INTEGER
FirstInvoiceNumber	INTEGER
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromSettlingCompanyNumberVar	STRING
ToSettlingCompanyNumberVar	STRING
LanguageVar	LanguageType
PrintedByVar	STRING
IncludeZeroInvoicesVar	BOOLEAN
FromPaymentCustomerVar	STRING
ToPaymentCustomerVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromInvoiceDateVar	DATE
ToInvoiceDateVar	DATE
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING

ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
ACTIVITYTYPEVAR	ActivitytypeType
ACTIVITYNUMBERVAR	STRING
SHOWSTANDARDAMOUNT	BOOLEAN
SHOWTOTAL	BOOLEAN
SHOWVATAMOUNT	BOOLEAN
VATCODEVAR	STRING
VATCODEVARIABLEHASBEENSETVAR	BOOLEAN
VATCODEVARIABLEISVALIDVAR	BOOLEAN
SHOWINVOICEDISCOUNT	BOOLEAN
ACTIVITYBILLINGPRICETOTAL	AMOUNT
BILLINGPRICEFIELD	AMOUNT
ACTIVITYNUMBEROFHOURS	REAL
ACTIVITYTEXT	STRING
RECEIVERCUSTOMERNUMBERFIXED	STRING
RECEIVERFIXED	STRING
COMPANYINFORMATIONLINE	STRING
PAGENUMBER	INTEGER

THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME1	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
PAYMENTTERMS	PaymentTermsType
DELIVERYADDRESS1	STRING
DELIVERYADDRESS2	STRING
DELIVERYADDRESS3	STRING
DELIVERYADDRESS4	STRING
DELIVERYADDRESS5	STRING
DELIVERYADDRESS6	STRING
DELIVERYADDRESS7	STRING
DELIVERYADDRESS8	STRING
PAYMENTADDRESS1	STRING
PAYMENTADDRESS2	STRING
PAYMENTADDRESS3	STRING
PAYMENTADDRESS4	STRING
PAYMENTADDRESS5	STRING
PAYMENTADDRESS6	STRING
PAYMENTADDRESS7	STRING
PAYMENTADDRESS8	STRING
RESPONSIBLEVAR	STRING
COMPANYADDRESS1	STRING
COMPANYADDRESS2	STRING
COMPANYADDRESS3	STRING
COMPANYADDRESS4	STRING
COMPANYADDRESS5	STRING
COMPANYADDRESS6	STRING
COMPANYADDRESS7	STRING
COMPANYADDRESS8	STRING
COMPANYVATNUMBER	STRING
COMPANYBANKACCOUNTNUMBER	STRING
COMPANYGIRONUMBER	STRING
PAYERVATNUMBER	STRING
PAYERGIRONUMBER	STRING
EUSALEVAR	BOOLEAN
JOBTEXT1	STRING
JOBTEXT2	STRING
JOBTEXT3	STRING
JOBTEXT4	STRING
JOBTEXT5	STRING
JOBTEXT6	STRING
JOBTEXT7	STRING
JOBTEXT8	STRING
JOBTEXT9	STRING
JOBTEXT10	STRING
JOBTEXT11	STRING

JOBTEXT12	STRING
JOBTEXT13	STRING
JOBTEXT14	STRING
JOBTEXT15	STRING
JOBTEXT16	STRING
JOBTEXT17	STRING
JOBTEXT18	STRING
JOBTEXT19	STRING
JOBTEXT20	STRING
JOBDATE1	DATE
JOBDATE2	DATE
JOBDATE3	DATE
JOBDATE4	DATE
JOBDATE5	DATE
JOBPOPUP1	JobPopupType1
JOBPOPUP2	JobPopupType2
JOBPOPUP3	JobPopupType3
JOBPOPUP4	JobPopupType4
JOBPOPUP5	JobPopupType5
DOLLARAMOUNTINVOICECURRENCYVAR	STRING
CENTAMOUNTINVOICECURRENCYVAR	STRING
DOLLARAMOUNTINVOICECURRENCYWITHOUTSEPARATINGCHARVAR	STRING
AMOUNTINCENTINVOICECURRENCYVAR	STRING
CONTROLDIGITSINVOICECURRENCYVAR	STRING
SHOWORDINARYLINE	BOOLEAN
SHOWSUBTOTALLINE	BOOLEAN
BEFOREINVOICEDONJOBCURRENCYVAR	AMOUNT
NOWINVOICEDONJOBCURRENCYVAR	AMOUNT
TOTALEXCLVATINVOICECURRENCYVAR	AMOUNT
TOTALEXCLVATCURRENCYVAR	AMOUNT
REMAINDERFORINVOICINGCURRENCYVAR	AMOUNT
EUROOUT	BOOLEAN
TOTALEUROAMOUNTVAR	AMOUNT
EUROCURRENCYVAR	CurrencyType
UNITTEXTVAR	STRING
CHARGEVATVAR	AMOUNT
CHARGETOTALVAT1CURRENCYVAR	AMOUNT
CHARGETOTALVAT2CURRENCYVAR	AMOUNT
CHARGETOTALVAT3CURRENCYVAR	AMOUNT
CHARGETOTALVAT1BASEVAR	AMOUNT
CHARGETOTALVAT2BASEVAR	AMOUNT
CHARGETOTALVAT3BASEVAR	AMOUNT
CHARGETOTALVAT1ENTERPRISEVAR	AMOUNT
CHARGETOTALVAT2ENTERPRISEVAR	AMOUNT
CHARGETOTALVAT3ENTERPRISEVAR	AMOUNT
SETTLINGCOMPANYLINEVAR	STRING
SETTLINGCOMPANYNAME1VAR	STRING
SETTLINGCOMPANYADDRESS1VAR	STRING

SETTLINGCOMPANYADDRESS2VAR	STRING
SETTLINGCOMPANYADDRESS3VAR	STRING
SETTLINGCOMPANYADDRESS4VAR	STRING
SETTLINGCOMPANYADDRESS5VAR	STRING
SETTLINGCOMPANYADDRESS6VAR	STRING
SETTLINGCOMPANYADDRESS7VAR	STRING
SETTLINGCOMPANYADDRESS8VAR	STRING
SETTLINGCOMPANYVATNUMBERVAR	STRING
SETTLINGCOMPANYBANKACCOUNTNUMBERVAR	STRING
SETTLINGCOMPANYGIRONUMBERVAR	STRING
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING
COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING
SETTLINGCOMPANYTELEPHONEVAR	STRING
SETTLINGCOMPANYTELEFAXVAR	STRING
SETTLINGCOMPANYTELEXVAR	STRING
SETTLINGCOMPANYPAYMENTSERVICENUMBERVAR	STRING
SETTLINGCOMPANYTEXT1VAR	STRING
SETTLINGCOMPANYTEXT2VAR	STRING
SETTLINGCOMPANYTEXT3VAR	STRING
SETTLINGCOMPANYTEXT4VAR	STRING
SETTLINGCOMPANYTEXT5VAR	STRING
SETTLINGCOMPANYTEXT6VAR	STRING
SETTLINGCOMPANYTEXT7VAR	STRING
SETTLINGCOMPANYTEXT8VAR	STRING
SETTLINGCOMPANYTEXT9VAR	STRING
SETTLINGCOMPANYTEXT10VAR	STRING

SETTLINGCOMPANYTEXT11VAR	STRING
SETTLINGCOMPANYTEXT12VAR	STRING
SETTLINGCOMPANYTEXT13VAR	STRING
SETTLINGCOMPANYTEXT14VAR	STRING
SETTLINGCOMPANYTEXT15VAR	STRING
SETTLINGCOMPANYTEXT16VAR	STRING
SETTLINGCOMPANYTEXT17VAR	STRING
SETTLINGCOMPANYTEXT18VAR	STRING
SETTLINGCOMPANYTEXT19VAR	STRING
SETTLINGCOMPANYTEXT20VAR	STRING
COMPANYNAME2VAR	STRING
COMPANYNAME3VAR	STRING
COMPANYNAME4VAR	STRING
COMPANYNAME5VAR	STRING
COMPANYZIPCODEVAR	STRING
COMPANYPOSTALDISTRICTVAR	STRING
COMPANYCOUNTRYVAR	CountryType
SETTLINGCOMPANYNAME2VAR	STRING
SETTLINGCOMPANYNAME3VAR	STRING
SETTLINGCOMPANYNAME4VAR	STRING
SETTLINGCOMPANYNAME5VAR	STRING
SETTLINGCOMPANYZIPCODEVAR	STRING
SETTLINGCOMPANYPOSTALDISTRICTVAR	STRING
SETTLINGCOMPANYCOUNTRYVAR	CountryType
JOBEMPLOYEE1VAR	STRING
JOBEMPLOYEE2VAR	STRING
JOBEMPLOYEE3VAR	STRING
JOBEMPLOYEE4VAR	STRING
JOBEMPLOYEE5VAR	STRING
JOBEMPLOYEE6VAR	STRING
JOBEMPLOYEE7VAR	STRING
JOBEMPLOYEE8VAR	STRING
JOBEMPLOYEE9VAR	STRING
JOBEMPLOYEE10VAR	STRING
JOBEMPLOYEE1NAMEVAR	STRING
JOBEMPLOYEE2NAMEVAR	STRING
JOBEMPLOYEE3NAMEVAR	STRING
JOBEMPLOYEE4NAMEVAR	STRING
JOBEMPLOYEE5NAMEVAR	STRING
JOBEMPLOYEE6NAMEVAR	STRING
JOBEMPLOYEE7NAMEVAR	STRING
JOBEMPLOYEE8NAMEVAR	STRING
JOBEMPLOYEE9NAMEVAR	STRING
JOBEMPLOYEE10NAMEVAR	STRING
JOBPROJECTMANAGERNUMBERVAR	STRING
JOBPROJECTMANAGERNAMEVAR	STRING
JOBCOLLECTIONNUMBERVAR	STRING
JOBCOLLECTIONDESCRIPTIONVAR	STRING

STATEMENTCUSTOMERNAME1VAR	STRING
STATEMENTCUSTOMERNAME2VAR	STRING
STATEMENTCUSTOMERNAME3VAR	STRING
STATEMENTCUSTOMERNAME4VAR	STRING
STATEMENTCUSTOMERNAME5VAR	STRING
STATEMENTCUSTOMERATTENTIONVAR	STRING
STATEMENTCUSTOMERTELEPHONEVAR	STRING
STATEMENTCUSTOMERTELEFAXVAR	STRING
STATEMENTCUSTOMERTELEXVAR	STRING
STATEMENTCUSTOMERELECTRONICMAILADDRESSVAR	STRING
STATEMENTCUSTOMERZIPCODEVAR	STRING
STATEMENTCUSTOMERPOSTALDISTRICTVAR	STRING
STATEMENTCUSTOMERCOUNTRYVAR	CountryType
IncludePrintedOutVar	BOOLEAN
TOTALONACCOUNTVATCURRENCYVAR	AMOUNT
TOTALONACCOUNTAMOUNTCURRENCYVAR	AMOUNT
ONACCOUNTDATEVAR	DATE
ONACCOUNTBLOCKTOINCLVAR	BOOLEAN
SHOWONACCOUNTNET	BOOLEAN
SHOWONACCOUNTVAT	BOOLEAN
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PREINVOICEBLOCKTOINCLVAR	BOOLEAN
LINEPREINVOICEDATEVAR	DATE
LINEPREINVOICETOTALVAR	AMOUNT
LINEPREINVOICECURRENCYVAR	CurrencyType
PAYMENTTERMSTEXTVAR	STRING
LINEONACCOUNTAMOUNTCURRENCYVAR	AMOUNT
LINEONACCOUNTVATCURRENCYVAR	AMOUNT
EXTERNALBASESALARYMARKUPPCTVAR	REAL
LINEBILLINGPRICETOTALINCLVATINVOICECURRENCYVAR	AMOUNT
SHOWROUNDINGOFF	BOOLEAN
ITEMSUMBASEVAR	AMOUNT
VATSUMBASEVAR	AMOUNT
EXCHANGERATEINVOICECURRENCYTOBASEVAR	REAL
EXCHANGERATEBASETOINVOICECURRENCYVAR	REAL
VATBLOCKINCLUDEDVAR	BOOLEAN
INCLUDEVATLINE	BOOLEAN
TOTALTOTALVATAMOUNTINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT1AMOUNTINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT2AMOUNTINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT3AMOUNTINVOICECURRENCYVAR	AMOUNT
TOTALVATAMOUNTINVOICECURRENCYVAR	AMOUNT
TOTALVATAMOUNTBASEVAR	AMOUNT
TOTALVATTOTALBASEVAR	AMOUNT
TOTALTOTALVAT1BASISBASEVAR	AMOUNT
TOTALTOTALVAT2BASISBASEVAR	AMOUNT
TOTALTOTALVAT3BASISBASEVAR	AMOUNT
TOTALTOTALVAT1BASISINVOICECURRENCYVAR	AMOUNT

TOTALTOTALVAT2BASISINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT3BASISINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT1AMOUNTBASEVAR	AMOUNT
TOTALTOTALVAT2AMOUNTBASEVAR	AMOUNT
TOTALTOTALVAT3AMOUNTBASEVAR	AMOUNT
TOTALINTEGERPARTASTEXTVAR	STRING
TOTALFRACTIONALPARTASTEXTVAR	STRING
INVOICENAME1VAR	STRING
INVOICENAME2VAR	STRING
INVOICENAME3VAR	STRING
INVOICENAME4VAR	STRING
INVOICENAME5VAR	STRING
INVOICEATTENTIONVAR	STRING
INVOICECUSTOMERNUMBERVAR	STRING
DELIVERYVATNUMBERVAR	STRING
REPRINTOFINVOICEVAR	BOOLEAN
REPRINTOFINVOICETEXTVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING
FORMATTEDINVOICENUMBERVAR	STRING
FORMATTEDBASEDONINVOICENUMBERVAR	STRING
HASHCONTROLCHARSVAR	STRING
AMOUNTAFTERONACCOUNTREDUCTIONINVOICECURRENCYVAR	AMOUNT
VATAFTERONACCOUNTREDUCTIONINVOICECURRENCYVAR	AMOUNT
SHOWBASEDONINVOICEVAR	BOOLEAN
BASEDONINVOICEITEMSUMVAR	AMOUNT

BASEDONINVOICEINVOICEDISCOUNTVAR	AMOUNT
BASEDONINVOICEONACCOUNTREDUCTIONVAR	AMOUNT
BASEDONINVOICEVATVAR	AMOUNT
BASEDONINVOICEONACCOUNTVATVAR	AMOUNT
BASEDONINVOICEAMOUNTAFTERONACCOUNTREDVAR	AMOUNT
BASEDONINVOICEVATAFTERONACCOUNTREDVAR	AMOUNT
BASEDONINVOICETOTALVAR	AMOUNT
CONTAINSDETAILEDSPECIFICATIONVAR	BOOLEAN
VAT1INVOICECURRENCYVAR	AMOUNT
VAT2INVOICECURRENCYVAR	AMOUNT
VAT3INVOICECURRENCYVAR	AMOUNT
VAT1JOBCURRENCYVAR	AMOUNT
VAT2JOBCURRENCYVAR	AMOUNT
VAT3JOBCURRENCYVAR	AMOUNT
VAT1BASEVAR	AMOUNT
VAT2BASEVAR	AMOUNT
VAT3BASEVAR	AMOUNT
VAT1ENTERPRISEVAR	AMOUNT
VAT2ENTERPRISEVAR	AMOUNT
VAT3ENTERPRISEVAR	AMOUNT
ONACCOUNTVAT1CURRENCYVAR	AMOUNT
ONACCOUNTVAT2CURRENCYVAR	AMOUNT
ONACCOUNTVAT3CURRENCYVAR	AMOUNT
ONACCOUNTVAT1BASEVAR	AMOUNT
ONACCOUNTVAT2BASEVAR	AMOUNT
ONACCOUNTVAT3BASEVAR	AMOUNT
ONACCOUNTVAT1ENTERPRISEVAR	AMOUNT
ONACCOUNTVAT2ENTERPRISEVAR	AMOUNT
ONACCOUNTVAT3ENTERPRISEVAR	AMOUNT
SHOWVAT2AMOUNT	BOOLEAN
SHOWVAT3AMOUNT	BOOLEAN
SHOWONACCOUNTVAT2	BOOLEAN
SHOWONACCOUNTVAT3	BOOLEAN
LINEONACCOUNTVAT1CURRENCYVAR	AMOUNT
LINEONACCOUNTVAT2CURRENCYVAR	AMOUNT
LINEONACCOUNTVAT3CURRENCYVAR	AMOUNT
TOTALONACCOUNTVAT1CURRENCYVAR	AMOUNT
TOTALONACCOUNTVAT2CURRENCYVAR	AMOUNT
TOTALONACCOUNTVAT3CURRENCYVAR	AMOUNT
ISONLEVEL0VAR	BOOLEAN
ISONLEVEL1VAR	BOOLEAN
ISONLEVEL2VAR	BOOLEAN
ISONLEVEL3VAR	BOOLEAN
ISONLEVEL4VAR	BOOLEAN
ISONLEVEL5VAR	BOOLEAN
ISONLEVEL6VAR	BOOLEAN
ISONLEVEL7VAR	BOOLEAN
ISNOTONLEVEL0VAR	BOOLEAN

ISNOTONLEVEL1VAR	BOOLEAN
ISNOTONLEVEL2VAR	BOOLEAN
ISNOTONLEVEL3VAR	BOOLEAN
ISNOTONLEVEL4VAR	BOOLEAN
ISNOTONLEVEL5VAR	BOOLEAN
ISNOTONLEVEL6VAR	BOOLEAN
ISNOTONLEVEL7VAR	BOOLEAN
ISHEADERVER	BOOLEAN
ISNOTHEADERVER	BOOLEAN
APPROVEDBYVAR	STRING
APPROVALDATEVAR	DATE
SHOWSPLITBILLINFORMATIONVAR	BOOLEAN
EFFECTIVEPERCENTAGEVAR	REAL
TOTALAMOUNTFORINVOICINGSPLITBILLVAR	AMOUNT
JOBNAMEINVOICEONACCOUNTVAR	STRING
INVOICEDATEFORMATTEDVAR	STRING
DUEDATEFORMATTEDVAR	STRING
EXTACCOUNTREGNUMBERVAR	STRING
EXTACCOUNTACCOUNTNUMBERVAR	STRING
EXTACCOUNTDESCRIPTIONVAR	STRING
EXTACCOUNTIBANACCOUNTNUMBERVAR	STRING
EXTACCOUNTSWIFTCODEVAR	STRING
EXTACCOUNTTEXT1VAR	STRING
EXTACCOUNTTEXT2VAR	STRING
EXTACCOUNTTEXT3VAR	STRING

P JobDescription

The following cursors can be used in this printout:

JOBHEADER	JobHeader
JOBNOTELINE	NoteLine
EVENTHEADER	EventHeader
EVENTNOTELINE	NoteLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromJobNumberVar	STRING
ToJobNumberVar	STRING
StatusVar	JobStatusType
FromCreatedDateVar	DATE
ToCreatedDateVar	DATE
ShowInProgressVar	BOOLEAN
ShowClosedVar	BOOLEAN
FromClosingDateVar	DATE
ToClosingDateVar	DATE
JobGroupVar	JobGroupType
DepartmentNumberVar	DepartmentNumberType
ProjectManagerNumberVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
CustomerGroupVar	CustomerGroupType
ResponsibleVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromJobProcessingStatusVar	STRING
ToJobProcessingStatusVar	STRING
IncludeDescriptionsVar	BOOLEAN
IncludeEventsVar	BOOLEAN
PROJECTMANAGERNAMEVAR	STRING
RESPONSIBLECOMPANYNAMEVAR	STRING
EMPLOYEEENAMEVAR	STRING
EMPLOYEE1NAMEVAR	STRING
EMPLOYEE2NAMEVAR	STRING
EMPLOYEE3NAMEVAR	STRING
EMPLOYEE4NAMEVAR	STRING
EMPLOYEE5NAMEVAR	STRING
EMPLOYEE6NAMEVAR	STRING
EMPLOYEE7NAMEVAR	STRING

EMPLOYEE8NAMEVAR	STRING
EMPLOYEE9NAMEVAR	STRING
EMPLOYEE10NAMEVAR	STRING
CurrentPhaseVar	STRING
DOCUMENTARCHIVEDESCRIPTIONVAR	STRING
PRINTHEADINGVAR	BOOLEAN
PRINTTEXTVAR	BOOLEAN
NEWSECTIONVAR	BOOLEAN
NOTEDESCRIPTIONVAR	STRING
IncludeTemplatesVar	BOOLEAN
VALUEVAR	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING

P JobDescription

ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P JobGroup

The following cursors can be used in this printout:

JOBGROUPINFORMATION

JobGroupInformation

The following variables can be used in this printout:

NAMEOFUSER

STRING

LAYOUTNAME

LayoutNameType

COMPANYNAME

STRING

TODAYSDATE

STRING

THETIME

STRING

PAGENUMBER

INTEGER

SelectedJobGroup

JobGroupType

SELECTEDJOBGROUPNUMBER

INTEGER

JOBNAMEVAR

STRING

P JobInvoice

The following cursors can be used in this printout:

INVOICE	Invoice
INVOICETEXTLINE	InvoiceTextLine
INVOICEPRINTOUTLINE	InvoicePrintoutLine
SUMMARYINVOICEPRINTOUTLINE	InvoicePrintoutLine
DETAILEDINVOICEPRINTOUTLINE	InvoicePrintoutLine
INVOICEVATSPECIFICATION	InvoiceVATSpecification
JOBINVOICEONACCOUNTRECONCILIATION	JobInvoiceOnAccountReconciliation
JOBPREINVOICEEVENT	JobPreInvoiceEvent
JOBPREINVOICE	JobPreInvoice
INVOICECUSTOMERSTATEMENT	InvoiceCustomerStatement
INVOICECUSTOMERAGING	InvoiceCustomerAging
OTHERCURRENCYINVOICECUSTOMERAGING	InvoiceCustomerAging

The following variables can be used in this printout:

LastJobNumber	STRING
FirstJobNumber	STRING
LastInvoiceNumber	INTEGER
FirstInvoiceNumber	INTEGER
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromSettlingCompanyNumberVar	STRING
ToSettlingCompanyNumberVar	STRING
LanguageVar	LanguageType
PrintedByVar	STRING
IncludeZeroInvoicesVar	BOOLEAN
FromPaymentCustomerVar	STRING
ToPaymentCustomerVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromInvoiceDateVar	DATE
ToInvoiceDateVar	DATE
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING

ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
ACTIVITYTYPEVAR	ActivitytypeType
ACTIVITYNUMBERVAR	STRING
SHOWSTANDARDAMOUNT	BOOLEAN
SHOWTOTAL	BOOLEAN
SHOWVATAMOUNT	BOOLEAN
VATCODEVAR	STRING
VATCODEVARIABLEHASBEENSETVAR	BOOLEAN
VATCODEVARIABLEISVALIDVAR	BOOLEAN
SHOWINVOICEDISCOUNT	BOOLEAN
ACTIVITYBILLINGPRICETOTAL	AMOUNT
BILLINGPRICEFIELD	AMOUNT
ACTIVITYNUMBEROFHOURS	REAL
ACTIVITYTEXT	STRING

RECEIVERCUSTOMERNUMBERFIXED	STRING
RECEIVERFIXED	STRING
COMPANYINFORMATIONLINE	STRING
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME1	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
PAYMENTTERMS	PaymentTermsType
SHOWONACCOUNTNET	BOOLEAN
SHOWONACCOUNTVAT	BOOLEAN
DELIVERYADDRESS1	STRING
DELIVERYADDRESS2	STRING
DELIVERYADDRESS3	STRING
DELIVERYADDRESS4	STRING
DELIVERYADDRESS5	STRING
DELIVERYADDRESS6	STRING
DELIVERYADDRESS7	STRING
DELIVERYADDRESS8	STRING
PAYMENTADDRESS1	STRING
PAYMENTADDRESS2	STRING
PAYMENTADDRESS3	STRING
PAYMENTADDRESS4	STRING
PAYMENTADDRESS5	STRING
PAYMENTADDRESS6	STRING
PAYMENTADDRESS7	STRING
PAYMENTADDRESS8	STRING
DEBITINVOICECURRENCYVAR	AMOUNT
CREDITINVOICECURRENCYVAR	AMOUNT
VATDEBITINVOICECURRENCYVAR	AMOUNT
VATCREDITINVOICECURRENCYVAR	AMOUNT
BALANCEINVOICECURRENCYVAR	AMOUNT
BALANCEDEBITINVOICECURRENCYVAR	AMOUNT
BALANCECREDITINVOICECURRENCYVAR	AMOUNT
GROSSINVOICECURRENCYVAR	AMOUNT
SHOWOURDUEBALANCEVAR	BOOLEAN
SHOWYOURDUEBALANCEVAR	BOOLEAN
RESPONSIBLEVAR	STRING
COMPANYADDRESS1	STRING
COMPANYADDRESS2	STRING
COMPANYADDRESS3	STRING
COMPANYADDRESS4	STRING
COMPANYADDRESS5	STRING
COMPANYADDRESS6	STRING
COMPANYADDRESS7	STRING
COMPANYADDRESS8	STRING
COMPANYVATNUMBER	STRING

COMPANYBANKACCOUNTNUMBER	STRING
COMPANYGIRONUMBER	STRING
PAYERVATNUMBER	STRING
PAYERGIRONUMBER	STRING
EUSALEVAR	BOOLEAN
JOBTEXT1	STRING
JOBTEXT2	STRING
JOBTEXT3	STRING
JOBTEXT4	STRING
JOBTEXT5	STRING
JOBTEXT6	STRING
JOBTEXT7	STRING
JOBTEXT8	STRING
JOBTEXT9	STRING
JOBTEXT10	STRING
JOBTEXT11	STRING
JOBTEXT12	STRING
JOBTEXT13	STRING
JOBTEXT14	STRING
JOBTEXT15	STRING
JOBTEXT16	STRING
JOBTEXT17	STRING
JOBTEXT18	STRING
JOBTEXT19	STRING
JOBTEXT20	STRING
JOBDATE1	DATE
JOBDATE2	DATE
JOBDATE3	DATE
JOBDATE4	DATE
JOBDATE5	DATE
JOBPOPUP1	JobPopupType1
JOBPOPUP2	JobPopupType2
JOBPOPUP3	JobPopupType3
JOBPOPUP4	JobPopupType4
JOBPOPUP5	JobPopupType5
DOLLARAMOUNTINVOICECURRENCYVAR	STRING
CENTAMOUNTINVOICECURRENCYVAR	STRING
DOLLARAMOUNTINVOICECURRENCYWITHOUTSEPARATINGCHARVAR	STRING
AMOUNTINCENTINVOICECURRENCYVAR	STRING
CONTROLDIGITSINVOICECURRENCYVAR	STRING
SETTLINGCOMPANYLINEVAR	STRING
SETTLINGCOMPANYNAME1VAR	STRING
SETTLINGCOMPANYADDRESS1VAR	STRING
SETTLINGCOMPANYADDRESS2VAR	STRING
SETTLINGCOMPANYADDRESS3VAR	STRING
SETTLINGCOMPANYADDRESS4VAR	STRING
SETTLINGCOMPANYADDRESS5VAR	STRING
SETTLINGCOMPANYADDRESS6VAR	STRING

SETTLINGCOMPANYADDRESS7VAR	STRING
SETTLINGCOMPANYADDRESS8VAR	STRING
SETTLINGCOMPANYVATNUMBERVAR	STRING
SETTLINGCOMPANYBANKACCOUNTNUMBERVAR	STRING
SETTLINGCOMPANYGIRONUMBERVAR	STRING
IncludePrintedOutVar	BOOLEAN
BEFOREINVOICEDONJOBCURRENCYVAR	AMOUNT
NOWINVOICEDONJOBCURRENCYVAR	AMOUNT
TOTALEXCLVATINVOICECURRENCYVAR	AMOUNT
TOTALEXCLVATCURRENCYVAR	AMOUNT
REMAINDERFORINVOICINGCURRENCYVAR	AMOUNT
EUROOUT	BOOLEAN
TOTALEUROAMOUNTVAR	AMOUNT
EUROCURRENCYVAR	CurrencyType
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING
COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING
SETTLINGCOMPANYTELEPHONEVAR	STRING
SETTLINGCOMPANYTELEFAXVAR	STRING
SETTLINGCOMPANYTELEXVAR	STRING
SETTLINGCOMPANYPAYMENTSERVICENUMBERVAR	STRING
SETTLINGCOMPANYTEXT1VAR	STRING
SETTLINGCOMPANYTEXT2VAR	STRING
SETTLINGCOMPANYTEXT3VAR	STRING
SETTLINGCOMPANYTEXT4VAR	STRING
SETTLINGCOMPANYTEXT5VAR	STRING
SETTLINGCOMPANYTEXT6VAR	STRING

SETTLINGCOMPANYTEXT7VAR	STRING
SETTLINGCOMPANYTEXT8VAR	STRING
SETTLINGCOMPANYTEXT9VAR	STRING
SETTLINGCOMPANYTEXT10VAR	STRING
SETTLINGCOMPANYTEXT11VAR	STRING
SETTLINGCOMPANYTEXT12VAR	STRING
SETTLINGCOMPANYTEXT13VAR	STRING
SETTLINGCOMPANYTEXT14VAR	STRING
SETTLINGCOMPANYTEXT15VAR	STRING
SETTLINGCOMPANYTEXT16VAR	STRING
SETTLINGCOMPANYTEXT17VAR	STRING
SETTLINGCOMPANYTEXT18VAR	STRING
SETTLINGCOMPANYTEXT19VAR	STRING
SETTLINGCOMPANYTEXT20VAR	STRING
COMPANYNAME2VAR	STRING
COMPANYNAME3VAR	STRING
COMPANYNAME4VAR	STRING
COMPANYNAME5VAR	STRING
COMPANYZIPCODEVAR	STRING
COMPANYPOSTALDISTRICTVAR	STRING
COMPANYCOUNTRYVAR	CountryType
JOBEMPLOYEE1VAR	STRING
JOBEMPLOYEE2VAR	STRING
JOBEMPLOYEE3VAR	STRING
JOBEMPLOYEE4VAR	STRING
JOBEMPLOYEE5VAR	STRING
JOBEMPLOYEE6VAR	STRING
JOBEMPLOYEE7VAR	STRING
JOBEMPLOYEE8VAR	STRING
JOBEMPLOYEE9VAR	STRING
JOBEMPLOYEE10VAR	STRING
JOBEMPLOYEE1NAMEVAR	STRING
JOBEMPLOYEE2NAMEVAR	STRING
JOBEMPLOYEE3NAMEVAR	STRING
JOBEMPLOYEE4NAMEVAR	STRING
JOBEMPLOYEE5NAMEVAR	STRING
JOBEMPLOYEE6NAMEVAR	STRING
JOBEMPLOYEE7NAMEVAR	STRING
JOBEMPLOYEE8NAMEVAR	STRING
JOBEMPLOYEE9NAMEVAR	STRING
JOBEMPLOYEE10NAMEVAR	STRING
JOBPROJECTMANAGERNUMBERVAR	STRING
JOBPROJECTMANAGERNAMEVAR	STRING
JOBCOLLECTIONNUMBERVAR	STRING
JOBCOLLECTIONDESCRIPTIONVAR	STRING
STATEMENTCUSTOMERNAME1VAR	STRING
STATEMENTCUSTOMERNAME2VAR	STRING
STATEMENTCUSTOMERNAME3VAR	STRING

STATEMENTCUSTOMERNAME4VAR	STRING
STATEMENTCUSTOMERNAME5VAR	STRING
STATEMENTCUSTOMERATTENTIONVAR	STRING
STATEMENTCUSTOMERTELEPHONEVAR	STRING
STATEMENTCUSTOMERTELEFAXVAR	STRING
STATEMENTCUSTOMERTELEXVAR	STRING
STATEMENTCUSTOMERELECTRONICMAILADDRESSVAR	STRING
STATEMENTCUSTOMERZIPCODEVAR	STRING
STATEMENTCUSTOMERPOSTALDISTRICTVAR	STRING
STATEMENTCUSTOMERCOUNTRYVAR	CountryType
SETTLINGCOMPANYNAME2VAR	STRING
SETTLINGCOMPANYNAME3VAR	STRING
SETTLINGCOMPANYNAME4VAR	STRING
SETTLINGCOMPANYNAME5VAR	STRING
SETTLINGCOMPANYZIPCODEVAR	STRING
SETTLINGCOMPANYPOSTALDISTRICTVAR	STRING
SETTLINGCOMPANYCOUNTRYVAR	CountryType
EXTACCOUNTREGNUMBERVAR	STRING
EXTACCOUNTACCOUNTNUMBERVAR	STRING
EXTACCOUNTDESCRIPTIONVAR	STRING
EXTACCOUNTIBANACCOUNTNUMBERVAR	STRING
EXTACCOUNTSWIFTCODEVAR	STRING
EXTACCOUNTTEXT1VAR	STRING
EXTACCOUNTTEXT2VAR	STRING
EXTACCOUNTTEXT3VAR	STRING
PAYMENTAGENTBANKADDRESS1VAR	STRING
PAYMENTAGENTBANKADDRESS2VAR	STRING
PAYMENTAGENTBANKADDRESS3VAR	STRING
PAYMENTAGENTBANKADDRESS4VAR	STRING
FORMATTEDPAYERIDVAR	STRING
FORMATTEDTOTALINVOICECURRENCYVAR	STRING
PAYMENTAGENTNAMEVAR	STRING
ONACCOUNTBLOCKTOINCLVAR	BOOLEAN
ONACCOUNTDATEVAR	DATE
TOTALONACCOUNTAMOUNTCURRENCYVAR	AMOUNT
TOTALONACCOUNTVATCURRENCYVAR	AMOUNT
PREINVOICEBLOCKTOINCLVAR	BOOLEAN
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
LINEONACCOUNTAMOUNTCURRENCYVAR	AMOUNT
LINEONACCOUNTVATCURRENCYVAR	AMOUNT
EXTERNALBASESALARYMARKUPPCTVAR	REAL
LINEBILLINGPRICETOTALINCLVATINVOICECURRENCYVAR	AMOUNT
ROUNDINGOFFOUT	BOOLEAN
ITEMSUMBASEVAR	AMOUNT
VATSUMBASEVAR	AMOUNT
EXCHANGERATEINVOICECURRENCYTOBASEVAR	REAL
EXCHANGERATEBASETOINVOICECURRENCYVAR	REAL

VATBLOCKINCLUDEDVAR	BOOLEAN
INCLUDEVATLINE	BOOLEAN
TOTALTOTALVAT1BASISINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT2BASISINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT3BASISINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT1AMOUNTINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT2AMOUNTINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT3AMOUNTINVOICECURRENCYVAR	AMOUNT
TOTALVATAMOUNTINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVATAMOUNTINVOICECURRENCYVAR	AMOUNT
TOTALTOTALVAT1BASISBASEVAR	AMOUNT
TOTALTOTALVAT2BASISBASEVAR	AMOUNT
TOTALTOTALVAT3BASISBASEVAR	AMOUNT
TOTALTOTALVAT1AMOUNTBASEVAR	AMOUNT
TOTALTOTALVAT2AMOUNTBASEVAR	AMOUNT
TOTALTOTALVAT3AMOUNTBASEVAR	AMOUNT
TOTALVATAMOUNTBASEVAR	AMOUNT
TOTALVATTOTALBASEVAR	AMOUNT
TOTALINTEGERPARTASTEXTVAR	STRING
TOTALFRACTIONALPARTASTEXTVAR	STRING
APPROVEDBYVAR	STRING
APPROVALDATEVAR	DATE
SHOWSPLITBILLINFORMATIONVAR	BOOLEAN
EFFECTIVEPERCENTAGEVAR	REAL
TOTALAMOUNTFORINVOICINGSPLITBILLVAR	AMOUNT
JOBNAMEINVOICEONACCOUNTVAR	STRING
INVOICENAME1VAR	STRING
INVOICENAME2VAR	STRING
INVOICENAME3VAR	STRING
INVOICENAME4VAR	STRING
INVOICENAME5VAR	STRING
INVOICEATTENTIONVAR	STRING
INVOICECUSTOMERNUMBERVAR	STRING
DELIVERYVATNUMBERVAR	STRING
REPRINTOFINVOICEVAR	BOOLEAN
REPRINTOFINVOICETEXTVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING

SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING
FORMATTEDINVOICENUMBERVAR	STRING
FORMATTEDBASEDONINVOICENUMBERVAR	STRING
HASHCONTROLCHARSVAR	STRING
AMOUNTAFTERONACCOUNTREDUCTIONINVOICECURRENCYVAR	AMOUNT
VATAFTERONACCOUNTREDUCTIONINVOICECURRENCYVAR	AMOUNT
VAT1INVOICECURRENCYVAR	AMOUNT
VAT2INVOICECURRENCYVAR	AMOUNT
VAT3INVOICECURRENCYVAR	AMOUNT
VAT1JOBCURRENCYVAR	AMOUNT
VAT2JOBCURRENCYVAR	AMOUNT
VAT3JOBCURRENCYVAR	AMOUNT
VAT1BASEVAR	AMOUNT
VAT2BASEVAR	AMOUNT
VAT3BASEVAR	AMOUNT
VAT1ENTERPRISEVAR	AMOUNT
VAT2ENTERPRISEVAR	AMOUNT
VAT3ENTERPRISEVAR	AMOUNT
ONACCOUNTVAT1CURRENCYVAR	AMOUNT
ONACCOUNTVAT2CURRENCYVAR	AMOUNT
ONACCOUNTVAT3CURRENCYVAR	AMOUNT
ONACCOUNTVAT1BASEVAR	AMOUNT
ONACCOUNTVAT2BASEVAR	AMOUNT
ONACCOUNTVAT3BASEVAR	AMOUNT
ONACCOUNTVAT1ENTERPRISEVAR	AMOUNT
ONACCOUNTVAT2ENTERPRISEVAR	AMOUNT
ONACCOUNTVAT3ENTERPRISEVAR	AMOUNT
SHOWVAT2AMOUNT	BOOLEAN
SHOWVAT3AMOUNT	BOOLEAN
SHOWONACCOUNTVAT2	BOOLEAN
SHOWONACCOUNTVAT3	BOOLEAN
LINEONACCOUNTVAT1CURRENCYVAR	AMOUNT
LINEONACCOUNTVAT2CURRENCYVAR	AMOUNT
LINEONACCOUNTVAT3CURRENCYVAR	AMOUNT
TOTALONACCOUNTVAT1CURRENCYVAR	AMOUNT
TOTALONACCOUNTVAT2CURRENCYVAR	AMOUNT
TOTALONACCOUNTVAT3CURRENCYVAR	AMOUNT

UNITTEXTVAR	STRING
CHARGEVATVAR	AMOUNT
CHARGETOTALVAT1CURRENCYVAR	AMOUNT
CHARGETOTALVAT2CURRENCYVAR	AMOUNT
CHARGETOTALVAT3CURRENCYVAR	AMOUNT
CHARGETOTALVAT1BASEVAR	AMOUNT
CHARGETOTALVAT2BASEVAR	AMOUNT
CHARGETOTALVAT3BASEVAR	AMOUNT
CHARGETOTALVAT1ENTERPRISEVAR	AMOUNT
CHARGETOTALVAT2ENTERPRISEVAR	AMOUNT
CHARGETOTALVAT3ENTERPRISEVAR	AMOUNT
INVOICEDATEFORMATTEDVAR	STRING
DUEDATEFORMATTEDVAR	STRING
SHOWCUSTOMERSTATEMENTBEFOREINVOICEDDETAILSVAR	BOOLEAN
SHOWCUSTOMERSTATEMENTAFTERINVOICEDDETAILSVAR	BOOLEAN
CONTAINSDETAILEDSPCIFICATIONVAR	BOOLEAN
FIRSTCUSTOMERSTATEMENTENTRYVAR	BOOLEAN
EXISTSCUSTOMERSTATEMENTENTRYVAR	BOOLEAN
EXISTSCUSTOMERAGINGENTRYVAR	BOOLEAN
OLDSTATEMENTCURRENCYVAR	CurrencyType
PREVIOUSSTATEMENTCURRENCYVAR	CurrencyType
PRINTCUSTOMERSTATEMENTCURRENCYTOTALVAR	BOOLEAN
CUSTOMERSTATEMENTAMOUNTCURRENCYTOTALVAR	AMOUNT
CUSTOMERSTATEMENTREMAINDERCURRENCYTOTALVAR	AMOUNT
NEWCUSTOMERSTATEMENTAMOUNTCURRENCYTOTALVAR	AMOUNT
NEWCUSTOMERSTATEMENTREMAINDERCURRENCYTOTALVAR	AMOUNT
RESETCUSTOMERSTATEMENTTTOTALVAR	BOOLEAN
PRIORBALANCEVAR	AMOUNT
NEWBALANCEVAR	AMOUNT
STARTINGTITLEVAR	STRING
STARTINGTITLE2VAR	STRING
STARTINGDAYVAR	STRING
STARTINGWEEKDAYVAR	STRING
STARTINGMONTHVAR	STRING
STARTINGMONTHNAMEVAR	STRING
STARTINGYEARVAR	STRING
STATEMENTTTITLEVAR	STRING
STATEMENTTTITLE2VAR	STRING
STATEMENTDAYVAR	STRING
STATEMENTWEEKDAYVAR	STRING
STATEMENTMONTHVAR	STRING
STATEMENTMONTHNAMEVAR	STRING
STATEMENTYEARVAR	STRING
PERIODSBFORESTARTVAR	INTEGER
PERIODSAFTERSTARTVAR	INTEGER
TOTALPERIODSVAR	INTEGER
PERIOD1TITLEVAR	STRING
PERIOD1TITLE2VAR	STRING

PERIOD1FIRSTDATEVAR	DATE
PERIOD1LASTDATEVAR	DATE
PERIOD2TITLEVAR	STRING
PERIOD2TITLE2VAR	STRING
PERIOD2FIRSTDATEVAR	DATE
PERIOD2LASTDATEVAR	DATE
PERIOD3TITLEVAR	STRING
PERIOD3TITLE2VAR	STRING
PERIOD3FIRSTDATEVAR	DATE
PERIOD3LASTDATEVAR	DATE
PERIOD4TITLEVAR	STRING
PERIOD4TITLE2VAR	STRING
PERIOD4FIRSTDATEVAR	DATE
PERIOD4LASTDATEVAR	DATE
PERIOD5TITLEVAR	STRING
PERIOD5TITLE2VAR	STRING
PERIOD5FIRSTDATEVAR	DATE
PERIOD5LASTDATEVAR	DATE
PERIOD6TITLEVAR	STRING
PERIOD6TITLE2VAR	STRING
PERIOD6FIRSTDATEVAR	DATE
PERIOD6LASTDATEVAR	DATE
PERIOD7TITLEVAR	STRING
PERIOD7TITLE2VAR	STRING
PERIOD7FIRSTDATEVAR	DATE
PERIOD7LASTDATEVAR	DATE
PERIOD8TITLEVAR	STRING
PERIOD8TITLE2VAR	STRING
PERIOD8FIRSTDATEVAR	DATE
PERIOD8LASTDATEVAR	DATE
PERIOD9TITLEVAR	STRING
PERIOD9TITLE2VAR	STRING
PERIOD9FIRSTDATEVAR	DATE
PERIOD9LASTDATEVAR	DATE
PERIOD10TITLEVAR	STRING
PERIOD10TITLE2VAR	STRING
PERIOD10FIRSTDATEVAR	DATE
PERIOD10LASTDATEVAR	DATE

P JobInvoiceAllocation

The following cursors can be used in this printout:

JOBHEADER	JobHeader
JOBINVOICEALLOCATION	JobInvoiceAllocation
JOBINVOICEONACCOUNTRECONCILIATION	JobInvoiceOnAccountReconciliation
JOBINVOICELINE	JobInvoiceLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
COMPANYNAMEVAR	STRING
FromJobInvoiceAllocationNumberVar	INTEGER
ToJobInvoiceAllocationNumberVar	INTEGER
FromJobInvoiceAllocationDateVar	DATE
ToJobInvoiceAllocationDateVar	DATE
OnlyJobsSubmittedForAllocationVar	BOOLEAN
IncludeClosedJobsVar	BOOLEAN
JobGroupVar	JobGroupType
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromPaymentCustomerVar	STRING
ToPaymentCustomerVar	STRING
DepartmentNumberVar	DepartmentNumberType
LanguageVar	LanguageType
ResponsibleVar	STRING
SalesPersonVar	STRING
ProjectManagerVar	STRING
Popup1Var	JobPopupType1
Popup2Var	JobPopupType2
Popup3Var	JobPopupType3
Popup4Var	JobPopupType4
Popup5Var	JobPopupType5
CustomerPopup1Var	CustomerPopupType1
CustomerPopup2Var	CustomerPopupType2
CustomerPopup3Var	CustomerPopupType3
CustomerPopup4Var	CustomerPopupType4
CustomerPopup5Var	CustomerPopupType5
FromJobLocationNameVar	STRING
ToJobLocationNameVar	STRING

FromJobEntityNameVar	STRING
ToJobEntityNameVar	STRING
FromJobProjectNameVar	STRING
ToJobProjectNameVar	STRING
FromJobPurposeNameVar	STRING
ToJobPurposeNameVar	STRING
FromJobSpec1NameVar	STRING
ToJobSpec1NameVar	STRING
FromJobSpec2NameVar	STRING
ToJobSpec2NameVar	STRING
FromJobSpec3NameVar	STRING
ToJobSpec3NameVar	STRING
FromJobSpec4NameVar	STRING
ToJobSpec4NameVar	STRING
FromJobSpec5NameVar	STRING
ToJobSpec5NameVar	STRING
FromJobSpec6NameVar	STRING
ToJobSpec6NameVar	STRING
FromJobSpec7NameVar	STRING
ToJobSpec7NameVar	STRING
FromJobSpec8NameVar	STRING
ToJobSpec8NameVar	STRING
FromJobSpec9NameVar	STRING
ToJobSpec9NameVar	STRING
FromJobSpec10NameVar	STRING
ToJobSpec10NameVar	STRING
FromJobLocalSpec1NameVar	STRING
ToJobLocalSpec1NameVar	STRING
FromJobLocalSpec2NameVar	STRING
ToJobLocalSpec2NameVar	STRING
FromJobLocalSpec3NameVar	STRING
ToJobLocalSpec3NameVar	STRING
FromJobLocalSpec4NameVar	STRING
ToJobLocalSpec4NameVar	STRING
FromJobLocalSpec5NameVar	STRING
ToJobLocalSpec5NameVar	STRING
FromJobLocalSpec6NameVar	STRING
ToJobLocalSpec6NameVar	STRING
FromJobLocalSpec7NameVar	STRING
ToJobLocalSpec7NameVar	STRING
FromJobLocalSpec8NameVar	STRING
ToJobLocalSpec8NameVar	STRING
FromJobLocalSpec9NameVar	STRING
ToJobLocalSpec9NameVar	STRING
FromJobLocalSpec10NameVar	STRING
ToJobLocalSpec10NameVar	STRING
EmployeeNumber1Var	STRING
EmployeeNumber2Var	STRING

EmployeeNumber3Var	STRING
EmployeeNumber4Var	STRING
EmployeeNumber5Var	STRING
EmployeeNumber6Var	STRING
EmployeeNumber7Var	STRING
EmployeeNumber8Var	STRING
EmployeeNumber9Var	STRING
EmployeeNumber10Var	STRING
FIXEDPRICECURRENCYVAR	AMOUNT
INVOICEDONACCOUNTCURRENCYVAR	AMOUNT
AMOUNTFORINVOICEALLOCATIONVAR	AMOUNT
ALLOCATIONBALANCECURRENCYVAR	AMOUNT
NETONACCOUNTCURRENCYVAR	AMOUNT
NETONACCOUNTENTERPRISEVAR	AMOUNT
OPENBILLINGPRICECURRENCYVAR	AMOUNT
OPENBILLINGPRICEENTERPRISEVAR	AMOUNT
OPENBALANCECURRENCYVAR	AMOUNT
OPENBALANCEENTERPRISEVAR	AMOUNT
OPENCOSTPRICEBASEVAR	AMOUNT
BILLINGPRICEUPDOWNTODATECURRENCYVAR	AMOUNT
BILLINGPRICEUPDOWNCHANGECURRENCYVAR	AMOUNT
BILLINGPRICEUPDOWNTOTALCURRENCYVAR	AMOUNT
BILLINGPRICEALLOCATEDTODATECURRENCYVAR	AMOUNT
BILLINGPRICEFORALLOCATIONCURRENCYVAR	AMOUNT
BILLINGPRICEFORALLOCATIONENTERPRISEVAR	AMOUNT
BILLINGPRICEALLOCATEDTOTALCURRENCYVAR	AMOUNT
COSTPRICEALLOCATEDTODATEBASEVAR	AMOUNT
COSTPRICEFORALLOCATIONBASEVAR	AMOUNT
COSTPRICEFORALLOCATIONENTERPRISEVAR	AMOUNT
COSTPRICEALLOCATEDTOTALBASEVAR	AMOUNT
SUBMITTEDFORINVOICEALLOCATIONCURRENCYVAR	AMOUNT
SUBMITTEDBILLINGPRICEUPDOWNCURRENCYVAR	AMOUNT
REVENUERECOGNIZEDVAR	BOOLEAN
DATEOFREVENUERECOGNIZEDVAR	DATE
PERCENTAGEREVENUERECOGNIZEDVAR	REAL
AMOUNTCURRENCYREVENUERECOGNIZEDVAR	AMOUNT
AMOUNTBASEREVENUERECOGNIZEDVAR	AMOUNT
AMOUNTENTERPRISEREVENUERECOGNIZEDVAR	AMOUNT
INVOICEDATEVAR	DATE
REVERSALOFVAR	STRING
ITEMSUMCURRENCYVAR	AMOUNT
ITEMSUMBASEVAR	AMOUNT
ITEMSUMENTERPRISEVAR	AMOUNT
EXCHANGERATEVARIANCEBASEVAR	AMOUNT
EXCHANGERATEVARIANCEENTERPRISEVAR	AMOUNT
EXCHANGERATEVARIANCEBALANCINGENTERPRISEVAR	AMOUNT
COSTOFSALESBASEVAR	AMOUNT
COSTOFSALESEENTERPRISEVAR	AMOUNT

P JobInvoiceAllocation

RECONCILEDAMOUNTCURRENCYVAR	AMOUNT
RECONCILEDAMOUNTBASEVAR	AMOUNT
RECONCILEDAMOUNTENTERPRISEVAR	AMOUNT
JOBNAMEINVOICEONACCOUNTVAR	STRING
JOENTRYENTRYDATEVAR	DATE
JOENTRYFINANCEENTRYDATEVAR	DATE
JOENTRYDESCRIPTIONVAR	STRING
JOENTRYTRANSACTIONNUMBERVAR	INTEGER
TASKDESCRIPTIONVAR	STRING
BILLINGPRICETOTALCURRENCYVAR	AMOUNT
BILLINGPRICETOTALBASEVAR	AMOUNT
BILLINGPRICETOTALENTERPRISEVAR	AMOUNT

P JobJournal

The following cursors can be used in this printout:

JOURNAL	Journal
HOURSJOURNAL	HoursJournal

The following variables can be used in this printout:

LastJournalNumber	INTEGER
FirstJournalNumber	INTEGER
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
SHOWDIMENSIONS	BOOLEAN
TIMEQUANTITYVAR	REAL
COSTPRICETIMEVAR	AMOUNT
BILLINGPRICETIMEVAR	AMOUNT
COSTPRICEAMOUNTVAR	AMOUNT
BILLINGPRICEAMOUNTVAR	AMOUNT
JOBNAMEVAR	STRING
BILLINGPRICETIMECURRENCYVAR	AMOUNT
BILLINGPRICEAMOUNTCURRENCYVAR	AMOUNT
SHOWCURRENCYAMOUNTVAR	BOOLEAN
DONOTSHOWCURRENCYAMOUNTVAR	BOOLEAN
HOURSJOURNALCURRENCYVAR	CurrencyType
RESPONSIBLEEMPLCOMPANYNAMEVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING

P JobJournal

LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P JobOrderConfirmation

The following cursors can be used in this printout:

JOBHEADER	JobHeader
QUOTATIONPRINTOUTLINE	QuotationPrintoutLine

The following variables can be used in this printout:

STANDARDCURRENCY	CurrencyType
QUOTATIONTOTALSTANDARDCURRENCY	AMOUNT
INVOICEDISCOUNT	AMOUNT
SHOWTOTAL	BOOLEAN
RECEIVERCUSTOMERNUMBERFIXED	STRING
RECEIVINGCUSTOMERNUMBER	STRING
RECEIVERFIXED	STRING
SHOWSTANDARDAMOUNT	BOOLEAN
SHOWVATAMOUNT	BOOLEAN
SHOWINVOICEDISCOUNT	BOOLEAN
VATAMOUNT	AMOUNT
QUOTATIONTOTAL	AMOUNT
QUOTATIONNET	AMOUNT
COMPANYINFORMATIONLINE	STRING
SelectedResponsible	STRING
SelectedCustomerGroup	CustomerGroupType
SelectedJobGroup	JobGroupType
SelectedDepartment	DepartmentNumberType
ToCustomerNumberVar	STRING
FromCustomerNumberVar	STRING
LastJobNumber	STRING
FirstJobNumber	STRING
NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME1	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
DELIVERYADDRESS1	STRING
DELIVERYADDRESS2	STRING
DELIVERYADDRESS3	STRING
DELIVERYADDRESS4	STRING
DELIVERYADDRESS5	STRING
DELIVERYADDRESS6	STRING
DELIVERYADDRESS7	STRING
DELIVERYADDRESS8	STRING
PAYMENTADDRESS1	STRING
PAYMENTADDRESS2	STRING
PAYMENTADDRESS3	STRING
PAYMENTADDRESS4	STRING

PAYMENTADDRESS5	STRING
PAYMENTADDRESS6	STRING
PAYMENTADDRESS7	STRING
PAYMENTADDRESS8	STRING
PRICEONLINES	BOOLEAN
LanguageVar	LanguageType
SHOWORDINARYLINE	BOOLEAN
SHOWSUBTOTALLINE	BOOLEAN
SUBTOTALCURRENCYVAR	AMOUNT
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromSettlingCompanyVar	STRING
ToSettlingCompanyVar	STRING
COMPANYADDRESS1VAR	STRING
COMPANYADDRESS2VAR	STRING
COMPANYADDRESS3VAR	STRING
COMPANYADDRESS4VAR	STRING
COMPANYADDRESS5VAR	STRING
COMPANYADDRESS6VAR	STRING
COMPANYADDRESS7VAR	STRING
COMPANYADDRESS8VAR	STRING
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYVATNUMBERVAR	STRING
COMPANYBANKACCOUNTNUMBERVAR	STRING
COMPANYGIRONUMBERVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING
COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING

SETTLINGCOMPANYNAME1VAR	STRING
SETTLINGCOMPANYLINEVAR	STRING
SETTLINGCOMPANYADDRESS1VAR	STRING
SETTLINGCOMPANYADDRESS2VAR	STRING
SETTLINGCOMPANYADDRESS3VAR	STRING
SETTLINGCOMPANYADDRESS4VAR	STRING
SETTLINGCOMPANYADDRESS5VAR	STRING
SETTLINGCOMPANYADDRESS6VAR	STRING
SETTLINGCOMPANYADDRESS7VAR	STRING
SETTLINGCOMPANYADDRESS8VAR	STRING
SETTLINGCOMPANYTELEPHONEVAR	STRING
SETTLINGCOMPANYTELEFAXVAR	STRING
SETTLINGCOMPANYTELEXVAR	STRING
SETTLINGCOMPANYVATNUMBERVAR	STRING
SETTLINGCOMPANYBANKACCOUNTNUMBERVAR	STRING
SETTLINGCOMPANYGIRONUMBERVAR	STRING
SETTLINGCOMPANYPAYMENTSERVICENUMBERVAR	STRING
SETTLINGCOMPANYTEXT1VAR	STRING
SETTLINGCOMPANYTEXT2VAR	STRING
SETTLINGCOMPANYTEXT3VAR	STRING
SETTLINGCOMPANYTEXT4VAR	STRING
SETTLINGCOMPANYTEXT5VAR	STRING
SETTLINGCOMPANYTEXT6VAR	STRING
SETTLINGCOMPANYTEXT7VAR	STRING
SETTLINGCOMPANYTEXT8VAR	STRING
SETTLINGCOMPANYTEXT9VAR	STRING
SETTLINGCOMPANYTEXT10VAR	STRING
SETTLINGCOMPANYTEXT11VAR	STRING
SETTLINGCOMPANYTEXT12VAR	STRING
SETTLINGCOMPANYTEXT13VAR	STRING
SETTLINGCOMPANYTEXT14VAR	STRING
SETTLINGCOMPANYTEXT15VAR	STRING
SETTLINGCOMPANYTEXT16VAR	STRING
SETTLINGCOMPANYTEXT17VAR	STRING
SETTLINGCOMPANYTEXT18VAR	STRING
SETTLINGCOMPANYTEXT19VAR	STRING
SETTLINGCOMPANYTEXT20VAR	STRING
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
QUOTATIONPRICECURRENCYVAR	AMOUNT
PROJECTMANAGERNAMEVAR	STRING
VAT1AMOUNTVAR	AMOUNT
VAT2AMOUNTVAR	AMOUNT
VAT3AMOUNTVAR	AMOUNT

P JobParameter

The following cursors can be used in this printout:

JOBPARAMETER	JobParameter
JOBPARAMETERATTRIBUTE	JobParameterAttribute

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
JobParameterTypeVar	JobParameterTypeType
FromJobParameterNameVar	STRING
ToJobParameterNameVar	STRING
IncludeBlockedVar	BOOLEAN
ACCESSLEVELDESCRIPTIONVAR	STRING
ATTRIBUTEVALUEVAR	STRING

P JobParameterSelectionRule

The following cursors can be used in this printout:

PARAMSELECTIONRULEHEADER	ParamSelectionRuleHeader
PARAMSELECTIONRULELINE	ParamSelectionRuleLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromRuleNumberVar	INTEGER
IncludeBlockedVar	BOOLEAN
ToRuleNumberVar	INTEGER
DESCRIPTIONVAR	STRING
BLOCKEDVAR	BOOLEAN
PRINTLINEVAR	BOOLEAN
NEWPARAMETERTYPEVAR	BOOLEAN
PARAMETERTYPEVAR	JobParameterTypeType

P JobPriceGroups

The following cursors can be used in this printout:

JOBPRICEGROUPLIST	JobPriceGroupList
JOBPRICEGROUP	JobPriceGroup

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromPriceGroupVar	STRING
ToPriceGroupVar	STRING

P JobPriceList

The following cursors can be used in this printout:

JOBPRICELISTINFORMATION	JobPriceListInformation
JOBPRICELISTLINE	JobPriceListLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromJobPriceListVar	STRING
REMOVEDVAR	INTEGER
ACTIVITYTEXTVAR	STRING
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
FromEmployeeCategoryNumberVar	STRING
ToEmployeeCategoryNumberVar	STRING
FromTaskNameVar	STRING
ToTaskNameVar	STRING
FromIssueVar	INTEGER
EmployeeTypeVar	EmployeeetypeType
FromActivityPriceGroupVar	STRING
ToActivityPriceGroupVar	STRING
FromEmployeePriceGroupVar	STRING
ToEmployeePriceGroupVar	STRING
FromTaskPriceGroupVar	STRING
ToTaskPriceGroupVar	STRING
TARGETGROUPCOMPLETEDVAR	BOOLEAN
ToJobPriceListVar	STRING
ToIssueVar	INTEGER
ACCESSLEVELDESCRIPTIONVAR	STRING
ActivityTypeVar	ActivitytypeType
FromCostPriceVar	AMOUNT
ToCostPriceVar	AMOUNT
FromIntercompanyPriceVar	AMOUNT
ToIntercompanyPriceVar	AMOUNT
FromBillingPriceVar	AMOUNT
ToBillingPriceVar	AMOUNT
FromMarkUpPercentageVar	REAL
ToMarkUpPercentageVar	REAL
PrintOnlySelectedVar	BOOLEAN
EMPLOYEEENAMEVAR	STRING

TASKTEXTVAR	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING

P JobPriceList

FromLocalSpec10NameVar
ToLocalSpec10NameVar

STRING
STRING

P JobProfitability

The following cursors can be used in this printout:

S_JOBGROUPINFORMATION	JobGroupInformation
S_JOBHEADER	JobHeader
K_POPUPITEM	PopupItem
K_COMPANYCUSTOMER	CompanyCustomer
M_EMPLOYEE	Employee
A_ACTIVITY	Activity

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FirstInvoiceDateVar	DATE
LastInvoiceDateVar	DATE
JobGroupVar	JobGroupType
DepartmentVar	DepartmentNumberType
FirstJobNumberVar	STRING
LastJobNumberVar	STRING
ShowOnlyClosedVar	BOOLEAN
FirstClosingDateVar	DATE
LastClosingDateVar	DATE
CustomerGroupVar	CustomerGroupType
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FirstEmployeeNumberVar	STRING
LastEmployeeNumberVar	STRING
FirstActivityNumberVar	STRING
LastActivityNumberVar	STRING
ShowAllVar	BOOLEAN
JOBGROUPPOSVAR	INTEGER
CURRENTJOBGROUPVAR	JobGroupType
CUSTOMERGROUPPOSVAR	INTEGER
CURRENTCUSTOMERGROUPVAR	CustomerGroupType
BILLINGPRICEVAR	AMOUNT
COSTPRICEVAR	AMOUNT
COSTPRICEAMOUNTVAR	AMOUNT
COSTPRICETIMEVAR	AMOUNT
OPDOWNWRITINGVAR	AMOUNT
TIMEQUANTITYCUSTOMERVAR	REAL
TIMEQUANTITYINTERNALVAR	REAL
NUMBERINVOICEDVAR	REAL
NUMBERNOTINVOICEABLEVAR	REAL

SUMBILLINGPRICEVAR	AMOUNT
SUMCOSTPRICEVAR	AMOUNT
SUMCOSTPRICEAMOUNTVAR	AMOUNT
SUMCOSTPRICETIMEVAR	AMOUNT
SUMUPDOWNWRITINGVAR	AMOUNT
SUMNUMBERINVOICEDVAR	REAL
SUMNUMBERNOTINVOICEABLEVAR	REAL
TOTALTOTALBILLINGPRICEVAR	AMOUNT
TOTALCOSTPRICEVAR	AMOUNT
TOTALCOSTPRICEAMOUNTVAR	AMOUNT
TOTALCOSTPRICETIMEVAR	AMOUNT
TOTALUPDOWNWRITINGVAR	AMOUNT
TOTALTIMEQUANTITYCUSTOMERVAR	REAL
TOTALTIMEQUANTITYINTERNALVAR	REAL
GM1VAR	AMOUNT
GM2VAR	AMOUNT
GROSSMARGINVAR	AMOUNT
GMP1VAR	REAL
GMP2VAR	REAL
GMPVAR	REAL
DIFFERENTFROMZEROVAR	BOOLEAN
SUMDIFFERENTFROMZEROVAR	BOOLEAN
SHOWTOTALVAR	BOOLEAN
FromSalesPersonNumberVar	STRING
ToSalesPersonNumberVar	STRING
FromShowLocationNameVar	STRING
ToShowLocationNameVar	STRING
FromShowEntityNameVar	STRING
ToShowEntityNameVar	STRING
FromShowProjectNameVar	STRING
ToShowProjectNameVar	STRING
FromIncludeLocationNameVar	STRING
ToIncludeLocationNameVar	STRING
FromIncludeEntityNameVar	STRING
ToIncludeEntityNameVar	STRING
FromIncludeProjectNameVar	STRING
ToIncludeProjectNameVar	STRING
FromShowPurposeNameVar	STRING
ToShowPurposeNameVar	STRING
FromShowSpecification1NameVar	STRING
ToShowSpecification1NameVar	STRING
FromShowSpecification2NameVar	STRING
ToShowSpecification2NameVar	STRING
FromShowSpecification3NameVar	STRING
ToShowSpecification3NameVar	STRING
FromShowSpecification4NameVar	STRING
ToShowSpecification4NameVar	STRING
FromShowSpecification5NameVar	STRING

ToShowSpecification5NameVar	STRING
FromShowSpecification6NameVar	STRING
ToShowSpecification6NameVar	STRING
FromShowSpecification7NameVar	STRING
ToShowSpecification7NameVar	STRING
FromShowSpecification8NameVar	STRING
ToShowSpecification8NameVar	STRING
FromShowSpecification9NameVar	STRING
ToShowSpecification9NameVar	STRING
FromShowSpecification10NameVar	STRING
ToShowSpecification10NameVar	STRING
FromShowLocalSpec1NameVar	STRING
ToShowLocalSpec1NameVar	STRING
FromShowLocalSpec2NameVar	STRING
ToShowLocalSpec2NameVar	STRING
FromShowLocalSpec3NameVar	STRING
ToShowLocalSpec3NameVar	STRING
FromShowLocalSpec4NameVar	STRING
ToShowLocalSpec4NameVar	STRING
FromShowLocalSpec5NameVar	STRING
ToShowLocalSpec5NameVar	STRING
FromShowLocalSpec6NameVar	STRING
ToShowLocalSpec6NameVar	STRING
FromShowLocalSpec7NameVar	STRING
ToShowLocalSpec7NameVar	STRING
FromShowLocalSpec8NameVar	STRING
ToShowLocalSpec8NameVar	STRING
FromShowLocalSpec9NameVar	STRING
ToShowLocalSpec9NameVar	STRING
FromShowLocalSpec10NameVar	STRING
ToShowLocalSpec10NameVar	STRING
FromIncludePurposeNameVar	STRING
ToIncludePurposeNameVar	STRING
FromIncludeSpec1NameVar	STRING
ToIncludeSpec1NameVar	STRING
FromIncludeSpec2NameVar	STRING
ToIncludeSpec2NameVar	STRING
FromIncludeSpec3NameVar	STRING
ToIncludeSpec3NameVar	STRING
FromIncludeSpec4NameVar	STRING
ToIncludeSpec4NameVar	STRING
FromIncludeSpec5NameVar	STRING
ToIncludeSpec5NameVar	STRING
FromIncludeSpec6NameVar	STRING
ToIncludeSpec6NameVar	STRING
FromIncludeSpec7NameVar	STRING
ToIncludeSpec7NameVar	STRING
FromIncludeSpec8NameVar	STRING

ToIncludeSpec8NameVar	STRING
FromIncludeSpec9NameVar	STRING
ToIncludeSpec9NameVar	STRING
FromIncludeSpec10NameVar	STRING
ToIncludeSpec10NameVar	STRING
FromIncludeLocalSpec1NameVar	STRING
ToIncludeLocalSpec1NameVar	STRING
FromIncludeLocalSpec2NameVar	STRING
ToIncludeLocalSpec2NameVar	STRING
FromIncludeLocalSpec3NameVar	STRING
ToIncludeLocalSpec3NameVar	STRING
FromIncludeLocalSpec4NameVar	STRING
ToIncludeLocalSpec4NameVar	STRING
FromIncludeLocalSpec5NameVar	STRING
ToIncludeLocalSpec5NameVar	STRING
FromIncludeLocalSpec6NameVar	STRING
ToIncludeLocalSpec6NameVar	STRING
FromIncludeLocalSpec7NameVar	STRING
ToIncludeLocalSpec7NameVar	STRING
FromIncludeLocalSpec8NameVar	STRING
ToIncludeLocalSpec8NameVar	STRING
FromIncludeLocalSpec9NameVar	STRING
ToIncludeLocalSpec9NameVar	STRING
FromIncludeLocalSpec10NameVar	STRING
ToIncludeLocalSpec10NameVar	STRING
FromShowCompanyNumberVar	STRING
ToShowCompanyNumberVar	STRING
BaseCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
TimeRegistrationUnitVar	TimeRegistrationUnitType
TIMEREGISTRATIONUNITSTRVAR	STRING
FromIncludeCompanyNumberVar	STRING
ToIncludeCompanyNumberVar	STRING
FromIncludeExecutingCompanyNumberVar	STRING
ToIncludeExecutingCompanyNumberVar	STRING
BASECURRENCYJOBVAR	CurrencyType
IncludeOutlays	BOOLEAN

P JobProgress

The following cursors can be used in this printout:

JOBHEADER	JobHeader
LEVEL1JOBBUDGETLINE	JobBudgetLine
LEVEL2JOBBUDGETLINE	JobBudgetLine
LEVEL3JOBBUDGETLINE	JobBudgetLine
LEVEL4JOBBUDGETLINE	JobBudgetLine
LEVEL5JOBBUDGETLINE	JobBudgetLine
LEVEL6JOBBUDGETLINE	JobBudgetLine
LEVEL7JOBBUDGETLINE	JobBudgetLine
TASKPROGRESSEENTRY	TaskProgressEntry
JOBPROGRESSEENTRY	JobProgressEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromJobNumberVar	STRING
ToJobNumberVar	STRING
ProjectManagerNumberVar	STRING
FromLineNumberVar	INTEGER
ToLineNumberVar	INTEGER
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromTaskNameVar	STRING
ToTaskNameVar	STRING
FromCategoryNumberVar	STRING
ToCategoryNumberVar	STRING
ShowActivityTypeVar	ActivitytypeType
IncludeWithoutProgressVar	BOOLEAN
IncludeCompletedLinesVar	BOOLEAN
IncludeJobProgressVar	BOOLEAN
ShowOriginalFiguresVar	BOOLEAN
SHOWUPDATEDFIGURESVAR	BOOLEAN
SHOWJOBBUDGETLINEVAR	BOOLEAN
NumberOfEstimatesVar	INTEGER
CUTTINGDATEVAR	DATE
PROJECTMANAGERNAMEVAR	STRING
ACTIVITYNAMEVAR	STRING
TASKDESCRIPTIONVAR	STRING
EMPLOYEECATEGORYNAMEVAR	STRING
PREVIOUSLYCOMPLETEDVAR	REAL
PREVIOUSLYPLANNEDVAR	REAL

PREVIOUSESTIMATEDTIMETOCOMPLETIONVAR	REAL
PREVIOUSBASELINETIMEQUANTITYVAR	REAL
EARLIERACTUALCOSTVAR	AMOUNT
PREVIOUSESTIMATEDCOSTTOCOMPLETIONVAR	AMOUNT
PREVIOUSBASELINECOSTVAR	AMOUNT
SHOWPROGRESSENTRYVAR	BOOLEAN
FIRSTENTRYVAR	BOOLEAN
ISTIMEPROGRESSENTRYVAR	BOOLEAN
ISAMOUNTPROGRESSENTRYVAR	BOOLEAN
REFERENCECOMPARISONVAR	BOOLEAN
NOBASELINECOMPARISONVAR	BOOLEAN
PREVIOUSESTIMATEDTIMETOCOMPLETIONMANDAYSTASKVAR	REAL
PREVIOUSESTIMATEDTIMETOCOMPLETIONMANDAYSPROGRESSVAR	REAL
JOB BUDGET LINE INSTANCE KEYVAR	STRING
ISSUMLINEVAR	BOOLEAN
ISNOTSUMLINEVAR	BOOLEAN
ESTIMATEDDATE TIMEVAR	DATE
ESTIMATEDDATEAMOUNTVAR	DATE
LINENUMBERPATHVAR	STRING
LEVEL1TASKPATHVAR	STRING
LEVEL2TASKPATHVAR	STRING
LEVEL3TASKPATHVAR	STRING
LEVEL4TASKPATHVAR	STRING
LEVEL5TASKPATHVAR	STRING
LEVEL6TASKPATHVAR	STRING
LEVEL7TASKPATHVAR	STRING
MaximumDepthVar	INTEGER
CURRENTLEVELVAR	INTEGER
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING

FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
USEJOBSETTINGVAR	BOOLEAN

P JobQuotation

The following cursors can be used in this printout:

JOBHEADER	JobHeader
QUOTATIONPRINTOUTLINE	QuotationPrintoutLine

The following variables can be used in this printout:

PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME1	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
FirstJobNumber	STRING
LastJobNumber	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
SelectedDepartment	DepartmentNumberType
SelectedJobGroup	JobGroupType
SelectedCustomerGroup	CustomerGroupType
SelectedResponsible	STRING
COMPANYINFORMATIONLINE	STRING
QUOTATIONNET	AMOUNT
QUOTATIONTOTAL	AMOUNT
VATAMOUNT	AMOUNT
SHOWINVOICEDISCOUNT	BOOLEAN
SHOWVATAMOUNT	BOOLEAN
SHOWSTANDARDAMOUNT	BOOLEAN
RECEIVERFIXED	STRING
RECEIVINGCUSTOMERNUMBER	STRING
RECEIVERCUSTOMERNUMBERFIXED	STRING
SHOWTOTAL	BOOLEAN
INVOICEDISCOUNT	AMOUNT
QUOTATIONTOTALSTANDARDCURRENCY	AMOUNT
STANDARDCURRENCY	CurrencyType
DELIVERYADDRESS1	STRING
DELIVERYADDRESS2	STRING
DELIVERYADDRESS3	STRING
DELIVERYADDRESS4	STRING
DELIVERYADDRESS5	STRING
DELIVERYADDRESS6	STRING
DELIVERYADDRESS7	STRING
DELIVERYADDRESS8	STRING
PAYMENTADDRESS1	STRING
PAYMENTADDRESS2	STRING
PAYMENTADDRESS3	STRING
PAYMENTADDRESS4	STRING

PAYMENTADDRESS5	STRING
PAYMENTADDRESS6	STRING
PAYMENTADDRESS7	STRING
PAYMENTADDRESS8	STRING
PRICEONLINES	BOOLEAN
LanguageVar	LanguageType
SHOWORDINARYLINE	BOOLEAN
SHOWSUBTOTALLINE	BOOLEAN
SUBTOTALCURRENCYVAR	AMOUNT
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromSettlingCompanyVar	STRING
ToSettlingCompanyVar	STRING
COMPANYADDRESS1VAR	STRING
COMPANYADDRESS2VAR	STRING
COMPANYADDRESS3VAR	STRING
COMPANYADDRESS4VAR	STRING
COMPANYADDRESS5VAR	STRING
COMPANYADDRESS6VAR	STRING
COMPANYADDRESS7VAR	STRING
COMPANYADDRESS8VAR	STRING
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYVATNUMBERVAR	STRING
COMPANYBANKACCOUNTNUMBERVAR	STRING
COMPANYGIRONUMBERVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING
COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING

SETTLINGCOMPANYNAME1VAR	STRING
SETTLINGCOMPANYLINEVAR	STRING
SETTLINGCOMPANYADDRESS1VAR	STRING
SETTLINGCOMPANYADDRESS2VAR	STRING
SETTLINGCOMPANYADDRESS3VAR	STRING
SETTLINGCOMPANYADDRESS4VAR	STRING
SETTLINGCOMPANYADDRESS5VAR	STRING
SETTLINGCOMPANYADDRESS6VAR	STRING
SETTLINGCOMPANYADDRESS7VAR	STRING
SETTLINGCOMPANYADDRESS8VAR	STRING
SETTLINGCOMPANYTELEPHONEVAR	STRING
SETTLINGCOMPANYTELEFAXVAR	STRING
SETTLINGCOMPANYTELEXVAR	STRING
SETTLINGCOMPANYVATNUMBERVAR	STRING
SETTLINGCOMPANYBANKACCOUNTNUMBERVAR	STRING
SETTLINGCOMPANYGIRONUMBERVAR	STRING
SETTLINGCOMPANYPAYMENTSERVICENUMBERVAR	STRING
SETTLINGCOMPANYTEXT1VAR	STRING
SETTLINGCOMPANYTEXT2VAR	STRING
SETTLINGCOMPANYTEXT3VAR	STRING
SETTLINGCOMPANYTEXT4VAR	STRING
SETTLINGCOMPANYTEXT5VAR	STRING
SETTLINGCOMPANYTEXT6VAR	STRING
SETTLINGCOMPANYTEXT7VAR	STRING
SETTLINGCOMPANYTEXT8VAR	STRING
SETTLINGCOMPANYTEXT9VAR	STRING
SETTLINGCOMPANYTEXT10VAR	STRING
SETTLINGCOMPANYTEXT11VAR	STRING
SETTLINGCOMPANYTEXT12VAR	STRING
SETTLINGCOMPANYTEXT13VAR	STRING
SETTLINGCOMPANYTEXT14VAR	STRING
SETTLINGCOMPANYTEXT15VAR	STRING
SETTLINGCOMPANYTEXT16VAR	STRING
SETTLINGCOMPANYTEXT17VAR	STRING
SETTLINGCOMPANYTEXT18VAR	STRING
SETTLINGCOMPANYTEXT19VAR	STRING
SETTLINGCOMPANYTEXT20VAR	STRING
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
QUOTATIONPRICECURRENCYVAR	AMOUNT
QUOTEJOURNALVAR	BOOLEAN
APPROVEDQUOTEVAR	BOOLEAN
REVISIONNUMBERVAR	INTEGER
PROJECTMANAGERNAMEVAR	STRING
VAT1AMOUNTVAR	AMOUNT
VAT2AMOUNTVAR	AMOUNT
VAT3AMOUNTVAR	AMOUNT
UNITTEXTVAR	STRING

P JobQuoteRevisions

The following cursors can be used in this printout:

QUOTATIONHEADER	QuotationHeader
QUOTATIONPRINTOUTLINE	QuotationPrintoutLine

The following variables can be used in this printout:

PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
COMPANYNAME1	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromRevisionNumberVar	INTEGER
ToRevisionNumberVar	INTEGER
JobGroupVar	JobGroupType
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromSettlingCompanyVar	STRING
ToSettlingCompanyVar	STRING
DepartmentNumberVar	DepartmentNumberType
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
CustomerGroupVar	CustomerGroupType
ResponsibleVar	STRING
ExcludeClosedJobsVar	BOOLEAN
PAYMENTCUSTOMERVAR	STRING
JOBRESPONSIBLEVAR	STRING
REFERENCEVAR	STRING
VERSIONNUMBERVAR	INTEGER
CURRENCYVAR	CurrencyType
COMPANYINFORMATIONLINE	STRING
QUOTATIONNETVAR	AMOUNT
QUOTATIONTOTALVAR	AMOUNT
SHOWINVOICEDISCOUNT	BOOLEAN
SHOWVATAMOUNT	BOOLEAN
SHOWVAT2AMOUNT	BOOLEAN
SHOWVAT3AMOUNT	BOOLEAN
SHOWSTANDARDAMOUNT	BOOLEAN
RECEIVERFIXED	STRING
RECEIVINGCUSTOMERNUMBER	STRING
RECEIVERCUSTOMERNUMBERFIXED	STRING
SHOWTOTAL	BOOLEAN
INVOICEDISCOUNTVAR	AMOUNT

QUOTATIONTOTALSTANDARDCURRENCYVAR	AMOUNT
STANDARDCURRENCYVAR	CurrencyType
DELIVERYADDRESS1	STRING
DELIVERYADDRESS2	STRING
DELIVERYADDRESS3	STRING
DELIVERYADDRESS4	STRING
DELIVERYADDRESS5	STRING
DELIVERYADDRESS6	STRING
DELIVERYADDRESS7	STRING
DELIVERYADDRESS8	STRING
PAYMENTADDRESS1	STRING
PAYMENTADDRESS2	STRING
PAYMENTADDRESS3	STRING
PAYMENTADDRESS4	STRING
PAYMENTADDRESS5	STRING
PAYMENTADDRESS6	STRING
PAYMENTADDRESS7	STRING
PAYMENTADDRESS8	STRING
PRICEONLINES	BOOLEAN
LanguageVar	LanguageType
SHOWORDINARYLINE	BOOLEAN
SHOWSUBTOTALLINE	BOOLEAN
SUBTOTALCURRENCYVAR	AMOUNT
COMPANYADDRESS1VAR	STRING
COMPANYADDRESS2VAR	STRING
COMPANYADDRESS3VAR	STRING
COMPANYADDRESS4VAR	STRING
COMPANYADDRESS5VAR	STRING
COMPANYADDRESS6VAR	STRING
COMPANYADDRESS7VAR	STRING
COMPANYADDRESS8VAR	STRING
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYVATNUMBERVAR	STRING
COMPANYBANKACCOUNTNUMBERVAR	STRING
COMPANYGIRONUMBERVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING

COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING
COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING
SETTLINGCOMPANYNAME1VAR	STRING
SETTLINGCOMPANYLINEVAR	STRING
SETTLINGCOMPANYADDRESS1VAR	STRING
SETTLINGCOMPANYADDRESS2VAR	STRING
SETTLINGCOMPANYADDRESS3VAR	STRING
SETTLINGCOMPANYADDRESS4VAR	STRING
SETTLINGCOMPANYADDRESS5VAR	STRING
SETTLINGCOMPANYADDRESS6VAR	STRING
SETTLINGCOMPANYADDRESS7VAR	STRING
SETTLINGCOMPANYADDRESS8VAR	STRING
SETTLINGCOMPANYTELEPHONEVAR	STRING
SETTLINGCOMPANYTELEFAXVAR	STRING
SETTLINGCOMPANYTELEXVAR	STRING
SETTLINGCOMPANYVATNUMBERVAR	STRING
SETTLINGCOMPANYBANKACCOUNTNUMBERVAR	STRING
SETTLINGCOMPANYGIRONUMBERVAR	STRING
SETTLINGCOMPANYPAYMENTSERVICENUMBERVAR	STRING
SETTLINGCOMPANYTEXT1VAR	STRING
SETTLINGCOMPANYTEXT2VAR	STRING
SETTLINGCOMPANYTEXT3VAR	STRING
SETTLINGCOMPANYTEXT4VAR	STRING
SETTLINGCOMPANYTEXT5VAR	STRING
SETTLINGCOMPANYTEXT6VAR	STRING
SETTLINGCOMPANYTEXT7VAR	STRING
SETTLINGCOMPANYTEXT8VAR	STRING
SETTLINGCOMPANYTEXT9VAR	STRING
SETTLINGCOMPANYTEXT10VAR	STRING
SETTLINGCOMPANYTEXT11VAR	STRING
SETTLINGCOMPANYTEXT12VAR	STRING
SETTLINGCOMPANYTEXT13VAR	STRING
SETTLINGCOMPANYTEXT14VAR	STRING
SETTLINGCOMPANYTEXT15VAR	STRING
SETTLINGCOMPANYTEXT16VAR	STRING
SETTLINGCOMPANYTEXT17VAR	STRING
SETTLINGCOMPANYTEXT18VAR	STRING
SETTLINGCOMPANYTEXT19VAR	STRING
SETTLINGCOMPANYTEXT20VAR	STRING

P JobQuoteRevisions

INTERESTREMINDERPRINCIPLETEXTVAR
PAYMENTTERMSTEXTVAR

STRING
STRING

P JobReallocation

The following cursors can be used in this printout:

JOBENTRY	JobEntry
JOBREALLOCATIONENTRY	JobReallocationEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FirstSupplier	STRING
LastSupplier	STRING
FirstJob	STRING
LastJob	STRING
IncludeNotReallocated	BOOLEAN
FromReallocationDate	DATE
ToReallocationDate	DATE
COMPANYNAMEVAR	STRING
BASECURRENCYVAR	CurrencyType

P JobReport

The following cursors can be used in this printout:

JOBHEADER	JobHeader
ACTIVITY	Activity
PURCHASEORDERLINE	PurchaseOrderLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FirstJobNumber	STRING
LastJobNumber	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
SelectedStatus	JobStatusType
SelectedDepartment	DepartmentNumberType
SelectedJobGroup	JobGroupType
SelectedCustomerGroup	CustomerGroupType
SelectedResponsible	STRING
ShowClosed	BOOLEAN
ACTIVITYBUDGETNUMBER	REAL
ACTIVITYBUDGETCOSTPRICE	AMOUNT
ACTIVITYBUDGETBILLINGPRICE	AMOUNT
ACTIVITYREGISTEREDNUMBER	REAL
ACTIVITYREGISTEREDCOSTPRICE	AMOUNT
ACTIVITYREGISTEREDBILLINGPRICE	AMOUNT
ACTIVITYINVOICEDBILLINGPRICE	AMOUNT
SUMBUDGETNUMBER	REAL
SUMBUDGETCOSTPRICE	AMOUNT
SUMBUDGETBILLINGPRICE	AMOUNT
SUMREGISTEREDNUMBER	REAL
SUMREGISTEREDCOSTPRICE	AMOUNT
SUMREGISTEREDBILLINGPRICE	AMOUNT
SUMINVOICEDBILLINGPRICE	AMOUNT
ACTIVITYNUMBERFIELD	STRING
JOBBUDGETTIMEQUANTITYVAR	REAL
JOBBUDGETMARKUP	AMOUNT
JOBBREGISTEREDTIMEQUANTITYVAR	REAL
JOBBREGISTEREDCOSTPRICE	AMOUNT
JOBBREGISTEREDBILLINGPRICE	AMOUNT
JOBBREGISTEREDBILLINGPRICEBASE	AMOUNT
JOBBREGISTEREDMARKUP	AMOUNT
SHOWACTIVITY	BOOLEAN

DONOTSHOWBASEAMOUNT	BOOLEAN
SHOWBASEAMOUNT	BOOLEAN
SHOWSUMACTIVITY	BOOLEAN
IncludeSubJobs	BOOLEAN
SelectedMainJobNumber	STRING
JOBBUDGETCOSTPRICE	AMOUNT
JOBBUDGETBILLINGPRICE	AMOUNT
JOBBUDGETBILLINGPRICEBASE	AMOUNT
JOBINVOICEDTIMEQUANTITYVAR	REAL
JOBINVOICEDCOSTPRICE	AMOUNT
JOBINVOICEDBILLINGPRICE	AMOUNT
JOBINVOICEDBILLINGPRICEBASE	AMOUNT
JOBINVOICEDMARKUP	AMOUNT
JOBBUDGETGMP	REAL
JOBREGISTEREDGMP	REAL
JOBINVOICEDGMP	REAL
SHOWPURCHASEORDERS	BOOLEAN
JOBPURCHASEORDERSUMBASE	AMOUNT
JOBOPENPURCHASEORDERSUMBASE	AMOUNT
JOBCLOSEDPURCHASEORDERSUMBASE	AMOUNT
SUPPLIERNUMBERVAR	STRING
SUPPLIERNAMEVAR	STRING
SHOWNACTIVITYBUDGETCOSTPRICE	AMOUNT
SHOWNACTIVITYREGISTEREDCOSTPRICE	AMOUNT
SHOWNJOBBUDGETCOSTPRICE	AMOUNT
SHOWNJOBREGISTEREDCOSTPRICE	AMOUNT
SHOWNJOBINVOICEDCOSTPRICE	AMOUNT
SHOWNJOBBUDGETMARKUP	AMOUNT
SHOWNJOBREGISTEREDMARKUP	AMOUNT
SHOWNJOBINVOICEDMARKUP	AMOUNT
SHOWNJOBBUDGETGMP	REAL
SHOWNJOBREGISTEREDGMP	REAL
SHOWNJOBINVOICEDGMP	REAL
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
COMPANYNAME1VAR	STRING
SETTLINGCOMPANYNAME1VAR	STRING
JOBBUDGETOFWHICHOUTLAYSCOSTPRICEVAR	AMOUNT
JOBBUDGETOFWHICHOUTLAYSBILLINGPRICEVAR	AMOUNT
JOBBUDGETOFWHICHOUTLAYSBILLINGPRICEBASEVAR	AMOUNT
JOBREGISTEREDOFWHICHOUTLAYSCOSTPRICEVAR	AMOUNT
JOBREGISTEREDOFWHICHOUTLAYSBILLINGPRICEVAR	AMOUNT
JOBREGISTEREDOFWHICHOUTLAYSBILLINGPRICEBASEVAR	AMOUNT
JOBINVOICEDOFWHICHOUTLAYSCOSTPRICEVAR	AMOUNT
JOBINVOICEDOFWHICHOUTLAYSBILLINGPRICEVAR	AMOUNT
JOBINVOICEDOFWHICHOUTLAYSBILLINGPRICEBASEVAR	AMOUNT
SHOWNJOBBUDGETOFWHICHOUTLAYSCOSTPRICEVAR	AMOUNT
SHOWNJOBREGISTEREDOFWHICHOUTLAYSCOSTPRICEVAR	AMOUNT

```

SHOWNJOBINVOICEDOFWHICHOUTLAYSVCOSTPRICEVAR AMOUNT
JOBBUDGETCOSTPRICEWITHOUTOUTLAYSVAR AMOUNT
JOBBUDGETBILLINGPRICEWITHOUTOUTLAYSVAR AMOUNT
JOBBUDGETBILLINGPRICEWITHOUTOUTLAYSBASEVAR AMOUNT
JOBBUDGETMARKUPWITHOUTOUTLAYSVAR AMOUNT
JOBBUDGETGMPWITHOUTOUTLAYSVAR REAL
JOBREGISTEREDCOSTPRICEWITHOUTOUTLAYSVAR AMOUNT
JOBREGISTEREDBILLINGPRICEWITHOUTOUTLAYSVAR AMOUNT
JOBREGISTEREDBILLINGPRICEWITHOUTOUTLAYSBASEVAR AMOUNT
JOBREGISTEREDMARKUPWITHOUTOUTLAYSVAR AMOUNT
JOBREGISTEREDGMPWITHOUTOUTLAYSVAR REAL
JOBINVOICEDCOSTPRICEWITHOUTOUTLAYSVAR AMOUNT
JOBINVOICEDBILLINGPRICEWITHOUTOUTLAYSVAR AMOUNT
JOBINVOICEDBILLINGPRICEWITHOUTOUTLAYSBASEVAR AMOUNT
JOBINVOICEDMARKUPWITHOUTOUTLAYSVAR AMOUNT
JOBINVOICEDGMPWITHOUTOUTLAYSVAR REAL
SHOWNJOBBUDGETCOSTPRICEWITHOUTOUTLAYSVAR AMOUNT
SHOWNJOBBUDGETMARKUPWITHOUTOUTLAYSVAR AMOUNT
SHOWNJOBBUDGETGMPWITHOUTOUTLAYSVAR REAL
SHOWNJOBREGISTEREDCOSTPRICEWITHOUTOUTLAYSVAR AMOUNT
SHOWNJOBREGISTEREDMARKUPWITHOUTOUTLAYSVAR AMOUNT
SHOWNJOBREGISTEREDGMPWITHOUTOUTLAYSVAR REAL
SHOWNJOBINVOICEDCOSTPRICEWITHOUTOUTLAYSVAR AMOUNT
SHOWNJOBINVOICEDMARKUPWITHOUTOUTLAYSVAR AMOUNT
SHOWNJOBINVOICEDGMPWITHOUTOUTLAYSVAR REAL
JOBBUDGETCOSTPRICEOUTLAYSVAR AMOUNT
JOBBUDGETBILLINGPRICEOUTLAYSVAR AMOUNT
JOBBUDGETBILLINGPRICEOUTLAYSBASEVAR AMOUNT
JOBBUDGETMARKUPOUTLAYSVAR AMOUNT
JOBBUDGETGMPOUTLAYSVAR REAL
JOBREGISTEREDCOSTPRICEOUTLAYSVAR AMOUNT
JOBREGISTEREDBILLINGPRICEOUTLAYSVAR AMOUNT
JOBREGISTEREDBILLINGPRICEOUTLAYSBASEVAR AMOUNT
JOBREGISTEREDMARKUPOUTLAYSVAR AMOUNT
JOBREGISTEREDGMPOUTLAYSVAR REAL
JOBINVOICEDCOSTPRICEOUTLAYSVAR AMOUNT
JOBINVOICEDBILLINGPRICEOUTLAYSVAR AMOUNT
JOBINVOICEDBILLINGPRICEOUTLAYSBASEVAR AMOUNT
JOBINVOICEDMARKUPOUTLAYSVAR AMOUNT
JOBINVOICEDGMPOUTLAYSVAR REAL
SHOWNJOBBUDGETCOSTPRICEOUTLAYSVAR AMOUNT
SHOWNJOBBUDGETMARKUPOUTLAYSVAR AMOUNT
SHOWNJOBBUDGETGMPOUTLAYSVAR REAL
SHOWNJOBREGISTEREDCOSTPRICEOUTLAYSVAR AMOUNT
SHOWNJOBREGISTEREDMARKUPOUTLAYSVAR AMOUNT
SHOWNJOBREGISTEREDGMPOUTLAYSVAR REAL
SHOWNJOBINVOICEDCOSTPRICEOUTLAYSVAR AMOUNT
SHOWNJOBINVOICEDMARKUPOUTLAYSVAR AMOUNT

```

SHOWNJOBINVOICEDGMPOUTLAYSVAR	REAL
REMOVED1VAR	AMOUNT
TIMEREGISTRATIONUNITSTRVAR	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING

ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
OPENCOSTPRICEVAR	AMOUNT
OPENCOSTPRICEENTERPRISEVAR	AMOUNT
OPENBILLINGPRICEBASEVAR	AMOUNT
OPENBILLINGPRICECURRENCYVAR	AMOUNT
OPENBILLINGPRICEENTERPRISEVAR	AMOUNT

P JobRevenueRecognition

The following cursors can be used in this printout:

JOBREVENUERECOGNITION	JobRevenueRecognition
JOBHEADER	JobHeader
GROUPJOBREVENUERECOGNITION	GroupJobRevenueRecognition

The following variables can be used in this printout:

FromJobNumberVar	STRING
ToJobNumberVar	STRING
JobGroupVar	JobGroupType
InvoicingPrincipleVar	InvoicingPrincipleType
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
CustomerGroupVar	CustomerGroupType
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
DepartmentNumberVar	DepartmentNumberType
CountryVar	CountryType
LanguageVar	LanguageType
CurrencyVar	CurrencyType
ProjectManagerNumberVar	STRING
StatusVar	JobStatusType
REVISIONCODEVAR	STRING
TARGETGROUPDATEFORREVENUERECOGNITIONVAR	DATE
SHOWELATESTAPPROVEDREVRECOGVAR	BOOLEAN
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING

ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
COMPANYNAME	STRING
TODAYSDATE	STRING
NAMEOFUSER	STRING
THETIME	STRING
PAGENUMBER	INTEGER
LayoutName	LayoutNameType
JOBNAMEVAR	STRING
CUSTOMERNAMEVAR	STRING
COMPANYNAMEVAR	STRING
DATEOFREVENUERECOGNIZEDVAR	DATE
PERCENTAGEREVENUERECOGNIZEDVAR	REAL
AMOUNTCURRENCYREVENUERECOGNIZEDVAR	AMOUNT
PERCENTAGEADJUSTMENTVAR	REAL
AMOUNTADJUSTMENTVAR	AMOUNT
PROJECTMANAGERNAMEVAR	STRING
DETAILSELECTIONPER1VAR	JobRevenueRecognitionGroupType
DETAILSELECTIONPER2VAR	JobRevenueRecognitionGroupType
REVISIONNUMBERVAR	INTEGER
BUDGETTYPEVAR	JobBudgetTypeType
INVOICINGPRINCIPLEOFTHEJOBVAR	InvoicingPrincipleType
FIXEDPRICEBASISOFTHEJOBVAR	FixedPriceBasisType

P JobRevenueRecognition

DATEFORREVENUERECOGNITIONVAR	DATE
PERCENTAGEFORREVENUERECOGNITIONVAR	REAL
AMOUNTFORREVENUERECOGNITIONCURRENCYVAR	AMOUNT
FIXEDPRICECURRENCYCALCULATIONBASISVAR	AMOUNT
GROUPPERCENTAGEREVENUERECOGNIZEDVAR	REAL
GROUPREVENUERECOGNIZEDCURRENCYVAR	AMOUNT
GROUPPERCENTAGEADJUSTMENTVAR	REAL
GROUPAMOUNTADJUSTMENTVAR	AMOUNT
GROUPFIXEDPRICEVAR	AMOUNT
SUMPERCENTAGEREVENUERECOGNIZEDVAR	REAL
SUMAMOUNTREVENUERECOGNIZEDVAR	AMOUNT
SUMPERCENTAGEADJUSTMENTVAR	REAL
SUMAMOUNTADJUSTMENTVAR	AMOUNT
SUMPERCENTAGEFORREVENUERECOGNITIONVAR	REAL
SUMAMOUNTFORREVENUERECOGNITIONVAR	AMOUNT
SUMFIXEDPRICEVAR	AMOUNT
SumCurrencyVar	CurrencyType
CurrencyConversionDateVar	DATE
AMOUNTREVENUERECOGNIZEDSUMCURRENCYVAR	AMOUNT
AMOUNTADJUSTMENTSUMCURRENCYVAR	AMOUNT
AMOUNTFORREVENUERECOGNITIONSUMCURRENCYVAR	AMOUNT
FIXEDPRICESUMCURRENCYVAR	AMOUNT

P Jobs

The following cursors can be used in this printout:

JOBHEADER	JobHeader
JOBORDERASSIGNMENT	JobOrderAssignment
MAINJOBHEADER	JobHeader
JOBLINKING	JobLinking
JOBPRICELISTLINE	JobPriceListLine
PHASE	Phase
INVOICINGPLANLINE	InvoicingPlanLine
JOBPARAMETERSELECTION	JobParameterSelection
JOEMPLOYEECONTROL	JobEmployeeControl
TASKLISTLINE	TaskListLine
EXCHANGERATETABLE	ExchangeRateTable
EXCHANGERATE	ExchangeRate

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromJobNumberVar	STRING
ToJobNumberVar	STRING
StatusVar	JobStatusType
FromCreateDateVar	DATE
ToCreateDateVar	DATE
ShowInProgressVar	BOOLEAN
ShowClosedVar	BOOLEAN
FromClosingDateVar	DATE
ToClosingDateVar	DATE
JobGroupVar	JobGroupType
DepartmentNumberVar	DepartmentNumberType
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
ResponsibleVar	STRING
BUDGETBILLINGPRICESUMVAR	AMOUNT
PAYMCUSTOMERNAME1VAR	STRING
PAYMCUSTOMERNAME2VAR	STRING
PAYMCUSTOMERNAME3VAR	STRING
PAYMCUSTOMERNAME4VAR	STRING
PAYMCUSTOMERNAME5VAR	STRING
INVOICEDSUMVAR	AMOUNT
BaseCurrencyVar	CurrencyType
BUDGETBILLINGPRICETOTALVAR	AMOUNT
INVOICEDTOTALVAR	AMOUNT

CUSTOMERNAME1VAR	STRING
SUBJOBNAMEVAR	STRING
SUBJOBRESPONSIBLEVAR	STRING
SUBJOBCREATEDDATEVAR	DATE
SUBJOBCLOSINGDATEVAR	DATE
SUBJOBSTATUSVAR	JobStatusType
SUBJOBCURRENCYVAR	CurrencyType
SUBJOBBUDGETBILLINGPRICEVAR	AMOUNT
SUBJOBINVOICEDVAR	AMOUNT
SUBJOBCLOSEDVAR	BOOLEAN
PAYMCUSTOMERZIPCODEVAR	STRING
PAYMCUSTOMERPOSTALDISTRICTVAR	STRING
CustomerGroupVar	CustomerGroupType
LEVELDESCRIPTIONVAR	STRING
COMPANYNAMEVAR	STRING
SETTLINGCOMPANYNAMEVAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
EMPLOYEE1NAMEVAR	STRING
EMPLOYEE2NAMEVAR	STRING
EMPLOYEE3NAMEVAR	STRING
EMPLOYEE4NAMEVAR	STRING
EMPLOYEE5NAMEVAR	STRING
EMPLOYEE6NAMEVAR	STRING
EMPLOYEE7NAMEVAR	STRING
EMPLOYEE8NAMEVAR	STRING
EMPLOYEE9NAMEVAR	STRING
EMPLOYEE10NAMEVAR	STRING
ACTIVITYTEXTVAR	STRING
ExchangeRateDateVar	DATE
PROJECTMANAGERNAMEVAR	STRING
ProjectManagerNumberVar	STRING
CURRENTPHASESTARTINGDATEVAR	DATE
CURRENTPHASEDUEVAR	BOOLEAN
PHASENOTDUEVAR	BOOLEAN
RESPONSIBLENAMEVAR	STRING
PHASEDUEVAR	BOOLEAN
PERCENTAGEVAR	REAL
INVOICINGPLANLINEINVOICECURRENCYVAR	CurrencyType
AMOUNTTOTALINVOICECURRENCYVAR	AMOUNT
AMOUNTTOTALCURRENCYVAR	AMOUNT
IncludePhasesVar	BOOLEAN
IncludeMilestonesVar	BOOLEAN
CANBEAPPROVEDMILESTONEVAR	BOOLEAN
CANNOTBEAPPROVEDMILESTONEVAR	BOOLEAN
FIXEDPRICECURRENCYVAR	AMOUNT
INCLUDESSUBJOBSVAR	BOOLEAN
TOBEINVOICEDONMAINJOBVAR	BOOLEAN

INVOICEBILLINGPRICECURRENCYVAR	AMOUNT
PARAMETERDESCRIPTIONVAR	STRING
APPROVALOFINVOICINGPLANLINESVAR	BOOLEAN
NOTAPPROVALOFINVOICINGPLANLINESVAR	BOOLEAN
PRICELISTLINEEMPLOYEEENAMEVAR	STRING
IncludeTemplatesVar	BOOLEAN
EMPLOYEECONTROLACTIVATEDVAR	BOOLEAN
EMPLOYEEENAMEVAR	STRING
EMPLOYEETASKDESCRIPTIONVAR	STRING
PRIMARYEMPLOYEECATEGORYNUMBERVAR	STRING
PRIMARYEMPLOYEECATEGORYNAMEVAR	STRING
EMPLOYEECOMPANYNUMBERVAR	STRING
EMPLOYEECOMPANYNAMEVAR	STRING
EMPLOYEELOCATIONNAMEVAR	STRING
EMPLOYEELOCATIONDESCRIPTIONVAR	STRING
EMPLOYEEENTITYNAMEVAR	STRING
EMPLOYEEENTITYDESCRIPTIONVAR	STRING
EMPLOYEEPROJECTNAMEVAR	STRING
EMPLOYEEPROJECTDESCRIPTIONVAR	STRING
EMPLOYEEPURPOSENAMEVAR	STRING
EMPLOYEEPURPOSEDESCRIPTIONVAR	STRING
EMPLOYEESPECIFICATION1NAMEVAR	STRING
EMPLOYEESPECIFICATION1DESCRIPTIONVAR	STRING
EMPLOYEESPECIFICATION2NAMEVAR	STRING
EMPLOYEESPECIFICATION2DESCRIPTIONVAR	STRING
EMPLOYEESPECIFICATION3NAMEVAR	STRING
EMPLOYEESPECIFICATION3DESCRIPTIONVAR	STRING
EMPLOYEESPECIFICATION4NAMEVAR	STRING
EMPLOYEESPECIFICATION4DESCRIPTIONVAR	STRING
EMPLOYEESPECIFICATION5NAMEVAR	STRING
EMPLOYEESPECIFICATION5DESCRIPTIONVAR	STRING
EMPLOYEESPECIFICATION6NAMEVAR	STRING
EMPLOYEESPECIFICATION6DESCRIPTIONVAR	STRING
EMPLOYEESPECIFICATION7NAMEVAR	STRING
EMPLOYEESPECIFICATION7DESCRIPTIONVAR	STRING
EMPLOYEESPECIFICATION8NAMEVAR	STRING
EMPLOYEESPECIFICATION8DESCRIPTIONVAR	STRING
EMPLOYEESPECIFICATION9NAMEVAR	STRING
EMPLOYEESPECIFICATION9DESCRIPTIONVAR	STRING
EMPLOYEESPECIFICATION10NAMEVAR	STRING
EMPLOYEESPECIFICATION10DESCRIPTIONVAR	STRING
EMPLOYEELOCALSPEC1NAMEVAR	STRING
EMPLOYEELOCALSPEC1DESCRIPTIONVAR	STRING
EMPLOYEELOCALSPEC2NAMEVAR	STRING
EMPLOYEELOCALSPEC2DESCRIPTIONVAR	STRING
EMPLOYEELOCALSPEC3NAMEVAR	STRING
EMPLOYEELOCALSPEC3DESCRIPTIONVAR	STRING
EMPLOYEELOCALSPEC4NAMEVAR	STRING

EMPLOYEELOCALSPEC4DESCRIPTIONVAR	STRING
EMPLOYEELOCALSPEC5NAMEVAR	STRING
EMPLOYEELOCALSPEC5DESCRIPTIONVAR	STRING
EMPLOYEELOCALSPEC6NAMEVAR	STRING
EMPLOYEELOCALSPEC6DESCRIPTIONVAR	STRING
EMPLOYEELOCALSPEC7NAMEVAR	STRING
EMPLOYEELOCALSPEC7DESCRIPTIONVAR	STRING
EMPLOYEELOCALSPEC8NAMEVAR	STRING
EMPLOYEELOCALSPEC8DESCRIPTIONVAR	STRING
EMPLOYEELOCALSPEC9NAMEVAR	STRING
EMPLOYEELOCALSPEC9DESCRIPTIONVAR	STRING
EMPLOYEELOCALSPEC10NAMEVAR	STRING
EMPLOYEELOCALSPEC10DESCRIPTIONVAR	STRING
SHOWTASKLISTVAR	BOOLEAN
TASKLISTHEADERTASKLISTVAR	STRING
TASKLISTHEADERTASKNAMEVAR	STRING
TASKLISTHEADERREVENUERECOGNITIONTASKNAMEVAR	STRING
TASKLISTHEADERMILEAGETASKNAMEVAR	STRING
TASKLISTHEADERINVOICINGPLANTASKNAMEVAR	STRING
TASKLISTHEADERWRITEUPDOWNINVSELECTIONVAR	STRING
TASKLISTHEADERWRITEUPDOWNJOBINVALLOCVAR	STRING
TASKLISTHEADERCREATEDBYVAR	STRING
TASKLISTHEADERCREATIONDATEVAR	DATE
TASKLISTHEADERCHANGEDBYVAR	STRING
TASKLISTHEADERCHANGEDDATEVAR	DATE
TASKLISTHEADERVERSIONNUMBERVAR	INTEGER
TASKLISTHEADERACCESSLEVELNAMEVAR	STRING
TASKLISTHEADERDIMENSIONCOMBNUMBERVAR	STRING
TASKLISTHEADERACTIVITYNUMBERVAR	STRING
TASKLISTHEADEROVERWRITEACTIVITYVAR	BOOLEAN
TASKLISTHEADERLOCATIONNAMEVAR	STRING
TASKLISTHEADEROVERWRITELOCATIONVAR	BOOLEAN
TASKLISTHEADERENTITYNAMEVAR	STRING
TASKLISTHEADEROVERWRITEENTITYVAR	BOOLEAN
TASKLISTHEADERPROJECTNAMEVAR	STRING
TASKLISTHEADEROVERWRITEPROJECTVAR	BOOLEAN
TASKLISTHEADERPURPOSENAMEVAR	STRING
TASKLISTHEADEROVERWRITEPURPOSEVAR	BOOLEAN
TASKLISTHEADERSPECIFICATION1VAR	STRING
TASKLISTHEADEROVERWRITESPEC1VAR	BOOLEAN
TASKLISTHEADERSPECIFICATION2VAR	STRING
TASKLISTHEADEROVERWRITESPEC2VAR	BOOLEAN
TASKLISTHEADERSPECIFICATION3VAR	STRING
TASKLISTHEADEROVERWRITESPEC3VAR	BOOLEAN
TASKLISTHEADERSPECIFICATION4VAR	STRING
TASKLISTHEADEROVERWRITESPEC4VAR	BOOLEAN
TASKLISTHEADERSPECIFICATION5VAR	STRING
TASKLISTHEADEROVERWRITESPEC5VAR	BOOLEAN

TASKLISTHEADERSPECIFICATION6VAR	STRING
TASKLISTHEADEROVERWRITESPEC6VAR	BOOLEAN
TASKLISTHEADERSPECIFICATION7VAR	STRING
TASKLISTHEADEROVERWRITESPEC7VAR	BOOLEAN
TASKLISTHEADERSPECIFICATION8VAR	STRING
TASKLISTHEADEROVERWRITESPEC8VAR	BOOLEAN
TASKLISTHEADERSPECIFICATION9VAR	STRING
TASKLISTHEADEROVERWRITESPEC9VAR	BOOLEAN
TASKLISTHEADERSPECIFICATION10VAR	STRING
TASKLISTHEADEROVERWRITESPEC10VAR	BOOLEAN
TASKLISTHEADERLOCALSPEC1NAMEVAR	STRING
TASKLISTHEADEROVERWRITELOCALSPEC1VAR	BOOLEAN
TASKLISTHEADERLOCALSPEC2NAMEVAR	STRING
TASKLISTHEADEROVERWRITELOCALSPEC2VAR	BOOLEAN
TASKLISTHEADERLOCALSPEC3NAMEVAR	STRING
TASKLISTHEADEROVERWRITELOCALSPEC3VAR	BOOLEAN
TASKLISTHEADERLOCALSPEC4NAMEVAR	STRING
TASKLISTHEADEROVERWRITELOCALSPEC4VAR	BOOLEAN
TASKLISTHEADERLOCALSPEC5NAMEVAR	STRING
TASKLISTHEADEROVERWRITELOCALSPEC5VAR	BOOLEAN
TASKLISTHEADERLOCALSPEC6NAMEVAR	STRING
TASKLISTHEADEROVERWRITELOCALSPEC6VAR	BOOLEAN
TASKLISTHEADERLOCALSPEC7NAMEVAR	STRING
TASKLISTHEADEROVERWRITELOCALSPEC7VAR	BOOLEAN
TASKLISTHEADERLOCALSPEC8NAMEVAR	STRING
TASKLISTHEADEROVERWRITELOCALSPEC8VAR	BOOLEAN
TASKLISTHEADERLOCALSPEC9NAMEVAR	STRING
TASKLISTHEADEROVERWRITELOCALSPEC9VAR	BOOLEAN
TASKLISTHEADERLOCALSPEC10NAMEVAR	STRING
TASKLISTHEADEROVERWRITELOCALSPEC10VAR	BOOLEAN
REFERENCECURRENCYVAR	CurrencyType
FIXEDSALESEXCHANGERATETABLEVAR	GlobalExchangeRateTableType
FIXEDPURCHASEEXCHANGERATETABLEVAR	GlobalExchangeRateTableType
STANDARDEXCHANGERATETABLEVAR	GlobalExchangeRateTableType
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING

FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P JobSearch

The following cursors can be used in this printout:

TARGETGROUPSPECHEADER	TargetGroupSpecHeader
JOBSEARCHRESULT	JobSearchResult

The following variables can be used in this printout:

NAMEOFUSER	STRING
LAYOUTNAME	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
JOBNAMEVAR	STRING
CUSTOMERNUMBERVAR	STRING
EVENTTYPEVAR	STRING
DESCRIPTIONVAR	STRING
CLOSEDVAR	BOOLEAN
RESULTVAR	STRING
NEWJOBPROCESSINGSTATUSVAR	STRING
CUSTOMERNAMEVAR	STRING

P JobSurchargeRule

The following cursors can be used in this printout:

JOBSURCHARGERULEHEADER	JobSurchargeRuleHeader
JOBSURCHARGERULELINE	JobSurchargeRuleLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromJobSurchargeRuleNameVar	STRING
ToJobSurchargeRuleNameVar	STRING

P JobVolume

The following cursors can be used in this printout:

JOBGROUPINFORMATION	JobGroupInformation
JOBHEADER	JobHeader
CUSTOMERGROUPCODE	PopupItem
COMPANYCUSTOMER	CompanyCustomer

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
JobGroupVar	JobGroupType
DepartmentVar	DepartmentNumberType
CustomerGroupVar	CustomerGroupType
JOBGROUPVARPOSVAR	INTEGER
JOBINFORMATIONGROUPVAR	JobGroupType
OPENPURCHASEORDERSVAR	BOOLEAN
COMPLETIONPERCENTAGEVAR	REAL
OPENCOSTPRICESUMVAR	AMOUNT
OPENBILLINGPRICESUMVAR	AMOUNT
BUDGETBILLINGPRICESUMVAR	AMOUNT
OPENONACCOUNTSUMVAR	AMOUNT
INVOICEDSUMVAR	AMOUNT
CURRENTCUSTOMERGROUPVAR	CustomerGroupType
PRINTCUSTOMERVAR	BOOLEAN
OPENCOSTPRICEVAR	AMOUNT
OPENBILLINGPRICEVAR	AMOUNT
OPENONACCOUNTVAR	AMOUNT
BUDGETBILLINGPRICEVAR	AMOUNT
CUSTOMERGROUPPOSVAR	INTEGER
ShowOnlyEndInvoicedVar	BOOLEAN
ShowOnlyJobsWithOpenEntriesVar	BOOLEAN
INCLUDEONPRINTOUTSVAR	BOOLEAN
OPENPURCHASEORDERSBASEVAR	AMOUNT
OPENPURCHASEORDERSBASESUMVAR	AMOUNT
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
BaseCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE

INVOICEDVAR	AMOUNT
PERCENTAGEREVENUERECOGNIZEDVAR	REAL
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING

P JobVolume

FromLocalSpec10NameVar
ToLocalSpec10NameVar

STRING
STRING

P LevelList

The following cursors can be used in this printout:

LEVELLISTLINE	LevelListLine
LEVELLISTHEADER	LevelListHeader

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromLevelListVar	STRING
ToLevelListVar	STRING
LEVELLISTVAR	STRING
NOTFIRSTPAGEVAR	BOOLEAN
FIRSTPAGEVAR	BOOLEAN

P PeriodicJobBudget

The following cursors can be used in this printout:

JOBHEADER	JobHeader
S_JOBBDGETLINE	JobBudgetLine
S_JOBBDGETLINELEVEL1	JobBudgetLine
S_JOBBDGETLINELEVEL2	JobBudgetLine
S_JOBBDGETLINELEVEL3	JobBudgetLine
S_JOBBDGETLINELEVEL4	JobBudgetLine
S_JOBBDGETLINELEVEL5	JobBudgetLine
S_JOBBDGETLINELEVEL6	JobBudgetLine
S_JOBBDGETITEMLINE	JobBudgetItemLine
S_JOBBDGETLINEPERIODTEMPORAL1	Temporal1
S_TOTALFORJOBTEMPORAL1	Temporal1
S_UNACCRUEDTOTALFORJOBTEMPORAL1	Temporal1

The following variables can be used in this printout:

FromMonthVar	INTEGER
ToMonthVar	INTEGER
FromYearVar	INTEGER
ToYearVar	INTEGER
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromSettlingCompanyNumberVar	STRING
ToSettlingCompanyNumberVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
StatusVar	JobStatusType
DepartmentVar	DepartmentNumberType
JobGroupsVar	JobGroupType
CustomerGroupVar	CustomerGroupType
ProjectManagerNumberVar	STRING
IncludeFinishedVar	BOOLEAN
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING

FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
RevisionNumberVar	INTEGER
BudgetDisplayVar	BudgetDisplayType
FixedBudgetTypeVar	JobBudgetTypeType
FixedBudgetTypeProperty1Var	STRING
FixedBudgetTypeProperty2Var	STRING
FixedBudgetTypeProperty3Var	STRING
PARAMETERDIALOGVAR	BOOLEAN
IncludeItemLinesVar	BOOLEAN
PeriodLengthVar	PeriodLengthType
NAMEOFUSER	STRING
COMPANYNAME	STRING
TODAYSDATE	STRING

P PeriodicJobBudget

PAGENUMBER	INTEGER
THETIME	STRING
LayoutName	LayoutNameType
PRINTBUDGETTYPEVAR	JobBudgetTypeType
PRINTREVISIONNUMBERVAR	INTEGER
RESPONSIBLECOMPANYNAMEVAR	STRING
PAYMENTCUSTOMERNAMEVAR	STRING
PROJECTMANAGERNAMEVAR	STRING
TIMEREGISTRATIONUNITSTRVAR	STRING
SUBMITTEDVAR	BOOLEAN
SUBMITTEDBYVAR	STRING
DATESUBMITTEDVAR	DATE
APPROVEDVAR	BOOLEAN
APPROVEDBYVAR	STRING
APPROVALDATEVAR	DATE
REOPENEDVAR	BOOLEAN
REOPENEDBYVAR	STRING
DATEREOPENEDVAR	DATE
EXISTSITEMLINESVAR	BOOLEAN
EXISTSITEMLINESNOTVAR	BOOLEAN
SHOWVALUELINEVAR	BOOLEAN
SHOWITEMLINEVAR	BOOLEAN
SHOWTEXTLINEVAR	BOOLEAN
SHOWSUMLINEVAR	BOOLEAN
SHOWHORIZONTALLINEVAR	BOOLEAN
FIRSTBUDGETLINEVAR	BOOLEAN
NOTSHOWSUMLINEVAR	BOOLEAN
MILESTONELINEVAR	BOOLEAN
NOTMILESTONELINEVAR	BOOLEAN
TASKTEXTVAR	STRING
EMPLOYEECATEGORYNAMEVAR	STRING
EMPLOYEEENAMEVAR	STRING
JOBTIMEQUANTITYVAR	REAL
JOBCOSTPRICEVAR	AMOUNT
JOBBILLINGPRICECURRENCYVAR	AMOUNT
JOBBILLINGPRICEBASEVAR	AMOUNT
SUMCOSTPRICEVAR	AMOUNT
SUMBILLINGPRICECURRENCYVAR	AMOUNT
ENDSUMCOSTPRICEVAR	AMOUNT
ENDSUMBILLINGPRICECURRENCYVAR	AMOUNT
JOBMARKUPVAR	AMOUNT
COSTPRICEVAR	AMOUNT
COSTPRICETOTALVAR	AMOUNT
UNALLOCATEDCOSTPRICETOTALVAR	AMOUNT
NUMBEROFTEMPORAL1VAR	INTEGER
NUMBEROFPRINTEDTEMPORAL1VAR	INTEGER
IncludeTemplatesVar	BOOLEAN
LEVELJOBBUDGETLINEINSTANCEKEYVAR	STRING

P PeriodicJobBudget

LEVELJOBBUDGETLINEBUDGETTYPEVAR	JobBudgetTypeType
LEVELJOBBUDGETLINEREVISIONNUMBERVAR	INTEGER
LEVELJOBBUDGETLINELINENUMBERVAR	INTEGER
LEVELJOBBUDGETLINECOSTPRICETOTALVAR	AMOUNT
LEVELJOBBUDGETLINEBILLINGPRICETOTALCURRENCYVAR	AMOUNT
MaximumDepthVar	INTEGER
ENABLEFIRSTLEVELVAR	BOOLEAN
ENABLESECONDLEVELVAR	BOOLEAN
ENABLETHIRDLEVELVAR	BOOLEAN
ENABLEFOURTHLEVELVAR	BOOLEAN
ENABLEFIFTHLEVELVAR	BOOLEAN
ENABLESIXTHLEVELVAR	BOOLEAN

P PlanningConflicts

The following cursors can be used in this printout:

EMPLOYEE	Employee
TEMPORAL1	Temporal1
PRELIMINARYCONFLICTTEMPORAL1	Temporal1
REQUESTEDCONFLICTTEMPORAL1	Temporal1
CONFIRMEDCONFLICTTEMPORAL1	Temporal1

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromJobNumberPar	STRING
ToJobNumberPar	STRING
ProjectManagerNumberPar	STRING
FromDatePar	DATE
ToDatePar	DATE
PlanningUnitPar	PlanningUnitType
LoadPercentagePar	REAL
FROMWEEKNUMBERPAR	INTEGER
FROMYEARPAR	INTEGER
ERRORTXTVAR	STRING
WEEKVAR	INTEGER
YEARVAR	INTEGER
NEWJOBVAR	BOOLEAN
NEWDAYVAR	BOOLEAN
NEWWEEKVAR	BOOLEAN
NEWEMPLOYEEVAR	BOOLEAN
PREVIOUSJOBVAR	STRING
PREVIOUSPERIODVAR	DATE
PREVIOUSEMPLOYEEVAR	STRING
IncludePreliminaryPar	BOOLEAN
IncludeRequestedPar	BOOLEAN
IncludeConfirmedPar	BOOLEAN
OTHERPROJECTMANAGERNAMEVAR	STRING
REALHOURSVAR	REAL
REALLOADPERCENTAGEVAR	REAL
TOTALHOURSVAR	REAL
TOTALLOADVAR	REAL
PLANNEDWITHOUTOTHERPRELIMINARYVAR	REAL
PLANNEDWITHOUTOTHERREQUESTEDVAR	REAL
PLANNEDWITHOUTOTHERCONFIRMEDVAR	REAL
PROJECTMANAGERNAMEVAR	STRING

P PlanningConflicts

PRELIMINARYTYPEHEADINGVAR	STRING
REQUESTEDTYPEHEADINGVAR	STRING
CONFIRMEDTYPEHEADINGVAR	STRING
INCLUDETHISPRELIMINARYVAR	BOOLEAN
INCLUDETHISREQUESTEDVAR	BOOLEAN
INCLUDETHISCONFIRMEDVAR	BOOLEAN
DAYOFFVAR	BOOLEAN

P ResourceRequirement

The following cursors can be used in this printout:

TEMPORAL1

Temporal1

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromPlanningDateVar	DATE
ToPlanningDateVar	DATE
FromPlanningDateOldVar	DATE
ToPlanningDateOldVar	DATE
FromTimeIntervalTypeVar	INTEGER
ToTimeIntervalTypeVar	INTEGER
FromTimeIntervalTypeOldVar	INTEGER
TOTIMEINTERVALTYPEOLDVAR	INTEGER
FromYearVar	INTEGER
ToYearVar	INTEGER
FromYearOldVar	INTEGER
TOYEAROLDVAR	INTEGER
TimeIntervalTypeVar	TimeIntervalTypeType
Level1Var	ResourceRequirementLevelType
Level2Var	ResourceRequirementLevelType
Level3Var	ResourceRequirementLevelType
FIXEDTEXT1VAR	STRING
FIXEDTEXT2VAR	STRING
FIXEDTEXT3VAR	STRING
TEXT1VAR	STRING
TEXT2VAR	STRING
TEXT3VAR	STRING
FIELDNAME1VAR	STRING
FIELDNAME2VAR	STRING
FIELDNAME3VAR	STRING
PLANNEDTIMETOTALLEVEL1VAR	REAL
PLANNEDTIMETOTALLEVEL2VAR	REAL
PLANNEDTIMETOTALLEVEL3VAR	REAL
PLANNEDTIMELEVEL3VAR	REAL
PLANNINGTIMELEVEL1VAR	REAL
PLANNINGTIMELEVEL2VAR	REAL
TIMEREQUIREMENTLEVEL1VAR	REAL
TIMEREQUIREMENTLEVEL2VAR	REAL
FromEmployeeCategoryNumberVar	STRING
ToEmployeeCategoryNumberVar	STRING

IncludeOnlyPrimaryCategoryVar	BOOLEAN
FromEmployeeCompanyNumberVar	STRING
ToEmployeeCompanyNumberVar	STRING
FromEmployeeLocationNameVar	STRING
ToEmployeeLocationNameVar	STRING
FromEmployeeEntityNameVar	STRING
ToEmployeeEntityNameVar	STRING
FromEmployeeProjectNameVar	STRING
ToEmployeeProjectNameVar	STRING
FromEmployeePurposeNameVar	STRING
ToEmployeePurposeNameVar	STRING
FromEmployeeSpecification1NameVar	STRING
ToEmployeeSpecification1NameVar	STRING
FromEmployeeSpecification2NameVar	STRING
ToEmployeeSpecification2NameVar	STRING
FromEmployeeSpecification3NameVar	STRING
ToEmployeeSpecification3NameVar	STRING
FromEmployeeSpecification4NameVar	STRING
ToEmployeeSpecification4NameVar	STRING
FromEmployeeSpecification5NameVar	STRING
ToEmployeeSpecification5NameVar	STRING
FromEmployeeSpecification6NameVar	STRING
ToEmployeeSpecification6NameVar	STRING
FromEmployeeSpecification7NameVar	STRING
ToEmployeeSpecification7NameVar	STRING
FromEmployeeSpecification8NameVar	STRING
ToEmployeeSpecification8NameVar	STRING
FromEmployeeSpecification9NameVar	STRING
ToEmployeeSpecification9NameVar	STRING
FromEmployeeSpecification10NameVar	STRING
ToEmployeeSpecification10NameVar	STRING
FromEmployeeLocalSpec1NameVar	STRING
ToEmployeeLocalSpec1NameVar	STRING
FromEmployeeLocalSpec2NameVar	STRING
ToEmployeeLocalSpec2NameVar	STRING
FromEmployeeLocalSpec3NameVar	STRING
ToEmployeeLocalSpec3NameVar	STRING
FromEmployeeLocalSpec4NameVar	STRING
ToEmployeeLocalSpec4NameVar	STRING
FromEmployeeLocalSpec5NameVar	STRING
ToEmployeeLocalSpec5NameVar	STRING
FromEmployeeLocalSpec6NameVar	STRING
ToEmployeeLocalSpec6NameVar	STRING
FromEmployeeLocalSpec7NameVar	STRING
ToEmployeeLocalSpec7NameVar	STRING
FromEmployeeLocalSpec8NameVar	STRING
ToEmployeeLocalSpec8NameVar	STRING
FromEmployeeLocalSpec9NameVar	STRING

ToEmployeeLocalSpec9NameVar	STRING
FromEmployeeLocalSpec10NameVar	STRING
ToEmployeeLocalSpec10NameVar	STRING
FromJobNumberVar	STRING
ToJobNumberVar	STRING
JobGroupVar	JobGroupType
CustomerGroupVar	CustomerGroupType
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
ProjectManagerNumberVar	STRING
JobPopup1Var	JobPopupType1
JobPopup2Var	JobPopupType2
JobPopup3Var	JobPopupType3
JobPopup4Var	JobPopupType4
JobPopup5Var	JobPopupType5
FromJobCompanyNumberVar	STRING
ToJobCompanyNumberVar	STRING
FromJobLocationNameVar	STRING
ToJobLocationNameVar	STRING
FromJobEntityNameVar	STRING
ToJobEntityNameVar	STRING
FromJobProjectNameVar	STRING
ToJobProjectNameVar	STRING
FromJobPurposeNameVar	STRING
ToJobPurposeNameVar	STRING
FromJobSpec1NameVar	STRING
ToJobSpec1NameVar	STRING
FromJobSpec2NameVar	STRING
ToJobSpec2NameVar	STRING
FromJobSpec3NameVar	STRING
ToJobSpec3NameVar	STRING
FromJobSpec4NameVar	STRING
ToJobSpec4NameVar	STRING
FromJobSpec5NameVar	STRING
ToJobSpec5NameVar	STRING
FromJobSpec6NameVar	STRING
ToJobSpec6NameVar	STRING
FromJobSpec7NameVar	STRING
ToJobSpec7NameVar	STRING
FromJobSpec8NameVar	STRING
ToJobSpec8NameVar	STRING
FromJobSpec9NameVar	STRING
ToJobSpec9NameVar	STRING
FromJobSpec10NameVar	STRING
ToJobSpec10NameVar	STRING
FromJobLocalSpec1NameVar	STRING
ToJobLocalSpec1NameVar	STRING
FromJobLocalSpec2NameVar	STRING

P ResourceRequirement

ToJobLocalSpec2NameVar	STRING
FromJobLocalSpec3NameVar	STRING
ToJobLocalSpec3NameVar	STRING
FromJobLocalSpec4NameVar	STRING
ToJobLocalSpec4NameVar	STRING
FromJobLocalSpec5NameVar	STRING
ToJobLocalSpec5NameVar	STRING
FromJobLocalSpec6NameVar	STRING
ToJobLocalSpec6NameVar	STRING
FromJobLocalSpec7NameVar	STRING
ToJobLocalSpec7NameVar	STRING
FromJobLocalSpec8NameVar	STRING
ToJobLocalSpec8NameVar	STRING
FromJobLocalSpec9NameVar	STRING
ToJobLocalSpec9NameVar	STRING
FromJobLocalSpec10NameVar	STRING
ToJobLocalSpec10NameVar	STRING
TimeRequirementAboveVar	REAL
TimeRequirementBelowVar	REAL
DepartmentNumberVar	DepartmentNumberType
EmployeeTypeVar	EmployeeTypeType
IncludeProbabilityVar	BOOLEAN
LatestApprovedBudgetVar	BOOLEAN
BudgetRevisionCodeVar	STRING
INCLUDELEVEL1VAR	BOOLEAN
INCLUDELEVEL2VAR	BOOLEAN
INCLUDELEVEL3VAR	BOOLEAN
INCLUDELEVEL3SUMVAR	BOOLEAN
SHOWHEADINGLEVEL3VAR	BOOLEAN
LEVEL1ISJOBLEVELVAR	BOOLEAN
LEVEL2ISJOBLEVELVAR	BOOLEAN
LEVEL3ISJOBLEVELVAR	BOOLEAN
IncludePreliminaryVar	BOOLEAN
IncludeRequestedVar	BOOLEAN
IncludeConfirmedVar	BOOLEAN

P ShowPurchaseOrders

The following cursors can be used in this printout:

JOBHEADER	JobHeader
PURCHASEORDERHEADER	PurchaseOrderHeader

The following variables can be used in this printout:

NAMEOFUSER	STRING
LAYOUTNAME	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromJobNumber	STRING
ToJobNumber	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING

P Skill

The following cursors can be used in this printout:

SKILL	Skill
SUBSKILL	Skill

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromSkillNumberVar	STRING
ToSkillNumberVar	STRING
SkillTypeVar	SkillTypeType
IncludeGroupingSkillsVar	BOOLEAN
ShowSubskillsVar	BOOLEAN
REMOVED1	BOOLEAN
DONOTRESETFIRSTSKILLNEXTTIMEVAR	BOOLEAN
NOTFIRSTSKILLVAR	BOOLEAN
SKILLNUMBERVAR	STRING

P SkillRequirement

The following cursors can be used in this printout:

JOBHEADER	JobHeader
JOBBUDGETLINE	JobBudgetLine
SKILLREQUIREMENT	SkillRequirement

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromJobNumberVar	STRING
ToJobNumberVar	STRING
ProjectManagerVar	STRING
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromTaskVar	STRING
ToTaskVar	STRING
FromEmployeeCategoryVar	STRING
ToEmployeeCategoryVar	STRING
FromLineNumberVar	INTEGER
ToLineNumberVar	INTEGER
IncludeClosedJobsVar	BOOLEAN
LatestRevisionVar	BOOLEAN
ApprovedRevisionVar	BOOLEAN
RevisionNumberVar	INTEGER
REVISIONNUMBERFORJOBVAR	INTEGER
SKILLNAMEVAR	STRING
LEVELDESCRIPTIONVAR	STRING
ACTIVITYTEXTVAR	STRING
TASKDESCRIPTIONVAR	STRING
EMPLOYEECATEGORYNAMEVAR	STRING
LINENUMBERPATHVAR	STRING

P TaskList

The following cursors can be used in this printout:

TASKLISTHEADER	TaskListHeader
TASKLISTLINE	TaskListLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromTaskListVar	STRING
ToTaskListVar	STRING
ShowBlockedVar	BOOLEAN
IncludeNonApprovedVar	BOOLEAN
LEVELDESCRIPTIONVAR	STRING

P TimeBudget

The following cursors can be used in this printout:

JOB BUDGET	JobBudget
ROOTJOB BUDGET LINE	JobBudgetLine
FIRSTLEVELJOB BUDGET LINE	JobBudgetLine
SECONDLEVELJOB BUDGET LINE	JobBudgetLine
THIRDLEVELJOB BUDGET LINE	JobBudgetLine
FOURTHLEVELJOB BUDGET LINE	JobBudgetLine
FIFTHLEVELJOB BUDGET LINE	JobBudgetLine
SIXTHLEVELJOB BUDGET LINE	JobBudgetLine

The following variables can be used in this printout:

NAME OF USER	STRING
LayoutName	LayoutNameType
COMPANY NAME	STRING
TODAY'S DATE	STRING
THE TIME	STRING
PAGE NUMBER	INTEGER
FromJobNumberVar	STRING
ToJobNumberVar	STRING
BudgetTypeVar	JobBudgetTypeType
MaximumDepthVar	INTEGER
ENABLEFIRSTLEVELVAR	BOOLEAN
ENABLESECONDLEVELVAR	BOOLEAN
ENABLETHIRDLEVELVAR	BOOLEAN
ENABLEFOURTHLEVELVAR	BOOLEAN
ENABLEFIFTHLEVELVAR	BOOLEAN
ENABLESIXTHLEVELVAR	BOOLEAN
SHOWVALUELINEVAR	BOOLEAN
SHOWTEXTLINEVAR	BOOLEAN
SHOWSUMLINEVAR	BOOLEAN
SHOWNCOSTPRICE TOTALVAR	AMOUNT
SHOWNCOSTPRICEVAR	AMOUNT
JOB NAMEVAR	STRING
STATUSVAR	JobStatusType
DESCRIPTION1VAR	STRING
DESCRIPTION2VAR	STRING
DESCRIPTION3VAR	STRING
COMPANYNAMEVAR	STRING
BASECURRENCYVAR	CurrencyType
PROBABILITYPERCENTAGEVAR	REAL
CUSTOMERGROUPVAR	CustomerGroupType
CURRENCYVAR	CurrencyType
CUSTOMERNAMEVAR	STRING
PAYMENTCUSTOMERNAME	STRING
TIMEBUDGETFACTORVAR	REAL

NUMBEROFCATEGORIESVAR	INTEGER
HEADING1VAR	STRING
HEADING2VAR	STRING
HEADING3VAR	STRING
HEADING4VAR	STRING
HEADING5VAR	STRING
HEADING6VAR	STRING
HEADING7VAR	STRING
HEADING8VAR	STRING
HEADING9VAR	STRING
HEADING10VAR	STRING
HEADING11VAR	STRING
HEADING12VAR	STRING
HEADING13VAR	STRING
HEADING14VAR	STRING
HEADING15VAR	STRING
HEADING16VAR	STRING
HEADING17VAR	STRING
HEADING18VAR	STRING
HEADING19VAR	STRING
HEADING20VAR	STRING
HEADING21VAR	STRING
HEADING22VAR	STRING
HEADING23VAR	STRING
HEADING24VAR	STRING
HEADING25VAR	STRING
HEADING26VAR	STRING
HEADING27VAR	STRING
HEADING28VAR	STRING
HEADING29VAR	STRING
HEADING30VAR	STRING
HEADING31VAR	STRING
HEADING32VAR	STRING
HEADING33VAR	STRING
HEADING34VAR	STRING
HEADING35VAR	STRING
HEADING36VAR	STRING
HEADING37VAR	STRING
HEADING38VAR	STRING
HEADING39VAR	STRING
HEADING40VAR	STRING
HEADING41VAR	STRING
HEADING42VAR	STRING
HEADING43VAR	STRING
HEADING44VAR	STRING
HEADING45VAR	STRING
HEADING46VAR	STRING
HEADING47VAR	STRING

HEADING48VAR	STRING
HEADING49VAR	STRING
HEADING50VAR	STRING
NUMBEROF1VAR	REAL
NUMBEROF2VAR	REAL
NUMBEROF3VAR	REAL
NUMBEROF4VAR	REAL
NUMBEROF5VAR	REAL
NUMBEROF6VAR	REAL
NUMBEROF7VAR	REAL
NUMBEROF8VAR	REAL
NUMBEROF9VAR	REAL
NUMBEROF10VAR	REAL
NUMBEROF11VAR	REAL
NUMBEROF12VAR	REAL
NUMBEROF13VAR	REAL
NUMBEROF14VAR	REAL
NUMBEROF15VAR	REAL
NUMBEROF16VAR	REAL
NUMBEROF17VAR	REAL
NUMBEROF18VAR	REAL
NUMBEROF19VAR	REAL
NUMBEROF20VAR	REAL
NUMBEROF21VAR	REAL
NUMBEROF22VAR	REAL
NUMBEROF23VAR	REAL
NUMBEROF24VAR	REAL
NUMBEROF25VAR	REAL
NUMBEROF26VAR	REAL
NUMBEROF27VAR	REAL
NUMBEROF28VAR	REAL
NUMBEROF29VAR	REAL
NUMBEROF30VAR	REAL
NUMBEROF31VAR	REAL
NUMBEROF32VAR	REAL
NUMBEROF33VAR	REAL
NUMBEROF34VAR	REAL
NUMBEROF35VAR	REAL
NUMBEROF36VAR	REAL
NUMBEROF37VAR	REAL
NUMBEROF38VAR	REAL
NUMBEROF39VAR	REAL
NUMBEROF40VAR	REAL
NUMBEROF41VAR	REAL
NUMBEROF42VAR	REAL
NUMBEROF43VAR	REAL
NUMBEROF44VAR	REAL
NUMBEROF45VAR	REAL

P TimeBudget

NUMBEROF46VAR	REAL
NUMBEROF47VAR	REAL
NUMBEROF48VAR	REAL
NUMBEROF49VAR	REAL
NUMBEROF50VAR	REAL
TOTALNUMBEROFVAR	REAL

P TimeSheetOverview

The following cursors can be used in this printout:

EMPLOYEE REVISION	EmployeeRevision
DEPARTMENT	Department

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYS DATE	STRING
THE TIME	STRING
PAGENUMBER	INTEGER
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromEmployeeVar	STRING
ToEmployeeVar	STRING
SuperiorVar	STRING
SecretaryVar	STRING
TutorVar	STRING
DepartmentVar	DepartmentNumberType
FromPeriodStartVar	DATE
ToPeriodStartVar	DATE
FromWeekNumberVar	INTEGER
ToWeekNumberVar	INTEGER
FromWeekPartVar	STRING
ToWeekPartVar	STRING
FromCalendarYearVar	INTEGER
ToCalendarYearVar	INTEGER
ShowVar	TimeSheetListType
IncludeBlockedVar	BOOLEAN
DailyOverviewVar	BOOLEAN
ShowAllEmployeesVar	BOOLEAN
NoDepartmentAsDepartmentVar	DepartmentNumberType
SHOWEMPLOYEEVAR	BOOLEAN
CURRENTDEPARTMENTVAR	DepartmentNumberType
DEPARTMENTNUMBERVAR	INTEGER
PREVIOUSPERIODDESCRIPTIONVAR	INTEGER
INTERVALLENGTHVAR	INTEGER
PREVIOUSPERIODSTARTVAR	DATE
PREVIOUSMONTHLYVAR	BOOLEAN
PREVIOUSPARTVAR	STRING
FROMPERIODSTARTOLDVAR	DATE
TOPERIODSTARTOLDVAR	DATE
FROMWEEKNUMBEROLDVAR	INTEGER
TOWEEKNUMBEROLDVAR	INTEGER
FROMCALENDARYEAROLDVAR	INTEGER

TOCALENDARYEAROLDVAR	INTEGER
PERIODLISTVAR	STRING
LISTVAR	STRING
NONDAILYOVERVIEWVAR	BOOLEAN
DAYFIRSTVAR	BOOLEAN
DAYMONTHSEPARATORVAR	STRING
OnlyWithinPeriodOfEmploymentVar	BOOLEAN
EMPLOYEEFROMDATEVAR	DATE
EMPLOYEE TODATEVAR	DATE

P TimeSheetReferences

The following cursors can be used in this printout:

TIMESHEETREFERENCE	TimeSheetReference
--------------------	--------------------

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
TIMEACTIVITY1TEXT	STRING
TIMEACTIVITY2TEXT	STRING
TIMEACTIVITY3TEXT	STRING
AMOUNTACTIVITY1TEXT	STRING
AMOUNTACTIVITY2TEXT	STRING
AMOUNTACTIVITY3TEXT	STRING
AMOUNTACTIVITY4TEXT	STRING

P TimeSheets

The following cursors can be used in this printout:

TIMESHEETLINE	TimeSheetLine
TIMESHEETHEADER	TimeSheetHeader

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FirstEmployeeNumber	STRING
LastEmployeeNumber	STRING
FirstWeek	INTEGER
FirstPart	STRING
FirstYear	INTEGER
LastWeek	INTEGER
LastPart	STRING
LastYear	INTEGER
SuperiorEmployeeVar	STRING
EMPLOYEEENAME	STRING
REMOVEDWEEK	INTEGER
REMOVEDYEAR	INTEGER
JOBNAME	STRING
ACTIVITYNAME	STRING
SUMDAY1	REAL
SUMDAY2	REAL
SUMDAY3	REAL
SUMDAY4	REAL
SUMDAY5	REAL
SUMDAY6	REAL
SUMDAY7	REAL
TOTALLINE	REAL
GRANDTOTAL	REAL
FIRSTPERIODSTART	DATE
LASTPERIODSTART	DATE
EMPLOYEEENUMBERVAR	STRING
PERIODSTARTVAR	DATE
ACCESSTOALLTIMESHEETSVAR	BOOLEAN
USERSEMPLOYEEENUMBERVAR	STRING
SubmittedVar	BOOLEAN
IncludeAmountActInTotalVar	BOOLEAN
SecretaryEmployeeVar	STRING
TASKTEXTVAR	STRING
REMOVEDACTIVITYTEXTVAR	STRING

LINECOMPANYNAMEVAR	STRING
CUSTOMERNUMBERVAR	STRING
CUSTOMERNAMEVAR	STRING
LANGUAGEVAR	LanguageType
TutorEmployeeVar	STRING
NOTNEUTRALLINEVAR	BOOLEAN
SUPERIORNAMEVAR	STRING
SECRETARYNAMEVAR	STRING
TUTORNAMEVAR	STRING
EMPLOYEEENAME2VAR	STRING
EMPLOYEEENAME3VAR	STRING
EMPLOYEEZIPCODEVAR	STRING
EMPLOYEEPOSTALDISTRICTVAR	STRING
EMPLOYEETELEPHONEVAR	STRING
EMPLOYEEELECTRONICMAILADDRESSVAR	STRING
VENDORNUMBERVAR	STRING
VENDORNAME1VAR	STRING
VENDORNAME2VAR	STRING
VENDORNAME3VAR	STRING
VENDORZIPCODEVAR	STRING
VENDORPOSTALDISTRICTVAR	STRING
VENDORGIROVAR	STRING
VENDORBANKACCOUNTVAR	STRING
VENDORBANKREGISTRATIONNUMBERVAR	STRING
VENDORPAYMENTSERVICENUMBERVAR	STRING
VENDORCPCNUMBERVAR	STRING
LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING

P TimeSheets

LOCALSPEC9DESCRIPTIONVAR
LOCALSPEC10DESCRIPTIONVAR

STRING
STRING

P PeriodicSumJobBudget

The following cursors can be used in this printout:

JOBHEADER	JobHeader
HEADERPERIODICSUMJOBBUDGETLINE	PeriodicSumJobBudgetLine
ACTIVITYPERIODICSUMJOBBUDGETLINE	PeriodicSumJobBudgetLine
DETAILPERIODICSUMJOBBUDGETLINE	PeriodicSumJobBudgetLine

The following variables can be used in this printout:

FromMonthVar	INTEGER
FromYearVar	INTEGER
FromJobNumberVar	STRING
ToJobNumberVar	STRING
ProjectManagerNumberVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
CurrencyTypeVar	CurrencyTypeType
CURRENCYTYPEDIALOGVAR	CurrencyTypeType
CURRENCYVAR	CurrencyType
ShowDetails	BOOLEAN
NOTSHOWDETAILS	BOOLEAN
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING

FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
BudgetTypeVar	JobBudgetTypeType
PRINTBUDGETTYPEVAR	JobBudgetTypeType
BudgetTypeProperty1Var	STRING
BudgetTypeProperty2Var	STRING
BudgetTypeProperty3Var	STRING
PARAMETERDIALOGVAR	BOOLEAN
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
TODAYSDATE	STRING
PAGENUMBER	INTEGER
THETIME	STRING
PROJECTMANAGERNAMEVAR	STRING
PAYMENTCUSTOMERNAMEVAR	STRING
RESPONSIBLECOMPANYNAMEVAR	STRING
PERIOD1TITLEVAR	STRING
PERIOD2TITLEVAR	STRING
PERIOD3TITLEVAR	STRING
PERIOD4TITLEVAR	STRING
PERIOD5TITLEVAR	STRING
PERIOD6TITLEVAR	STRING
PERIOD7TITLEVAR	STRING
PERIOD8TITLEVAR	STRING
PERIOD9TITLEVAR	STRING

P PeriodicSumJobBudget

PERIOD10TITLEVAR	STRING
PERIOD11TITLEVAR	STRING
PERIOD12TITLEVAR	STRING
DESCRIPTIONSTRINGVAR	STRING
EMPLOYEECATEGORYNUMBERVAR	STRING
EMPLOYEECATEGORYNAMEVAR	STRING
PERIOD1STRINGVAR	STRING
PERIOD2STRINGVAR	STRING
PERIOD3STRINGVAR	STRING
PERIOD4STRINGVAR	STRING
PERIOD5STRINGVAR	STRING
PERIOD6STRINGVAR	STRING
PERIOD7STRINGVAR	STRING
PERIOD8STRINGVAR	STRING
PERIOD9STRINGVAR	STRING
PERIOD10STRINGVAR	STRING
PERIOD11STRINGVAR	STRING
PERIOD12STRINGVAR	STRING
SHOWNTOTALSTRINGVAR	STRING
JOBTOTALSTRINGVAR	STRING

P ForecastManagement

The following cursors can be used in this printout:

FORECASTMANAGEMENTTARGETGROUP	ForecastManagementTargetGroup
JOBHEADER	JobHeader

The following variables can be used in this printout:

PrintOpportunityJobsVar	BOOLEAN
PrintOrdinaryJobsVar	BOOLEAN
FromJobNumberVar	STRING
ToJobNumberVar	STRING
StatusVar	JobStatusType
JobGroupVar	JobGroupType
DepartmentNumberVar	DepartmentNumberType
FromProjectManagerNumberVar	STRING
ToProjectManagerNumberVar	STRING
FromSalesPersonNumberVar	STRING
ToSalesPersonNumberVar	STRING
CustomerGroupVar	CustomerGroupType
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromResponsibleVar	STRING
ToResponsibleVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
LayoutVar	LayoutNameType
BudgetOriginVar	STRING
NAMEOFUSERVAR	STRING
TODAYSDATE	DATE
THETIME	TIME
PAGENUMBER	INTEGER
CompanyName	STRING
ERRORTXTVAR	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING

FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P MileageSheet

The following cursors can be used in this printout:

EXPENSESHEETHEADER	ExpenseSheetHeader
EXPENSESHEETLINE	ExpenseSheetLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
TOTALVATBASEVAR	AMOUNT
AMOUNTTOTALBASEVAR	AMOUNT
EMPLOYEEENAMEVAR	STRING
JOBNAMEVAR	STRING
ACTIVITYTEXTVAR	STRING
TASKNAMEVAR	STRING
BANKVAR	STRING
REGISTRATIONNUMBERVAR	STRING
ACCOUNTNUMBERVAR	STRING
FromMileageSheetNumberVar	INTEGER
ToMileageSheetNumberVar	INTEGER
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
IncludeOnlySubmittedVar	BOOLEAN
BASECURRENCYVAR	CurrencyType
IncludeApprovedVar	BOOLEAN
ACCESSTOALLMILEAGESHEETSVAR	BOOLEAN
USERSEMPLOYEEENUNBERVAR	STRING
VENDORNUMBERVAR	STRING
VENDORNAME1VAR	STRING
AMOUNTTOTALTOVENDORBASEVAR	AMOUNT
LINECOMPANYNAMEVAR	STRING
CUSTOMERNUMBERVAR	STRING
CUSTOMERNAMEVAR	STRING
LANGUAGEVAR	LanguageType
TOTALVAT1BASEVAR	AMOUNT
TOTALVAT2BASEVAR	AMOUNT
TOTALVAT3BASEVAR	AMOUNT
COMPANYNAME1VAR	STRING
TOTALMILEAGEPERSHEETVAR	REAL
TOTALMILEAGEPERYEARVAR	REAL
MILEAGEYEARSTARTDATEVAR	DATE
MILEAGEYEARENDDATEVAR	DATE
MILEAGEDATEVAR	DATE

LOCATIONDESCRIPTIONVAR	STRING
ENTITYDESCRIPTIONVAR	STRING
PROJECTDESCRIPTIONVAR	STRING
PURPOSEDESCRIPTIONVAR	STRING
SPECIFICATION1DESCRIPTIONVAR	STRING
SPECIFICATION2DESCRIPTIONVAR	STRING
SPECIFICATION3DESCRIPTIONVAR	STRING
SPECIFICATION4DESCRIPTIONVAR	STRING
SPECIFICATION5DESCRIPTIONVAR	STRING
SPECIFICATION6DESCRIPTIONVAR	STRING
SPECIFICATION7DESCRIPTIONVAR	STRING
SPECIFICATION8DESCRIPTIONVAR	STRING
SPECIFICATION9DESCRIPTIONVAR	STRING
SPECIFICATION10DESCRIPTIONVAR	STRING
LOCALSPEC1DESCRIPTIONVAR	STRING
LOCALSPEC2DESCRIPTIONVAR	STRING
LOCALSPEC3DESCRIPTIONVAR	STRING
LOCALSPEC4DESCRIPTIONVAR	STRING
LOCALSPEC5DESCRIPTIONVAR	STRING
LOCALSPEC6DESCRIPTIONVAR	STRING
LOCALSPEC7DESCRIPTIONVAR	STRING
LOCALSPEC8DESCRIPTIONVAR	STRING
LOCALSPEC9DESCRIPTIONVAR	STRING
LOCALSPEC10DESCRIPTIONVAR	STRING

P MileageRule

The following cursors can be used in this printout:

COUNTRY	Country
MILEAGERULE	MileageRule

The following variables can be used in this printout:

COUNTRYVAR	CountryType
LayoutName	LayoutNameType
FromCountryNumberVar	INTEGER
ToCountryNumberVar	INTEGER
NAMEOFUSER	STRING
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER

P ShowInvoiceFoundation

The following cursors can be used in this printout:

JOBHEADER	JobHeader
JOBENTRY	JobEntry

The following variables can be used in this printout:

FromJobNumberVar	STRING
ToJobNumberVar	STRING
JobGroupVar	JobGroupType
DepartmentNumberVar	DepartmentNumberType
FromProjectManagerNumberVar	STRING
ToProjectManagerNumberVar	STRING
FromSalesPersonNumberVar	STRING
ToSalesPersonNumberVar	STRING
CustomerGroupVar	CustomerGroupType
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromResponsibleVar	STRING
ToResponsibleVar	STRING
FixedPriceEntriesVar	IncludedInFixedPriceType
ActivityTypeVar	ActivitytypeType
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
FromActivityNumberVar	STRING
ToActivityNumberVar	STRING
FromTaskVar	STRING
ToTaskVar	STRING
FromJobEntryLocationVar	STRING
ToJobEntryLocationVar	STRING
FromJobEntryEntityVar	STRING
ToJobEntryEntityVar	STRING
FromJobEntryProjectVar	STRING
ToJobEntryProjectVar	STRING
FromJobEntryPurposeVar	STRING
ToJobEntryPurposeVar	STRING
FromJobEntrySpecification1Var	STRING
ToJobEntrySpecification1Var	STRING
FromJobEntrySpecification2Var	STRING
ToJobEntrySpecification2Var	STRING
FromJobEntrySpecification3Var	STRING
ToJobEntrySpecification3Var	STRING
FromJobEntrySpecification4Var	STRING
ToJobEntrySpecification4Var	STRING
FromJobEntrySpecification5Var	STRING

ToJobEntrySpecification5Var	STRING
FromJobEntrySpecification6Var	STRING
ToJobEntrySpecification6Var	STRING
FromJobEntrySpecification7Var	STRING
ToJobEntrySpecification7Var	STRING
FromJobEntrySpecification8Var	STRING
ToJobEntrySpecification8Var	STRING
FromJobEntrySpecification9Var	STRING
ToJobEntrySpecification9Var	STRING
FromJobEntrySpecification10Var	STRING
ToJobEntrySpecification10Var	STRING
FromJobEntryLocalSpec1Var	STRING
ToJobEntryLocalSpec1Var	STRING
FromJobEntryLocalSpec2Var	STRING
ToJobEntryLocalSpec2Var	STRING
FromJobEntryLocalSpec3Var	STRING
ToJobEntryLocalSpec3Var	STRING
FromJobEntryLocalSpec4Var	STRING
ToJobEntryLocalSpec4Var	STRING
FromJobEntryLocalSpec5Var	STRING
ToJobEntryLocalSpec5Var	STRING
FromJobEntryLocalSpec6Var	STRING
ToJobEntryLocalSpec6Var	STRING
FromJobEntryLocalSpec7Var	STRING
ToJobEntryLocalSpec7Var	STRING
FromJobEntryLocalSpec8Var	STRING
ToJobEntryLocalSpec8Var	STRING
FromJobEntryLocalSpec9Var	STRING
ToJobEntryLocalSpec9Var	STRING
FromJobEntryLocalSpec10Var	STRING
ToJobEntryLocalSpec10Var	STRING
TaskGroup1Var	STRING
TaskGroup2Var	STRING
TaskGroup3Var	STRING
TaskGroup4Var	STRING
TaskGroup5Var	STRING
TaskGroup6Var	STRING
ShowOnlyUpDownContributionsVar	BOOLEAN
ShowOnlyApprovedForInvoicingVar	BOOLEAN
ShowOnlySelectedForInvoicingVar	BOOLEAN
LayoutVar	LayoutNameType
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING

ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
TodayDateVar	DATE
PageNumber	INTEGER
QuantityUpDownSelectionVar	REAL
BillingPriceUpDownSelectionVar	AMOUNT
TaskDescriptionVar	STRING
EmployeeNameVar	STRING
COMPANYNAMEVAR	STRING

P ShowInvoiceFoundation

PAYMENTCUSTOMERNAMEVAR	STRING
PROJECTMANAGERNAMEVAR	STRING
QUANTITYTODATEVAR	REAL
BILLINGPRICETODATEVAR	AMOUNT
QUANTITYSELECTIONVAR	REAL
BILLINGPRICESELECTIONVAR	AMOUNT
QUANTITYTOTALVAR	REAL
BILLINGPRICETOTALVAR	AMOUNT

P PendingJobActions

The following cursors can be used in this printout:

JOBHEADER	JobHeader
PENDINGJOBACTION	PendingJobAction
EMPLOYEE	Employee

The following variables can be used in this printout:

JOBNUMBERVAR	STRING
EMPLOYEENUMBERVAR	STRING
NOTYETUPDATEDVAR	BOOLEAN
COUNTPENDINGJOBACTIONSVAR	INTEGER
RELATEDEMPLOYEEENAMEVAR	STRING
JOBNAMEVAR	STRING
NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromJobNumberVar	STRING
ToJobNumberVar	STRING
JobGroupVar	JobGroupType
StatusVar	JobStatusType
FromExpectedEndingDateVar	DATE
ToExpectedEndingDateVar	DATE
ProjectManagerNumberVar	STRING
CustomerGroupVar	CustomerGroupType
DepartmentNumberVar	DepartmentNumberType
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
ResponsibleVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING

P PendingJobActions

ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
FromDateVar	DATE
ToDateVar	DATE
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
OnlyShowCriticalVar	BOOLEAN
RefreshListVar	BOOLEAN
CUSTOMERNAMEVAR	STRING
NUMBEROFPENDINGSJOBASIONSVAR	INTEGER
UPDATEDDATEVAR	DATE
FIRSTOPENENTRYDATEVAR	DATE
FIRSTOPENFINANCEENTRYDATEVAR	DATE
OPENBILLINGPRICEVAR	AMOUNT
NETONACCOUNTVAR	AMOUNT

VATONACCOUNTVAR	AMOUNT
NUMBEROFDRAFTSFOREDITINGVAR	STRING
NUMBEROFSUBMITTEDDRAFTSVAR	STRING
NUMBEROFAPPROVEDDRAFTSVAR	STRING
NUMBEROFBLANKETDRAFTSVAR	STRING
HASBLANKETDRAFTSVAR	BOOLEAN
FIXEDPRICEVAR	AMOUNT
LASTJOBREVENUERECOGNITIONDATEVAR	DATE
LASTJOBREVENUERECOGNITIONCOMPLETIONVAR	REAL
LASTJOBREVENUERECOGNITIONAMOUNTVAR	AMOUNT
LASTJOBPROGRESSDATEVAR	DATE
COMPLETIONPERCENTAGETIMEVAR	REAL
COMPLETIONPERCENTAGECOSTVAR	REAL
TimeSheetNotSubmittedVar	BOOLEAN
TimeNotApprovedByProjectManagerVar	BOOLEAN
TimeSheetNotApprovedVar	BOOLEAN
CentralTimeSheetTransferVar	BOOLEAN
ExpenseSheetNotSubmittedVar	BOOLEAN
ExpenseNotApprovedByProjectManagerVar	BOOLEAN
MileageNotApprovedByProjectManagerVar	BOOLEAN
ExpenseSheetNotApprovedVar	BOOLEAN
MileageSheetNotSubmittedVar	BOOLEAN
MileageSheetNotApprovedVar	BOOLEAN
RequisitionLineNotClosedVar	BOOLEAN
RequestForQuoteNotClosedVar	BOOLEAN
PurchaseOrderLineNotClosedVar	BOOLEAN
TimeSheetJournalNotPostedVar	BOOLEAN
JobAccrualJournalNotPostedVar	BOOLEAN
JobJournalNotPostedVar	BOOLEAN
VendorInvoiceAllocationsNotPostedVar	BOOLEAN
ExpenseSheetJournalNotPostedVar	BOOLEAN
MileageSheetJournalNotPostedVar	BOOLEAN
GeneralJournalNotPostedVar	BOOLEAN
ItemJournalNotPostedVar	BOOLEAN
JobReallocationJournalNotPostedVar	BOOLEAN
JobRevenueRecognitionJournalNotPostedVar	BOOLEAN
VendorInvoicesExistVar	BOOLEAN
OpenJobEntriesVar	BOOLEAN
OpenInvoicesOnAccountVar	BOOLEAN
OpenJobEntriesNotIncludedInFixedPriceVar	BOOLEAN
FixedPriceNotInvoicedVar	BOOLEAN
InvoiceSelectionHasBeenApprovedVar	BOOLEAN
SubmittedInvoiceDraftVar	BOOLEAN
DraftInvoiceForEditingVar	BOOLEAN
ApprovedForInvoiceEditingOnMainJobVar	BOOLEAN
OrderQuoteLineExistsVar	BOOLEAN
SalesOrderNotEndInvoicedVar	BOOLEAN
CreditOrderNotEndInvoicedVar	BOOLEAN

P PendingJobActions

JobEntriesBeingReallocatedVar	BOOLEAN
AccruedBalanceVar	BOOLEAN
SubjobNotClosedVar	BOOLEAN
EventFlowNotClosedVar	BOOLEAN
EventNotClosedVar	BOOLEAN
DistributionFromMainJobVar	BOOLEAN
JobEntriesMarkedForReallocationVar	BOOLEAN
AssetNotFullyDepreciatedVar	BOOLEAN
IncludeJobsWithoutPendingJobActionsVar	BOOLEAN

P JobPostingReference

The following cursors can be used in this printout:

JOBPOSTINGREFERENCEHEADER	JobPostingReferenceHeader
JOBPOSTINGREFERENCELINE	JobPostingReferenceLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromReferenceNameVar	STRING
ToReferenceNameVar	STRING
ACCESSLEVELDESCRIPTIONVAR	STRING
SHOWJOBTARGETGROUPVAR	BOOLEAN
SHOWCUSTOMERTARGETGROUPVAR	BOOLEAN
SHOWEMPLOYEETARGETGROUPVAR	BOOLEAN
SHOWVENDORTARGETGROUPVAR	BOOLEAN

BackOrderRegisterUpdate

The following cursors can be used in this printout:

The following variables can be used in this printout:

FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromDeliveryDateVar	DATE
ToDeliveryDateVar	DATE
FromItemNumberVar	STRING
ToItemNumberVar	STRING
UpdateItemReservationVar	BOOLEAN
AssignToSalesOrderVar	BOOLEAN
RemoveBlockedLineVar	BOOLEAN

ItemSubstitution

The following cursors can be used in this printout:

The following variables can be used in this printout:

FromItemNumberVar	STRING
ToItemNumberVar	STRING

P BackOrderList

The following cursors can be used in this printout:

CUSTOMERORDERLINE	OrderLine
ITEMORDERLINE	OrderLine
SALESPERSONORDERHEADER	OrderHeader
SALESPERSONORDERLINE	OrderLine
SALESPERSONBOMLINE	BOMLine
CUSTOMERBOMLINE	BOMLine
ITEMBOMLINE	BOMLine
CUSTOMERDEBTOR	Customer
ITEMCUSTOMER	Customer
SELLINGCUSTOMER	Customer
REMOVED1	ItemMovement

The following variables can be used in this printout:

SHOWBOMLINES	BOOLEAN
COMPANYNAME	STRING
ORDERTYPEVAR	OrdertypeType
LINEPRICE	AMOUNT
ORDERNUMBERVAR	INTEGER
CUSTOMERNUMBERVAR	STRING
CUSTOMERNAMEVAR	STRING
GRANDTOTALAMOUNT	AMOUNT
GRANDTOTALNUMBER	REAL
AMOUNTTOTAL	AMOUNT
TOTALNUMBER	REAL
FromCustomer	STRING
ToCustomer	STRING
LayoutName	LayoutNameType
InventoryNumberVar	InventoryNumberType
PAGENUMBER	INTEGER
FromDate	DATE
ToDate	DATE
CUSTOMERTOTALAMOUNT	AMOUNT
CUSTOMERTOTALNUMBER	REAL
ToItem	STRING
FromItem	STRING
NAMEOFUSER	STRING
THETIME	STRING
TODAYSDATE	STRING
ITEMNUMBERVAR	STRING
ITEMTEXTVAR	STRING
SALESPERSONVAR	STRING
CUSTOMERTOTALOUT	BOOLEAN
FromStatistic1	STRING
ToStatistic1	STRING

P BackOrderList

FromStatistic2	STRING
ToStatistic2	STRING
FromStatistic3	STRING
ToStatistic3	STRING
FromStatistic4	STRING
ToStatistic4	STRING
ITEMTOTALOUT	BOOLEAN
FIRSTLINEVAR	BOOLEAN
SALESPERSONTOTALOUT	BOOLEAN
FromTransactionNumber	INTEGER
ToTransactionNumber	INTEGER
ITEMVOUCHEREXISTVAR	BOOLEAN
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING

P COGSSuspense

The following cursors can be used in this printout:

CUSTOMER	Customer
DELIVERYNOTE	DeliveryNote

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
GRANDTOTALREPORTINGVAR	AMOUNT
PRINTCUSTOMERVAR	BOOLEAN
LASTUSEDCOMPANYNUMBERVAR	STRING
BASECURRENCYVAR	CurrencyType
AMOUNTREPORTINGVAR	AMOUNT
CUSTOMERTOTALREPORTINGVAR	AMOUNT
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
StatementDateVar	DATE

P Consignment

The following cursors can be used in this printout:

CONSIGNMENT	Consignment
ORDERHEADER	OrderHeader
ORDERTXTLINE	OrderTextLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromConsignmentNumberVar	STRING
ToConsignmentNumberVar	STRING
FromDestinationNumberVar	STRING
ToDestinationNumberVar	STRING
FromConsignmentDateVar	DATE
ToConsignmentDateVar	DATE
DeliveryModeVar	DeliveryModeType
DeliveryTermsVar	DeliveryTermsType
TransporterVar	TransporterType
ConsignmentTypeVar	ConsignmentTypeType
FromOrderNumberVar	INTEGER
ToOrderNumberVar	INTEGER
FromMainOrderNumberVar	INTEGER
ToMainOrderNumberVar	INTEGER
LanguageVar	LanguageType
OUTMAINORDERSUM	BOOLEAN
MAINORDERVAR	INTEGER
MAINSUMVAR	AMOUNT
MAINWEIGHTVAR	REAL
MAINVOLUMEVAR	REAL
NUMBEROFORDERSVAR	INTEGER
SUMCONSIGNMENTVAR	AMOUNT
VOLUMECONSIGNMENTVAR	REAL
CONSIGNMENTWEIGHTVAR	REAL
ORDERWEIGHTVAR	REAL
ORDERVOLUMEVAR	REAL
IncludeMainOrder	BOOLEAN
MAINPARCELSVAR	INTEGER
PARCELSCONSIGNMENTVAR	INTEGER
CALCULATEDWEIGHTVAR	REAL
CALCULATEDVOLUMEVAR	REAL
CALCULATEDAREAUNITVAR	REAL
REMARK1VAR	STRING

P Consignment

REMARK2VAR	STRING
REMARK3VAR	STRING
REMARK4VAR	STRING
REMARK5VAR	STRING
IncludeQuotationsVar	BOOLEAN
TRANSPORTERADDRESS1VAR	STRING
TRANSPORTERADDRESS2VAR	STRING
TRANSPORTERADDRESS3VAR	STRING
TRANSPORTERADDRESS4VAR	STRING
TRANSPORTERADDRESS5VAR	STRING
TRANSPORTERADDRESS6VAR	STRING
TRANSPORTERADDRESS7VAR	STRING
TRANSPORTERADDRESS8VAR	STRING
TARGETGROUPCOMPLETEDVAR	BOOLEAN
TOBEEXPANDEDVAR	BOOLEAN
ORDERSUMBASEVAR	AMOUNT

P ConsignmentNote

The following cursors can be used in this printout:

DELIVERYNOTE	DeliveryNote
DELIVERYNOTELINE	DeliveryNoteLine
ORDERTEXTLINE	OrderTextLine

The following variables can be used in this printout:

REFERENCEFIXEDTEXT	STRING
REFERENCE	STRING
INVENTORYREMARK	STRING
LayoutName	LayoutNameType
FirstDeliveryNoteNumber	INTEGER
LastDeliveryNoteNumber	INTEGER
INFLINE	STRING
COMPANYNAME1	STRING
NAMEOFUSER	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
ADDRESS1	STRING
ADDRESS2	STRING
ADDRESS3	STRING
ADDRESS4	STRING
ADDRESS5	STRING
ADDRESS6	STRING
ADDRESS7	STRING
ADDRESS8	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromConsignmentNumberVar	STRING
ToConsignmentNumberVar	STRING
FromDestinationNumberVar	STRING
ToDestinationNumberVar	STRING
FromConsignmentDateVar	DATE
ToConsignmentDateVar	DATE
DeliveryModeVar	DeliveryModeType
DeliveryTermsVar	DeliveryTermsType
TransporterVar	TransporterType
ConsignmentTypeVar	ConsignmentTypeType
FromMainOrderNumberVar	INTEGER
ToMainOrderNumberVar	INTEGER
WEIGHTCHARGEVAR	REAL
VOLUMECHARGEVAR	REAL
AREAUNITCHARGEVAR	REAL
UNITTEXTVAR	STRING

P ConsignmentSheet

The following cursors can be used in this printout:

CONSIGNMENT	Consignment
DELIVERYNOTE	DeliveryNote
ORDERTEXTLINE	OrderTextLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromConsignmentNumberVar	STRING
ToConsignmentNumberVar	STRING
FromDestinationNumberVar	STRING
ToDestinationNumberVar	STRING
FromConsignmentDateVar	DATE
ToConsignmentDateVar	DATE
DeliveryModeVar	DeliveryModeType
DeliveryTermsVar	DeliveryTermsType
TransporterVar	TransporterType
ConsignmentTypeVar	ConsignmentTypeType
FromOrderNumberVar	INTEGER
ToOrderNumberVar	INTEGER
LanguageVar	LanguageType
FromMainOrderNumberVar	INTEGER
ToMainOrderNumberVar	INTEGER
OUTMAINORDERSUM	BOOLEAN
MAINORDERVAR	INTEGER
MAINSUMVAR	AMOUNT
MAINWEIGHTVAR	REAL
MAINVOLUMEVAR	REAL
NUMBEROFORDERSVAR	INTEGER
SUMCONSIGNMENTVAR	AMOUNT
VOLUMECONSIGNMENTVAR	REAL
CONSIGNMENTWEIGHTVAR	REAL
IncludeMainOrder	BOOLEAN
MAINPARCELSVAR	INTEGER
PARCELSCONSIGNMENTVAR	INTEGER
REMARK1VAR	STRING
REMARK2VAR	STRING
REMARK3VAR	STRING
REMARK4VAR	STRING
REMARK5VAR	STRING
CALCULATEDWEIGHTVAR	REAL

CALCULATEDVOLUMEVAR	REAL
CALCULATEDAREAUNITVAR	REAL
INFORMATION1VAR	STRING
INFORMATION2VAR	STRING
INFORMATION3VAR	STRING
INFORMATION4VAR	STRING
INFORMATION5VAR	STRING
INFORMATION6VAR	STRING
INFORMATION7VAR	STRING
INFORMATION8VAR	STRING
INFORMATION9VAR	STRING
INFORMATION10VAR	STRING
INFORMATION11VAR	STRING
INFORMATION12VAR	STRING
INFORMATION13VAR	STRING
INFORMATION14VAR	STRING
INFORMATION15VAR	STRING
INFORMATION16VAR	STRING
INFORMATION17VAR	STRING
INFORMATION18VAR	STRING
INFORMATION19VAR	STRING
INFORMATION20VAR	STRING
DATE1VAR	DATE
DATE2VAR	DATE
DATE3VAR	DATE
DATE4VAR	DATE
DATE5VAR	DATE
TRANSPORTERADDRESS1VAR	STRING
TRANSPORTERADDRESS2VAR	STRING
TRANSPORTERADDRESS3VAR	STRING
TRANSPORTERADDRESS4VAR	STRING
TRANSPORTERADDRESS5VAR	STRING
TRANSPORTERADDRESS6VAR	STRING
TRANSPORTERADDRESS7VAR	STRING
TRANSPORTERADDRESS8VAR	STRING
TOBEEXPANDEDVAR	BOOLEAN
DELIVERYNOTESUMBASEVAR	AMOUNT
AMOUNT1VAR	AMOUNT
AMOUNT2VAR	AMOUNT
AMOUNT3VAR	AMOUNT
AMOUNT4VAR	AMOUNT
AMOUNT5VAR	AMOUNT

P CreditMemo

The following cursors can be used in this printout:

INVOICE	Invoice
INVOICELINE	InvoiceLine
INVOICEBOMLINE	InvoiceBOMLine
INVOICETEXTLINE	InvoiceTextLine
INVOICEVATSPECIFICATION	InvoiceVATSpecification

The following variables can be used in this printout:

CHARGEVAT	AMOUNT
STANDARDCURRENCYOUT	BOOLEAN
INVOICETOTALOUT	BOOLEAN
CHARGE4OUT	BOOLEAN
CHARGE3OUT	BOOLEAN
CHARGE2OUT	BOOLEAN
CHARGE1OUT	BOOLEAN
CHARGEVATOUT	BOOLEAN
CHARGEVAT1OUT	BOOLEAN
CHARGEVAT2OUT	BOOLEAN
CHARGEVAT3OUT	BOOLEAN
ITEMVATOUT	BOOLEAN
ITEMVAT1OUT	BOOLEAN
ITEMVAT2OUT	BOOLEAN
ITEMVAT3OUT	BOOLEAN
INVOICEDISCOUNTOUT	BOOLEAN
ITEMSALESOUT	BOOLEAN
EXTRATEXTOUT	BOOLEAN
TEXTLINEOUT	BOOLEAN
PRICESOUT	BOOLEAN
DISCOUNTOUT	BOOLEAN
LastOrderNumber	INTEGER
FirstOrderNumber	INTEGER
LastInvoiceNumber	INTEGER
FirstInvoiceNumber	INTEGER
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME1	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
COMPANYLINE	STRING
ATT1	STRING
ATT2	STRING
DELIVERYCUSTOMERNAME1	STRING
DELIVERYCUSTOMERNAME2	STRING
DELIVERYCUSTOMERNAME3	STRING

DELIVERYCUSTOMERNAME4	STRING
DELIVERYCUSTOMERNAME5	STRING
DELIVERYCUSTOMERATTENTION	STRING
DELIVERTOFIXEDTEXT	STRING
DELIVERYCUSTOMERNUMBER	STRING
DELIVERYCUSTOMERFIXEDTEXT	STRING
PRICEWITHOUTDISCOUNT	AMOUNT
DOTS	STRING
DELIVERYADDRESS1	STRING
DELIVERYADDRESS2	STRING
DELIVERYADDRESS3	STRING
DELIVERYADDRESS4	STRING
DELIVERYADDRESS5	STRING
DELIVERYADDRESS6	STRING
DELIVERYADDRESS7	STRING
DELIVERYADDRESS8	STRING
PAYMENTADDRESS1	STRING
PAYMENTADDRESS2	STRING
PAYMENTADDRESS3	STRING
PAYMENTADDRESS4	STRING
PAYMENTADDRESS5	STRING
PAYMENTADDRESS6	STRING
PAYMENTADDRESS7	STRING
PAYMENTADDRESS8	STRING
ENDCUSTOMERADDRESS1	STRING
ENDCUSTOMERADDRESS2	STRING
ENDCUSTOMERADDRESS3	STRING
ENDCUSTOMERADDRESS4	STRING
ENDCUSTOMERADDRESS5	STRING
ENDCUSTOMERADDRESS6	STRING
ENDCUSTOMERADDRESS7	STRING
ENDCUSTOMERADDRESS8	STRING
ENDCUSTOMERNAME1	STRING
ENDCUSTOMERNAME2	STRING
ENDCUSTOMERNAME3	STRING
ENDCUSTOMERNAME4	STRING
ENDCUSTOMERNAME5	STRING
ENDCUSTOMERATTENTION	STRING
ENDCUSTOMERZIPCODE	STRING
ENDCUSTOMERPOSTALDISTRICT	STRING
ENDCUSTOMERCOUNTRY	CountryType
THELEVEL	INTEGER
CORRECTEDUNITPRICE	AMOUNT
CORRECTEDPRICEWITHOUTDISCOUNT	AMOUNT
CORRECTEDDISCOUNTCURRENCY	AMOUNT
FromPaymentCustomer	STRING
ToPaymentCustomer	STRING
FromCustomerNumber	STRING

P CreditMemo

ToCustomerNumber	STRING
DepartmentNumberVar	DepartmentNumberType
LanguageVar	LanguageType
CreateCreditMemos	BOOLEAN
IncludePrinted	BOOLEAN
VATBLOCKINCLUDEDVAR	BOOLEAN
LINEVATCODEVAR	STRING
LINEGROSSAMOUNTVAR	AMOUNT
LINETOTALINCLVATVAR	AMOUNT
ORDERINFORMATION1VAR	STRING
ORDERINFORMATION2VAR	STRING
ORDERINFORMATION3VAR	STRING
ORDERINFORMATION4VAR	STRING
ORDERINFORMATION5VAR	STRING
ORDERINFORMATION6VAR	STRING
ORDERINFORMATION7VAR	STRING
ORDERINFORMATION8VAR	STRING
ORDERINFORMATION9VAR	STRING
ORDERINFORMATION10VAR	STRING
ORDERINFORMATION11VAR	STRING
ORDERINFORMATION12VAR	STRING
ORDERINFORMATION13VAR	STRING
ORDERINFORMATION14VAR	STRING
ORDERINFORMATION15VAR	STRING
ORDERINFORMATION16VAR	STRING
ORDERINFORMATION17VAR	STRING
ORDERINFORMATION18VAR	STRING
ORDERINFORMATION19VAR	STRING
ORDERINFORMATION20VAR	STRING
AGREEMENTVAR	STRING
WEEKNUMBERVAR	INTEGER
SUPPLIERNAMEVAR	STRING
SETTLINGCOMPANYLINE	STRING
SETTLINGCOMPANYNAME1	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
DELIVERYVATNUMBERVAR	STRING
PAYERVATNUMBER	STRING
COMPANYVATNUMBER	STRING
SETTLINGCOMPANYVATNUMBER	STRING
EUROOUT	BOOLEAN
TOTALEUROAMOUNTVAR	AMOUNT
EUROCURRENCYVAR	CurrencyType
ORDERDATE1VAR	DATE
ORDERDATE2VAR	DATE
ORDERDATE3VAR	DATE
ORDERDATE4VAR	DATE
ORDERDATE5VAR	DATE

ORDERAMOUNT1VAR	AMOUNT
ORDERAMOUNT2VAR	AMOUNT
ORDERAMOUNT3VAR	AMOUNT
ORDERAMOUNT4VAR	AMOUNT
ORDERAMOUNT5VAR	AMOUNT
WEIGHTCHARGEVAR	REAL
VOLUMECHARGEVAR	REAL
AREAUNITCHARGEVAR	REAL
ROUNDINGOFFOUT	BOOLEAN
CreateSubscriptionCreditMemosVar	BOOLEAN
UNITTEXTVAR	STRING
ITEMSUMANDCHARGESUMBASE	AMOUNT
EXCHANGERATETOBASEVAR	REAL
EXCHANGERATEBASETOCURRENCYVAR	REAL
USEINVOICEVATSPECIFICATIONVAR	BOOLEAN
INCLUDEVATLINE	BOOLEAN
TOTALVATAMOUNTVAR	AMOUNT
TOTALVATAMOUNTBASEVAR	AMOUNT
TOTALTOTALVATAMOUNTVAR	AMOUNT
TOTALVATTOTALBASEVAR	AMOUNT
TOTALTOTALVAT1AMOUNTCURRENCYVAR	AMOUNT
TOTALTOTALVAT2AMOUNTCURRENCYVAR	AMOUNT
TOTALTOTALVAT3AMOUNTCURRENCYVAR	AMOUNT
TOTALTOTALVATAMOUNTBASEVAR	AMOUNT
TOTALTOTALVATBASISBASEVAR	AMOUNT
TOTALTOTALVAT1BASISBASEVAR	AMOUNT
TOTALTOTALVAT2BASISBASEVAR	AMOUNT
TOTALTOTALVAT3BASISBASEVAR	AMOUNT
TOTALTOTALVAT1BASISCURRENCYVAR	AMOUNT
TOTALTOTALVAT2BASISCURRENCYVAR	AMOUNT
TOTALTOTALVAT3BASISCURRENCYVAR	AMOUNT
TOTALTOTALVAT1AMOUNTBASEVAR	AMOUNT
TOTALTOTALVAT2AMOUNTBASEVAR	AMOUNT
TOTALTOTALVAT3AMOUNTBASEVAR	AMOUNT
VAT1CURRENCYVAR	AMOUNT
VAT2CURRENCYVAR	AMOUNT
VAT3CURRENCYVAR	AMOUNT
VAT1BASEVAR	AMOUNT
VAT2BASEVAR	AMOUNT
VAT3BASEVAR	AMOUNT
VAT1ENTERPRISEVAR	AMOUNT
VAT2ENTERPRISEVAR	AMOUNT
VAT3ENTERPRISEVAR	AMOUNT
CHARGETOTALVAT1CURRENCYVAR	AMOUNT
CHARGETOTALVAT2CURRENCYVAR	AMOUNT
CHARGETOTALVAT3CURRENCYVAR	AMOUNT
CHARGETOTALVAT1BASEVAR	AMOUNT
CHARGETOTALVAT2BASEVAR	AMOUNT

CHARGETOTALVAT3BASEVAR	AMOUNT
CHARGETOTALVAT1ENTERPRISEVAR	AMOUNT
CHARGETOTALVAT2ENTERPRISEVAR	AMOUNT
CHARGETOTALVAT3ENTERPRISEVAR	AMOUNT
COMPANYNAME2VAR	STRING
COMPANYNAME3VAR	STRING
COMPANYNAME4VAR	STRING
COMPANYNAME5VAR	STRING
COMPANYZIPCODEVAR	STRING
COMPANYPOSTALDISTRICTVAR	STRING
COMPANYCOUNTRYVAR	CountryType
COMPANYADDRESS1VAR	STRING
COMPANYADDRESS2VAR	STRING
COMPANYADDRESS3VAR	STRING
COMPANYADDRESS4VAR	STRING
COMPANYADDRESS5VAR	STRING
COMPANYADDRESS6VAR	STRING
COMPANYADDRESS7VAR	STRING
COMPANYADDRESS8VAR	STRING
COMPANYBANKACCOUNTNUMBERVAR	STRING
COMPANYGIRONUMBERVAR	STRING
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING
COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING
SETTLINGCOMPANYNAME2VAR	STRING
SETTLINGCOMPANYNAME3VAR	STRING
SETTLINGCOMPANYNAME4VAR	STRING

SETTLINGCOMPANYNAME5VAR	STRING
SETTLINGCOMPANYZIPCODEVAR	STRING
SETTLINGCOMPANYPOSTALDISTRICTVAR	STRING
SETTLINGCOMPANYCOUNTRYVAR	CountryType
SETTLINGCOMPANYADDRESS1VAR	STRING
SETTLINGCOMPANYADDRESS2VAR	STRING
SETTLINGCOMPANYADDRESS3VAR	STRING
SETTLINGCOMPANYADDRESS4VAR	STRING
SETTLINGCOMPANYADDRESS5VAR	STRING
SETTLINGCOMPANYADDRESS6VAR	STRING
SETTLINGCOMPANYADDRESS7VAR	STRING
SETTLINGCOMPANYADDRESS8VAR	STRING
SETTLINGCOMPANYBANKACCOUNTNUMBERVAR	STRING
SETTLINGCOMPANYGIRONUMBERVAR	STRING
SETTLINGCOMPANYTELEPHONEVAR	STRING
SETTLINGCOMPANYTELEFAXVAR	STRING
SETTLINGCOMPANYTELEXVAR	STRING
SETTLINGCOMPANYPAYMENTSERVICENUMBERVAR	STRING
SETTLINGCOMPANYTEXT1VAR	STRING
SETTLINGCOMPANYTEXT2VAR	STRING
SETTLINGCOMPANYTEXT3VAR	STRING
SETTLINGCOMPANYTEXT4VAR	STRING
SETTLINGCOMPANYTEXT5VAR	STRING
SETTLINGCOMPANYTEXT6VAR	STRING
SETTLINGCOMPANYTEXT7VAR	STRING
SETTLINGCOMPANYTEXT8VAR	STRING
SETTLINGCOMPANYTEXT9VAR	STRING
SETTLINGCOMPANYTEXT10VAR	STRING
SETTLINGCOMPANYTEXT11VAR	STRING
SETTLINGCOMPANYTEXT12VAR	STRING
SETTLINGCOMPANYTEXT13VAR	STRING
SETTLINGCOMPANYTEXT14VAR	STRING
SETTLINGCOMPANYTEXT15VAR	STRING
SETTLINGCOMPANYTEXT16VAR	STRING
SETTLINGCOMPANYTEXT17VAR	STRING
SETTLINGCOMPANYTEXT18VAR	STRING
SETTLINGCOMPANYTEXT19VAR	STRING
SETTLINGCOMPANYTEXT20VAR	STRING
EXTACCOUNTREGNUMBERVAR	STRING
EXTACCOUNTACCOUNTNUMBERVAR	STRING
EXTACCOUNTDESCRIPTIONVAR	STRING
EXTACCOUNTIBANACCOUNTNUMBERVAR	STRING
EXTACCOUNTSWIFTCODEVAR	STRING
EXTACCOUNTTEXT1VAR	STRING
EXTACCOUNTTEXT2VAR	STRING
EXTACCOUNTTEXT3VAR	STRING
TOTALINTEGERPARTASTEXTVAR	STRING
TOTALFRACTIONALPARTASTEXTVAR	STRING

P CreditMemo

FORMATTEDINVOICENUMBERVAR	STRING
FORMATTEDBASEDONINVOICENUMBERVAR	STRING
HASHCONTROLCHARSVAR	STRING

P CustomsDocument

The following cursors can be used in this printout:

ORDERHEADER	OrderHeader
CUSTOMSDOCUMENTHEADER	CustomsDocumentHeader

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromDestinationNumberVar	STRING
ToDestinationNumberVar	STRING
DeliveryModeVar	DeliveryModeType
DeliveryTermsVar	DeliveryTermsType
TransporterVar	TransporterType
ConsignmentTypeVar	ConsignmentTypeType
FromConsignmentDateVar	DATE
ToConsignmentDateVar	DATE
FromOrderNumberVar	INTEGER
ToOrderNumberVar	INTEGER
FromConsignmentNumberVar	STRING
ToConsignmentNumberVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromCustomsDocumentVar	STRING
ToCustomsDocumentVar	STRING
FromMainOrderNumberVar	INTEGER
ToMainOrderNumberVar	INTEGER
TOTALNUMBEROFORDERS	INTEGER
TOTALNUMBEROFPARCELS	INTEGER
TOTALGROSSWEIGHT	REAL
TOTALNETWEIGHT	REAL
CreateCustomsDocumentVar	BOOLEAN
CUSTOMSDOCUMENTVAR	STRING
ADDRESS1VAR	STRING
ADDRESS2VAR	STRING
ADDRESS3VAR	STRING
ADDRESS4VAR	STRING
ADDRESS5VAR	STRING
ADDRESS6VAR	STRING
ADDRESS7VAR	STRING
ADDRESS8VAR	STRING
TAXAUTHORITYNAME1VAR	STRING
TAXAUTHORITYNAME2VAR	STRING

TAXAUTHORITYNAME3VAR	STRING
TAXAUTHORITYNAME4VAR	STRING
COMPANYREGISTRATIONNUMBERVAR	STRING
COMPANYNUMBERVAR	STRING
Text1Var	STRING
Text2Var	STRING
Text3Var	STRING
Text4Var	STRING
Text5Var	STRING
Text6Var	STRING
Text7Var	STRING
Text8Var	STRING
Text9Var	STRING
Text10Var	STRING
TRANSPORTERADDRESS1VAR	STRING
TRANSPORTERADDRESS2VAR	STRING
TRANSPORTERADDRESS3VAR	STRING
TRANSPORTERADDRESS4VAR	STRING
TRANSPORTERADDRESS5VAR	STRING
TRANSPORTERADDRESS6VAR	STRING
TRANSPORTERADDRESS7VAR	STRING
TRANSPORTERADDRESS8VAR	STRING
OrderModeVar	OrderModeType
IncludePartlyDeliveredVar	BOOLEAN

P DeliveryNote

The following cursors can be used in this printout:

DELIVERYNOTE	DeliveryNote
DELIVERYNOTELINE	DeliveryNoteLine
DELIVERYNOTETEXTLINE	DeliveryNoteTextLine
DELIVERYNOTEBOMLINE	DeliveryNoteBOMLine
DELIVERYNOTESERIALNUMBER	OrderSerialNumberLine
NOTELINE	NoteLine

The following variables can be used in this printout:

LastOrder	INTEGER
FirstOrder	INTEGER
LayoutName	LayoutNameType
REFERENCEFIXEDTEXT	STRING
BOMSPECIFICATIONOUT	BOOLEAN
EXTRATEXTOUT	BOOLEAN
DELIVERYMODE	DeliveryModeType
DELIVERYTERMS	DeliveryTermsType
TEXTLINEOUT	BOOLEAN
LINEWITHINVENTORYOUT	BOOLEAN
LINEWITHOUTINVENTORYOUT	BOOLEAN
DOTS	STRING
BOMWITHOUTINVENTORYOUT	BOOLEAN
SALESPERSON	STRING
ITEMFIXEDTEXTVAR	STRING
ITEMNUMBERVAR	STRING
CORRECTEDUNITVAR	UnitType
IncludePrinted	BOOLEAN
FirstDeliveryNote	INTEGER
LastDeliveryNote	INTEGER
ATTFIXEDTEXT	STRING
TODAYSDATE	STRING
PAGENUMBER	INTEGER
COMPANYNAME1	STRING
INFLINE	STRING
NAMEOFUSER	STRING
THETIME	STRING
BOMWITHINVENTORYOUT	BOOLEAN
ADDRESS1	STRING
ADDRESS2	STRING
ADDRESS3	STRING
ADDRESS4	STRING
ADDRESS5	STRING
ADDRESS6	STRING
ADDRESS7	STRING
ADDRESS8	STRING

ENDCUSTOMERADDRESS1	STRING
ENDCUSTOMERADDRESS2	STRING
ENDCUSTOMERADDRESS3	STRING
ENDCUSTOMERADDRESS4	STRING
ENDCUSTOMERADDRESS5	STRING
ENDCUSTOMERADDRESS6	STRING
ENDCUSTOMERADDRESS7	STRING
ENDCUSTOMERADDRESS8	STRING
ENDCUSTOMERNAME1	STRING
ENDCUSTOMERNAME2	STRING
ENDCUSTOMERNAME3	STRING
ENDCUSTOMERNAME4	STRING
ENDCUSTOMERNAME5	STRING
ENDCUSTOMERATTENTION	STRING
ENDCUSTOMERZIPCODE	STRING
ENDCUSTOMERPOSTALDISTRICT	STRING
ENDCUSTOMERCOUNTRY	CountryType
THELEVEL	INTEGER
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromDeliveryDate	DATE
ToDeliveryDate	DATE
DepartmentNumberVar	DepartmentNumberType
LanguageVar	LanguageType
ITEMPURCHASEORDERNUMBERVAR	STRING
CreateDeliveryNotesVar	BOOLEAN
DoNotPrint	BOOLEAN
PREVIOUSBILLINGPRICEPLUSMINUSVAR	STRING
PERCGROSSMARGINVAR	REAL
CONDITIONALRECOMMENDEDBILLINGPRICEVAR	AMOUNT
CONDITIONALUNITPRICECURRENCYVAR	AMOUNT
CONDITIONALPERCGROSSMARGINVAR	REAL
ORDERINFORMATION1VAR	STRING
ORDERINFORMATION2VAR	STRING
ORDERINFORMATION3VAR	STRING
ORDERINFORMATION4VAR	STRING
ORDERINFORMATION5VAR	STRING
ORDERINFORMATION6VAR	STRING
ORDERINFORMATION7VAR	STRING
ORDERINFORMATION8VAR	STRING
ORDERINFORMATION9VAR	STRING
ORDERINFORMATION10VAR	STRING
ORDERINFORMATION11VAR	STRING
ORDERINFORMATION12VAR	STRING
ORDERINFORMATION13VAR	STRING
ORDERINFORMATION14VAR	STRING
ORDERINFORMATION15VAR	STRING
ORDERINFORMATION16VAR	STRING

ORDERINFORMATION17VAR	STRING
ORDERINFORMATION18VAR	STRING
ORDERINFORMATION19VAR	STRING
ORDERINFORMATION20VAR	STRING
FromSubscriptionOrderNumberVar	INTEGER
ToSubscriptionOrderNumberVar	INTEGER
FromSubscriptionNumberVar	STRING
ToSubscriptionNumberVar	STRING
SubscriptionGroupVar	SubscriptionGroupType
InventoryNumberVar	InventoryNumberType
FREIGHTAGREEMENTDESCRIPTIONVAR	STRING
FREIGHTAGREEMENTVAR	STRING
ToCompanyNumberVar	STRING
FromCompanyNumberVar	STRING
ORDERDATE1VAR	DATE
ORDERDATE2VAR	DATE
ORDERDATE3VAR	DATE
ORDERDATE4VAR	DATE
ORDERDATE5VAR	DATE
ORDERAMOUNT1VAR	AMOUNT
ORDERAMOUNT2VAR	AMOUNT
ORDERAMOUNT3VAR	AMOUNT
ORDERAMOUNT4VAR	AMOUNT
ORDERAMOUNT5VAR	AMOUNT
FromConsignmentNumberVar	STRING
ToConsignmentNumberVar	STRING
FromDestinationNumberVar	STRING
ToDestinationNumberVar	STRING
FromConsignmentDateVar	DATE
ToConsignmentDateVar	DATE
DeliveryModeVar	DeliveryModeType
DeliveryTermsVar	DeliveryTermsType
TransporterVar	TransporterType
ConsignmentTypeVar	ConsignmentTypeType
FromMainOrderNumberVar	INTEGER
ToMainOrderNumberVar	INTEGER
WEIGHTCHARGEVAR	REAL
VOLUMECHARGEVAR	REAL
AREAUNITCHARGEVAR	REAL
CURRENCYVAR	CurrencyType
UNITTEXTVAR	STRING
DELIVERYMODETEXTVAR	STRING
DELIVERYTERMSTEXTVAR	STRING
NOTEOUT	BOOLEAN
VALUEVAR	STRING

P DestinationCard

The following cursors can be used in this printout:

DESTINATION	Destination
CONSIGNMENTMODE	ConsignmentMode
DESTINATIONPROPERTYREQUIREMENT	DestinationPropertyRequirement

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromDestinationVar	STRING
ToDestinationVar	STRING
DeliveryModeVar	DeliveryModeType
DeliveryTermsVar	DeliveryTermsType
TransporterVar	TransporterType
ConsignmentTypeVar	ConsignmentTypeType
TARGETGROUPCOMPLETED	BOOLEAN

P DraftCreditMemo

The following cursors can be used in this printout:

ORDERHEADER	OrderHeader
ORDERLINE	OrderLine
ORDERTEXTLINE	OrderTextLine

The following variables can be used in this printout:

DELIVERYCUSTOMERNUMBER	STRING
CHARGETXT4	STRING
CHARGETXT3	STRING
CHARGETXT2	STRING
CHARGETXT1	STRING
DOTS	STRING
TEXTLINEOUT	BOOLEAN
INVOICEDISCOUNT	AMOUNT
ITEMSUMCURRENCY	AMOUNT
ITEMVATLINE	AMOUNT
ORDERTOTAL	AMOUNT
ACCOUNTNUMBER	STRING
ITEMVATTOTAL	AMOUNT
CHARGEVAT	AMOUNT
VATRATE	REAL
PAGENUMBER	INTEGER
LayoutName	LayoutNameType
INVOICEDATE	DATE
THETIME	STRING
FirstOrderNumber	INTEGER
LastOrderNumber	INTEGER
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
CHARGE1VATBASE	AMOUNT
CHARGE1VATCURRENCY	AMOUNT
CHARGE2VATBASE	AMOUNT
CHARGE2VATCURRENCY	AMOUNT
CHARGE3VATBASE	AMOUNT
CHARGE3VATCURRENCY	AMOUNT
CHARGE4VATBASE	AMOUNT
CHARGE4VATCURRENCY	AMOUNT
ATT1	STRING
COMPANYLINE	STRING
COMPANYNAME1	STRING
EXTRATEXTOUT	BOOLEAN
DISCOUNTOUT	BOOLEAN
NAMEOFUSER	STRING
CURRENCYVARIABLE	CurrencyType
ITEMSALESOUT	BOOLEAN

INVOICEDISCOUNTOUT	BOOLEAN
CHARGE1OUT	BOOLEAN
CHARGE2OUT	BOOLEAN
CHARGE3OUT	BOOLEAN
CHARGE4OUT	BOOLEAN
CHARGEVATOUT	BOOLEAN
CHARGEVAT1OUT	BOOLEAN
CHARGEVAT2OUT	BOOLEAN
CHARGEVAT3OUT	BOOLEAN
ITEMVATOUT	BOOLEAN
ITEMVAT1OUT	BOOLEAN
ITEMVAT2OUT	BOOLEAN
ITEMVAT3OUT	BOOLEAN
ORDERSUMOUT	BOOLEAN
PRICESOUT	BOOLEAN
DISCOUNTTEXTVAR	STRING
STANDARDCURRENCYOUT	BOOLEAN
STANDARDCURRENCY	CurrencyType
STANDARDAMOUNT	AMOUNT
DELIVERYCUSTOMERNAME1	STRING
DELIVERYCUSTOMERNAME2	STRING
DELIVERYCUSTOMERNAME3	STRING
DELIVERYCUSTOMERNAME4	STRING
DELIVERYCUSTOMERNAME5	STRING
DELIVERYCUSTOMERATTENTION	STRING
PAYERNAME1	STRING
PAYERNAME2	STRING
PAYERNAME3	STRING
PAYERNAME4	STRING
PAYERNAME5	STRING
PAYERATTENTION	STRING
ATT2	STRING
DELIVERTOFIXEDTEXT	STRING
DELIVERYCUSTOMERFIXEDTEXT	STRING
PRICEWITHOUTDISCOUNT	AMOUNT
NEGATIVEDISCOUNT	AMOUNT
DELIVERYADDRESS1	STRING
DELIVERYADDRESS2	STRING
DELIVERYADDRESS3	STRING
DELIVERYADDRESS4	STRING
DELIVERYADDRESS5	STRING
DELIVERYADDRESS6	STRING
DELIVERYADDRESS7	STRING
DELIVERYADDRESS8	STRING
PAYMENTADDRESS1	STRING
PAYMENTADDRESS2	STRING
PAYMENTADDRESS3	STRING
PAYMENTADDRESS4	STRING

PAYMENTADDRESS5	STRING
PAYMENTADDRESS6	STRING
PAYMENTADDRESS7	STRING
PAYMENTADDRESS8	STRING
ENDCUSTOMERADDRESS1	STRING
ENDCUSTOMERADDRESS2	STRING
ENDCUSTOMERADDRESS3	STRING
ENDCUSTOMERADDRESS4	STRING
ENDCUSTOMERADDRESS5	STRING
ENDCUSTOMERADDRESS6	STRING
ENDCUSTOMERADDRESS7	STRING
ENDCUSTOMERADDRESS8	STRING
ENDCUSTOMERNAME1	STRING
ENDCUSTOMERNAME2	STRING
ENDCUSTOMERNAME3	STRING
ENDCUSTOMERNAME4	STRING
ENDCUSTOMERNAME5	STRING
ENDCUSTOMERATTENTION	STRING
ENDCUSTOMERZIPCODE	STRING
ENDCUSTOMERPOSTALDISTRICT	STRING
ENDCUSTOMERCOUNTRY	CountryType
CORRECTEDUNITPRICE	AMOUNT
CORRECTEDPRICEWITHOUTDISCOUNT	AMOUNT
CORRECTEDDISCOUNTCURRENCY	AMOUNT
FromPaymentCustomerNumberVar	STRING
ToPaymentCustomerNumberVar	STRING
DepartmentNumberVar	DepartmentNumberType
LanguageVar	LanguageType
INCLUDEPRINTED	BOOLEAN
DELIVERYDATEVAR	DATE
NUMBERFORINVOICING	REAL
ONACCOUNTSALESOUT	BOOLEAN
ONACCOUNTVATOUT	BOOLEAN
DUEDATEVAR	DATE
ITEMSUMCURRENCYPOSTDISCOUNT	AMOUNT
PRINTEDBYVAR	STRING
PRINTINGDATEVAR	DATE
EUROOUT	BOOLEAN
TOTALEUROAMOUNTVAR	AMOUNT
EUROCURRENCYVAR	CurrencyType
CONSIGNMENTSWEIGHTVAR	REAL
CONSIGNMENTSVOLUMEVAR	REAL
CONSIGNMENTSAREAUNITVAR	REAL
WEIGHTCHARGEVAR	REAL
VOLUMECHARGEVAR	REAL
AREAUNITCHARGEVAR	REAL
PAYERZIPCODE	STRING
PAYERPOSTALDISTRICT	STRING

PAYERCOUNTRY	CountryType
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
ROUNDINGOFFOUT	BOOLEAN
ROUNDINGAMOUNTVAR	AMOUNT
PAYERELECTRONICMAILADDRESS	STRING
PAYERTELEPHONE	STRING
PAYERTELEFAX	STRING
VAT1CURRENCYVAR	AMOUNT
VAT2CURRENCYVAR	AMOUNT
VAT3CURRENCYVAR	AMOUNT
VAT1BASEVAR	AMOUNT
VAT2BASEVAR	AMOUNT
VAT3BASEVAR	AMOUNT
CHARGETOTALVAT1CURRENCYVAR	AMOUNT
CHARGETOTALVAT2CURRENCYVAR	AMOUNT
CHARGETOTALVAT3CURRENCYVAR	AMOUNT
CHARGETOTALVAT1BASEVAR	AMOUNT
CHARGETOTALVAT2BASEVAR	AMOUNT
CHARGETOTALVAT3BASEVAR	AMOUNT
EXTACCOUNTREGNUMBERVAR	STRING
EXTACCOUNTACCOUNTNUMBERVAR	STRING
EXTACCOUNTDESCRIPTIONVAR	STRING
EXTACCOUNTIBANACCOUNTNUMBERVAR	STRING
EXTACCOUNTSWIFTCODEVAR	STRING
EXTACCOUNTTEXT1VAR	STRING
EXTACCOUNTTEXT2VAR	STRING
EXTACCOUNTTEXT3VAR	STRING
TOTALINTEGERPARTASTEXTVAR	STRING
TOTALFRACTIONALPARTASTEXTVAR	STRING

P DraftInvoice

The following cursors can be used in this printout:

ORDERHEADER	OrderHeader
ORDERLINE	OrderLine
ORDERTEXTLINE	OrderTextLine
NOTELINE	NoteLine

The following variables can be used in this printout:

DELIVERYCUSTOMERNUMBER	STRING
CHARGETXT4	STRING
CHARGETXT3	STRING
CHARGETXT2	STRING
CHARGETXT1	STRING
DOTS	STRING
TEXTLINEOUT	BOOLEAN
INVOICEDISCOUNT	AMOUNT
ITEMSUMCURRENCY	AMOUNT
ITEMVATLINE	AMOUNT
ORDERTOTAL	AMOUNT
ACCOUNTNUMBER	STRING
ITEMVATTOTAL	AMOUNT
CHARGEVAT	AMOUNT
PAGENUMBER	INTEGER
LayoutName	LayoutNameType
INVOICEDATE	DATE
THETIME	STRING
FirstOrderNumber	INTEGER
LastOrderNumber	INTEGER
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
CHARGE1VATBASE	AMOUNT
CHARGE1VATCURRENCY	AMOUNT
CHARGE2VATBASE	AMOUNT
CHARGE2VATCURRENCY	AMOUNT
CHARGE3VATBASE	AMOUNT
CHARGE3VATCURRENCY	AMOUNT
CHARGE4VATBASE	AMOUNT
CHARGE4VATCURRENCY	AMOUNT
ATT1	STRING
COMPANYLINE	STRING
COMPANYNAME1	STRING
EXTRATEXTOUT	BOOLEAN
DISCOUNTOUT	BOOLEAN
NAMEOFUSER	STRING
CURRENCYVARIABLE	CurrencyType
ITEMSALESOUT	BOOLEAN

INVOICEDISCOUNTOUT	BOOLEAN
CHARGE1OUT	BOOLEAN
CHARGE2OUT	BOOLEAN
CHARGE3OUT	BOOLEAN
CHARGE4OUT	BOOLEAN
ORDERSUMOUT	BOOLEAN
PRICESOUT	BOOLEAN
DISCOUNTTEXTVAR	STRING
STANDARDCURRENCYOUT	BOOLEAN
STANDARDCURRENCY	CurrencyType
STANDARDAMOUNT	AMOUNT
DELIVERYCUSTOMERNAME1	STRING
DELIVERYCUSTOMERNAME2	STRING
DELIVERYCUSTOMERNAME3	STRING
DELIVERYCUSTOMERNAME4	STRING
DELIVERYCUSTOMERNAME5	STRING
DELIVERYCUSTOMERATTENTION	STRING
PAYERNAME1	STRING
PAYERNAME2	STRING
PAYERNAME3	STRING
PAYERNAME4	STRING
PAYERNAME5	STRING
PAYERATTENTION	STRING
ATT2	STRING
DELIVERTOFIXEDTEXT	STRING
DELIVERYCUSTOMERFIXEDTEXT	STRING
PRICEWITHOUTDISCOUNT	AMOUNT
NEGATIVEDISCOUNT	AMOUNT
DELIVERYADDRESS1	STRING
DELIVERYADDRESS2	STRING
DELIVERYADDRESS3	STRING
DELIVERYADDRESS4	STRING
DELIVERYADDRESS5	STRING
DELIVERYADDRESS6	STRING
DELIVERYADDRESS7	STRING
DELIVERYADDRESS8	STRING
PAYMENTADDRESS1	STRING
PAYMENTADDRESS2	STRING
PAYMENTADDRESS3	STRING
PAYMENTADDRESS4	STRING
PAYMENTADDRESS5	STRING
PAYMENTADDRESS6	STRING
PAYMENTADDRESS7	STRING
PAYMENTADDRESS8	STRING
ENDCUSTOMERADDRESS1	STRING
ENDCUSTOMERADDRESS2	STRING
ENDCUSTOMERADDRESS3	STRING
ENDCUSTOMERADDRESS4	STRING

ENDCUSTOMERADDRESS5	STRING
ENDCUSTOMERADDRESS6	STRING
ENDCUSTOMERADDRESS7	STRING
ENDCUSTOMERADDRESS8	STRING
ENDCUSTOMERNAME1	STRING
ENDCUSTOMERNAME2	STRING
ENDCUSTOMERNAME3	STRING
ENDCUSTOMERNAME4	STRING
ENDCUSTOMERNAME5	STRING
ENDCUSTOMERATTENTION	STRING
ENDCUSTOMERZIPCODE	STRING
ENDCUSTOMERPOSTALDISTRICT	STRING
ENDCUSTOMERCOUNTRY	CountryType
ACCUMULATEDITEMSUMCURRENCY	AMOUNT
CORRECTEDUNITPRICE	AMOUNT
CORRECTEDPRICEWITHOUTDISCOUNT	AMOUNT
CORRECTEDDISCOUNTCURRENCY	AMOUNT
FromPaymentCustomerNumberVar	STRING
ToPaymentCustomerNumberVar	STRING
DepartmentNumberVar	DepartmentNumberType
LanguageVar	LanguageType
FromDeliveryDate	DATE
ToDeliveryDate	DATE
INCLUDEPRINTED	BOOLEAN
DELIVERYDATEVAR	DATE
NUMBERFORINVOICING	REAL
ONACCOUNTITEMSUMCURRENCYVAR	AMOUNT
ONACCOUNTVATCURRENCYVAR	AMOUNT
ONACCOUNTSALESOUT	BOOLEAN
DUEDATEVAR	DATE
ITEMSUMCURRENCYPOSTDISCOUNT	AMOUNT
PRINTEDBYVAR	STRING
PRINTINGDATEVAR	DATE
NEWVARIABLE1	STRING
EUROOUT	BOOLEAN
TOTALEUROAMOUNTVAR	AMOUNT
EUROCURRENCYVAR	CurrencyType
CONSIGNMENTSWEIGHTVAR	REAL
CONSIGNMENTSVOLUMEVAR	REAL
CONSIGNMENTSAREAUNITVAR	REAL
WEIGHTCHARGEVAR	REAL
VOLUMECHARGEVAR	REAL
AREAUNITCHARGEVAR	REAL
PAYERZIPCODE	STRING
PAYERPOSTALDISTRICT	STRING
PAYERCOUNTRY	CountryType
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING

ROUNDINGOFFOUT	BOOLEAN
ROUNDINGAMOUNTVAR	AMOUNT
PAYERELECTRONICMAILADDRESS	STRING
PAYERTELEPHONE	STRING
PAYERTELEFAX	STRING
NOTEOUT	BOOLEAN
VALUEVAR	STRING
VAT1CURRENCYVAR	AMOUNT
VAT2CURRENCYVAR	AMOUNT
VAT3CURRENCYVAR	AMOUNT
VAT1BASEVAR	AMOUNT
VAT2BASEVAR	AMOUNT
VAT3BASEVAR	AMOUNT
CHARGETOTALVAT1CURRENCYVAR	AMOUNT
CHARGETOTALVAT2CURRENCYVAR	AMOUNT
CHARGETOTALVAT3CURRENCYVAR	AMOUNT
CHARGETOTALVAT1BASEVAR	AMOUNT
CHARGETOTALVAT2BASEVAR	AMOUNT
CHARGETOTALVAT3BASEVAR	AMOUNT
ONACCOUNTVAT1CURRENCYVAR	AMOUNT
ONACCOUNTVAT2CURRENCYVAR	AMOUNT
ONACCOUNTVAT3CURRENCYVAR	AMOUNT
ONACCOUNTVAT1BASEVAR	AMOUNT
ONACCOUNTVAT2BASEVAR	AMOUNT
ONACCOUNTVAT3BASEVAR	AMOUNT
ITEMVATOUT	BOOLEAN
ITEMVAT1OUT	BOOLEAN
ITEMVAT2OUT	BOOLEAN
ITEMVAT3OUT	BOOLEAN
CHARGEVATOUT	BOOLEAN
CHARGEVAT1OUT	BOOLEAN
CHARGEVAT2OUT	BOOLEAN
CHARGEVAT3OUT	BOOLEAN
ONACCOUNTVATOUT	BOOLEAN
ONACCOUNTVAT1OUT	BOOLEAN
ONACCOUNTVAT2OUT	BOOLEAN
ONACCOUNTVAT3OUT	BOOLEAN
DRAFTVATSPECENTRYKEYVAR	STRING
EXTACCOUNTREGNUMBERVAR	STRING
EXTACCOUNTACCOUNTNUMBERVAR	STRING
EXTACCOUNTDESCRIPTIONVAR	STRING
EXTACCOUNTIBANACCOUNTNUMBERVAR	STRING
EXTACCOUNTSWIFTCODEVAR	STRING
EXTACCOUNTTEXT1VAR	STRING
EXTACCOUNTTEXT2VAR	STRING
EXTACCOUNTTEXT3VAR	STRING
TOTALINTEGERPARTASTEXTVAR	STRING
TOTALFRACTIONALPARTASTEXTVAR	STRING

COMPANYADDRESS1	STRING
COMPANYADDRESS2	STRING
COMPANYADDRESS3	STRING
COMPANYADDRESS4	STRING
COMPANYADDRESS5	STRING
COMPANYADDRESS6	STRING
COMPANYADDRESS7	STRING
COMPANYADDRESS8	STRING
COMPANYNAME2VAR	STRING
COMPANYNAME3VAR	STRING
COMPANYNAME4VAR	STRING
COMPANYNAME5VAR	STRING
COMPANYZIPCODEVAR	STRING
COMPANYPOSTALDISTRICTVAR	STRING
COMPANYCOUNTRYVAR	CountryType
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYVATNUMBER	STRING
COMPANYBANKACCOUNTNUMBER	STRING
COMPANYGIRONUMBER	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING
COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING
PAYMENTAGENTNAMEVAR	STRING
PAYMENTAGENTBANKADDRESS1VAR	STRING
PAYMENTAGENTBANKADDRESS2VAR	STRING
PAYMENTAGENTBANKADDRESS3VAR	STRING
PAYMENTAGENTBANKADDRESS4VAR	STRING

P FooterTemplate

The following cursors can be used in this printout:

FOOTERTEMPLATE	FooterTemplate
FOOTERTEMPLATELINE	FooterTemplateLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromTemplateNumberVar	STRING
ToTemplateNumberVar	STRING
REMOVED1	INTEGER

P Invoice

The following cursors can be used in this printout:

INVOICE	Invoice
INVOICELINE	InvoiceLine
INVOICEBOMLINE	InvoiceBOMLine
INVOICETEXTLINE	InvoiceTextLine
INVOICEVATSPECIFICATION	InvoiceVATSpecification
NOTELINE	NoteLine

The following variables can be used in this printout:

DOTS	STRING
PRICEWITHOUTDISCOUNT	AMOUNT
DELIVERYCUSTOMERFIXEDTEXT	STRING
DELIVERYCUSTOMERNUMBER	STRING
DELIVERTOFIXEDTEXT	STRING
DELIVERYCUSTOMERATTENTION	STRING
DELIVERYCUSTOMERNAME5	STRING
DELIVERYCUSTOMERNAME4	STRING
DELIVERYCUSTOMERNAME3	STRING
DELIVERYCUSTOMERNAME2	STRING
DELIVERYCUSTOMERNAME1	STRING
ATT2	STRING
ATT1	STRING
COMPANYLINE	STRING
NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME1	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromInvoiceNumber	INTEGER
ToInvoiceNumber	INTEGER
FromOrderNumber	INTEGER
ToOrderNumber	INTEGER
DISCOUNTOUT	BOOLEAN
PRICESOUT	BOOLEAN
TEXTLINEOUT	BOOLEAN
EXTRATEXTOUT	BOOLEAN
ITEMSALESOUT	BOOLEAN
INVOICEDISCOUNTOUT	BOOLEAN
CHARGE1OUT	BOOLEAN
CHARGE2OUT	BOOLEAN
CHARGE3OUT	BOOLEAN
CHARGE4OUT	BOOLEAN
CHARGEVATOUT	BOOLEAN
CHARGEVAT1OUT	BOOLEAN

CHARGEVAT2OUT	BOOLEAN
CHARGEVAT3OUT	BOOLEAN
ITEMVATOUT	BOOLEAN
ITEMVAT1OUT	BOOLEAN
ITEMVAT2OUT	BOOLEAN
ITEMVAT3OUT	BOOLEAN
INVOICETOTALOUT	BOOLEAN
STANDARDCURRENCYOUT	BOOLEAN
CHARGEVAT	AMOUNT
ONACCOUNTSALESOUT	BOOLEAN
ONACCOUNTVATOUT	BOOLEAN
ONACCOUNTVAT1OUT	BOOLEAN
ONACCOUNTVAT2OUT	BOOLEAN
ONACCOUNTVAT3OUT	BOOLEAN
DELIVERYADDRESS1	STRING
DELIVERYADDRESS2	STRING
DELIVERYADDRESS3	STRING
DELIVERYADDRESS4	STRING
DELIVERYADDRESS5	STRING
DELIVERYADDRESS6	STRING
DELIVERYADDRESS7	STRING
DELIVERYADDRESS8	STRING
PAYMENTADDRESS1	STRING
PAYMENTADDRESS2	STRING
PAYMENTADDRESS3	STRING
PAYMENTADDRESS4	STRING
PAYMENTADDRESS5	STRING
PAYMENTADDRESS6	STRING
PAYMENTADDRESS7	STRING
PAYMENTADDRESS8	STRING
CENTAMOUNT	STRING
DOLLARAMOUNT	STRING
ENDCUSTOMERADDRESS1	STRING
ENDCUSTOMERADDRESS2	STRING
ENDCUSTOMERADDRESS3	STRING
ENDCUSTOMERADDRESS4	STRING
ENDCUSTOMERADDRESS5	STRING
ENDCUSTOMERADDRESS6	STRING
ENDCUSTOMERADDRESS7	STRING
ENDCUSTOMERADDRESS8	STRING
ENDCUSTOMERNAME1	STRING
ENDCUSTOMERNAME2	STRING
ENDCUSTOMERNAME3	STRING
ENDCUSTOMERNAME4	STRING
ENDCUSTOMERNAME5	STRING
ENDCUSTOMERATTENTION	STRING
ENDCUSTOMERZIPCODE	STRING
ENDCUSTOMERPOSTALDISTRICT	STRING

ENDCUSTOMERCOUNTRY	CountryType
THELEVEL	INTEGER
CORRECTEDUNITPRICE	AMOUNT
CORRECTEDPRICEWITHOUTDISCOUNT	AMOUNT
CORRECTEDDISCOUNTCURRENCY	AMOUNT
CORRECTEDNUMBERINVOICED	REAL
FromPaymentCustomer	STRING
ToPaymentCustomer	STRING
DepartmentNumberVar	DepartmentNumberType
IncludePrinted	BOOLEAN
FromCustomerNumber	STRING
ToCustomerNumber	STRING
PREVIOUSBILLINGPRICEPLUSMINUSVAR	STRING
PERCGROSSMARGINVAR	REAL
LanguageVar	LanguageType
CreateInvoicesVar	BOOLEAN
ITEMPURCHASEORDERNUMBERVAR	STRING
FromDeliveryDate	DATE
ToDeliveryDate	DATE
CORRECTEDRECOMMENDEDBILLINGPRICEVAR	AMOUNT
CORRECTEDPERCGROSSMARGINVAR	REAL
COMPANYADDRESS1	STRING
COMPANYADDRESS2	STRING
COMPANYADDRESS3	STRING
COMPANYADDRESS4	STRING
COMPANYADDRESS5	STRING
COMPANYADDRESS6	STRING
COMPANYADDRESS7	STRING
COMPANYADDRESS8	STRING
EUSALEVAR	BOOLEAN
COMPANYVATNUMBER	STRING
COMPANYBANKACCOUNTNUMBER	STRING
COMPANYGIRONUMBER	STRING
DELIVERYVATNUMBERVAR	STRING
PAYERVATNUMBER	STRING
PAYERGIRONUMBER	STRING
QUANTITYDISCOUNT1PERCENTAGE	REAL
VATBLOCKINCLUDEDVAR	BOOLEAN
LINEVATCODEVAR	STRING
LINEVATCODE2VAR	STRING
LINEVATCODE3VAR	STRING
LINEGROSSAMOUNTVAR	AMOUNT
LINETOTALINCLVATVAR	AMOUNT
ORDERINFORMATION1VAR	STRING
ORDERINFORMATION2VAR	STRING
ORDERINFORMATION3VAR	STRING
ORDERINFORMATION4VAR	STRING
ORDERINFORMATION5VAR	STRING

ORDERINFORMATION6VAR	STRING
ORDERINFORMATION7VAR	STRING
ORDERINFORMATION8VAR	STRING
ORDERINFORMATION9VAR	STRING
ORDERINFORMATION10VAR	STRING
ORDERINFORMATION11VAR	STRING
ORDERINFORMATION12VAR	STRING
ORDERINFORMATION13VAR	STRING
ORDERINFORMATION14VAR	STRING
ORDERINFORMATION15VAR	STRING
ORDERINFORMATION16VAR	STRING
ORDERINFORMATION17VAR	STRING
ORDERINFORMATION18VAR	STRING
ORDERINFORMATION19VAR	STRING
ORDERINFORMATION20VAR	STRING
CONTROLDIGITSVAR	STRING
INCLUDEZEROLINESVAR	BOOLEAN
FromSubscriptionOrderNumberVar	INTEGER
ToSubscriptionOrderNumberVar	INTEGER
FromSubscriptionNumberVar	STRING
ToSubscriptionNumberVar	STRING
SubscriptionGroupVar	SubscriptionGroupType
CustomerGroupVar	CustomerGroupType
AMOUNTINCENTVAR	STRING
CreateSubscriptionFieldVar	BOOLEAN
OrderModeVar	OrderModeType
AGREEMENTVAR	STRING
WEEKNUMBERVAR	INTEGER
DOLLARAMOUNTWITHOUTSEPARATINGCHARVAR	STRING
SUPPLIERNAMEVAR	STRING
PreferredInvoiceDateVar	DATE
SETTLINGCOMPANYLINE	STRING
SETTLINGCOMPANYNAME1	STRING
SETTLINGCOMPANYADDRESS1	STRING
SETTLINGCOMPANYADDRESS2	STRING
SETTLINGCOMPANYADDRESS3	STRING
SETTLINGCOMPANYADDRESS4	STRING
SETTLINGCOMPANYADDRESS5	STRING
SETTLINGCOMPANYADDRESS6	STRING
SETTLINGCOMPANYADDRESS7	STRING
SETTLINGCOMPANYADDRESS8	STRING
SETTLINGCOMPANYVATNUMBER	STRING
SETTLINGCOMPANYBANKACCOUNTNUMBER	STRING
SETTLINGCOMPANYGIRONUMBER	STRING
CHARGE1INCLVATCURRENCYVAR	AMOUNT
CHARGE2INCLVATCURRENCYVAR	AMOUNT
CHARGE3INCLVATCURRENCYVAR	AMOUNT
CHARGE4INCLVATCURRENCYVAR	AMOUNT

FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
EUROOUT	BOOLEAN
TOTALEUROAMOUNTVAR	AMOUNT
EUROCURRENCYVAR	CurrencyType
ORDERDATE1VAR	DATE
ORDERDATE2VAR	DATE
ORDERDATE3VAR	DATE
ORDERDATE4VAR	DATE
ORDERDATE5VAR	DATE
ORDERAMOUNT1VAR	AMOUNT
ORDERAMOUNT2VAR	AMOUNT
ORDERAMOUNT3VAR	AMOUNT
ORDERAMOUNT4VAR	AMOUNT
ORDERAMOUNT5VAR	AMOUNT
FromConsignmentNumberVar	STRING
ToConsignmentNumberVar	STRING
FromDestinationNumberVar	STRING
ToDestinationNumberVar	STRING
FromConsignmentDateVar	DATE
ToConsignmentDateVar	DATE
DeliveryModeVar	DeliveryModeType
DeliveryTermsVar	DeliveryTermsType
TransporterVar	TransporterType
ConsignmentTypeVar	ConsignmentTypeType
FromMainOrderNumberVar	INTEGER
ToMainOrderNumberVar	INTEGER
WEIGHTCHARGEVAR	REAL
VOLUMECHARGEVAR	REAL
AREAUNITCHARGEVAR	REAL
EXTACCOUNTREGNUMBERVAR	STRING
EXTACCOUNTACCOUNTNUMBERVAR	STRING
EXTACCOUNTDESCRIPTIONVAR	STRING
EXTACCOUNTIBANACCOUNTNUMBERVAR	STRING
EXTACCOUNTSWIFTCODEVAR	STRING
EXTACCOUNTTEXT1VAR	STRING
EXTACCOUNTTEXT2VAR	STRING
EXTACCOUNTTEXT3VAR	STRING
PAYMENTAGENTBANKADDRESS1VAR	STRING
PAYMENTAGENTBANKADDRESS2VAR	STRING
PAYMENTAGENTBANKADDRESS3VAR	STRING
PAYMENTAGENTBANKADDRESS4VAR	STRING
FORMATTEDPAYERIDVAR	STRING
FORMATTEDTOTALCURRENCYVAR	STRING
PAYMENTAGENTNAMEVAR	STRING
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
PRINTROUNDINGOFFLINEVAR	BOOLEAN

UNITTEXTVAR	STRING
ITEMSUMANDCHARGESUMBASE	AMOUNT
EXCHANGERATETOBASEVAR	REAL
EXCHANGERATEBASETOCURRENCYVAR	REAL
TOTALTOTALVATAMOUNTBASEVAR	AMOUNT
TOTALVATAMOUNTBASEVAR	AMOUNT
NOTEOUT	BOOLEAN
VALUEVAR	STRING
PRINTEDFROMPRINTOUTDIALOGVAR	BOOLEAN
INCLUDEVATLINE	BOOLEAN
TOTALVATAMOUNTVAR	AMOUNT
TOTALTOTALVATAMOUNTVAR	AMOUNT
TOTALTOTALVAT1AMOUNTCURRENCYVAR	AMOUNT
TOTALTOTALVAT2AMOUNTCURRENCYVAR	AMOUNT
TOTALTOTALVAT3AMOUNTCURRENCYVAR	AMOUNT
TOTALTOTALVAT1BASISBASEVAR	AMOUNT
TOTALTOTALVAT2BASISBASEVAR	AMOUNT
TOTALTOTALVAT3BASISBASEVAR	AMOUNT
TOTALTOTALVAT1BASISCURRENCYVAR	AMOUNT
TOTALTOTALVAT2BASISCURRENCYVAR	AMOUNT
TOTALTOTALVAT3BASISCURRENCYVAR	AMOUNT
TOTALTOTALVAT1AMOUNTBASEVAR	AMOUNT
TOTALTOTALVAT2AMOUNTBASEVAR	AMOUNT
TOTALTOTALVAT3AMOUNTBASEVAR	AMOUNT
TOTALVATTOTALBASEVAR	AMOUNT
VAT1CURRENCYVAR	AMOUNT
VAT2CURRENCYVAR	AMOUNT
VAT3CURRENCYVAR	AMOUNT
VAT1BASEVAR	AMOUNT
VAT2BASEVAR	AMOUNT
VAT3BASEVAR	AMOUNT
VAT1ENTERPRISEVAR	AMOUNT
VAT2ENTERPRISEVAR	AMOUNT
VAT3ENTERPRISEVAR	AMOUNT
CHARGETOTALVAT1CURRENCYVAR	AMOUNT
CHARGETOTALVAT2CURRENCYVAR	AMOUNT
CHARGETOTALVAT3CURRENCYVAR	AMOUNT
CHARGETOTALVAT1BASEVAR	AMOUNT
CHARGETOTALVAT2BASEVAR	AMOUNT
CHARGETOTALVAT3BASEVAR	AMOUNT
CHARGETOTALVAT1ENTERPRISEVAR	AMOUNT
CHARGETOTALVAT2ENTERPRISEVAR	AMOUNT
CHARGETOTALVAT3ENTERPRISEVAR	AMOUNT
ONACCOUNTVAT1CURRENCYVAR	AMOUNT
ONACCOUNTVAT2CURRENCYVAR	AMOUNT
ONACCOUNTVAT3CURRENCYVAR	AMOUNT
ONACCOUNTVAT1BASEVAR	AMOUNT
ONACCOUNTVAT2BASEVAR	AMOUNT

ONACCOUNTVAT3BASEVAR	AMOUNT
ONACCOUNTVAT1ENTERPRISEVAR	AMOUNT
ONACCOUNTVAT2ENTERPRISEVAR	AMOUNT
ONACCOUNTVAT3ENTERPRISEVAR	AMOUNT
LINEVAT1CURRENCYVAR	AMOUNT
LINEVAT2CURRENCYVAR	AMOUNT
LINEVAT3CURRENCYVAR	AMOUNT
LINEVAT1BASEVAR	AMOUNT
LINEVAT2BASEVAR	AMOUNT
LINEVAT3BASEVAR	AMOUNT
LINEVAT1ENTERPRISEVAR	AMOUNT
LINEVAT2ENTERPRISEVAR	AMOUNT
LINEVAT3ENTERPRISEVAR	AMOUNT
COMPANYNAME2VAR	STRING
COMPANYNAME3VAR	STRING
COMPANYNAME4VAR	STRING
COMPANYNAME5VAR	STRING
COMPANYZIPCODEVAR	STRING
COMPANYPOSTALDISTRICTVAR	STRING
COMPANYCOUNTRYVAR	CountryType
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING
COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING
SETTLINGCOMPANYNAME2VAR	STRING
SETTLINGCOMPANYNAME3VAR	STRING
SETTLINGCOMPANYNAME4VAR	STRING
SETTLINGCOMPANYNAME5VAR	STRING

SETTLINGCOMPANYZIPCODEVAR	STRING
SETTLINGCOMPANYPOSTALDISTRICTVAR	STRING
SETTLINGCOMPANYCOUNTRYVAR	CountryType
SETTLINGCOMPANYTELEPHONEVAR	STRING
SETTLINGCOMPANYTELEFAXVAR	STRING
SETTLINGCOMPANYTELEXVAR	STRING
SETTLINGCOMPANYPAYMENTSERVICENUMBERVAR	STRING
SETTLINGCOMPANYTEXT1VAR	STRING
SETTLINGCOMPANYTEXT2VAR	STRING
SETTLINGCOMPANYTEXT3VAR	STRING
SETTLINGCOMPANYTEXT4VAR	STRING
SETTLINGCOMPANYTEXT5VAR	STRING
SETTLINGCOMPANYTEXT6VAR	STRING
SETTLINGCOMPANYTEXT7VAR	STRING
SETTLINGCOMPANYTEXT8VAR	STRING
SETTLINGCOMPANYTEXT9VAR	STRING
SETTLINGCOMPANYTEXT10VAR	STRING
SETTLINGCOMPANYTEXT11VAR	STRING
SETTLINGCOMPANYTEXT12VAR	STRING
SETTLINGCOMPANYTEXT13VAR	STRING
SETTLINGCOMPANYTEXT14VAR	STRING
SETTLINGCOMPANYTEXT15VAR	STRING
SETTLINGCOMPANYTEXT16VAR	STRING
SETTLINGCOMPANYTEXT17VAR	STRING
SETTLINGCOMPANYTEXT18VAR	STRING
SETTLINGCOMPANYTEXT19VAR	STRING
SETTLINGCOMPANYTEXT20VAR	STRING
IncludeBlanketInvoicesVar	BOOLEAN
DELIVERYMODETEXTVAR	STRING
DELIVERYTERMTEXTVAR	STRING
LATESTPRICEADJUSTMENTCURRENCYVAR	AMOUNT
LATESTPRICEADJUSTMENTBASEVAR	AMOUNT
TOTALINTEGERPARTASTEXTVAR	STRING
TOTALFRACTIONALPARTASTEXTVAR	STRING
FORMATTEDINVOICENUMBERVAR	STRING
FORMATTEDBASEDONINVOICENUMBERVAR	STRING
HASHCONTROLCHARSVAR	STRING

P Label

The following cursors can be used in this printout:

ORDERHEADER	OrderHeader
ORDERTEXTLINE	OrderTextLine

The following variables can be used in this printout:

ADDRESS1	STRING
ADDRESS2	STRING
ADDRESS3	STRING
ADDRESS4	STRING
ADDRESS5	STRING
ADDRESS6	STRING
ADDRESS7	STRING
ADDRESS8	STRING
LastOrderNumber	INTEGER
FirstOrderNumber	INTEGER
THETIME	STRING
TODAYSDATE	STRING
LayoutName	LayoutNameType
PAGENUMBER	INTEGER
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromConsignmentNumberVar	STRING
ToConsignmentNumberVar	STRING
FromDestinationNumberVar	STRING
ToDestinationNumberVar	STRING
FromConsignmentDateVar	DATE
ToConsignmentDateVar	DATE
DeliveryModeVar	DeliveryModeType
DeliveryTermsVar	DeliveryTermsType
TransporterVar	TransporterType
ConsignmentTypeVar	ConsignmentTypeType
FromMainOrderNumberVar	INTEGER
ToMainOrderNumberVar	INTEGER
CONSIGNMENTSWEIGHTVAR	REAL
CONSIGNMENTSVOLUMEVAR	REAL
CONSIGNMENTSAREAUNITVAR	REAL
WEIGHTCHARGEVAR	REAL
VOLUMECHARGEVAR	REAL
AREAUNITCHARGEVAR	REAL
OrderModeVar	OrderModeType

P MainOrder

The following cursors can be used in this printout:

ORDERHEADER	OrderHeader
ORDERLINE	OrderLine
CHARGECODEINFO	ChargeCodeInfo
UNDERORDERHEADER	OrderHeader
ORDERTEXTLINE	OrderTextLine
NOTUSEDVATCODE	PopupItem
ITEMINFORMATION	ItemInformation

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromOrderNumberVar	INTEGER
ToOrderNumberVar	INTEGER
FromMainOrderNumberVar	INTEGER
ToMainOrderNumberVar	INTEGER
FromDeliveryCustomerNumberVar	STRING
ToDeliveryCustomerNumberVar	STRING
FromPaymentCustomerNumberVar	STRING
ToPaymentCustomerNumberVar	STRING
OrderTypeVar	OrdertypeType
FromDestinationNumberVar	STRING
ToDestinationNumberVar	STRING
DeliveryModeVar	DeliveryModeType
DeliveryTermsVar	DeliveryTermsType
TransporterVar	TransporterType
ConsignmentTypeVar	ConsignmentTypeType
FromConsignmentDateVar	DATE
ToConsignmentDateVar	DATE
FromConsignmentNumberVar	STRING
ToConsignmentNumberVar	STRING
COMPANYNAME1VAR	STRING
COMPANYLINEVAR	STRING
DELIVERYADDRESS1VAR	STRING
DELIVERYADDRESS2VAR	STRING
DELIVERYADDRESS3VAR	STRING
DELIVERYADDRESS4VAR	STRING
DELIVERYADDRESS5VAR	STRING
DELIVERYADDRESS6VAR	STRING
DELIVERYADDRESS7VAR	STRING
DELIVERYADDRESS8VAR	STRING

PAYMENTADDRESS1VAR	STRING
PAYMENTADDRESS2VAR	STRING
PAYMENTADDRESS3VAR	STRING
PAYMENTADDRESS4VAR	STRING
PAYMENTADDRESS5VAR	STRING
PAYMENTADDRESS6VAR	STRING
PAYMENTADDRESS7VAR	STRING
PAYMENTADDRESS8VAR	STRING
DELIVERTOFIXEDTEXTVAR	STRING
DELIVERYCUSTOMERFIXEDTEXTVAR	STRING
DELIVERYCUSTOMERNUMBERVAR	STRING
UNITPRICEBASEVAR	AMOUNT
PRICEWITHOUTDISCOUNTBASEVAR	AMOUNT
DISCOUNTOUTVAR	BOOLEAN
DISCOUNTTEXTVAR	STRING
DISCOUNTCURRENCYVAR	AMOUNT
TOTALNUMBERVAR	REAL
ITEMORDERSUMBASEVAR	AMOUNT
DISCOUNTTOTALOUTVAR	BOOLEAN
ITEMDISCOUNTSUMBASEVAR	AMOUNT
TOTALITEMSUMBASEVAR	AMOUNT
TOTALVATSUMBASEVAR	AMOUNT
CHARGE1OUTVAR	BOOLEAN
CHARGE2OUTVAR	BOOLEAN
CHARGE3OUTVAR	BOOLEAN
CHARGE4OUTVAR	BOOLEAN
CHARGETOTALOUTVAR	BOOLEAN
CHARGETOTALAMOUNTBASEVAR	AMOUNT
ORDERSUMTOTALBASEVAR	AMOUNT
VATCHARGETOTALBASEVAR	AMOUNT
VATSPECIFICATIONOUTVAR	BOOLEAN
UNITPRICECURRENCYVAR	AMOUNT
PRICEWITHOUTDISCOUNTCURRENCYVAR	AMOUNT
DISCOUNTBASEVAR	AMOUNT
ITEMDISCOUNTSUMCURRENCYVAR	AMOUNT
TOTALITEMSUMCURRENCYVAR	AMOUNT
CHARGETOTALAMOUNTCURRENCYVAR	AMOUNT
ORDERSUMTOTALCURRENCYVAR	AMOUNT
VATCHARGETOTALCURRENCYVAR	AMOUNT
ITEMORDERSUMCURRENCYVAR	AMOUNT
TOTALVATSUMCURRENCYVAR	AMOUNT
INVOICEDISCOUNTOUTVAR	BOOLEAN
TOTALINVOICEDISCOUNTBASEVAR	AMOUNT
TOTALINVOICEDISCOUNTMAINCURRENCYVAR	AMOUNT
JOINTINVOICEDISCOUNTPERCENTAGEVAR	REAL
ITEMNUMBERVAR	STRING
UNITPRICEMAINCURRENCYVAR	AMOUNT
PRICEWITHOUTDISCOUNTMAINCURRENCYVAR	AMOUNT

DISCOUNTMAINCURRENCYVAR	AMOUNT
CHARGEMAINCURRENCYVAR	AMOUNT
MAINORDERCURRENCYVAR	CurrencyType
LINEPRICEMAINCURRENCYVAR	AMOUNT
ALLCHARGESBASEVAR	AMOUNT
ALLCHARGESMAINCURRENCYVAR	AMOUNT
CHARGE1TEXTVAR	STRING
CHARGE2TEXTVAR	STRING
CHARGE3TEXTVAR	STRING
CHARGE4TEXTVAR	STRING
CHARGE1VATBASEVAR	AMOUNT
CHARGE2VATBASEVAR	AMOUNT
CHARGE3VATBASEVAR	AMOUNT
CHARGE4VATBASEVAR	AMOUNT
CHARGE1VATCURRENCYVAR	AMOUNT
CHARGE2VATCURRENCYVAR	AMOUNT
CHARGE3VATCURRENCYVAR	AMOUNT
CHARGE4VATCURRENCYVAR	AMOUNT
OrderModeVar	OrderModeType
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
DELIVERYTERMSTEXTVAR	STRING
DELIVERYMODETEXTVAR	STRING
UNITTEXTVAR	STRING
CHARGECODETEXTVAR	STRING
EXTERNALITEMTEXTVAR	STRING
VAT1CHARGETOTALCURRENCYVAR	AMOUNT
VAT2CHARGETOTALCURRENCYVAR	AMOUNT
VAT3CHARGETOTALCURRENCYVAR	AMOUNT
VAT1CHARGETOTALBASEVAR	AMOUNT
VAT2CHARGETOTALBASEVAR	AMOUNT
VAT3CHARGETOTALBASEVAR	AMOUNT
TOTALVAT1SUMCURRENCYVAR	AMOUNT
TOTALVAT2SUMCURRENCYVAR	AMOUNT
TOTALVAT3SUMCURRENCYVAR	AMOUNT
TOTALVAT1SUMBASEVAR	AMOUNT
TOTALVAT2SUMBASEVAR	AMOUNT
TOTALVAT3SUMBASEVAR	AMOUNT
VATONCHARGESOUTVAR	BOOLEAN
VAT1ONCHARGESOUTVAR	BOOLEAN
VAT2ONCHARGESOUTVAR	BOOLEAN
VAT3ONCHARGESOUTVAR	BOOLEAN
VATONITEMSUMOUTVAR	BOOLEAN
VAT1ONITEMSUMOUTVAR	BOOLEAN
VAT2ONITEMSUMOUTVAR	BOOLEAN
VAT3ONITEMSUMOUTVAR	BOOLEAN
CALCULATEDCHARGEVATVAR	BOOLEAN

P MainOrder

FIRSTSUBORDERCHARGEVAR
Moresuborderchargesvar

BOOLEAN
BOOLEAN

P MainOrderInvoice

The following cursors can be used in this printout:

ORDERHEADER	OrderHeader
INVOICELINE	InvoiceLine
CHARGECODEINFO	ChargeCodeInfo
ORDERTEXTLINE	OrderTextLine
NOTUSEDVATCODE	PopupItem
UNDERLYINGINVOICE	Invoice

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromOrderNumberVar	INTEGER
ToOrderNumberVar	INTEGER
FromMainOrderNumberVar	INTEGER
ToMainOrderNumberVar	INTEGER
FromDeliveryCustomerNumberVar	STRING
ToDeliveryCustomerNumberVar	STRING
FromPaymentCustomerNumberVar	STRING
ToPaymentCustomerNumberVar	STRING
FromDestinationNumberVar	STRING
ToDestinationNumberVar	STRING
DeliveryModeVar	DeliveryModeType
DeliveryTermsVar	DeliveryTermsType
TransporterVar	TransporterType
ConsignmentTypeVar	ConsignmentTypeType
FromConsignmentDateVar	DATE
ToConsignmentDateVar	DATE
FromConsignmentNumberVar	STRING
ToConsignmentNumberVar	STRING
COMPANYNAME1VAR	STRING
COMPANYLINEVAR	STRING
DELIVERYADDRESS1VAR	STRING
DELIVERYADDRESS2VAR	STRING
DELIVERYADDRESS3VAR	STRING
DELIVERYADDRESS4VAR	STRING
DELIVERYADDRESS5VAR	STRING
DELIVERYADDRESS6VAR	STRING
DELIVERYADDRESS7VAR	STRING
DELIVERYADDRESS8VAR	STRING
PAYMENTADDRESS1VAR	STRING
PAYMENTADDRESS2VAR	STRING

PAYMENTADDRESS3VAR	STRING
PAYMENTADDRESS4VAR	STRING
PAYMENTADDRESS5VAR	STRING
PAYMENTADDRESS6VAR	STRING
PAYMENTADDRESS7VAR	STRING
PAYMENTADDRESS8VAR	STRING
DELIVERTOFIXEDTEXTVAR	STRING
DELIVERYCUSTOMERFIXEDTEXTVAR	STRING
DELIVERYCUSTOMERNUMBERVAR	STRING
TODAYSDATEVAR	DATE
UNITPRICEBASEVAR	AMOUNT
PRICEWITHOUTDISCOUNTBASEVAR	AMOUNT
DISCOUNTOUTVAR	BOOLEAN
DISCOUNTTEXTVAR	STRING
DISCOUNTCURRENCYVAR	AMOUNT
TOTALNUMBERVAR	REAL
ITEMORDERSUMBASEVAR	AMOUNT
DISCOUNTTOTALOUTVAR	BOOLEAN
ITEMDISCOUNTSUMBASEVAR	AMOUNT
TOTALITEMSUMBASEVAR	AMOUNT
TOTALVATSUMBASEVAR	AMOUNT
CHARGE1OUTVAR	BOOLEAN
CHARGE2OUTVAR	BOOLEAN
CHARGE3OUTVAR	BOOLEAN
CHARGE4OUTVAR	BOOLEAN
CHARGETOTALOUTVAR	BOOLEAN
CHARGETOTALAMOUNTBASEVAR	AMOUNT
ORDERSUMTOTALBASEVAR	AMOUNT
VATONCHARGESOUTVAR	BOOLEAN
VATCHARGETOTALBASEVAR	AMOUNT
VATSPECIFICATIONOUTVAR	BOOLEAN
ITEMTEXT1VAR	STRING
VATONITEMSUMOUTVAR	BOOLEAN
UNITPRICECURRENCYVAR	AMOUNT
PRICEWITHOUTDISCOUNTCURRENCYVAR	AMOUNT
DISCOUNTBASEVAR	AMOUNT
ITEMDISCOUNTSUMCURRENCYVAR	AMOUNT
TOTALITEMSUMCURRENCYVAR	AMOUNT
CHARGETOTALAMOUNTCURRENCYVAR	AMOUNT
ORDERSUMTOTALCURRENCYVAR	AMOUNT
VATCHARGETOTALCURRENCYVAR	AMOUNT
ITEMORDERSUMCURRENCYVAR	AMOUNT
TOTALVATSUMCURRENCYVAR	AMOUNT
OLDVATCODEVAR	STRING
VATRATEVAR	REAL
ITEMVATLINEBASEVAR	AMOUNT
ITEMVATLINECURRENCYVAR	AMOUNT
ACCITEMSUMBASEVAR	AMOUNT

ACCITEMSUMCURRENCYVAR	AMOUNT
ITEMVATTOTALBASEVAR	AMOUNT
ITEMVATTOTALCURRENCYVAR	AMOUNT
INVOICEDISCOUNTOUTVAR	BOOLEAN
TOTALINVOICEDISCOUNTBASEVAR	AMOUNT
TOTALINVOICEDISCOUNTMAINCURRENCYVAR	AMOUNT
JOINTINVOICEDISCOUNTPERCENTAGEVAR	REAL
ITEMNUMBERVAR	STRING
UNITPRICEMAINCURRENCYVAR	AMOUNT
PRICEWITHOUTDISCOUNTMAINCURRENCYVAR	AMOUNT
DISCOUNTMAINCURRENCYVAR	AMOUNT
CHARGEMAINCURRENCYVAR	AMOUNT
MAINORDERCURRENCYVAR	CurrencyType
LINEPRICEMAINCURRENCYVAR	AMOUNT
ITEMVATLINEMAINCURRENCYVAR	AMOUNT
ACCITEMSUMMAINCURRENCYVAR	AMOUNT
ITEMVATTOTALMAINCURRENCYVAR	AMOUNT
ALLCHARGESBASEVAR	AMOUNT
ALLCHARGESMAINCURRENCYVAR	AMOUNT
OrderModeVar	OrderModeType
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
DELIVERYTERMSTEXTVAR	STRING
DELIVERYMODETEXTVAR	STRING
UNITTEXTVAR	STRING
CHARGECODETEXTVAR	STRING
EXTERNALITEMTEXTVAR	STRING
TOTALVAT1SUMCURRENCYVAR	AMOUNT
TOTALVAT2SUMCURRENCYVAR	AMOUNT
TOTALVAT3SUMCURRENCYVAR	AMOUNT
TOTALVAT1SUMBASEVAR	AMOUNT
TOTALVAT2SUMBASEVAR	AMOUNT
TOTALVAT3SUMBASEVAR	AMOUNT
VAT1CHARGETOTALCURRENCYVAR	AMOUNT
VAT2CHARGETOTALCURRENCYVAR	AMOUNT
VAT3CHARGETOTALCURRENCYVAR	AMOUNT
VAT1CHARGETOTALBASEVAR	AMOUNT
VAT2CHARGETOTALBASEVAR	AMOUNT
VAT3CHARGETOTALBASEVAR	AMOUNT
FIRSTSUBORDERCHARGEVAR	BOOLEAN
MORESUBORDERCHARGESVAR	BOOLEAN

P OrderConfirmation

The following cursors can be used in this printout:

ORDERHEADER	OrderHeader
ORDERLINE	OrderLine
ORDERTEXTLINE	OrderTextLine
BOMLINE	BOMLine
NOTELINE	NoteLine

The following variables can be used in this printout:

DELIVERYCUSTOMERNUMBER	STRING
CHARGETXT4	STRING
CHARGETXT3	STRING
CHARGETXT2	STRING
CHARGETXT1	STRING
DOTS	STRING
TEXTLINEOUT	BOOLEAN
INVOICEDISCOUNT	AMOUNT
ITEMSUMCURRENCY	AMOUNT
ITEMVATLINE	AMOUNT
ORDERTOTAL	AMOUNT
ACCOUNTNUMBER	STRING
ITEMVATTOTAL	AMOUNT
CHARGEVAT	AMOUNT
PAGENUMBER	INTEGER
LayoutName	LayoutNameType
TODAYSDATE	STRING
THETIME	STRING
FirstOrderNumber	INTEGER
LastOrderNumber	INTEGER
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
CHARGE1VATBASE	AMOUNT
CHARGE1VATCURRENCY	AMOUNT
CHARGE2VATBASE	AMOUNT
CHARGE2VATCURRENCY	AMOUNT
CHARGE3VATBASE	AMOUNT
CHARGE3VATCURRENCY	AMOUNT
CHARGE4VATBASE	AMOUNT
CHARGE4VATCURRENCY	AMOUNT
ATT1	STRING
COMPANYLINE	STRING
COMPANYNAME1	STRING
EXTRATEXTOUT	BOOLEAN
DISCOUNTOUT	BOOLEAN
NAMEOFUSER	STRING
CURRENCYVARIABLE	CurrencyType

ITEMSALESOUT	BOOLEAN
INVOICEDISCOUNTOUT	BOOLEAN
CHARGE1OUT	BOOLEAN
CHARGE2OUT	BOOLEAN
CHARGE3OUT	BOOLEAN
CHARGE4OUT	BOOLEAN
CHARGEVATOUT	BOOLEAN
CHARGEVAT1OUT	BOOLEAN
CHARGEVAT2OUT	BOOLEAN
CHARGEVAT3OUT	BOOLEAN
ITEMVATOUT	BOOLEAN
ITEMVAT1OUT	BOOLEAN
ITEMVAT2OUT	BOOLEAN
ITEMVAT3OUT	BOOLEAN
ORDERSUMOUT	BOOLEAN
PRICESOUT	BOOLEAN
DISCOUNTTEXTVAR	STRING
STANDARDCURRENCYOUT	BOOLEAN
STANDARDCURRENCY	CurrencyType
STANDARDAMOUNT	AMOUNT
DELIVERYCUSTOMERNAME1	STRING
DELIVERYCUSTOMERNAME2	STRING
DELIVERYCUSTOMERNAME3	STRING
DELIVERYCUSTOMERNAME4	STRING
DELIVERYCUSTOMERNAME5	STRING
DELIVERYCUSTOMERATTENTION	STRING
PAYERNAME1	STRING
PAYERNAME2	STRING
PAYERNAME3	STRING
PAYERNAME4	STRING
PAYERNAME5	STRING
PAYERATTENTION	STRING
ATT2	STRING
DELIVERTOFIXEDTEXT	STRING
DELIVERYCUSTOMERFIXEDTEXT	STRING
PRICEWITHOUTDISCOUNT	AMOUNT
NEGATIVEDISCOUNT	AMOUNT
DELIVERYADDRESS1	STRING
DELIVERYADDRESS2	STRING
DELIVERYADDRESS3	STRING
DELIVERYADDRESS4	STRING
DELIVERYADDRESS5	STRING
DELIVERYADDRESS6	STRING
DELIVERYADDRESS7	STRING
DELIVERYADDRESS8	STRING
PAYMENTADDRESS1	STRING
PAYMENTADDRESS2	STRING
PAYMENTADDRESS3	STRING

PAYMENTADDRESS4	STRING
PAYMENTADDRESS5	STRING
PAYMENTADDRESS6	STRING
PAYMENTADDRESS7	STRING
PAYMENTADDRESS8	STRING
ENDCUSTOMERADDRESS1	STRING
ENDCUSTOMERADDRESS2	STRING
ENDCUSTOMERADDRESS3	STRING
ENDCUSTOMERADDRESS4	STRING
ENDCUSTOMERADDRESS5	STRING
ENDCUSTOMERADDRESS6	STRING
ENDCUSTOMERADDRESS7	STRING
ENDCUSTOMERADDRESS8	STRING
ENDCUSTOMERNAME1	STRING
ENDCUSTOMERNAME2	STRING
ENDCUSTOMERNAME3	STRING
ENDCUSTOMERNAME4	STRING
ENDCUSTOMERNAME5	STRING
ENDCUSTOMERATTENTION	STRING
ENDCUSTOMERZIPCODE	STRING
ENDCUSTOMERPOSTALDISTRICT	STRING
ENDCUSTOMERCOUNTRY	CountryType
THELEVEL	INTEGER
CORRECTEDUNITPRICE	AMOUNT
CORRECTEDPRICEWITHOUTDISCOUNT	AMOUNT
CORRECTEDDISCOUNTCURRENCY	AMOUNT
FromPaymentCustomerNumberVar	STRING
ToPaymentCustomerNumberVar	STRING
DepartmentNumberVar	DepartmentNumberType
LanguageVar	LanguageType
FromDeliveryDate	DATE
ToDeliveryDate	DATE
IncludePrinted	BOOLEAN
DELIVERYDATEVAR	DATE
ACCUMULATEDITEMSUMCURRENCY	AMOUNT
DELIVCUSTOMERZIPCODE	STRING
DELIVCUSTOMERPOSTALDISTRICT	STRING
PAYERZIPCODE	STRING
PAYERPOSTALDISTRICT	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromConsignmentNumberVar	STRING
ToConsignmentNumberVar	STRING
FromDestinationNumberVar	STRING
ToDestinationNumberVar	STRING
FromConsignmentDateVar	DATE
ToConsignmentDateVar	DATE
DeliveryModeVar	DeliveryModeType

DeliveryTermsVar	DeliveryTermsType
TransporterVar	TransporterType
ConsignmentTypeVar	ConsignmentTypeType
FromMainOrderNumberVar	INTEGER
ToMainOrderNumberVar	INTEGER
CONSIGNMENTSWEIGHTVAR	REAL
CONSIGNMENTSVOLUMEVAR	REAL
CONSIGNMENTSAREAUNITVAR	REAL
WEIGHTCHARGEVAR	REAL
VOLUMECHARGEVAR	REAL
AREAUNITCHARGEVAR	REAL
IncludeNonApprovedVar	BOOLEAN
PAYERCOUNTRY	CountryType
OrderModeVar	OrderModeType
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
DELIVERYTERMSTEXTVAR	STRING
DELIVERYMODETEXTVAR	STRING
UNITTEXTVAR	STRING
NOTEOUT	BOOLEAN
VALUEVAR	STRING
VAT1CURRENCYVAR	AMOUNT
VAT2CURRENCYVAR	AMOUNT
VAT3CURRENCYVAR	AMOUNT
VAT1BASEVAR	AMOUNT
VAT2BASEVAR	AMOUNT
VAT3BASEVAR	AMOUNT
CHARGETOTALVAT1CURRENCYVAR	AMOUNT
CHARGETOTALVAT2CURRENCYVAR	AMOUNT
CHARGETOTALVAT3CURRENCYVAR	AMOUNT
CHARGETOTALVAT1BASEVAR	AMOUNT
CHARGETOTALVAT2BASEVAR	AMOUNT
CHARGETOTALVAT3BASEVAR	AMOUNT

P OrderList

The following cursors can be used in this printout:

CUSTOMERDEBTOR	Customer
CUSTOMERORDERLINE	OrderLine
REMOVED1	OrderLine
REMOVED2	ItemInformation
ITEMORDERLINE	OrderLine
SALESPERSONORDERHEADER	OrderHeader
SALESPERSONORDERLINE	OrderLine
ITEMCUSTOMER	Customer
SELLINGCUSTOMER	Customer

The following variables can be used in this printout:

CUSTOMERTOTALOUT	BOOLEAN
SALESPERSONVAR	STRING
ITEMTEXTVAR	STRING
ITEMNUMBERVAR	STRING
TODAYSDATE	STRING
THETIME	STRING
NAMEOFUSER	STRING
FromItem	STRING
ToItem	STRING
CUSTOMERTOTALNUMBER	REAL
CUSTOMERTOTALAMOUNT	AMOUNT
ToDate	DATE
FromDate	DATE
PAGENUMBER	INTEGER
IncludeSalesOrders	BOOLEAN
LayoutName	LayoutNameType
ToCustomer	STRING
FromCustomer	STRING
TOTALNUMBER	REAL
AMOUNTTOTAL	AMOUNT
GRANDTOTALNUMBER	REAL
GRANDTOTALAMOUNT	AMOUNT
CUSTOMERNAMEVAR	STRING
CUSTOMERNUMBERVAR	STRING
ORDERNUMBERVAR	INTEGER
DELIVERYDATE	DATE
NUMBERORDEREDVAR	REAL
LINEPRICE	AMOUNT
ORDERVOLUME	REAL
ORDERTYPELETTER	STRING
IncludeQuotations	BOOLEAN
IncludeCreditOrders	BOOLEAN
COMPANYNAME	STRING

P OrderList

FromOrderDateVar	DATE
ToOrderDateVar	DATE
FromStatistic1	STRING
ToStatistic1	STRING
FromStatistic2	STRING
ToStatistic2	STRING
FromStatistic3	STRING
ToStatistic3	STRING
FromStatistic4	STRING
ToStatistic4	STRING
FIRSTLINEVAR	BOOLEAN
ITEMTOTALOUT	BOOLEAN
SALESPERSONTOTALOUT	BOOLEAN
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING

P OrdreVolume

The following cursors can be used in this printout:

REMOVECUSTOMER	Customer
CUSTOMERORDERLINE	OrderLine
REMOVED1	OrderLine
REMOVEITEM	ItemInformation
ITEMORDERLINE	OrderLine
SALESPERSONORDERHEADER	OrderHeader
SALESPERSONORDERLINE	OrderLine

The following variables can be used in this printout:

COMPANYNAME	STRING
REMOVINGALL	BOOLEAN
REMOVINGEXCLQUOTATIONS	BOOLEAN
REMOVINGORDERTYPEVAR	OrdertypeType
ORDERVOLUME	REAL
LINEPRICE	AMOUNT
NUMBERORDEREDVAR	REAL
DELIVERYDATE	DATE
ORDERNUMBERVAR	INTEGER
CUSTOMERNUMBERVAR	STRING
CUSTOMERNAMEVAR	STRING
GRANDTOTALAMOUNT	AMOUNT
GRANDTOTALNUMBER	REAL
AMOUNTTOTAL	AMOUNT
TOTALNUMBER	REAL
FromCustomer	STRING
ToCustomer	STRING
LayoutName	LayoutNameType
ORDERTYPELETTER	STRING
PAGENUMBER	INTEGER
FromDate	DATE
ToDate	DATE
CUSTOMERTOTALAMOUNT	AMOUNT
CUSTOMERTOTALNUMBER	REAL
ToItem	STRING
FromItem	STRING
NAMEOFUSER	STRING
THETIME	STRING
TODAYSDATE	STRING
ITEMNUMBERVAR	STRING
ITEMTEXTVAR	STRING
SALESPERSONVAR	STRING
CUSTOMERTOTALOUT	BOOLEAN
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING

P PackingList

The following cursors can be used in this printout:

ORDERHEADER	OrderHeader
PACKINGLISTLINE	PackingListLine
ORDERTEXTLINE	OrderTextLine
ORDERSERIALNUMBERLINE	OrderSerialNumberLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
ATT1VAR	STRING
ORDERLINEOUTVAR	BOOLEAN
BOMLINEOUTVAR	BOOLEAN
FromOrderNumberVar	INTEGER
ToOrderNumberVar	INTEGER
FromDateVar	DATE
ToDateVar	DATE
SelectedInventoryVar	InventoryNumberType
INTERNALTEXTOUTVAR	BOOLEAN
ADDRESS1	STRING
ADDRESS2	STRING
ADDRESS3	STRING
ADDRESS4	STRING
ADDRESS5	STRING
ADDRESS6	STRING
ADDRESS7	STRING
ADDRESS8	STRING
PAYMENTADDRESS1	STRING
PAYMENTADDRESS2	STRING
PAYMENTADDRESS3	STRING
PAYMENTADDRESS4	STRING
PAYMENTADDRESS5	STRING
PAYMENTADDRESS6	STRING
PAYMENTADDRESS7	STRING
PAYMENTADDRESS8	STRING
CUSTOMERNUMBERVAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromConsignmentNumberVar	STRING
ToConsignmentNumberVar	STRING
FromDestinationNumberVar	STRING
ToDestinationNumberVar	STRING

P PackingList

FromConsignmentDateVar	DATE
ToConsignmentDateVar	DATE
DeliveryModeVar	DeliveryModeType
DeliveryTermsVar	DeliveryTermsType
TransporterVar	TransporterType
ConsignmentTypeVar	ConsignmentTypeType
FromPickDateVar	DATE
ToPickDateVar	DATE
FromMainOrderNumberVar	INTEGER
ToMainOrderNumberVar	INTEGER
FromLocationNumberVar	STRING
ToLocationNumberVar	STRING
IncludePrintedOutVar	BOOLEAN
OrderModeVar	OrderModeType

P PickingList

The following cursors can be used in this printout:

PICKINGLIST	PickingList
PICKINGLISTLINE	PickingListLine
ITEMINFORMATION	ItemInformation

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
InventoryNumberVar	InventoryNumberType
FromPickingListNumberVar	INTEGER
ToPickingListNumberVar	INTEGER
FromOrderNumberVar	INTEGER
ToOrderNumberVar	INTEGER
FromItemPurchaseOrderNumberVar	INTEGER
ToItemPurchaseOrderNumberVar	INTEGER
FromProductionTransactionNumberVar	INTEGER
ToProductionTransactionNumberVar	INTEGER
FromTransactionNumberVar	INTEGER
ToTransactionNumberVar	INTEGER
IncludeOrdersVar	BOOLEAN
IncludeItemPurchaseOrdersVar	BOOLEAN
IncludeProductionVoucherVar	BOOLEAN
IncludeInternalDeclarationsVar	BOOLEAN
IncludeManualMovementVouchersVar	BOOLEAN
IncludeManualPickingListsVar	BOOLEAN
PrintClosedVar	YesNoType
CreatePickingListVar	BOOLEAN
CreateWarehouseTransactionVar	BOOLEAN
PICKINGLISTCLOSEDVAR	BOOLEAN
PICKINGLISTNOTCLOSEDVAR	BOOLEAN
COMPANYNAMEVAR	STRING
ITEMTEXTVAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromConsignmentNumberVar	STRING
ToConsignmentNumberVar	STRING
FromDestinationNumberVar	STRING
ToDestinationNumberVar	STRING
FromConsignmentDateVar	DATE
ToConsignmentDateVar	DATE
DeliveryModeVar	DeliveryModeType

P PickingList

DeliveryTermsVar	DeliveryTermsType
TransporterVar	TransporterType
ConsignmentTypeVar	ConsignmentTypeType
FromPickDateVar	DATE
ToPickDateVar	DATE
FromMainOrderNumberVar	INTEGER
ToMainOrderNumberVar	INTEGER
FromOrderCompanyNumberVar	STRING
ToOrderCompanyNumberVar	STRING
ReprintVar	YesNoType
FromInvoiceNumberVar	INTEGER
ToInvoiceNumberVar	INTEGER
FromMovementTransactionNumberVar	INTEGER
ToMovementTransactionNumberVar	INTEGER
OrderModeVar	OrderModeType
ITEMNUMBERVAR	STRING
FromDeliveryDateVar	DATE
ToDeliveryDateVar	DATE

P Quotation

The following cursors can be used in this printout:

ORDERHEADER	OrderHeader
ORDERLINE	OrderLine
ORDERTEXTLINE	OrderTextLine
BOMLINE	BOMLine
NOTELINE	NoteLine

The following variables can be used in this printout:

DELIVERYCUSTOMERNUMBER	STRING
CHARGETXT4	STRING
CHARGETXT3	STRING
CHARGETXT2	STRING
CHARGETXT1	STRING
DOTS	STRING
TEXTLINEOUT	BOOLEAN
INVOICEDISCOUNT	AMOUNT
ITEMSUMCURRENCY	AMOUNT
ITEMVATLINE	AMOUNT
ORDERTOTAL	AMOUNT
ACCOUNTNUMBER	STRING
ITEMVATTOTAL	AMOUNT
CHARGEVAT	AMOUNT
PAGENUMBER	INTEGER
LayoutName	LayoutNameType
TODAYSDATE	STRING
THETIME	STRING
FirstOrderNumber	INTEGER
LastOrderNumber	INTEGER
FROMDATE	STRING
TODATE	STRING
CHARGE1VATBASE	AMOUNT
CHARGE1VATCURRENCY	AMOUNT
CHARGE2VATBASE	AMOUNT
CHARGE2VATCURRENCY	AMOUNT
CHARGE3VATBASE	AMOUNT
CHARGE3VATCURRENCY	AMOUNT
CHARGE4VATBASE	AMOUNT
CHARGE4VATCURRENCY	AMOUNT
ATT1	STRING
COMPANYLINE	STRING
COMPANYNAME1	STRING
EXTRATEXTOUT	BOOLEAN
DISCOUNTOUT	BOOLEAN
NAMEOFUSER	STRING
CURRENCYVARIABLE	CurrencyType

ITEMSALESOUT	BOOLEAN
INVOICEDISCOUNTOUT	BOOLEAN
ITEMVATOUT	BOOLEAN
CHARGE1OUT	BOOLEAN
CHARGE2OUT	BOOLEAN
CHARGE3OUT	BOOLEAN
CHARGE4OUT	BOOLEAN
CHARGEVATOUT	BOOLEAN
ORDERSUMOUT	BOOLEAN
PRICESOUT	BOOLEAN
DISCOUNTTEXTVAR	STRING
STANDARDCURRENCYOUT	BOOLEAN
STANDARDCURRENCY	CurrencyType
STANDARDAMOUNT	AMOUNT
DELIVERYCUSTOMERNAME1	STRING
DELIVERYCUSTOMERNAME2	STRING
DELIVERYCUSTOMERNAME3	STRING
DELIVERYCUSTOMERNAME4	STRING
DELIVERYCUSTOMERNAME5	STRING
DELIVERYCUSTOMERATTENTION	STRING
PAYERNAME1	STRING
PAYERNAME2	STRING
PAYERNAME3	STRING
PAYERNAME4	STRING
PAYERNAME5	STRING
PAYERATTENTION	STRING
ATT2	STRING
DELIVERTOFIXEDTEXT	STRING
DELIVERYCUSTOMERFIXEDTEXT	STRING
PRICEWITHOUTDISCOUNT	AMOUNT
NEGATIVEDISCOUNT	AMOUNT
DELIVERYADDRESS1	STRING
DELIVERYADDRESS2	STRING
DELIVERYADDRESS3	STRING
DELIVERYADDRESS4	STRING
DELIVERYADDRESS5	STRING
DELIVERYADDRESS6	STRING
DELIVERYADDRESS7	STRING
DELIVERYADDRESS8	STRING
PAYMENTADDRESS1	STRING
PAYMENTADDRESS2	STRING
PAYMENTADDRESS3	STRING
PAYMENTADDRESS4	STRING
PAYMENTADDRESS5	STRING
PAYMENTADDRESS6	STRING
PAYMENTADDRESS7	STRING
PAYMENTADDRESS8	STRING
ENDCUSTOMERADDRESS1	STRING

ENDCUSTOMERADDRESS2	STRING
ENDCUSTOMERADDRESS3	STRING
ENDCUSTOMERADDRESS4	STRING
ENDCUSTOMERADDRESS5	STRING
ENDCUSTOMERADDRESS6	STRING
ENDCUSTOMERADDRESS7	STRING
ENDCUSTOMERADDRESS8	STRING
ENDCUSTOMERNAME1	STRING
ENDCUSTOMERNAME2	STRING
ENDCUSTOMERNAME3	STRING
ENDCUSTOMERNAME4	STRING
ENDCUSTOMERNAME5	STRING
ENDCUSTOMERATTENTION	STRING
ENDCUSTOMERZIPCODE	STRING
ENDCUSTOMERPOSTALDISTRICT	STRING
ENDCUSTOMERCOUNTRY	CountryType
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromPaymentCustomerNumberVar	STRING
ToPaymentCustomerNumberVar	STRING
DepartmentNumberVar	DepartmentNumberType
LanguageVar	LanguageType
FromDeliveryDate	DATE
ToDeliveryDate	DATE
IncludePrinted	BOOLEAN
THELEVEL	INTEGER
CORRECTEDUNITPRICE	AMOUNT
CORRECTEDPRICEWITHOUTDISCOUNT	AMOUNT
CORRECTEDDISCOUNTCURRENCY	AMOUNT
FromExpiryDate	DATE
ToExpiryDate	DATE
DELIVCUSTOMERZIPCODE	STRING
DELIVCUSTOMERPOSTALDISTRICT	STRING
PAYERZIPCODE	STRING
PAYERPOSTALDISTRICT	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
CONSIGNMENTSWEIGHTVAR	REAL
CONSIGNMENTSVOLUMEVAR	REAL
CONSIGNMENTSAREAUNITVAR	REAL
WEIGHTCHARGEVAR	REAL
VOLUMECHARGEVAR	REAL
AREAUNITCHARGEVAR	REAL
FromConsignmentNumberVar	STRING
ToConsignmentNumberVar	STRING
FromDestinationNumberVar	STRING
ToDestinationNumberVar	STRING
FromConsignmentDateVar	DATE

ToConsignmentDateVar	DATE
DeliveryModeVar	DeliveryModeType
DeliveryTermsVar	DeliveryTermsType
TransporterVar	TransporterType
ConsignmentTypeVar	ConsignmentTypeType
FromMainOrderNumberVar	INTEGER
ToMainOrderNumberVar	INTEGER
PAYERCOUNTRY	CountryType
OrderModeVar	OrderModeType
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
DELIVERYTERMSTEXTVAR	STRING
DELIVERYMODETEXTVAR	STRING
UNITTEXTVAR	STRING
NOTEOUT	BOOLEAN
VALUEVAR	STRING
VAT1CURRENCYVAR	AMOUNT
VAT2CURRENCYVAR	AMOUNT
VAT3CURRENCYVAR	AMOUNT
VAT1BASEVAR	AMOUNT
VAT2BASEVAR	AMOUNT
VAT3BASEVAR	AMOUNT
CHARGETOTALVAT1CURRENCYVAR	AMOUNT
CHARGETOTALVAT2CURRENCYVAR	AMOUNT
CHARGETOTALVAT3CURRENCYVAR	AMOUNT
CHARGETOTALVAT1BASEVAR	AMOUNT
CHARGETOTALVAT2BASEVAR	AMOUNT
CHARGETOTALVAT3BASEVAR	AMOUNT
SHOWVAT2VAR	BOOLEAN
SHOWVAT3VAR	BOOLEAN
SHOWCHARGEVAT2VAR	BOOLEAN
SHOWCHARGEVAT3VAR	BOOLEAN

P ReturnsNote

The following cursors can be used in this printout:

ORDERHEADER	OrderHeader
ORDERLINE	OrderLine
BOMLINE	BOMLine
ORDERTEXTLINE	OrderTextLine

The following variables can be used in this printout:

DOTS	STRING
BOMLINEOUT	BOOLEAN
ORDERLINEOUT	BOOLEAN
ATT1	STRING
SelectedInventory	InventoryNumberType
LastOrderNumber	INTEGER
FirstOrderNumber	INTEGER
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
ADDRESS1	STRING
ADDRESS2	STRING
ADDRESS3	STRING
ADDRESS4	STRING
ADDRESS5	STRING
ADDRESS6	STRING
ADDRESS7	STRING
ADDRESS8	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
CONSIGNMENTSWEIGHTVAR	REAL
CONSIGNMENTSVOLUMEVAR	REAL
CONSIGNMENTSAREAUNITVAR	REAL
WEIGHTCHARGEVAR	REAL
VOLUMECHARGEVAR	REAL
AREAUNITCHARGEVAR	REAL
UNITTEXTVAR	STRING

P ItemPurchaseOrder

The following cursors can be used in this printout:

ITEMPURCHASEHEADER	ItemPurchaseHeader
ITEMPURCHASELINE	ItemPurchaseLine
NOTELINE	NoteLine

The following variables can be used in this printout:

INVENTORYNUMBERVAR	INTEGER
INVENTORYADDRESS4	STRING
INVENTORYADDRESS3	STRING
INVENTORYADDRESS2	STRING
INVENTORYADDRESS1	STRING
ITEMTEXTVAR	STRING
ITEMNUMBERVAR	STRING
ATTFIXEDTEXT	STRING
LastDeliveryDateVar	DATE
FirstDeliveryDate	DATE
LastItemPurchaseOrder	INTEGER
FirstItemPurchaseOrder	INTEGER
LayoutName	LayoutNameType
ITEMPURCHASEORDERTOTAL	AMOUNT
NAMEOFUSER	STRING
COMPANYNAME1	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
INFLINE	STRING
OLDVATCODE	STRING
VATAMOUNT	AMOUNT
VATRATE	REAL
DUMMYSTRING	STRING
SHOWINVOICEDISCOUNT	BOOLEAN
SHOWVATAMOUNT	BOOLEAN
SHOWTOTAL	BOOLEAN
ADDRESS1	STRING
ADDRESS2	STRING
ADDRESS3	STRING
ADDRESS4	STRING
ADDRESS5	STRING
ADDRESS6	STRING
ADDRESS7	STRING
ADDRESS8	STRING
TEXTLINEVAR	BOOLEAN
NOTTEXTLINEVAR	BOOLEAN
FromSupplierNumber	STRING
ToSupplierNumber	STRING

P ItemPurchaseOrder

DepartmentNumberVar	DepartmentNumberType
LanguageVar	LanguageType
INVENTORYADDRESS5	STRING
INVENTORYADDRESS6	STRING
INVENTORYADDRESS7	STRING
INVENTORYADDRESS8	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
IncludeNonApprovedVar	BOOLEAN
TARGETGROUPCOMPLETEDVAR	BOOLEAN
DISCOUNTLINEVAR	BOOLEAN
DISCOUNTTEXTVAR	STRING
CORRECTEDUNITPRICEVAR	AMOUNT
CORRECTEDPRICEWITHOUTDISCOUNTVAR	AMOUNT
CORRECTEDDISCOUNTCURRENCYVAR	AMOUNT
IncludeOrderWithoutPreferredDeliveryDateVar	BOOLEAN
NOTEOUT	BOOLEAN
VALUEVAR	STRING
COMPANYNAME	STRING
PAYMENTTERMSTEXTVAR	STRING
DELIVERYTERMSTEXTVAR	STRING
DELIVERYMODETEXTVAR	STRING

P ItemPurchaseOrderList

The following cursors can be used in this printout:

ITEMPURCHASELINE	ItemPurchaseLine
SUPPLIERITEMPURCHASELINE	ItemPurchaseLine
INVENTORYITEMPURCHASELINE	ItemPurchaseLine

The following variables can be used in this printout:

SelectedClosed	BOOLEAN
ToSupplier	STRING
FromSupplier	STRING
ToOnOrder	INTEGER
FromOnOrder	INTEGER
ITEMTEXTVAR	STRING
SUPPLIERNUMBERVAR	STRING
LNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
PAGENUMBER	INTEGER
TODAYSDATE	STRING
TOREMAINDER	REAL
NEWITEM	BOOLEAN
ITEMNUMBERVAR	STRING
LINEPRICE	AMOUNT
VALUETOTAL	AMOUNT
GRANDTOTAL	AMOUNT
FromItem	STRING
ToItem	STRING
FromDate	DATE
ToDate	DATE
THETIME	STRING
GRANDTOTALNUMBER	REAL
TOTALNUMBER	REAL
ALLINVENTORIES	BOOLEAN
InventoryTypeVar	InventoryNumberType
COMPANYNAME	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromPurchaserVar	STRING
ToPurchaserVar	STRING
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
SETTLINGCOMPANYVAR	STRING

P Receipt

The following cursors can be used in this printout:

ITEMPURCHASELINE	ItemPurchaseLine
SUPPLIERITEMPURCHASELINE	ItemPurchaseLine
DATEITEMPURCHASELINE	ItemPurchaseLine
ITEMPURCHASEORDERPURCHASELINE	ItemPurchaseLine
ITEMPURCHASEORDERPURCHASEHEADER	ItemPurchaseHeader

The following variables can be used in this printout:

COMPANYNAME	STRING
InventoryTypeVar	InventoryNumberType
ITEMPURCHASEORDERNUMBERVAR	INTEGER
LINEAPPROVED	BOOLEAN
THETIME	STRING
ToDate	DATE
FromDate	DATE
ToItem	STRING
FromItem	STRING
GRANDTOTAL	AMOUNT
VALUETOTAL	AMOUNT
LINEPRICE	AMOUNT
ITEMNUMBERVAR	STRING
TOREMAINDER	REAL
TODAYSDATE	STRING
PAGENUMBER	INTEGER
NAMEOFUSER	STRING
LayoutName	LayoutNameType
LNAME	STRING
SUPPLIERNUMBERVAR	STRING
EXPECTEDCOMMITMENTDATEVAR	DATE
FromSupplier	STRING
ToSupplier	STRING
FromOnOrder	INTEGER
ToOnOrder	INTEGER
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
LINEPRICECURRENCYVAR	AMOUNT
DISCOUNTCURRENCYVAR	AMOUNT
VALUETOTALCURRENCYVAR	AMOUNT
SETTLINGCOMPANYVAR	STRING

P ReceiptList

The following cursors can be used in this printout:

MOVEMENTVOUCHER	MovementVoucher
ITEMMOVEMENT	ItemMovement
SERIALNUMBERMOVEMENT	SerialNumberMovement

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
STOCKLOCATIONVAR	STRING
SHOWPAGEBREAKVAR	BOOLEAN
FirstTransactionNumberVar	INTEGER
LastTransactionNumberVar	INTEGER
REMOVING1	BOOLEAN

PurchaseSelection

The following cursors can be used in this printout:

The following variables can be used in this printout:

InventoryNumberVar	InventoryNumberType
FromSupplierNumberVar	STRING
ToSupplierNumberVar	STRING
PurchaserFromVar	STRING
PurchaserToVar	STRING
OneOrderPerPurchaserVar	BOOLEAN
ItemGroupVar	ItemGroupType
FromItemNumberVar	STRING
ToItemNumberVar	STRING
FromOrderNumberVar	INTEGER
ReorderFactorVar	REAL
ToOrderNumberVar	INTEGER
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
DepartmentNumberVar	DepartmentNumberType
FromOrderDateVar	DATE
ToOrderDateVar	DATE
FromPackingDateVar	DATE
ToPackingDateVar	DATE
FromConsignmentDateVar	DATE
ToConsignmentDateVar	DATE
PurchaseNotDeliveredVar	BOOLEAN
PurchaseDirectVar	BOOLEAN
AutomaticallyApproveVar	BOOLEAN
IncludeNonInventoriedVar	BOOLEAN
PurchaseRemainderVar	BOOLEAN
ItemTypeVar	ItemTypeType
PurchaseSelectionVar	PurchaseSelectionType
TODAYSDATEVAR	DATE
IncludeExpectedRawMaterialRequirementVar	BOOLEAN
IncludeConsignmentOrderVar	BOOLEAN
PreferredDeliveryDateVar	DATE
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING

RemoveContactData

The following cursors can be used in this printout:

CONTACTCOMPANY

ContactCompany

The following variables can be used in this printout:

NAMEOFUSER	STRING
LAYOUTNAME	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
RemoveContactCompanyVar	BOOLEAN
LastContactDateVar	DATE
RemoveCustomersVar	BOOLEAN
RemoveEventsVar	BOOLEAN
NewestContactDateVar	DATE
FromCampaignNumberVar	STRING
ToCampaignNumberVar	STRING
REMOVECURRENTCONTACTCOMPANYVAR	BOOLEAN
SHOWNUMBERREMOVEDVAR	BOOLEAN
NUMBERREMOVEDEVENTSVAR	INTEGER
NUMBERREMOVEDCONTACTPERSONSVAR	INTEGER

RemoveItemEntries

The following cursors can be used in this printout:

ITEMINFORMATION	ItemInformation
ITEMENTRY	ItemEntry
COMPANYINFORMATION	CompanyInformation

The following variables can be used in this printout:

TRANSACTIONNUMBERVAR	INTEGER
NAMEOFUSER	STRING
LAYOUTNAME	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
RemoveDateVar	DATE
FromItemNumberVar	STRING
ToItemNumberVar	STRING
ItemGroupVar	ItemGroupType
ItemTypeVar	ItemTypeType
PRINTITEM	BOOLEAN
InventoryNumberVar	InventoryNumberType
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
THISCOMPANYNUMBERVAR	STRING

RemoveItemPurchaseOrders

The following cursors can be used in this printout:

ITEMPURCHASEHEADER	ItemPurchaseHeader
COMPANYINFORMATION	CompanyInformation

The following variables can be used in this printout:

COMPANYNAMEVAR	STRING
NAMEOFUSER	STRING
THETIME	STRING
TODAYSDATE	STRING
PAGENUMBER	INTEGER
ClosingDateVar	DATE
LAYOUTNAME	LayoutNameType
NOTUSED	BOOLEAN
COMPANYNAME	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
THISCOMPANYNUMBERVAR	STRING
HASGIVENNOTIFY	BOOLEAN

RemovePostedGeneralJournals

The following cursors can be used in this printout:

The following variables can be used in this printout:

PostedBeforeVar	DATE
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
ERRORTXTVAR	STRING

RemovePurchaseOrders

The following cursors can be used in this printout:

PURCHASEORDERHEADER
COMPANYINFORMATION

PurchaseOrderHeader
CompanyInformation

The following variables can be used in this printout:

NAMEOFUSER
LAYOUTNAME
COMPANYNAME
TODAYSDATE
THETIME
PAGENUMBER
ClosingDateVar
REMOVINGVAR
FromCompanyNumberVar
ToCompanyNumberVar
THISCOMPANYNUMBERVAR

STRING
LayoutNameType
STRING
STRING
STRING
INTEGER
DATE
BOOLEAN
STRING
STRING
STRING

RemoveSecurityLog

The following cursors can be used in this printout:

SECURITYLOG

SecurityLog

The following variables can be used in this printout:

PAGENUMBER

INTEGER

THETIME

STRING

TODAYSDATE

STRING

COMPANYNAME

STRING

LAYOUTNAME

LayoutNameType

NAMEOFUSER

STRING

MADEBEFORE

DATE

RemoveTimeSheets

The following cursors can be used in this printout:

TIMESHEETHEADER

TimeSheetHeader

The following variables can be used in this printout:

NAMEOFUSER	STRING
LAYOUTNAME	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FirstEmployeeNumber	STRING
LastEmployeeNumber	STRING
SuperiorEmployeeVar	STRING
LastWeek	INTEGER
LastYear	INTEGER
LASTPERIODSTART	DATE
EMPLOYEEENAME	STRING
REMOVING	BOOLEAN
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
REMOVED1	STRING

P EmployeePosition

The following cursors can be used in this printout:

EMPLOYEE	Employee
EMPLOYEEPOSITION	EmployeePosition

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
COMPANYNAMEVAR	STRING
ACCESSLEVELDESCRIPTIONVAR	STRING

P PositionInformationCard

The following cursors can be used in this printout:

POSITION	Position
----------	----------

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromPositionNumberVar	STRING
ToPositionNumberVar	STRING
ACCESSLEVELDESCRIPTIONVAR	STRING

P CommissionStatistics

The following cursors can be used in this printout:

EMPLOYEE	Employee
DETAILED CALCULATE COMMISSION	CalculatedCommission

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYS DATE	STRING
THE TIME	STRING
PAGENUMBER	INTEGER
TheYear	INTEGER
FromSalesPerson	STRING
ToSalesPerson	STRING
STARTINGDATE	DATE
ENDINGDATE	DATE
TOTALBASIS	AMOUNT
TOTALCOMMISSION	AMOUNT
MONTH1	STRING
MONTH2	STRING
MONTH3	STRING
MONTH4	STRING
MONTH5	STRING
MONTH6	STRING
MONTH7	STRING
MONTH8	STRING
MONTH9	STRING
MONTH10	STRING
MONTH11	STRING
MONTH12	STRING
BASIS1	AMOUNT
BASIS2	AMOUNT
BASIS3	AMOUNT
BASIS4	AMOUNT
BASIS5	AMOUNT
BASIS6	AMOUNT
BASIS7	AMOUNT
BASIS8	AMOUNT
BASIS9	AMOUNT
BASIS10	AMOUNT
BASIS11	AMOUNT
BASIS12	AMOUNT
COMMISSION1	AMOUNT
COMMISSION2	AMOUNT
COMMISSION3	AMOUNT

P CommissionStatistics

COMMISSION4	AMOUNT
COMMISSION5	AMOUNT
COMMISSION6	AMOUNT
COMMISSION7	AMOUNT
COMMISSION8	AMOUNT
COMMISSION9	AMOUNT
COMMISSION10	AMOUNT
COMMISSION11	AMOUNT
COMMISSION12	AMOUNT
ITEMGROUPVAR	ItemGroupType
CUSTOMERGROUPVAR	CustomerGroupType
ACTIVITYNUMBERVAR	STRING
SMALLESTSALEVAR	AMOUNT
COMMISSIONRATEVAR	REAL
IncludeBlockedSalesPersons	BOOLEAN
FromCompany	STRING
ToCompany	STRING

P CurrencyPositions

The following cursors can be used in this printout:

CUSTOMERENTRY
VENDORENTRY

CustomerEntry
VendorEntry

The following variables can be used in this printout:

CONVERTEDAMOUNTSUM	AMOUNT
CONVERTEDAMOUNTGTSUM	AMOUNT
StartingDate	DATE
CONVERTEDAMOUNTGT120	AMOUNT
CONVERTEDAMOUNTGT90	AMOUNT
CONVERTEDAMOUNTGT60	AMOUNT
CONVERTEDAMOUNTGT30	AMOUNT
ORIGINALAMOUNTGT120	AMOUNT
ORIGINALAMOUNTGT90	AMOUNT
ORIGINALAMOUNTGT60	AMOUNT
ORIGINALAMOUNTGT30	AMOUNT
CURRENCYAMOUNTGT120	AMOUNT
CURRENCYAMOUNTGT90	AMOUNT
CURRENCYAMOUNTGT60	AMOUNT
CURRENCYAMOUNTGT30	AMOUNT
DATE90	DATE
DATE60	DATE
DATE30	DATE
CONVERTEDAMOUNT120	AMOUNT
ORIGINALAMOUNT120	AMOUNT
CURRENCYTOTAL120	AMOUNT
CONVERTEDAMOUNT90	AMOUNT
ORIGINALAMOUNT90	AMOUNT
CURRENCYTOTAL90	AMOUNT
CONVERTEDAMOUNT60	AMOUNT
ORIGINALAMOUNT60	AMOUNT
CURRENCYTOTAL60	AMOUNT
CONVERTEDAMOUNT30	AMOUNT
ORIGINALAMOUNT30	AMOUNT
CURRENCYTOTAL30	AMOUNT
CurrencyVar	CurrencyType
THETIME	STRING
TODAYSDATE	STRING
PAGENUMBER	INTEGER
NAMEOFUSER	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
ENTRYSTANDARD	AMOUNT
ENTRYBASE	AMOUNT
CURRENCYTOTALSUM	AMOUNT

P CurrencyPositions

CURRENCYAMOUNTGTSUM	AMOUNT
ORIGINALAMOUNTSUM	AMOUNT
ORIGINALAMOUNTGTSUM	AMOUNT
INCLUDEALL	BOOLEAN
GRANDTOTALOUT	BOOLEAN
ORIGINALTOTAL30	AMOUNT
CONVERTEDTOTAL30	AMOUNT
ORIGINALTOTAL60	AMOUNT
CONVERTEDTOTAL60	AMOUNT
ORIGINALTOTAL90	AMOUNT
CONVERTEDTOTAL90	AMOUNT
ORIGINALTOTAL120	AMOUNT
CONVERTEDTOTAL120	AMOUNT
ORIGINALTOTALSUM	AMOUNT
CONVERTEDTOTALSUM	AMOUNT
CUSTOMERTOTALOUT	BOOLEAN
VENDORTOTALOUT	BOOLEAN
CUST30	AMOUNT
CUST60	AMOUNT
CUST90	AMOUNT
CUST120	AMOUNT
FromCompanyVar	STRING
ToCompanyVar	STRING
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
STANDARDCURRENCYVAR	CurrencyType
COMPANYCURRENCYVAR	CurrencyType

P CustomerGroupStatistics

The following cursors can be used in this printout:

COMPANYCUSTOMER

CompanyCustomer

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FirstS1	STRING
FirstS2	STRING
FirstS3	STRING
FirstS4	STRING
LastS1	STRING
LastS2	STRING
LastS3	STRING
LastS4	STRING
FirstCustomer	STRING
LastCustomer	STRING
ALLCUSTOMERGROUPS	BOOLEAN
SelectedCustomerGroup	CustomerGroupType
ALLDEPARTMENTS	BOOLEAN
SelectedDepartment	DepartmentNumberType
ALLCOUNTRIES	BOOLEAN
SelectedCountry	CountryType
ShowCustomer	BOOLEAN
SHOWCUSTOMERORIGINAL	BOOLEAN
IncludeCustomersWithoutSales	BOOLEAN
YearVar	INTEGER
MonthVar	INTEGER
CUSTOMERNOVAR	STRING
CUSTOMERNAMEVAR	STRING
CUSTOMERGROUPVAR	CustomerGroupType
CUSTOMERMONTHSALES	AMOUNT
CUSTOMERYTDSALES	AMOUNT
CUSTOMERMONTHGROSSMARGIN	AMOUNT
CUSTOMERYTDGROSSMARGIN	AMOUNT
CUSTOMERMONTHPERCGROSSMARGIN	REAL
CUSTOMERYTDPERCGROSSMARGIN	REAL
CUSTOMERGROUPMONTHSALES	AMOUNT
CUSTOMERGROUPPYTDSALES	AMOUNT
CUSTOMERGROUPMONTHGROSSMARGIN	AMOUNT
CUSTOMERGROUPPYTDGROSSMARGIN	AMOUNT
TOTALMONTHSALES	AMOUNT

P CustomerGroupStatistics

TOTALYTDSALES	AMOUNT
TOTALMONTHGROSSMARGIN	AMOUNT
TOTALYEARGROSSMARGIN	AMOUNT
CUSTOMERGROUPHEADEROUT	BOOLEAN
CUSTOMERGROUPTOTALOUT	BOOLEAN
CUSTOMERGROUPMONTHGMP	REAL
CUSTOMERGROUPPYTDGMP	REAL
TOTALMONTHGMP	REAL
TOTALYTDGMP	REAL
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
BASECURRENCYVAR	CurrencyType
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE

P CustomerStatistics

The following cursors can be used in this printout:

COMPANYCUSTOMER	CompanyCustomer
CUSTOMERPERIOD	CustomerPeriod

The following variables can be used in this printout:

NOCURRENCY	BOOLEAN
SelectedCurrency	CurrencyType
COMPANYNAME	STRING
ToCustomer	STRING
FromCustomer	STRING
FROMYEARDATE	DATE
TOYEARDATE	DATE
ToYear	INTEGER
FromYear	INTEGER
LayoutName	LayoutNameType
TODAYSDATE	STRING
PAGENUMBER	INTEGER
DebitTotalVar	AMOUNT
CreditTotalVar	AMOUNT
BASETOTALVAR	AMOUNT
SalesTotalVar	AMOUNT
MarkUpTotalVar	AMOUNT
aYearVar	INTEGER
BTotalVar	AMOUNT
OTotalVar	AMOUNT
ATotalVar	AMOUNT
NAME1VAR	STRING
CURRENCYVAR	CurrencyType
NAMEOFUSER	STRING
THETIME	STRING
NOCOUNTRY	BOOLEAN
NODEPARTMENT	BOOLEAN
NOCUSTOMERGROUP	BOOLEAN
SelectedCustomerGroup	CustomerGroupType
SelectedCountry	CountryType
SelectedDepartment	DepartmentNumberType
FirstS1	STRING
FirstS2	STRING
FirstS3	STRING
FirstS4	STRING
LastS1	STRING
LastS2	STRING
LastS3	STRING
LastS4	STRING
PERCGROSSMARGIN1VAR	AMOUNT

P CustomerStatistics

PERCGROSSMARGIN2VAR	AMOUNT
PERCGROSSMARGIN3VAR	AMOUNT
PERCGROSSMARGIN4VAR	AMOUNT
PERCGROSSMARGIN5VAR	AMOUNT
PERCGROSSMARGIN6VAR	AMOUNT
PERCGROSSMARGIN7VAR	AMOUNT
PERCGROSSMARGIN8VAR	AMOUNT
PERCGROSSMARGIN9VAR	AMOUNT
PERCGROSSMARGIN10VAR	AMOUNT
PERCGROSSMARGIN11VAR	AMOUNT
PERCGROSSMARGIN12VAR	AMOUNT
PERCGROSSMARGINTOTALVAR	AMOUNT
Base1Var	AMOUNT
Base2Var	AMOUNT
Base3Var	AMOUNT
Base4Var	AMOUNT
Base5Var	AMOUNT
Base6Var	AMOUNT
Base7Var	AMOUNT
Base8Var	AMOUNT
Base9Var	AMOUNT
Base10Var	AMOUNT
Base11Var	AMOUNT
Base12Var	AMOUNT
Sales1Var	AMOUNT
Sales2Var	AMOUNT
Sales3Var	AMOUNT
Sales4Var	AMOUNT
Sales5Var	AMOUNT
Sales6Var	AMOUNT
Sales7Var	AMOUNT
Sales8Var	AMOUNT
Sales9Var	AMOUNT
Sales10Var	AMOUNT
Sales11Var	AMOUNT
Sales12Var	AMOUNT
MarkUp1Var	AMOUNT
MarkUp2Var	AMOUNT
MarkUp3Var	AMOUNT
MarkUp4Var	AMOUNT
MarkUp5Var	AMOUNT
MarkUp6Var	AMOUNT
MarkUp7Var	AMOUNT
MarkUp8Var	AMOUNT
MarkUp9Var	AMOUNT
MarkUp10Var	AMOUNT
MarkUp11Var	AMOUNT
MarkUp12Var	AMOUNT

P CustomerStatistics

GMPTOTALVAR	AMOUNT
FromSettlingCompanyVar	STRING
ToSettlingCompanyVar	STRING
SETTLINGCOMPANYNAMEVAR	STRING
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE

P IntrastatReport

The following cursors can be used in this printout:

INTRASTATREPORT	IntrastatReport
INTRASTATDECLARATION	IntrastatDeclaration
INTRASTATENTRY	IntrastatEntry
INTRASTATLINE	IntrastratEntryLine
INTRASTATENTRYBACKPAGE	IntrastatEntry
INTRASTATENTRYFRONTPAGE	IntrastatEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromReportNumberVar	INTEGER
ToReportNumberVar	INTEGER
SHOWONLYERRORSVAR	BOOLEAN
ITEMSHIPMENTRECEIPTVAR	STRING
INVOICEITEMPURCHASEORDERNUMBERVAR	INTEGER
INVOICEITEMPURCHASEORDERVAR	STRING
SENDINBYVAR	DATE
TAXAUTHORITYNAME1VAR	STRING
TAXAUTHORITYNAME2VAR	STRING
TAXAUTHORITYNAME3VAR	STRING
TAXAUTHORITYNAME4VAR	STRING
ADDRESS1VAR	STRING
ADDRESS2VAR	STRING
ADDRESS3VAR	STRING
ADDRESS4VAR	STRING
ADDRESS5VAR	STRING
ADDRESS6VAR	STRING
ADDRESS7VAR	STRING
ADDRESS8VAR	STRING
COMPANYREGISTRATIONNUMBERVAR	STRING
PERIODVAR	STRING
NETWEIGHTVAR	INTEGER
SUPPLEMENTARYUNITSVAR	STRING
TRANSPORTMODEVAR	STRING
MEMBERSTATEVAR	STRING
TRANSACTIONNATUREVAR	STRING
ITEMDESCRIPTIONVAR	STRING
PAGEBREAKVAR	BOOLEAN
CNCODEVAR	STRING
SHOWBACKPAGEHEADERVAR	BOOLEAN

P IntrastatReport

VALUEVAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING

P InvoiceStatistics

The following cursors can be used in this printout:

SVINVOICELINE	InvoiceLine
K_INVOICELINE	InvoiceLine

The following variables can be used in this printout:

ShowCustomersItemsDialog	BOOLEAN
SHOWITEMGROUPTOTAL	BOOLEAN
SHOWONLYITEMGROUPS	BOOLEAN
SHOWONLYCUSTOMERITEMTOTAL	BOOLEAN
ITEMGROUPVAR	ItemGroupType
SALESPERSONVAR	STRING
ITEMTEXTVAR	STRING
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
COLUMNTITLE1	STRING
COLUMNTITLE2	STRING
COLUMNTITLE3	STRING
COLUMNTITLE4	STRING
COLUMNTITLE5	STRING
COLUMNTITLE6	STRING
FirstCustomer	STRING
LastCustomer	STRING
FirstItem	STRING
LastItem	STRING
SelectedCustomerGroup	CustomerGroupType
REMOVED1	BOOLEAN
SelectedItemGroup	ItemGroupType
REMOVED2	BOOLEAN
SelectedItemType	ItemTypeType
REMOVED3	BOOLEAN
SelectedInventory	InventoryNumberType
REMOVED4	BOOLEAN
SelectedDepartment	DepartmentNumberType
REMOVED5	BOOLEAN
FirstSalesPerson	STRING
LastSalesPerson	STRING
SHOWCUSTOMERITEMTOTAL	BOOLEAN
ShowLines	BOOLEAN
ColumnChoice1	StatisticColumnType
ColumnChoice2	StatisticColumnType
ColumnChoice3	StatisticColumnType

ColumnChoice4	StatisticColumnType
ColumnChoice5	StatisticColumnType
ColumnChoice6	StatisticColumnType
PERCENTAGE1	BOOLEAN
PERCENTAGE2	BOOLEAN
Percentage3	BOOLEAN
Percentage4	BOOLEAN
Percentage5	BOOLEAN
Percentage6	BOOLEAN
FromDate1	DATE
ToDate1	DATE
FromDate2	DATE
ToDate2	DATE
FromDate3	DATE
ToDate3	DATE
FromDate4	DATE
ToDate4	DATE
FromDate5	DATE
ToDate5	DATE
FromDate6	DATE
ToDate6	DATE
LEFTOPERATOR1	INTEGER
RIGHTOPERATOR1	INTEGER
LEFTOPERATOR2	INTEGER
RIGHTOPERATOR2	INTEGER
LeftOperator3	INTEGER
RightOperator3	INTEGER
LeftOperator4	INTEGER
RightOperator4	INTEGER
LeftOperator5	INTEGER
RightOperator5	INTEGER
LeftOperator6	INTEGER
RightOperator6	INTEGER
FIELD1	STRING
FIELD2	STRING
FIELD3	STRING
FIELD4	STRING
FIELD5	STRING
FIELD6	STRING
ITEMNUMBERVAR	STRING
CUSTOMERNUMBERFIXEDTEXT	STRING
SHOWONLYCUSTOMERS	BOOLEAN
SHOWCUSTOMERTOTAL	BOOLEAN
CUSTOMERGROUPVAR	CustomerGroupType
CUSTOMERNUMBERVAR	STRING
CUSTOMERNAMEVAR	STRING
INVOICENUMBERFIXEDTEXT	STRING
REMOVED6	STRING

P InvoiceStatistics

FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
CURRENCYVAR	CurrencyType

P ItemGroupStatistics

The following cursors can be used in this printout:

ITEMINFORMATION

ItemInformation

The following variables can be used in this printout:

TOTALYTDGMP	REAL
TOTALMONTHGMP	REAL
ITEMGROUPTYTDGMP	REAL
ITEMGROUPMONTHGMP	REAL
ITEMGROUPTOTALOUT	BOOLEAN
ITEMGROUPHEADINGOUT	BOOLEAN
ITEMGROUPVAR	ItemGroupType
ITEMTEXTVAR	STRING
TOTALYEARGROSSMARGIN	AMOUNT
TOTALMONTHGROSSMARGIN	AMOUNT
TOTALYTDSALES	AMOUNT
TOTALMONTHSALES	AMOUNT
ITEMGROUPTYTDGROSSMARGIN	AMOUNT
ITEMGROUPMONTHGROSSMARGIN	AMOUNT
ITEMGROUPTYTDSALES	AMOUNT
ITEMGROUPMONTHSALES	AMOUNT
ITEMYTDPERCGROSSMARGIN	REAL
ITEMMONTHPERCGROSSMARGIN	REAL
ITEMYTDGROSSMARGIN	AMOUNT
ITEMMONTHGROSSMARGIN	AMOUNT
ITEMYTDSALES	AMOUNT
ITEMMONTHSALES	AMOUNT
SelectedInventory	InventoryNumberType
REMOVED1	BOOLEAN
INVENTORYNOVAR	InventoryNumberType
ITEMNOVAR	STRING
MonthVar	INTEGER
YearVar	INTEGER
IncludeItemsWithoutSales	BOOLEAN
ShowItem	BOOLEAN
SelectedItemType	ItemTypeType
SelectedItemGroup	ItemGroupType
LastItem	STRING
FirstItem	STRING
LastS4	STRING
LastS3	STRING
LastS2	STRING
LastS1	STRING
FirstS4	STRING
FirstS3	STRING
FirstS2	STRING

P ItemGroupStatistics

FirstS1	STRING
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
SHOWITEMORIGINAL	BOOLEAN
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
ENTERPRISECURRENCYVAR	CurrencyType

P ItemStatistics

The following cursors can be used in this printout:

ITEMINFORMATION	ItemInformation
ITEMPERIOD	ItemPeriod

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FirstYear	INTEGER
LastYear	INTEGER
FirstItem	STRING
LastItem	STRING
SelectedItemGroup	ItemGroupType
SelectedItemType	ItemTypeType
FirstStatistic1	STRING
LastStatistic1	STRING
FirstStatistic2	STRING
LastStatistic2	STRING
FirstStatistic3	STRING
LastStatistic3	STRING
FirstStatistic4	STRING
LastStatistic4	STRING
FIRSTPERIODSTART	DATE
LASTPERIODSTART	DATE
AYEAR	INTEGER
PURCHASEPCTOTAL	REAL
SALESPCTOTAL	REAL
PURCHASEPRICETOTAL	AMOUNT
BILLINGPRICETOTAL	AMOUNT
MARKUPPRICETOTAL	AMOUNT
BASEGRANDTOTAL	AMOUNT
PURCHASEPCGRANDTOTAL	REAL
SALESPCGRANDTOTAL	REAL
PURCHASEPRICEGRANDTOTAL	AMOUNT
BILLINGPRICEGRANDTOTAL	AMOUNT
MARKUPPRICEGRANDTOTAL	AMOUNT
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
GRANDTOTALCURRENCYVAR	CurrencyType

P SalesListSystemReport

The following cursors can be used in this printout:

SALESLISTSYSTEMREP	SalesListSystemRep
SALESLISTSYSTEMREENTRY	SalesListSystemRepEntry
SALESLISTSYSTEMREPLINE	SalesListSystemRepLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromReportNumberVar	INTEGER
ToReportNumberVar	INTEGER
ADDRESS1VAR	STRING
ADDRESS2VAR	STRING
ADDRESS3VAR	STRING
ADDRESS4VAR	STRING
ADDRESS5VAR	STRING
ADDRESS6VAR	STRING
COMPANYREGISTRATIONNUMBERVAR	STRING
COUNTRYCODEVAR	STRING
CODEVAR	STRING
ShowAlsoLinesVar	BOOLEAN
ADDRESS8VAR	STRING
ADDRESS7VAR	STRING
SHOWONLYERRORSVAR	BOOLEAN
SHOWSIGNATUREBLOCKVAR	BOOLEAN
LINENUMBERVAR	INTEGER
CUSTOMERNAMEVAR	STRING
SALESAMOUNTVAR	STRING
SALESAMOUNT3VAR	STRING
AMOUNTTOTALVAR	STRING
VATNUMBERVAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING

P VendorStatistics

The following cursors can be used in this printout:

COMPANYVENDOR	CompanyVendor
VENDORPERIOD	VendorPeriod

The following variables can be used in this printout:

SelectedVendorGroup	VendorGroupType
BASEGRANDTOTAL	AMOUNT
BASETOTAL	AMOUNT
CREDITTOTAL	AMOUNT
DEBITTOTAL	AMOUNT
AYEAR	INTEGER
LASTPERIODSTART	DATE
FIRSTPERIODSTART	DATE
LastStatistic4	STRING
FirstStatistic4	STRING
LastStatistic3	STRING
FirstStatistic3	STRING
LastStatistic2	STRING
FirstStatistic2	STRING
LastStatistic1	STRING
FirstStatistic1	STRING
SelectedCurrency	CurrencyType
SelectedCountry	CountryType
SelectedDepartment	DepartmentNumberType
LastVendor	STRING
FirstVendor	STRING
LastYear	INTEGER
FirstYear	INTEGER
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
ITEMPURCHASETOTAL	AMOUNT
ITEMPURCHASEGRANDTOTAL	AMOUNT
FromSettlingCompanyVar	STRING
ToSettlingCompanyVar	STRING
SETTLINGCOMPANYNAMEVAR	STRING
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
BASECURRENCYVAR	CurrencyType
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE

UpdateSubscriptionOrders

The following cursors can be used in this printout:

The following variables can be used in this printout:

FromSubscriptionOrderNumberVar	INTEGER
ToSubscriptionOrderNumberVar	INTEGER
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromPaymentCustomerNumberVar	STRING
ToPaymentCustomerNumberVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromSubscriptionNumberVar	STRING
ToSubscriptionNumberVar	STRING
SubscriptionGroupVar	SubscriptionGroupType
FromPublicationDateVar	DATE
ToPublicationDateVar	DATE
IncludeDiscontinuedVar	BOOLEAN
FromItemNumberVar	STRING
ToItemNumberVar	STRING

P SubscriptionInformationCard

The following cursors can be used in this printout:

SUBSCRIPTION	Subscription
PUBLICATION	Publication
LANGUAGETEXTLINE	LanguageTextLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromSubscriptionNumberVar	STRING
ToSubscriptionNumberVar	STRING
SubscriptionGroupVar	SubscriptionGroupType
FromPublicationDateVar	DATE
ToPublicationDateVar	DATE
IncludeDiscontinuedVar	BOOLEAN
UNITVAR	UnitType
PRICEUNITVAR	REAL
ITEMTEXT1VAR	STRING
INITIALIZEDVAR	BOOLEAN

P SubscriptionOrder

The following cursors can be used in this printout:

SUBSCRIPTIONORDERHEADER	SubscriptionOrderHeader
SUBSCRIPTIONLINE	SubscriptionLine
ORDERLINE	OrderLine
K_SUBSCRIPTIONLINE	SubscriptionLine
A_SUBSCRIPTIONLINE	SubscriptionLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME1	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromSubscriptionOrderNumberVar	INTEGER
ToSubscriptionOrderNumberVar	INTEGER
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromPaymentCustomerVar	STRING
ToPaymentCustomerVar	STRING
DepartmentNumberVar	DepartmentNumberType
LanguageVar	LanguageType
COMPANYNAMEVAR	STRING
COMPANYLINEVAR	STRING
PAYMENTADDRESS1	STRING
PAYMENTADDRESS2	STRING
PAYMENTADDRESS3	STRING
PAYMENTADDRESS4	STRING
PAYMENTADDRESS5	STRING
PAYMENTADDRESS6	STRING
PAYMENTADDRESS7	STRING
PAYMENTADDRESS8	STRING
DELIVERYADDRESS1	STRING
DELIVERYADDRESS2	STRING
DELIVERYADDRESS3	STRING
DELIVERYADDRESS4	STRING
DELIVERYADDRESS5	STRING
DELIVERYADDRESS6	STRING
DELIVERYADDRESS7	STRING
DELIVERYADDRESS8	STRING
DELIVERTOFIXEDTEXT	STRING
DELIVERYCUSTOMERFIXEDTEXT	STRING
DELIVERYCUSTOMERNUMBER	STRING
DISCOUNTOUT	BOOLEAN
PRICEWITHOUTDISCOUNT	AMOUNT

P SubscriptionOrder

DISCOUNTTEXTVAR	STRING
NEGATIVEDISCOUNTVAR	AMOUNT
SHOWPUBLICATIONSVAR	BOOLEAN
ORDERLINEPRICEWITHOUTDISCOUNT	AMOUNT
ORDERLINEDISCOUNTOUT	BOOLEAN
ORDERLINEDISCOUNTTEXTVAR	STRING
ORDERLINENEGATIVEDISCOUNTVAR	AMOUNT
ExcludePublicationsWithPriceVar	BOOLEAN
IncludePublicationsWithOutPriceVar	BOOLEAN
NAME1VAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
DELIVERYCUSTOMERNAME1	STRING
DELIVERYCUSTOMERNAME2	STRING
DELIVERYCUSTOMERNAME3	STRING
DELIVERYCUSTOMERNAME4	STRING
DELIVERYCUSTOMERNAME5	STRING
DELIVERYCUSTOMERATTENTION	STRING
PAYERNAME1	STRING
PAYERNAME2	STRING
PAYERNAME3	STRING
PAYERNAME4	STRING
PAYERNAME5	STRING
PAYERATTENTION	STRING
ATT1	STRING
ATT2	STRING
DELIVCUSTOMERZIPCODE	STRING
DELIVCUSTOMERPOSTALDISTRICT	STRING
PAYERZIPCODE	STRING
PAYERPOSTALDISTRICT	STRING
DELIVERYCUSTOMERCOUNTRY	CountryType
PAYERCOUNTRY	CountryType
INTERESTREMINDERPRINCIPLETEXTVAR	STRING
PAYMENTTERMSTEXTVAR	STRING
INVOICINGFORMTEXTVAR	STRING
UNITTEXTVAR	STRING

SubscriptionHistories

The following cursors can be used in this printout:

The following variables can be used in this printout:

FromSubscrOrderNumberVar	INTEGER
ToSubscrOrderNumberVar	INTEGER
FromSubscriptionNumberVar	STRING
ToSubscriptionNumberVar	STRING
SubscriptionGroupVar	SubscriptionGroupType
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
FromPaymentCustomerVar	STRING
ToPaymentCustomerVar	STRING
CustomerGroupVar	CustomerGroupType
CuttingDateVar	DATE
ToCompanyNumberVar	STRING
FromCompanyNumberVar	STRING

SubscriptionUpdate

The following cursors can be used in this printout:

The following variables can be used in this printout:

FromSubscrOrderNumberVar	INTEGER
ToSubscrOrderNumberVar	INTEGER
FromSubscriptionNumberVar	STRING
ToSubscriptionNumberVar	STRING
SubscriptionGroupVar	SubscriptionGroupType
FromCustomerNumberVar	STRING
ToCustomerNumberVar	STRING
CustomerGroupVar	CustomerGroupType
FromStatistic1	STRING
ToStatistic1	STRING
FromStatistic2	STRING
ToStatistic2	STRING
FromStatistic3	STRING
ToStatistic3	STRING
FromStatistic4	STRING
ToStatistic4	STRING
FromItemNumberVar	STRING
ToItemNumberVar	STRING
FromDateVar	DATE
ToDateVar	DATE
NewNumberVar	REAL
NewSubscriptionNumber	STRING
UpdateOrderLineVar	BOOLEAN
UpdateSubscriptionLineVar	BOOLEAN
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING

ImportPaymentStatus

The following cursors can be used in this printout:

INPUTDATAHEADER	InputDataHeader
INPUTDATA LINE	InputDataLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYS DATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
PaymentAgentVar	STRING
ImportFileVar	BOOLEAN
ModeNumberVar	INTEGER
SHOWERROR ENTRYVAR	BOOLEAN
NUMBEROFENTRIESVAR	INTEGER
NUMBEROFERRORENTRIESVAR	INTEGER
NUMBERPAYEDVAR	INTEGER
NUMBERREJECTEDVAR	INTEGER
AMOUNTBASETOTALVAR	AMOUNT

P ApprovalList

The following cursors can be used in this printout:

VENDORENTRY	VendorEntry
D_INVOICEALLOCATIONLINE	InvoiceAllocationLine

The following variables can be used in this printout:

LayoutName	LayoutNameType
COMPANYNAME	STRING
NAMEOFUSER	STRING
PAGENUMBER	INTEGER
TODAYSDATE	STRING
THETIME	STRING
SelectedResponsible	STRING
NONERESPONSIBLE	BOOLEAN
VENDORNAME	STRING
FromListNumberVar	INTEGER
ToListNumberVar	INTEGER
CreateListVar	BOOLEAN
CompanyVar	STRING
VendorNumberVar	STRING
VendorInvoiceNumberVar	STRING
IncludePreviouslyListsVar	BOOLEAN
EMPLOYEEENAMEVAR	STRING
DUEDATEVAR	DATE
NOTFIRSTPAGEVAR	BOOLEAN
DEBITAMOUNTBASEVAR	AMOUNT
CREDITAMOUNTBASEVAR	AMOUNT
PAYMENTVENDORNUMBERVAR	STRING
PAYMENTVENDORNAMEVAR	STRING
INVOICETEXTVAR	STRING
BASECURRENCYVAR	CurrencyType
PRINTLINE2VAR	BOOLEAN

P Check

The following cursors can be used in this printout:

OUTPUTDATALINE	OutputDataLine
OUTPUTDATARECONCILIATION	OutputDataReconciliation
OUTPUTDATAREMITTANCELINE	OutputDataRemittanceLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
CheckbookVar	CheckbookType
PaymentModeVar	STRING
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
CheckNumberVar	INTEGER
PlaceOfIssueVar	STRING
ADDRESS1VAR	STRING
ADDRESS2VAR	STRING
ADDRESS3VAR	STRING
ADDRESS4VAR	STRING
ADDRESS5VAR	STRING
ADDRESS6VAR	STRING
ADDRESS7VAR	STRING
CENTAMOUNTVAR	STRING
DOLLARAMOUNTVAR	STRING
ADDRESS8VAR	STRING
DISTANCEBETWEENCHECKVAR	BOOLEAN
TEXTDOLLARVAR	STRING
INVOICEAMOUNTTEXTVAR	STRING
TEXTCENTSVAR	STRING
CENTSDASHHUNDREDSVAR	STRING
STARAMOUNTVAR	STRING
TEXT1000000000DOLLARVAR	STRING
TEXT100000000DOLLARVAR	STRING
TEXT10000000DOLLARVAR	STRING
TEXT1000000DOLLARVAR	STRING
TEXT100000DOLLARVAR	STRING
TEXT10000DOLLARVAR	STRING
TEXT1000DOLLARVAR	STRING
TEXT100DOLLARVAR	STRING
TEXT10DOLLARVAR	STRING
TEXT1DOLLARVAR	STRING
TEXT10CENTSVAR	STRING

P Check

TEXT1CENTSVAR	STRING
STARTEXT1000000000DOLLARSVAR	STRING
STARTEXT100000000DOLLARSVAR	STRING
STARTEXT10000000DOLLARSVAR	STRING
STARTEXT1000000DOLLARSVAR	STRING
STARTEXT100000DOLLARSVAR	STRING
STARTEXT10000DOLLARSVAR	STRING
STARTEXT1000DOLLARSVAR	STRING
STARTEXT100DOLLARSVAR	STRING
STARTEXT10DOLLARSVAR	STRING
STARTEXT1DOLLARSVAR	STRING
STARTEXT10CENTSVAR	STRING
STARTEXT1CENTSVAR	STRING
CUSTOMINVOICEAMOUNTTEXTVAR	STRING
FIRSTREMITTANCEBLOCKVAR	BOOLEAN
SPACESINWRITTENAMOUNTVAR	BOOLEAN
SECONdreMITTANCEBLOCKVAR	BOOLEAN
OURCUSTOMERNUMBERVAR	STRING
FIRSTRECONCILIATIONBLOCKVAR	BOOLEAN
TEXTFORUNVALIDCHECKVAR	STRING
SECONdreCONCILIATIONBLOCKVAR	BOOLEAN
PAYMENTNUMBERVAR	INTEGER
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
TestPrintoutVar	BOOLEAN
NOTTESTPRINTVAR	BOOLEAN
PAYMENTDATEVAR	DATE
PAYMENTDATEFORMATTEDVAR	STRING
PAYMENTCURRENCYVAR	AMOUNT
COMPANYNAME10FORIGINVAR	STRING
SETTLINGCOMPANYNAME1VAR	STRING
PreferredPaymentDateVar	DATE
FromSupplierNumberVar	STRING
ToSupplierNumberVar	STRING
FromCardTypeCodeVar	STRING
ToCardTypeCodeVar	STRING
FromCompanyOfOriginVar	STRING
ToCompanyOfOriginVar	STRING
FromPaymentDateVar	DATE
ToPaymentDateVar	DATE
VendorGroupVar	VendorGroupType
VendorControlAccountCodeVar	VendorControlAccountType
TransactionTypeVar	STRING
PAYMENTAGENTVAR	STRING

P CompanyVendorInfoCard

The following cursors can be used in this printout:

COMPANYVENDOR

CompanyVendor

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromSettlingCompanyVar	STRING
ToSettlingCompanyVar	STRING
VendorGroupTypeVar	VendorGroupType
DepartmentVar	DepartmentNumberType
CountryVar	CountryType
PAYMENTVENDORNAME1VAR	STRING
PAYMENTVENDORNAME2VAR	STRING
PAYMENTVENDORNAME3VAR	STRING
PAYMENTVENDORNAME4VAR	STRING
PAYMENTVENDORNAME5VAR	STRING
PAYMENTVENDORATTENTIONVAR	STRING
PAYMENTVENDORZIPCODEVAR	STRING
PAYMENTVENDORPOSTALDISTRICTVAR	STRING
PAYMENTVENDORCOUNTRYVAR	CountryType
PARENTVENDORNAME1VAR	STRING
SETTLINGCOMPANYNAME1VAR	STRING
RESPONSIBLENAMEVAR	STRING
DOCUMENTARCHIVEDescriptionVAR	STRING
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE

P EmployeeRequisition

The following cursors can be used in this printout:

REQUISITIONHEADER	RequisitionHeader
REQUISITIONLINE	RequisitionLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
CompanyName	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
PAGEBREAKVAR	BOOLEAN
RequisitionTypeNameVar	STRING
FromRequisitionNumberVar	INTEGER
ToRequisitionNumberVar	INTEGER
FromJobNumberVar	STRING
ToJobNumberVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromSupplierNumberVar	STRING
ToSupplierNumberVar	STRING
FromEmployeeNumberVar	STRING
ToEmployeeNumberVar	STRING
RequisitionStatusVar	RequisitionStatusType
DUMMYBOOLEANVAR	BOOLEAN
EMPLOYEEENAMEVAR	STRING
EMPLOYEEELECTRONICMAILADDRESSVAR	STRING
EMPLOYEECOMPANYCURRENCYVAR	CurrencyType
JOBNAMEVAR	STRING
ACTIVITYTEXTVAR	STRING
CUSTOMERNUMBERVAR	STRING
CUSTOMERNAMEVAR	STRING
SUPPLIERNUMBERVAR	STRING
SUPPLIERNAMEVAR	STRING
SUPPLIERCURRENCYVAR	CurrencyType
SUPPLIERELECTRONICMAILADDRESSVAR	STRING
SUPPLIERTELEPHONEVAR	STRING
REMARK1VAR	STRING
REMARK2VAR	STRING
REMARK3VAR	STRING
REMARK4VAR	STRING
REMARK5VAR	STRING
REMARK6VAR	STRING
REMARK7VAR	STRING
REMARK8VAR	STRING

P EmployeeRequisition

REMARK9VAR	STRING
REMARK10VAR	STRING
OPTIONLISTTITLE1VAR	STRING
OPTIONLISTTITLE2VAR	STRING
OPTIONLISTTITLE3VAR	STRING
OPTIONLISTTITLE4VAR	STRING
OPTIONLISTTITLE5VAR	STRING
OPTIONLISTTITLE6VAR	STRING
OPTIONLISTTITLE7VAR	STRING
OPTIONLISTTITLE8VAR	STRING
OPTIONLISTTITLE9VAR	STRING
OPTIONLISTTITLE10VAR	STRING

P HoldersOfApproval

The following cursors can be used in this printout:

HOLDEROFAPPROVALLINE

HolderOfApprovalLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
ResponsibleVar	STRING
CompanyVar	STRING
VendorNumberVar	STRING
AccountNumberVar	STRING
LocalAccountNumberVar	STRING
EMPLOYEEENAMEVAR	STRING
LocationNameVar	STRING
EntityNameVar	STRING
ProjectNameVar	STRING
PurposeNameVar	STRING
Specification1NameVar	STRING
Specification2NameVar	STRING
Specification3NameVar	STRING
Specification4NameVar	STRING
Specification5NameVar	STRING
Specification6NameVar	STRING
Specification7NameVar	STRING
Specification8NameVar	STRING
Specification9NameVar	STRING
Specification10NameVar	STRING
LocalSpec1NameVar	STRING
LocalSpec2NameVar	STRING
LocalSpec3NameVar	STRING
LocalSpec4NameVar	STRING
LocalSpec5NameVar	STRING
LocalSpec6NameVar	STRING
LocalSpec7NameVar	STRING
LocalSpec8NameVar	STRING
LocalSpec9NameVar	STRING
LocalSpec10NameVar	STRING

P ImportedPaymentStatus

The following cursors can be used in this printout:

INPUTDATALINE	InputDataLine
---------------	---------------

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromEntryDateVar	DATE
ToEntryDateVar	DATE
FromExternalAccountNumberVar	STRING
ToExternalAccountNumberVar	STRING
IncludeErrorEntriesVar	BOOLEAN
IncludeRejectedVar	BOOLEAN
IncludePayedVar	BOOLEAN
SHOWERRORENTYVAR	BOOLEAN
NUMBEROFENTRIESVAR	INTEGER
NUMBEROFERRORENTRIESVAR	INTEGER
NUMBERPAYEDVAR	INTEGER
NUMBERREJECTEDVAR	INTEGER
AMOUNTBASETOTALVAR	AMOUNT
FromModeNumberVar	INTEGER
ToModeNumberVar	INTEGER

P InvoiceReallocation

The following cursors can be used in this printout:

VENDORINVOICEJOURNAL	VendorInvoiceJournal
INVOICEALLOCATIONLINE	InvoiceAllocationLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromJournalVar	INTEGER
ToJournalVar	INTEGER
IncludeApprovedVar	BOOLEAN
COMPANYNAMEREALLHEADERVER	STRING
ACCOUNTTEXTINVOICEALLOCATIONLINEVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
COMPANYNAMEINVOICEALLOCATIONLINEVAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromResponsibleVar	STRING
ToResponsibleVar	STRING
FromAllocationResponsibleVar	STRING
ToAllocationResponsibleVar	STRING
NAME1VAR	STRING
NAME2VAR	STRING
NAME3VAR	STRING
NAME4VAR	STRING
NAME5VAR	STRING
ZIPCODEVAR	STRING
POSTALDISTRICTVAR	STRING
ATTENTIONVAR	STRING
COUNTRYVAR	CountryType
PAYMENTNAME1VAR	STRING
PAYMENTNAME2VAR	STRING
PAYMENTNAME3VAR	STRING
PAYMENTNAME4VAR	STRING
PAYMENTNAME5VAR	STRING
PAYMENTZIPCODEVAR	STRING
PAYMENTPOSTALDISTRICTVAR	STRING
PAYMENTATTENTIONVAR	STRING
PAYMENTCOUNTRYVAR	CountryType
PAYMENTGIROVAR	STRING
PAYMENTBANKREGISTRATIONNUMBERVAR	STRING
PAYMENTBANKACCOUNTVAR	STRING

PAYMENTPAYMENTSERVICENUMBERVAR	STRING
PAYMENTCPCNUMBERVAR	STRING
PAYMENTSTANDARDCARDTYPECODEVAR	STRING
PAYMENTSTANDARDPAYERIDENTIFICATIONVAR	STRING
PAYMENTBANKADDRESS1VAR	STRING
PAYMENTBANKADDRESS2VAR	STRING
PAYMENTBANKADDRESS3VAR	STRING
PAYMENTBANKADDRESS4VAR	STRING
PAYMENTSWIFTCODEVAR	STRING
PrintInvoiceImagesVar	BOOLEAN
INVOICEIMAGEEXISTSVAR	BOOLEAN
INVOICEIMAGEVAR	STRING
ERRORTXTVAR	STRING
VAT1CURRENCYFORREALLOCATIONVAR	AMOUNT
VAT2CURRENCYFORREALLOCATIONVAR	AMOUNT
VAT3CURRENCYFORREALLOCATIONVAR	AMOUNT
CARDLOCATIONDESCRIPTIONVAR	STRING
CARDENTITYDESCRIPTIONVAR	STRING
CARDPROJECTDESCRIPTIONVAR	STRING
CARDPURPOSEDESCRIPTIONVAR	STRING
CARDSPECIFICATION1DESCRIPTIONVAR	STRING
CARDSPECIFICATION2DESCRIPTIONVAR	STRING
CARDSPECIFICATION3DESCRIPTIONVAR	STRING
CARDSPECIFICATION4DESCRIPTIONVAR	STRING
CARDSPECIFICATION5DESCRIPTIONVAR	STRING
CARDSPECIFICATION6DESCRIPTIONVAR	STRING
CARDSPECIFICATION7DESCRIPTIONVAR	STRING
CARDSPECIFICATION8DESCRIPTIONVAR	STRING
CARDSPECIFICATION9DESCRIPTIONVAR	STRING
CARDSPECIFICATION10DESCRIPTIONVAR	STRING
CARDLOCALSPEC1DESCRIPTIONVAR	STRING
CARDLOCALSPEC2DESCRIPTIONVAR	STRING
CARDLOCALSPEC3DESCRIPTIONVAR	STRING
CARDLOCALSPEC4DESCRIPTIONVAR	STRING
CARDLOCALSPEC5DESCRIPTIONVAR	STRING
CARDLOCALSPEC6DESCRIPTIONVAR	STRING
CARDLOCALSPEC7DESCRIPTIONVAR	STRING
CARDLOCALSPEC8DESCRIPTIONVAR	STRING
CARDLOCALSPEC9DESCRIPTIONVAR	STRING
CARDLOCALSPEC10DESCRIPTIONVAR	STRING
TABLELOCATIONDESCRIPTIONVAR	STRING
TABLEENTITYDESCRIPTIONVAR	STRING
TABLEPROJECTDESCRIPTIONVAR	STRING
TABLEPURPOSEDESCRIPTIONVAR	STRING
TABLESPECIFICATION1DESCRIPTIONVAR	STRING
TABLESPECIFICATION2DESCRIPTIONVAR	STRING
TABLESPECIFICATION3DESCRIPTIONVAR	STRING
TABLESPECIFICATION4DESCRIPTIONVAR	STRING

TABLESPECIFICATION5DESCRIPTIONVAR	STRING
TABLESPECIFICATION6DESCRIPTIONVAR	STRING
TABLESPECIFICATION7DESCRIPTIONVAR	STRING
TABLESPECIFICATION8DESCRIPTIONVAR	STRING
TABLESPECIFICATION9DESCRIPTIONVAR	STRING
TABLESPECIFICATION10DESCRIPTIONVAR	STRING
TABLELOCALSPEC1DESCRIPTIONVAR	STRING
TABLELOCALSPEC2DESCRIPTIONVAR	STRING
TABLELOCALSPEC3DESCRIPTIONVAR	STRING
TABLELOCALSPEC4DESCRIPTIONVAR	STRING
TABLELOCALSPEC5DESCRIPTIONVAR	STRING
TABLELOCALSPEC6DESCRIPTIONVAR	STRING
TABLELOCALSPEC7DESCRIPTIONVAR	STRING
TABLELOCALSPEC8DESCRIPTIONVAR	STRING
TABLELOCALSPEC9DESCRIPTIONVAR	STRING
TABLELOCALSPEC10DESCRIPTIONVAR	STRING

P InvoiceReconciliation

The following cursors can be used in this printout:

KSPURCHASEVOUCHER	PurchaseVoucher
BSPURCHASEVOUCHER	PurchaseVoucher

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromTransactionNumberVar	INTEGER
ToTransactionNumberVar	INTEGER
FromInvoiceNumberVar	STRING
ToInvoiceNumberVar	STRING
FromReconciliationTransactionNumberVar	INTEGER
ToReconciliationTransactionNumberVar	INTEGER
FromReconciliationDateVar	DATE
ToReconciliationDateVar	DATE
VENDORNUMBERNAMEVAR	STRING
IncludeNotReconciledVar	BOOLEAN
ShowOnlyNotReconciledVar	BOOLEAN
DEBITAMOUNTVAR	AMOUNT
CREDITAMOUNTVAR	AMOUNT
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
ReportingCurrencyVar	CurrencyType
BASECURRENCYVAR	CurrencyType
ExchangeRateDateVar	DATE
COMPANYTOTALREPORTINGVAR	AMOUNT
GRANDTOTALREPORTINGVAR	AMOUNT
COMPANYNAME1VAR	STRING
LASTUSEDCOMPANYNUMBERVAR	STRING
VENDORSUMVAR	AMOUNT
OPENAMOUNTVAR	AMOUNT

P InvoiceStatus

The following cursors can be used in this printout:

VENDORINVOICEJOURNAL	VendorInvoiceJournal
POSTEDVENDORENTRY	VendorEntry
APPROVEDVENDORENTRY	VendorEntry
PAIDVENDORENTRY	VendorEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCompanyVar	STRING
ToCompanyVar	STRING
FromVendorVar	STRING
ToVendorVar	STRING
FromPaymentVendorVar	STRING
ToPaymentVendorVar	STRING
FromInvoiceNumberVar	STRING
ToInvoiceNumberVar	STRING
FromEntryDateVar	DATE
ToEntryDateVar	DATE
TOTALREGISTEREDVAR	AMOUNT
TOTALPOSTEDVAR	AMOUNT
TOTALAPPROVEDVAR	AMOUNT
TOTALPAIDVAR	AMOUNT
ENTRYAMOUNTVAR	AMOUNT
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE

P PaymentAgent

The following cursors can be used in this printout:

PAYMENTAGENTINFORMATION	PaymentAgentInformation
-------------------------	-------------------------

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
PaymentAgentVar	STRING
ACCESSLEVELDESCRIPTIONVAR	STRING

P PaymentList

The following cursors can be used in this printout:

JOURNAL	Journal
VENDORPAYMENT	VendorPayment
OUTPUTDATARECONCILIATION	OutputDataReconciliation

The following variables can be used in this printout:

THETIME	STRING
TODAYSDATE	STRING
PAGENUMBER	INTEGER
NAMEOFUSER	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
ApproveSelectionVar	BOOLEAN
ShowEntriesVar	BOOLEAN
PaymentNumberVar	INTEGER
PaymentAgentVar	STRING
PaymentModeVar	STRING
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromSupplierNumberVar	STRING
ToSupplierNumberVar	STRING
FromCardTypeCodeVar	STRING
ToCardTypeCodeVar	STRING
FromCompanyOfOriginVar	STRING
ToCompanyOfOriginVar	STRING
FromPaymentDateVar	DATE
ToPaymentDateVar	DATE
VendorGroupVar	VendorGroupType
VendorControlAccountCodeVar	VendorControlAccountType
TransactionTypeVar	STRING
PAYMENTCURRENCYVAR	AMOUNT
TOTALPAYMENTCURRENCY	AMOUNT
VENDORNAME	STRING
CURRENCYVAR	CurrencyType
TOTALPAYMENTBASE	AMOUNT
TOTALBEINGPAIDBASEBASEVAR	AMOUNT
TOTALBEINGPAIDCURRENCYVAR	AMOUNT
PAYMENTFORMVAR	PaymentFormType
SETTLINGCOMPANYVAR	STRING
COMPANYOFORIGINVAR	STRING
INVOICENUMBERVAR	STRING
ENTRYTEXTVAR	STRING
PreferredPaymentDateVar	DATE

P PaymentMode

The following cursors can be used in this printout:

PAYMENTMODE	PaymentMode
PAYMENTMODEREMITTANCE	PaymentModeRemittance

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
PaymentModeVar	STRING
LENGTHOFREMITTANCELINESVAR	INTEGER
REMITTANCETEXT4FIXEDTEXTVAR	STRING
REMITTANCETEXT3FIXEDTEXTVAR	STRING
REMITTANCETEXT2FIXEDTEXTVAR	STRING
REMITTANCETEXT1FIXEDTEXTVAR	STRING
FIELD10FIXEDTEXTVAR	STRING
FIELD9FIXEDTEXTVAR	STRING
FIELD8FIXEDTEXTVAR	STRING
FIELD7FIXEDTEXTVAR	STRING
FIELD6FIXEDTEXTVAR	STRING
FIELD5FIXEDTEXTVAR	STRING
FIELD4FIXEDTEXTVAR	STRING
FIELD3FIXEDTEXTVAR	STRING
FIELD2FIXEDTEXTVAR	STRING
FIELD1FIXEDTEXTVAR	STRING
ACCESSLEVELDESCRIPTIONVAR	STRING

P PaymentOrder

The following cursors can be used in this printout:

OUTPUTDATALINE	OutputDataLine
CHECKPAYMENTLINE	OutputDataLine
OUTPUTDATARECONCILIATION	OutputDataReconciliation

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
PaymentFormVar	PaymentFormType
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
REMOVED4VAR	BOOLEAN
IncludeNonFinishedVar	BOOLEAN
IncludePayedVar	BOOLEAN
CheckbookVar	CheckbookType
ToCheckNumberVar	INTEGER
OriginVar	PaymentOriginType
IncludeZeroEntryVar	BOOLEAN
FromCheckNumberVar	INTEGER
PaymentModeVar	STRING
ToSupplierNumberVar	STRING
FromSupplierNumberVar	STRING
ToPayerIdentification	STRING
PaymentAgentVar	STRING
IncludeRemovedPaymentsVar	BOOLEAN
FromVendorNumber	STRING
ToVendorNumber	STRING
FromPaymentNumber	INTEGER
ToPaymentNumber	INTEGER
FromPaymentDate	DATE
ToPaymentDate	DATE
FromPayerIdentification	STRING
STATUSVAR	STRING
VENDORNAMEVAR	STRING
AMOUNTVAR	AMOUNT
PageBreakAfterEachCheckVar	BOOLEAN
AMOUNTTOTALVAR	AMOUNT
NUMBEROFERRORSREPORTEDVAR	INTEGER
AMOUNTERRORREPORTEDVAR	AMOUNT
NUMBERPAYEDVAR	INTEGER
AMOUNTPAYEDVAR	AMOUNT

P PaymentOrder

NUMBERNOTFINISHEDTREATMENTVAR	INTEGER
AMOUNTNOTFINISHEDTREATMENTVAR	AMOUNT
TOTALNUMBERVAR	INTEGER
NUMBEROFREGISTEREDVAR	INTEGER
AMOUNTREGISTEREDVAR	AMOUNT
INVOICEAMOUNTCURRENCYVAR	AMOUNT
RECONCILEDAMOUNTCURRENCYVAR	AMOUNT
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
IncludeSelectionVar	BOOLEAN

P PaymentOverview

The following cursors can be used in this printout:

EXTERNALACCOUNTASSIGNMENT
VENDORENTRY

ExternalAccountAssignment
VendorEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
PaymentAgentVar	STRING
PAYMENTAMOUNTVAR	AMOUNT
FromRegistrationNumberVar	STRING
ToRegistrationNumberVar	STRING
FromBankAccountNumberVar	STRING
ToBankAccountNumberVar	STRING
PAYMENTDATEVAR	DATE
FromCompanyVar	STRING
ToCompanyVar	STRING
PAYMENTMODETOTALVAR	AMOUNT
TOTALEXTERNALACCOUNTVAR	AMOUNT
REMAINDERBASEVAR	AMOUNT
PAGEBREAKVAR	BOOLEAN
DUEDATEVAR	DATE
BASECURRENCYVAR	CurrencyType
TOTALEXTERNALACCOUNTREPCURRENCYVAR	AMOUNT
TOTALPAYMENTMODEREPCURRENCYVAR	AMOUNT
REMAINDERREPCURRENCYVAR	AMOUNT
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
FromDueDateVar	DATE
ToDueDateVar	DATE
ShowVendorEntriesVar	BOOLEAN
SHOWTOTALVAR	BOOLEAN
REMAINDERBASETOTALVAR	AMOUNT
REMAINDERREPCURRENCYTOTALVAR	AMOUNT
LASTDUEDATEVAR	DATE
RESETAMOUNTVAR	BOOLEAN
ENTRIESPRINTEDVAR	BOOLEAN

P PaymentSpecification

The following cursors can be used in this printout:

PRINTOUTPUTDATAHEADER	OutputDataHeader
PRINTOUTPUTDATA LINE	OutputDataLine
OUTPUTDATAGROUP	OutputDataGroup

The following variables can be used in this printout:

NAMEOFUSER	STRING
LAYOUTNAME	LayoutNameType
COMPANYNAME	STRING
TODAYS DATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
SHOWEXTENDEDCONTROLLISTVAR	BOOLEAN
SPECIALFIXEDTEXTVAR	STRING
GROUP1FIXEDTEXTVAR	STRING
GROUP2FIXEDTEXTVAR	STRING
GROUP3FIXEDTEXTVAR	STRING
TOTALNUMBEROFAMOUNTENTRIESVAR	INTEGER
TOTALNUMBEROFENTRIESVAR	INTEGER
AMOUNTTOTALVAR	AMOUNT
SPECIALNUMBERVAR	STRING
PAYMENTNUMBERVAR	INTEGER
SHOWCONTROLLIST	BOOLEAN
DELIVERYADDRESS1	STRING
DELIVERYADDRESS2	STRING
DELIVERYADDRESS3	STRING
DELIVERYADDRESS4	STRING
FROMADDRESS1	STRING
FROMADDRESS2	STRING
FROMADDRESS3	STRING
FROMADDRESS4	STRING
CONTACTPERSON	STRING
TELEPHONE	STRING
NUMBEROFDISKETTES	INTEGER
FROMADDRESS5	STRING
COMPANYREGISTRATIONNUMBER	STRING
ACCOUNTNUMBERVAR	STRING
TOTALPERACCOUNTVAR	AMOUNT
TOTALALLACCOUNTSVAR	AMOUNT

P PeriodicVendorStatement

The following cursors can be used in this printout:

COMPANYVENDOR	CompanyVendor
VENDORENTRY	VendorEntry
VENDORENTRYORIGIN	VendorEntry

The following variables can be used in this printout:

IncludeZeroVendors	BOOLEAN
CREDITSTANDARDFIELD	STRING
BALANCESTANDARD	AMOUNT
ENDINGDATE	DATE
STARTINGDATE	DATE
LastMonth	INTEGER
LastYear	INTEGER
FirstMonth	INTEGER
FirstYear	INTEGER
LastVendor	STRING
FirstVendor	STRING
LayoutName	LayoutNameType
COMPANYNAME1	STRING
NAMEOFUSER	STRING
PAGENUMBER	INTEGER
TODAYSDATE	STRING
THETIME	STRING
INFLINE	STRING
SHOWSTANDARDCURRENCY	BOOLEAN
SHOWORIGINALAMOUNT	BOOLEAN
DONOTSHOWORIGINALAMOUNT	BOOLEAN
DEBITSTANDARDFIELD	STRING
ADDRESS1	STRING
ADDRESS2	STRING
ADDRESS3	STRING
ADDRESS4	STRING
ADDRESS5	STRING
ADDRESS6	STRING
ADDRESS7	STRING
ADDRESS8	STRING
VendorGroupVar	VendorGroupType
DepartmentNumberVar	DepartmentNumberType
LanguageVar	LanguageType
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
COMPANYNAMEOFORIGINVAR	STRING
PRINTPAGEBREAKVAR	BOOLEAN
PRINTVENDORVAR	BOOLEAN
PRINTVENDORENTRYVAR	BOOLEAN

P PeriodicVendorStatement

COMPANYNAME	STRING
STANDARDCURRENCYVAR	CurrencyType
SETTLINGCOMPANYNAMEVAR	STRING
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
CREDITINREPORTINGFIELDVAR	STRING
DEBITINREPORTINGFIELDVAR	STRING
BALANCEINREPORTINGVAR	AMOUNT
CURRENTCOMPANYNUMBERVAR	STRING
ControlAccountCodeVar	VendorControlAccountType
CountryVar	CountryType
CurrencyVar	CurrencyType
FromDimensionCombNumberVar	STRING
ToDimensionCombNumberVar	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
Vendorpopup1Var	VendorpopupType1
Vendorpopup2Var	VendorpopupType2
Vendorpopup3Var	VendorpopupType3
Vendorpopup4Var	VendorpopupType4
Vendorpopup5Var	VendorpopupType5
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING

ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P PurchaseOrder

The following cursors can be used in this printout:

PURCHASEORDERHEADER	PurchaseOrderHeader
PURCHASEORDERLINE	PurchaseOrderLine
O_PURCHASEORDERHEADER	PurchaseOrderHeader
NOTELINE	NoteLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME1	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FirstPurchaseOrderNumber	INTEGER
LastPurchaseOrderNumber	INTEGER
FirstDeliveryDateVar	DATE
LastDeliveryDateVar	DATE
COMPANYINFORMATIONLINE	STRING
VATAMOUNT	AMOUNT
PURCHASEORDERTOTAL	AMOUNT
SHOWINVOICEDISCOUNT	BOOLEAN
SHOWVATAMOUNT	BOOLEAN
SHOWTOTAL	BOOLEAN
INVOICEDISCOUNTVAR	AMOUNT
OLDFINANCEVATCODE	STRING
OLDRATE	REAL
ADDRESS1	STRING
ADDRESS2	STRING
ADDRESS3	STRING
ADDRESS4	STRING
ADDRESS5	STRING
ADDRESS6	STRING
ADDRESS7	STRING
ADDRESS8	STRING
SHOWPURCHASETOTALVAR	BOOLEAN
PAYERADDRESS1VAR	STRING
PAYERADDRESS2VAR	STRING
PAYERADDRESS3VAR	STRING
PAYERADDRESS4VAR	STRING
PAYERADDRESS5VAR	STRING
PAYERADDRESS6VAR	STRING
PAYERADDRESS7VAR	STRING
PAYERADDRESS8VAR	STRING
DELIVERYADDRESS1VAR	STRING
DELIVERYADDRESS2VAR	STRING

P PurchaseOrder

DELIVERYADDRESS3VAR	STRING
DELIVERYADDRESS4VAR	STRING
DELIVERYADDRESS5VAR	STRING
DELIVERYADDRESS6VAR	STRING
DELIVERYADDRESS7VAR	STRING
DELIVERYADDRESS8VAR	STRING
BUDGETEXCEEDEDVAR	BOOLEAN
UNITPRICECURRENCYVAR	AMOUNT
JOBNAMEVAR	STRING
JOBTEXT1	STRING
JOBTEXT2	STRING
JOBTEXT3	STRING
JOBTEXT4	STRING
JOBTEXT5	STRING
JOBTEXT6	STRING
JOBTEXT7	STRING
JOBTEXT8	STRING
JOBTEXT9	STRING
JOBTEXT10	STRING
JOBTEXT11	STRING
JOBTEXT12	STRING
JOBTEXT13	STRING
JOBTEXT14	STRING
JOBTEXT15	STRING
JOBTEXT16	STRING
JOBTEXT17	STRING
JOBTEXT18	STRING
JOBTEXT19	STRING
JOBTEXT20	STRING
JOBDATE1	DATE
JOBDATE2	DATE
JOBDATE3	DATE
JOBDATE4	DATE
JOBDATE5	DATE
JOBPOPUP1	JobPopupType1
JOBPOPUP2	JobPopupType2
JOBPOPUP3	JobPopupType3
JOBPOPUP4	JobPopupType4
JOBPOPUP5	JobPopupType5
FromCompanyVar	STRING
ToCompanyVar	STRING
COMPANYNAME	STRING
INVOICESUMVAR	AMOUNT
PageBreakAtNewRequisitionerVar	BOOLEAN
PAGEBREAKVAR	BOOLEAN
JOINTPRINTOUTVAR	BOOLEAN
PURCHASEORDERLINETEXTVAR	STRING
LASTREQUISITIONERVAR	STRING

P PurchaseOrder

COMPANYNAMEHEADervAR	STRING
COMPANYNAMELINEVAR	STRING
ACCOUNTTEXTLINEVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
IncludeNonApprovedVar	BOOLEAN
NONAPPROVEDVAR	BOOLEAN
LINEJOBNAMEVAR	STRING
LINEJOBTEXT1VAR	STRING
LINEJOBTEXT2VAR	STRING
LINEJOBTEXT3VAR	STRING
LINEJOBTEXT4VAR	STRING
LINEJOBTEXT5VAR	STRING
LINEJOBTEXT6VAR	STRING
LINEJOBTEXT7VAR	STRING
LINEJOBTEXT8VAR	STRING
LINEJOBTEXT9VAR	STRING
LINEJOBTEXT10VAR	STRING
LINEJOBTEXT11VAR	STRING
LINEJOBTEXT12VAR	STRING
LINEJOBTEXT13VAR	STRING
LINEJOBTEXT14VAR	STRING
LINEJOBTEXT15VAR	STRING
LINEJOBTEXT16VAR	STRING
LINEJOBTEXT17VAR	STRING
LINEJOBTEXT18VAR	STRING
LINEJOBTEXT19VAR	STRING
LINEJOBTEXT20VAR	STRING
LINEJOBDATE1VAR	DATE
LINEJOBDATE2VAR	DATE
LINEJOBDATE3VAR	DATE
LINEJOBDATE4VAR	DATE
LINEJOBDATE5VAR	DATE
LINEJOBPOPUP1VAR	JobPopupType1
LINEJOBPOPUP2VAR	JobPopupType2
LINEJOBPOPUP3VAR	JobPopupType3
LINEJOBPOPUP4VAR	JobPopupType4
LINEJOBPOPUP5VAR	JobPopupType5
NOTEOUTVAR	BOOLEAN
VALUEVAR	STRING
TASKTEXTVAR	STRING
TEXTLINEVAR	BOOLEAN
NOTTEXTLINEVAR	BOOLEAN
IncludeOrderWithoutPreferredDeliveryDateVar	BOOLEAN
VATAMOUNT1VAR	AMOUNT
VATAMOUNT2VAR	AMOUNT
VATAMOUNT3VAR	AMOUNT
SHOWVAT1AMOUNT	BOOLEAN
SHOWVAT2AMOUNT	BOOLEAN

P PurchaseOrder

SHOWVAT3AMOUNT	BOOLEAN
PAYMENTTERMSTEXTVAR	STRING
DELIVERYTERMSTEXTVAR	STRING
DELIVERYMODETEXTVAR	STRING
COMPANYNAME1VAR	STRING
COMPANYNAME2VAR	STRING
COMPANYNAME3VAR	STRING
COMPANYNAME4VAR	STRING
COMPANYNAME5VAR	STRING
COMPANYZIPCODEVAR	STRING
COMPANYPOSTALDISTRICTVAR	STRING
COMPANYCOUNTRYVAR	CountryType
COMPANYADDRESS1VAR	STRING
COMPANYADDRESS2VAR	STRING
COMPANYADDRESS3VAR	STRING
COMPANYADDRESS4VAR	STRING
COMPANYADDRESS5VAR	STRING
COMPANYADDRESS6VAR	STRING
COMPANYADDRESS7VAR	STRING
COMPANYADDRESS8VAR	STRING
COMPANYVATNUMBERVAR	STRING
COMPANYBANKACCOUNTNUMBERVAR	STRING
COMPANYGIRONUMBERVAR	STRING
COMPANYTELEPHONEVAR	STRING
COMPANYTELEFAXVAR	STRING
COMPANYTELEXVAR	STRING
COMPANYPAYMENTSERVICENUMBERVAR	STRING
COMPANYTEXT1VAR	STRING
COMPANYTEXT2VAR	STRING
COMPANYTEXT3VAR	STRING
COMPANYTEXT4VAR	STRING
COMPANYTEXT5VAR	STRING
COMPANYTEXT6VAR	STRING
COMPANYTEXT7VAR	STRING
COMPANYTEXT8VAR	STRING
COMPANYTEXT9VAR	STRING
COMPANYTEXT10VAR	STRING
COMPANYTEXT11VAR	STRING
COMPANYTEXT12VAR	STRING
COMPANYTEXT13VAR	STRING
COMPANYTEXT14VAR	STRING
COMPANYTEXT15VAR	STRING
COMPANYTEXT16VAR	STRING
COMPANYTEXT17VAR	STRING
COMPANYTEXT18VAR	STRING
COMPANYTEXT19VAR	STRING
COMPANYTEXT20VAR	STRING
CARDLOCATIONDESCRIPTIONVAR	STRING

CARDENTITYDESCRIPTIONVAR	STRING
CARDPROJECTDESCRIPTIONVAR	STRING
CARDPURPOSEDESCRIPTIONVAR	STRING
CARDSPECIFICATION1DESCRIPTIONVAR	STRING
CARDSPECIFICATION2DESCRIPTIONVAR	STRING
CARDSPECIFICATION3DESCRIPTIONVAR	STRING
CARDSPECIFICATION4DESCRIPTIONVAR	STRING
CARDSPECIFICATION5DESCRIPTIONVAR	STRING
CARDSPECIFICATION6DESCRIPTIONVAR	STRING
CARDSPECIFICATION7DESCRIPTIONVAR	STRING
CARDSPECIFICATION8DESCRIPTIONVAR	STRING
CARDSPECIFICATION9DESCRIPTIONVAR	STRING
CARDSPECIFICATION10DESCRIPTIONVAR	STRING
CARDLOCALSPEC1DESCRIPTIONVAR	STRING
CARDLOCALSPEC2DESCRIPTIONVAR	STRING
CARDLOCALSPEC3DESCRIPTIONVAR	STRING
CARDLOCALSPEC4DESCRIPTIONVAR	STRING
CARDLOCALSPEC5DESCRIPTIONVAR	STRING
CARDLOCALSPEC6DESCRIPTIONVAR	STRING
CARDLOCALSPEC7DESCRIPTIONVAR	STRING
CARDLOCALSPEC8DESCRIPTIONVAR	STRING
CARDLOCALSPEC9DESCRIPTIONVAR	STRING
CARDLOCALSPEC10DESCRIPTIONVAR	STRING
TABLELOCATIONDESCRIPTIONVAR	STRING
TABLEENTITYDESCRIPTIONVAR	STRING
TABLEPROJECTDESCRIPTIONVAR	STRING
TABLEPURPOSEDESCRIPTIONVAR	STRING
TABLESPECIFICATION1DESCRIPTIONVAR	STRING
TABLESPECIFICATION2DESCRIPTIONVAR	STRING
TABLESPECIFICATION3DESCRIPTIONVAR	STRING
TABLESPECIFICATION4DESCRIPTIONVAR	STRING
TABLESPECIFICATION5DESCRIPTIONVAR	STRING
TABLESPECIFICATION6DESCRIPTIONVAR	STRING
TABLESPECIFICATION7DESCRIPTIONVAR	STRING
TABLESPECIFICATION8DESCRIPTIONVAR	STRING
TABLESPECIFICATION9DESCRIPTIONVAR	STRING
TABLESPECIFICATION10DESCRIPTIONVAR	STRING
TABLELOCALSPEC1DESCRIPTIONVAR	STRING
TABLELOCALSPEC2DESCRIPTIONVAR	STRING
TABLELOCALSPEC3DESCRIPTIONVAR	STRING
TABLELOCALSPEC4DESCRIPTIONVAR	STRING
TABLELOCALSPEC5DESCRIPTIONVAR	STRING
TABLELOCALSPEC6DESCRIPTIONVAR	STRING
TABLELOCALSPEC7DESCRIPTIONVAR	STRING
TABLELOCALSPEC8DESCRIPTIONVAR	STRING
TABLELOCALSPEC9DESCRIPTIONVAR	STRING
TABLELOCALSPEC10DESCRIPTIONVAR	STRING

P PurchaseOrderLineOverview

The following cursors can be used in this printout:

PURCHASEORDERLINE

PurchaseOrderLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromAccountNumberVar	STRING
ToAccountNumberVar	STRING
FromLocalAccountNumberVar	STRING
ToLocalAccountNumberVar	STRING
FromPeriodVar	DATE
ToPeriodVar	DATE
PERIODBALANCEVAR	AMOUNT
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
COMMITTEDREPORTINGCURRENCYVAR	AMOUNT
CURRENCYVAR	CurrencyType
REMOVED1VAR	CurrencyType
VATAMOUNT1VAR	AMOUNT
VATAMOUNT2VAR	AMOUNT
VATAMOUNT3VAR	AMOUNT
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING

FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P PurchaseOrderLines

The following cursors can be used in this printout:

PURCHASEORDERLINE

PurchaseOrderLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromAccountNumberVar	STRING
ToAccountNumberVar	STRING
FromLocalAccountNumberVar	STRING
ToLocalAccountNumberVar	STRING
FromPeriodVar	DATE
ToPeriodVar	DATE
CURRENCYVAR	CurrencyType
VATAMOUNT1VAR	AMOUNT
VATAMOUNT2VAR	AMOUNT
VATAMOUNT3VAR	AMOUNT
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING

P PurchaseOrderLines

ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P RequestForQuote

The following cursors can be used in this printout:

REQUESTFORQUOTEHEADER	RequestForQuoteHeader
REQUESTFORQUOTELINE	RequestForQuoteLine
NOTELINE	NoteLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME1	STRING
TODAYSDATE	STRING
THETIME	STRING
FirstRequestForQuoteNumberVar	INTEGER
LastRequestForQuoteNumberVar	INTEGER
FirstDeliveryDateVar	DATE
LastDeliveryDateVar	DATE
FromCompanyVar	STRING
ToCompanyVar	STRING
PAGENUMBER	INTEGER
COMPANYINFORMATIONLINEVAR	STRING
ADDRESS1VAR	STRING
ADDRESS2VAR	STRING
ADDRESS3VAR	STRING
ADDRESS4VAR	STRING
ADDRESS5VAR	STRING
ADDRESS6VAR	STRING
ADDRESS7VAR	STRING
ADDRESS8VAR	STRING
SHOWPURCHASETOTALVAR	BOOLEAN
SHOWTOTAL	BOOLEAN
SHOWQUOTEDISCOUNT	BOOLEAN
SHOWVATAMOUNT	BOOLEAN
VATAMOUNTVAR	AMOUNT
QUOTETOTALVAR	AMOUNT
QUOTEDISCOUNTCURRENCYVAR	AMOUNT
PAYERADDRESS1VAR	STRING
PAYERADDRESS2VAR	STRING
PAYERADDRESS3VAR	STRING
PAYERADDRESS4VAR	STRING
PAYERADDRESS5VAR	STRING
PAYERADDRESS6VAR	STRING
PAYERADDRESS7VAR	STRING
PAYERADDRESS8VAR	STRING
DELIVERYADDRESS1VAR	STRING
DELIVERYADDRESS2VAR	STRING
DELIVERYADDRESS3VAR	STRING

DELIVERYADDRESS4VAR	STRING
DELIVERYADDRESS5VAR	STRING
DELIVERYADDRESS6VAR	STRING
DELIVERYADDRESS7VAR	STRING
DELIVERYADDRESS8VAR	STRING
JOBNAMEVAR	STRING
JOBTEXT1	STRING
JOBTEXT2	STRING
JOBTEXT3	STRING
JOBTEXT4	STRING
JOBTEXT5	STRING
JOBTEXT6	STRING
JOBTEXT7	STRING
JOBTEXT8	STRING
JOBTEXT9	STRING
JOBTEXT10	STRING
JOBTEXT11	STRING
JOBTEXT12	STRING
JOBTEXT13	STRING
JOBTEXT14	STRING
JOBTEXT15	STRING
JOBTEXT16	STRING
JOBTEXT17	STRING
JOBTEXT18	STRING
JOBTEXT19	STRING
JOBTEXT20	STRING
JOBDATE1	DATE
JOBDATE2	DATE
JOBDATE3	DATE
JOBDATE4	DATE
JOBDATE5	DATE
JOBPOPUP1	JobPopupType1
JOBPOPUP2	JobPopupType2
JOBPOPUP3	JobPopupType3
JOBPOPUP4	JobPopupType4
JOBPOPUP5	JobPopupType5
COMPANYNAME	STRING
COMPANYNAMEHEADERVER	STRING
COMPANYNAMELINEVAR	STRING
ACCOUNTTEXTLINEVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
LINEJOBNAMEVAR	STRING
LINEJOBTEXT1VAR	STRING
LINEJOBTEXT2VAR	STRING
LINEJOBTEXT3VAR	STRING
LINEJOBTEXT4VAR	STRING
LINEJOBTEXT5VAR	STRING
LINEJOBTEXT6VAR	STRING

LINEJOBTEXT7VAR	STRING
LINEJOBTEXT8VAR	STRING
LINEJOBTEXT9VAR	STRING
LINEJOBTEXT10VAR	STRING
LINEJOBTEXT11VAR	STRING
LINEJOBTEXT12VAR	STRING
LINEJOBTEXT13VAR	STRING
LINEJOBTEXT14VAR	STRING
LINEJOBTEXT15VAR	STRING
LINEJOBTEXT16VAR	STRING
LINEJOBTEXT17VAR	STRING
LINEJOBTEXT18VAR	STRING
LINEJOBTEXT19VAR	STRING
LINEJOBTEXT20VAR	STRING
LINEJOBDATE1VAR	DATE
LINEJOBDATE2VAR	DATE
LINEJOBDATE3VAR	DATE
LINEJOBDATE4VAR	DATE
LINEJOBDATE5VAR	DATE
LINEJOBPOPUP1VAR	JobPopupType1
LINEJOBPOPUP2VAR	JobPopupType2
LINEJOBPOPUP3VAR	JobPopupType3
LINEJOBPOPUP4VAR	JobPopupType4
LINEJOBPOPUP5VAR	JobPopupType5
IncludeNonApprovedVar	BOOLEAN
NONAPPROVEDVAR	BOOLEAN
TEXTLINEVAR	BOOLEAN
NOTTEXTLINEVAR	BOOLEAN
NOTEOUTVAR	BOOLEAN
VALUEVAR	STRING
CARDLOCATIONDESCRIPTIONVAR	STRING
CARDENTITYDESCRIPTIONVAR	STRING
CARDPROJECTDESCRIPTIONVAR	STRING
CARDPURPOSEDESCRIPTIONVAR	STRING
CARDSPECIFICATION1DESCRIPTIONVAR	STRING
CARDSPECIFICATION2DESCRIPTIONVAR	STRING
CARDSPECIFICATION3DESCRIPTIONVAR	STRING
CARDSPECIFICATION4DESCRIPTIONVAR	STRING
CARDSPECIFICATION5DESCRIPTIONVAR	STRING
CARDSPECIFICATION6DESCRIPTIONVAR	STRING
CARDSPECIFICATION7DESCRIPTIONVAR	STRING
CARDSPECIFICATION8DESCRIPTIONVAR	STRING
CARDSPECIFICATION9DESCRIPTIONVAR	STRING
CARDSPECIFICATION10DESCRIPTIONVAR	STRING
CARDLOCALSPEC1DESCRIPTIONVAR	STRING
CARDLOCALSPEC2DESCRIPTIONVAR	STRING
CARDLOCALSPEC3DESCRIPTIONVAR	STRING
CARDLOCALSPEC4DESCRIPTIONVAR	STRING

CARDLOCALSPEC5DESCRIPTIONVAR	STRING
CARDLOCALSPEC6DESCRIPTIONVAR	STRING
CARDLOCALSPEC7DESCRIPTIONVAR	STRING
CARDLOCALSPEC8DESCRIPTIONVAR	STRING
CARDLOCALSPEC9DESCRIPTIONVAR	STRING
CARDLOCALSPEC10DESCRIPTIONVAR	STRING
TABLELOCATIONDESCRIPTIONVAR	STRING
TABLEENTITYDESCRIPTIONVAR	STRING
TABLEPROJECTDESCRIPTIONVAR	STRING
TABLEPURPOSEDESCRIPTIONVAR	STRING
TABLESPECIFICATION1DESCRIPTIONVAR	STRING
TABLESPECIFICATION2DESCRIPTIONVAR	STRING
TABLESPECIFICATION3DESCRIPTIONVAR	STRING
TABLESPECIFICATION4DESCRIPTIONVAR	STRING
TABLESPECIFICATION5DESCRIPTIONVAR	STRING
TABLESPECIFICATION6DESCRIPTIONVAR	STRING
TABLESPECIFICATION7DESCRIPTIONVAR	STRING
TABLESPECIFICATION8DESCRIPTIONVAR	STRING
TABLESPECIFICATION9DESCRIPTIONVAR	STRING
TABLESPECIFICATION10DESCRIPTIONVAR	STRING
TABLELOCALSPEC1DESCRIPTIONVAR	STRING
TABLELOCALSPEC2DESCRIPTIONVAR	STRING
TABLELOCALSPEC3DESCRIPTIONVAR	STRING
TABLELOCALSPEC4DESCRIPTIONVAR	STRING
TABLELOCALSPEC5DESCRIPTIONVAR	STRING
TABLELOCALSPEC6DESCRIPTIONVAR	STRING
TABLELOCALSPEC7DESCRIPTIONVAR	STRING
TABLELOCALSPEC8DESCRIPTIONVAR	STRING
TABLELOCALSPEC9DESCRIPTIONVAR	STRING
TABLELOCALSPEC10DESCRIPTIONVAR	STRING

P RoyaltyAgreement

The following cursors can be used in this printout:

ROYALTYAGREEMENT	RoyaltyAgreement
COMPANYVENDOR	CompanyVendor

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromItemNumberVar	STRING
ToItemNumberVar	STRING
IncludeFinishedVar	BOOLEAN
IncludeOnlyApprovedVar	BOOLEAN
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING

P RoyaltyBillingSelection

The following cursors can be used in this printout:

ROYALTYAGREEMENT	RoyaltyAgreement
COMPANYVENDOR	CompanyVendor

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromItemNumberVar	STRING
ToItemNumberVar	STRING
StatementDateVar	DATE
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING

P RoyaltySettlement

The following cursors can be used in this printout:

ROYALTYSETTLEMENTHEADER	RoyaltySettlementHeader
ROYALTYSETTLEMENTLINE	RoyaltySettlementLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME1	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
COMPANYLINE	STRING
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromItemNumberVar	STRING
ToItemNumberVar	STRING
ApproveBillingSelectionVar	BOOLEAN
FromBillingVar	INTEGER
ToBillingVar	INTEGER
IncludePrintedOutVar	BOOLEAN
CALCULATEDHITHERTOCURRENCYVAR	AMOUNT
FIXEDAMOUNTTOTALCURRENCYVAR	AMOUNT
FIXEDAMOUNTFORSETTLEMENTCURRENCYVAR	AMOUNT
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
BillingDateVar	DATE

P ShowVendorInvoiceJournal

The following cursors can be used in this printout:

VENDORINVOICEJOURNAL	VendorInvoiceJournal
INVOICEALLOCATIONLINE	InvoiceAllocationLine

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromJournalVar	INTEGER
ToJournalVar	INTEGER
COMPANYNAMEVAR	STRING
ACCOUNTTEXTINVOICEALLOCATIONLINEVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
COMPANYNAMEINVOICEALLOCATIONLINEVAR	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromResponsibleVar	STRING
ToResponsibleVar	STRING
FromAllocationResponsibleVar	STRING
ToAllocationResponsibleVar	STRING
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromEntryDateVar	DATE
ToEntryDateVar	DATE
SelfInvoicesOnlyVar	BOOLEAN
ExcludeSelfInvoicesVar	BOOLEAN
NAME1VAR	STRING
NAME2VAR	STRING
NAME3VAR	STRING
NAME4VAR	STRING
NAME5VAR	STRING
ZIPCODEVAR	STRING
POSTALDISTRICTVAR	STRING
ATTENTIONVAR	STRING
COUNTRYVAR	CountryType
PAYMENTNAME1VAR	STRING
PAYMENTNAME2VAR	STRING
PAYMENTNAME3VAR	STRING
PAYMENTNAME4VAR	STRING
PAYMENTNAME5VAR	STRING
PAYMENTZIPCODEVAR	STRING
PAYMENTPOSTALDISTRICTVAR	STRING

PAYMENTATTENTIONVAR	STRING
PAYMENTCOUNTRYVAR	CountryType
PAYMENTGIROVAR	STRING
PAYMENTBANKREGISTRATIONNUMBERVAR	STRING
PAYMENTBANKACCOUNTVAR	STRING
PAYMENTPAYMENTSERVICENUMBERVAR	STRING
PAYMENTCPCNUMBERVAR	STRING
PAYMENTSTANDARDCARDTYPECODEVAR	STRING
PAYMENTSTANDARDPAYERIDENTIFICATIONVAR	STRING
PAYMENTBANKADDRESS1VAR	STRING
PAYMENTBANKADDRESS2VAR	STRING
PAYMENTBANKADDRESS3VAR	STRING
PAYMENTBANKADDRESS4VAR	STRING
PAYMENTSWIFTCODEVAR	STRING
PrintInvoiceImagesVar	BOOLEAN
INVOICEIMAGEEXISTSVAR	BOOLEAN
INVOICEIMAGEVAR	STRING
ERRORTEXTVAR	STRING
CREATEDATREALLOCATIONVAR	BOOLEAN
ShowReallocationEntriesVar	BOOLEAN
CARDLOCATIONDESCRIPTIONVAR	STRING
CARDENTITYDESCRIPTIONVAR	STRING
CARDPROJECTDESCRIPTIONVAR	STRING
CARDPURPOSEDESCRIPTIONVAR	STRING
CARDSPECIFICATION1DESCRIPTIONVAR	STRING
CARDSPECIFICATION2DESCRIPTIONVAR	STRING
CARDSPECIFICATION3DESCRIPTIONVAR	STRING
CARDSPECIFICATION4DESCRIPTIONVAR	STRING
CARDSPECIFICATION5DESCRIPTIONVAR	STRING
CARDSPECIFICATION6DESCRIPTIONVAR	STRING
CARDSPECIFICATION7DESCRIPTIONVAR	STRING
CARDSPECIFICATION8DESCRIPTIONVAR	STRING
CARDSPECIFICATION9DESCRIPTIONVAR	STRING
CARDSPECIFICATION10DESCRIPTIONVAR	STRING
CARDLOCALSPEC1DESCRIPTIONVAR	STRING
CARDLOCALSPEC2DESCRIPTIONVAR	STRING
CARDLOCALSPEC3DESCRIPTIONVAR	STRING
CARDLOCALSPEC4DESCRIPTIONVAR	STRING
CARDLOCALSPEC5DESCRIPTIONVAR	STRING
CARDLOCALSPEC6DESCRIPTIONVAR	STRING
CARDLOCALSPEC7DESCRIPTIONVAR	STRING
CARDLOCALSPEC8DESCRIPTIONVAR	STRING
CARDLOCALSPEC9DESCRIPTIONVAR	STRING
CARDLOCALSPEC10DESCRIPTIONVAR	STRING
TABLELOCATIONDESCRIPTIONVAR	STRING
TABLEENTITYDESCRIPTIONVAR	STRING
TABLEPROJECTDESCRIPTIONVAR	STRING
TABLEPURPOSEDESCRIPTIONVAR	STRING

TABLESPECIFICATION1DESCRIPTIONVAR	STRING
TABLESPECIFICATION2DESCRIPTIONVAR	STRING
TABLESPECIFICATION3DESCRIPTIONVAR	STRING
TABLESPECIFICATION4DESCRIPTIONVAR	STRING
TABLESPECIFICATION5DESCRIPTIONVAR	STRING
TABLESPECIFICATION6DESCRIPTIONVAR	STRING
TABLESPECIFICATION7DESCRIPTIONVAR	STRING
TABLESPECIFICATION8DESCRIPTIONVAR	STRING
TABLESPECIFICATION9DESCRIPTIONVAR	STRING
TABLESPECIFICATION10DESCRIPTIONVAR	STRING
TABLELOCALSPEC1DESCRIPTIONVAR	STRING
TABLELOCALSPEC2DESCRIPTIONVAR	STRING
TABLELOCALSPEC3DESCRIPTIONVAR	STRING
TABLELOCALSPEC4DESCRIPTIONVAR	STRING
TABLELOCALSPEC5DESCRIPTIONVAR	STRING
TABLELOCALSPEC6DESCRIPTIONVAR	STRING
TABLELOCALSPEC7DESCRIPTIONVAR	STRING
TABLELOCALSPEC8DESCRIPTIONVAR	STRING
TABLELOCALSPEC9DESCRIPTIONVAR	STRING
TABLELOCALSPEC10DESCRIPTIONVAR	STRING

P VendorAgingReport

The following cursors can be used in this printout:

COMPANYVENDOR	CompanyVendor
D_VENDORENTRY	VendorEntry

The following variables can be used in this printout:

VENDOROUT	BOOLEAN
SelectedAmount	AMOUNT
VENDORNAMEVAR	STRING
TODAYSDATE	STRING
SelectedVendorGroup	VendorGroupType
SelectedCountry	CountryType
SelectedCurrency	CurrencyType
ControlAccountCodeVar	VendorControlAccountType
LanguageVar	LanguageType
COMPANYNAME	STRING
VENDORNUMBERVAR	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
THETIME	STRING
StartingDateVar	DATE
PAGENUMBER	INTEGER
SelectedDepartment	DepartmentNumberType
FromVendor	STRING
ToVendor	STRING
FromSettlingCompanyVar	STRING
ToSettlingCompanyVar	STRING
SETTLINGCOMPANYNAMEVAR	STRING
FROMENTRYDATEVAR	BOOLEAN
SPLITBYMONTHENDVAR	BOOLEAN
PERIODUNITVAR	AgingPeriodUnitType
StatementDateVar	DATE
ExchangeRateDateVar	DATE
FromDimensionCombNumberVar	STRING
ToDimensionCombNumberVar	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
VendorPopup1Var	VendorpopupType1
VendorPopup2Var	VendorpopupType2
VendorPopup3Var	VendorpopupType3

VendorPopup4Var	VendorpopupType4
VendorPopup5Var	VendorpopupType5
IncludeZeroBalanceVar	BOOLEAN
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING

ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING
AgingPrincipleNameVar	STRING
STARTINGTITLEVAR	STRING
STARTINGTITLE2VAR	STRING
STARTINGDAYVAR	STRING
STARTINGWEEKDAYVAR	STRING
STARTINGMONTHVAR	STRING
STARTINGMONTHNAMEVAR	STRING
STARTINGYEARVAR	STRING
STATEMENTTITLEVAR	STRING
STATEMENTTITLE2VAR	STRING
STATEMENTDAYVAR	STRING
STATEMENTWEEKDAYVAR	STRING
STATEMENTMONTHVAR	STRING
STATEMENTMONTHNAMEVAR	STRING
STATEMENTYEARVAR	STRING
PERIODSBFORESTARTVAR	INTEGER
PERIODSAFTERSTARTVAR	INTEGER
TOTALPERIODSVAR	INTEGER
PERIOD1TITLEVAR	STRING
PERIOD1TITLE2VAR	STRING
PERIOD1FIRSTDATEVAR	DATE
PERIOD1LASTDATEVAR	DATE
PERIOD2TITLEVAR	STRING
PERIOD2TITLE2VAR	STRING
PERIOD2FIRSTDATEVAR	DATE
PERIOD2LASTDATEVAR	DATE
PERIOD3TITLEVAR	STRING
PERIOD3TITLE2VAR	STRING
PERIOD3FIRSTDATEVAR	DATE
PERIOD3LASTDATEVAR	DATE
PERIOD4TITLEVAR	STRING
PERIOD4TITLE2VAR	STRING
PERIOD4FIRSTDATEVAR	DATE
PERIOD4LASTDATEVAR	DATE
PERIOD5TITLEVAR	STRING
PERIOD5TITLE2VAR	STRING
PERIOD5FIRSTDATEVAR	DATE
PERIOD5LASTDATEVAR	DATE
PERIOD6TITLEVAR	STRING
PERIOD6TITLE2VAR	STRING
PERIOD6FIRSTDATEVAR	DATE
PERIOD6LASTDATEVAR	DATE
PERIOD7TITLEVAR	STRING
PERIOD7TITLE2VAR	STRING
PERIOD7FIRSTDATEVAR	DATE

PERIOD7LASTDATEVAR	DATE
PERIOD8TITLEVAR	STRING
PERIOD8TITLE2VAR	STRING
PERIOD8FIRSTDATERVAR	DATE
PERIOD8LASTDATEVAR	DATE
PERIOD9TITLEVAR	STRING
PERIOD9TITLE2VAR	STRING
PERIOD9FIRSTDATERVAR	DATE
PERIOD9LASTDATEVAR	DATE
PERIOD10TITLEVAR	STRING
PERIOD10TITLE2VAR	STRING
PERIOD10FIRSTDATERVAR	DATE
PERIOD10LASTDATEVAR	DATE
BASECURRENCYVAR	CurrencyType
BALANCEBASEVAR	AMOUNT
BALANCEPERENTRYVAR	AMOUNT
AMOUNTBASEVAR	AMOUNT
RECONCILEDBASEVAR	AMOUNT
DUEPERIOD1VAR	AMOUNT
DUEPERIOD2VAR	AMOUNT
DUEPERIOD3VAR	AMOUNT
DUEPERIOD4VAR	AMOUNT
DUEPERIOD5VAR	AMOUNT
DUEPERIOD6VAR	AMOUNT
DUEPERIOD7VAR	AMOUNT
DUEPERIOD8VAR	AMOUNT
DUEPERIOD9VAR	AMOUNT
DUEPERIOD10VAR	AMOUNT
SUMPERIOD1VAR	AMOUNT
SUMPERIOD2VAR	AMOUNT
SUMPERIOD3VAR	AMOUNT
SUMPERIOD4VAR	AMOUNT
SUMPERIOD5VAR	AMOUNT
SUMPERIOD6VAR	AMOUNT
SUMPERIOD7VAR	AMOUNT
SUMPERIOD8VAR	AMOUNT
SUMPERIOD9VAR	AMOUNT
SUMPERIOD10VAR	AMOUNT
STANDARDCURRENCYVAR	CurrencyType
BALANCESTANDARDVAR	AMOUNT
BALANCEPERENTRYSTANDARDVAR	AMOUNT
AMOUNTSTANDARDVAR	AMOUNT
RECONCILEDSTANDARDVAR	AMOUNT
DUE1STANDARDVAR	AMOUNT
DUE2STANDARDVAR	AMOUNT
DUE3STANDARDVAR	AMOUNT
DUE4STANDARDVAR	AMOUNT
DUE5STANDARDVAR	AMOUNT

DUE6STANDARDVAR	AMOUNT
DUE7STANDARDVAR	AMOUNT
DUE8STANDARDVAR	AMOUNT
DUE9STANDARDVAR	AMOUNT
DUE10STANDARDVAR	AMOUNT
SUM1STANDARDVAR	AMOUNT
SUM2STANDARDVAR	AMOUNT
SUM3STANDARDVAR	AMOUNT
SUM4STANDARDVAR	AMOUNT
SUM5STANDARDVAR	AMOUNT
SUM6STANDARDVAR	AMOUNT
SUM7STANDARDVAR	AMOUNT
SUM8STANDARDVAR	AMOUNT
SUM9STANDARDVAR	AMOUNT
SUM10STANDARDVAR	AMOUNT
BALANCEENTERPRISEVAR	AMOUNT
BALANCETOTALENTERPRISEVAR	AMOUNT
BALANCEPERENTRYENTERPRISEVAR	AMOUNT
AMOUNTENTERPRISEVAR	AMOUNT
RECONCILEDENTERPRISEVAR	AMOUNT
DUE1ENTERPRISEVAR	AMOUNT
DUE2ENTERPRISEVAR	AMOUNT
DUE3ENTERPRISEVAR	AMOUNT
DUE4ENTERPRISEVAR	AMOUNT
DUE5ENTERPRISEVAR	AMOUNT
DUE6ENTERPRISEVAR	AMOUNT
DUE7ENTERPRISEVAR	AMOUNT
DUE8ENTERPRISEVAR	AMOUNT
DUE9ENTERPRISEVAR	AMOUNT
DUE10ENTERPRISEVAR	AMOUNT
SUM1ENTERPRISEVAR	AMOUNT
SUM2ENTERPRISEVAR	AMOUNT
SUM3ENTERPRISEVAR	AMOUNT
SUM4ENTERPRISEVAR	AMOUNT
SUM5ENTERPRISEVAR	AMOUNT
SUM6ENTERPRISEVAR	AMOUNT
SUM7ENTERPRISEVAR	AMOUNT
SUM8ENTERPRISEVAR	AMOUNT
SUM9ENTERPRISEVAR	AMOUNT
SUM10ENTERPRISEVAR	AMOUNT
TOTALPERIOD1ENTERPRISEVAR	AMOUNT
TOTALPERIOD2ENTERPRISEVAR	AMOUNT
TOTALPERIOD3ENTERPRISEVAR	AMOUNT
TOTALPERIOD4ENTERPRISEVAR	AMOUNT
TOTALPERIOD5ENTERPRISEVAR	AMOUNT
TOTALPERIOD6ENTERPRISEVAR	AMOUNT
TOTALPERIOD7ENTERPRISEVAR	AMOUNT
TOTALPERIOD8ENTERPRISEVAR	AMOUNT

TOTALPERIOD9ENTERPRISEVAR	AMOUNT
TOTALPERIOD10ENTERPRISEVAR	AMOUNT
ReportingCurrencyVar	CurrencyType
BALANCEREPORTINGVAR	AMOUNT
BALANCETOTALREPORTINGVAR	AMOUNT
BALANCEPERENTRYREPORTINGVAR	AMOUNT
AMOUNTREPORTINGVAR	AMOUNT
RECONCILEDREPORTINGVAR	AMOUNT
DUE1REPORTINGVAR	AMOUNT
DUE2REPORTINGVAR	AMOUNT
DUE3REPORTINGVAR	AMOUNT
DUE4REPORTINGVAR	AMOUNT
DUE5REPORTINGVAR	AMOUNT
DUE6REPORTINGVAR	AMOUNT
DUE7REPORTINGVAR	AMOUNT
DUE8REPORTINGVAR	AMOUNT
DUE9REPORTINGVAR	AMOUNT
DUE10REPORTINGVAR	AMOUNT
SUM1REPORTINGVAR	AMOUNT
SUM2REPORTINGVAR	AMOUNT
SUM3REPORTINGVAR	AMOUNT
SUM4REPORTINGVAR	AMOUNT
SUM5REPORTINGVAR	AMOUNT
SUM6REPORTINGVAR	AMOUNT
SUM7REPORTINGVAR	AMOUNT
SUM8REPORTINGVAR	AMOUNT
SUM9REPORTINGVAR	AMOUNT
SUM10REPORTINGVAR	AMOUNT
TOTALPERIOD1REPORTINGVAR	AMOUNT
TOTALPERIOD2REPORTINGVAR	AMOUNT
TOTALPERIOD3REPORTINGVAR	AMOUNT
TOTALPERIOD4REPORTINGVAR	AMOUNT
TOTALPERIOD5REPORTINGVAR	AMOUNT
TOTALPERIOD6REPORTINGVAR	AMOUNT
TOTALPERIOD7REPORTINGVAR	AMOUNT
TOTALPERIOD8REPORTINGVAR	AMOUNT
TOTALPERIOD9REPORTINGVAR	AMOUNT
TOTALPERIOD10REPORTINGVAR	AMOUNT
CurrencyTypeVar	ReportingCurrencyType
TransactionTypeVar	STRING
EmployeeNumberVar	STRING
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE

P VendorBalanceList

The following cursors can be used in this printout:

COMPANYVENDOR	CompanyVendor
VENDORENTRYDETAILED	VendorEntry

The following variables can be used in this printout:

TOTALBALANCECURRENTEXCHRATE	AMOUNT
CONTROLACCOUNTCURRENTEXCHRATE	AMOUNT
BALANCECURRENTEXCHRATE	AMOUNT
BALANCESTANDARD	AMOUNT
TOTALBALANCE	AMOUNT
CONTROLACCOUNTTOTAL	AMOUNT
SelectedDate	DATE
IncludeZeroVendor	BOOLEAN
VENDOROUT	BOOLEAN
BALANCE	AMOUNT
SelectedVendorGroup	VendorGroupType
SelectedCountry	CountryType
SelectedDepartment	DepartmentNumberType
FromVendor	STRING
ToVendor	STRING
PAGENUMBER	INTEGER
THETIME	STRING
TODAYSDATE	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NAMEOFUSER	STRING
NUMBEROFDAYSVAR	INTEGER
ORIGINALAMOUNTBASEVAR	AMOUNT
ORIGINALAMOUNTTOTALBASEVAR	AMOUNT
ORIGINALAMOUNTSTANDARDVAR	AMOUNT
ORIGINALAMOUNTTOTALSTANDARDVAR	AMOUNT
ORIGINALAMOUNTENTERPRISEVAR	AMOUNT
ORIGINALAMOUNTTOTALENTERPRISEVAR	AMOUNT
ORIGINALAMOUNTORIGINALVAR	AMOUNT
REMAINDERAMOUNTBASEVAR	AMOUNT
REMAINDERAMOUNTSTANDARDVAR	AMOUNT
REMAINDERAMOUNTENTERPRISEVAR	AMOUNT
REMAINDERAMOUNTORIGINALVAR	AMOUNT
REMAINDERAMOUNTTOTALBASEVAR	AMOUNT
REMAINDERAMOUNTTOTALSTANDARDVAR	AMOUNT
REMAINDERAMOUNTTOTALENTERPRISEVAR	AMOUNT
ORIGINALGRANDTOTALBASEVAR	AMOUNT
ORIGINALGRANDTOTALSTANDARDVAR	AMOUNT
ORIGINALGRANDTOTALENTERPRISEVAR	AMOUNT
REMAINDERGRANDTOTALBASEVAR	AMOUNT

REMAINDERGRANDTOTALSTANDARDVAR	AMOUNT
REMAINDERGRANDTOTALENTERPRISEVAR	AMOUNT
FromSettlingCompanyVar	STRING
ToSettlingCompanyVar	STRING
FromCompanyOfOriginVar	STRING
ToCompanyOfOriginVar	STRING
SETTLINGCOMPANYNAMEVAR	STRING
BASECURRENCYVAR	CurrencyType
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
ControlAccountCodeVar	VendorControlAccountType
LanguageVar	LanguageType
CurrencyVar	CurrencyType
FromDimensionCombNumberVar	STRING
ToDimensionCombNumberVar	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
Vendorpopup1Var	VendorpopupType1
Vendorpopup2Var	VendorpopupType2
Vendorpopup3Var	VendorpopupType3
Vendorpopup4Var	VendorpopupType4
Vendorpopup5Var	VendorpopupType5
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING

FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING
ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P VendorCard

The following cursors can be used in this printout:

VENDOR

Vendor

The following variables can be used in this printout:

ALLCOUNTRIES	BOOLEAN
CountryVar	CountryType
ALLDEPARTMENTS	BOOLEAN
DepartmentVar	DepartmentNumberType
VendorGroupVar	VendorGroupType
ALLVENDORGROUPS	BOOLEAN
ToVendor	STRING
FromVendor	STRING
PAYERZIPCODEVAR	STRING
PAYERATTENTIONVAR	STRING
PAYERNAME5VAR	STRING
PAYERNAME4VAR	STRING
PAYERNAME3VAR	STRING
PAYERNAME2VAR	STRING
PAYERNAME1VAR	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
THETIME	STRING
TODAYSDATE	STRING
NAMEOFUSER	STRING
PAGENUMBER	INTEGER
PAYERPOSTALDISTRICTVAR	STRING
PAYERCOUNTRYVAR	CountryType
COMPANYNAME1VAR	STRING
PARENTVENDORNAME1VAR	STRING
DOCUMENTARCHIVEDescriptionVar	STRING
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE

P VendorInvoiceJournal

The following cursors can be used in this printout:

JOURNAL	Journal
VENDORINVOICEJOURNAL	VendorInvoiceJournal
F_VENDORINVOICEJOURNAL	VendorInvoiceJournal
IMAGEVENDORINVOICEJOURNAL	VendorInvoiceJournal
F_IMAGEVENDORINVOICEJOURNAL	VendorInvoiceJournal
INVOICEALLOCATIONLINE	InvoiceAllocationLine
F_INVOICEALLOCATIONLINE	InvoiceAllocationLine
I_VENDORINVOICEJOURNAL	VendorInvoiceJournal
I_IMAGEVENDORINVOICEJOURNAL	VendorInvoiceJournal

The following variables can be used in this printout:

FirstJournal	INTEGER
LayoutName	LayoutNameType
COMPANYNAME	STRING
NAMEOFUSER	STRING
PAGENUMBER	INTEGER
TODAYSDATE	STRING
THETIME	STRING
LastJournal	INTEGER
SHOWINVOICEALLOCATION	BOOLEAN
FromResponsibleVar	STRING
ToResponsibleVar	STRING
FromCompanyVar	STRING
ToCompanyVar	STRING
FromAllocationResponsibleVar	STRING
ToAllocationResponsibleVar	STRING
COMPANYNAMEVAR	STRING
RESPONSIBLENAMEVAR	STRING
PAGEBREAKVAR	BOOLEAN
AMOUNTCURRENCYVAR	AMOUNT
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
COMPANYTOTALINREPORTINGCURRENCYVAR	AMOUNT
PRINTEDCOMPANYTOTAL	AMOUNT
GRANDTOTALINREPORTINGCURRENCYVAR	AMOUNT
TOCOMPANYNUMBERVAR	STRING
ACCOUNTTEXTINVOICEALLOCATIONLINEVAR	STRING
LOCALACCOUNTDESCRIPTIONVAR	STRING
COMPANYNAMEINVOICEALLOCATIONLINEVAR	STRING
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromEntryDateVar	DATE
ToEntryDateVar	DATE
SelfInvoicesOnlyVar	BOOLEAN

ExcludeSelfInvoicesVar	BOOLEAN
VENDORNAME	STRING
NAME2VAR	STRING
NAME3VAR	STRING
NAME4VAR	STRING
NAME5VAR	STRING
ZIPCODEVAR	STRING
POSTALDISTRICTVAR	STRING
ATTENTIONVAR	STRING
COUNTRYVAR	CountryType
PAYMENTVENDORNAME	STRING
PAYMENTNAME2VAR	STRING
PAYMENTNAME3VAR	STRING
PAYMENTNAME4VAR	STRING
PAYMENTNAME5VAR	STRING
PAYMENTZIPCODEVAR	STRING
PAYMENTPOSTALDISTRICTVAR	STRING
PAYMENTATTENTIONVAR	STRING
PAYMENTCOUNTRYVAR	CountryType
PAYMENTGIROVAR	STRING
PAYMENTBANKREGISTRATIONNUMBERVAR	STRING
PAYMENTBANKACCOUNTVAR	STRING
PAYMENTPAYMENTSERVICENUMBERVAR	STRING
PAYMENTCPCNUMBERVAR	STRING
PAYMENTSTANDARDCARDTYPECODEVAR	STRING
PAYMENTSTANDARDPAYERIDENTIFICATIONVAR	STRING
PAYMENTBANKADDRESS1VAR	STRING
PAYMENTBANKADDRESS2VAR	STRING
PAYMENTBANKADDRESS3VAR	STRING
PAYMENTBANKADDRESS4VAR	STRING
PAYMENTSWIFTCODEVAR	STRING
PrintInvoiceImagesVar	BOOLEAN
INVOICEIMAGEEXISTSVAR	BOOLEAN
INVOICEIMAGEVAR	STRING
CARDLOCATIONDESCRIPTIONVAR	STRING
CARDENTITYDESCRIPTIONVAR	STRING
CARDPROJECTDESCRIPTIONVAR	STRING
CARDPURPOSEDESCRIPTIONVAR	STRING
CARDSPECIFICATION1DESCRIPTIONVAR	STRING
CARDSPECIFICATION2DESCRIPTIONVAR	STRING
CARDSPECIFICATION3DESCRIPTIONVAR	STRING
CARDSPECIFICATION4DESCRIPTIONVAR	STRING
CARDSPECIFICATION5DESCRIPTIONVAR	STRING
CARDSPECIFICATION6DESCRIPTIONVAR	STRING
CARDSPECIFICATION7DESCRIPTIONVAR	STRING
CARDSPECIFICATION8DESCRIPTIONVAR	STRING
CARDSPECIFICATION9DESCRIPTIONVAR	STRING
CARDSPECIFICATION10DESCRIPTIONVAR	STRING

CARDLOCALSPEC1DESCRIPTIONVAR	STRING
CARDLOCALSPEC2DESCRIPTIONVAR	STRING
CARDLOCALSPEC3DESCRIPTIONVAR	STRING
CARDLOCALSPEC4DESCRIPTIONVAR	STRING
CARDLOCALSPEC5DESCRIPTIONVAR	STRING
CARDLOCALSPEC6DESCRIPTIONVAR	STRING
CARDLOCALSPEC7DESCRIPTIONVAR	STRING
CARDLOCALSPEC8DESCRIPTIONVAR	STRING
CARDLOCALSPEC9DESCRIPTIONVAR	STRING
CARDLOCALSPEC10DESCRIPTIONVAR	STRING
TABLELOCATIONDESCRIPTIONVAR	STRING
TABLEENTITYDESCRIPTIONVAR	STRING
TABLEPROJECTDESCRIPTIONVAR	STRING
TABLEPURPOSEDESCRIPTIONVAR	STRING
TABLESPECIFICATION1DESCRIPTIONVAR	STRING
TABLESPECIFICATION2DESCRIPTIONVAR	STRING
TABLESPECIFICATION3DESCRIPTIONVAR	STRING
TABLESPECIFICATION4DESCRIPTIONVAR	STRING
TABLESPECIFICATION5DESCRIPTIONVAR	STRING
TABLESPECIFICATION6DESCRIPTIONVAR	STRING
TABLESPECIFICATION7DESCRIPTIONVAR	STRING
TABLESPECIFICATION8DESCRIPTIONVAR	STRING
TABLESPECIFICATION9DESCRIPTIONVAR	STRING
TABLESPECIFICATION10DESCRIPTIONVAR	STRING
TABLELOCALSPEC1DESCRIPTIONVAR	STRING
TABLELOCALSPEC2DESCRIPTIONVAR	STRING
TABLELOCALSPEC3DESCRIPTIONVAR	STRING
TABLELOCALSPEC4DESCRIPTIONVAR	STRING
TABLELOCALSPEC5DESCRIPTIONVAR	STRING
TABLELOCALSPEC6DESCRIPTIONVAR	STRING
TABLELOCALSPEC7DESCRIPTIONVAR	STRING
TABLELOCALSPEC8DESCRIPTIONVAR	STRING
TABLELOCALSPEC9DESCRIPTIONVAR	STRING
TABLELOCALSPEC10DESCRIPTIONVAR	STRING

P VendorOpenEntryStatement

The following cursors can be used in this printout:

COMPANYVENDOR	CompanyVendor
VENDORENTRY	VendorEntry
VENDORENTRYORIGIN	VendorEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
ToVendorNumberVar	STRING
FromVendorNumberVar	STRING
DepartmentNumberVar	DepartmentNumberType
LanguageVar	LanguageType
IncludeZeroVendorVar	BOOLEAN
SHOWNOTSTANDARDAMOUNTVAR	BOOLEAN
SHOWSTANDARDAMOUNTVAR	BOOLEAN
SHOWNOTORIGINALAMOUNTVAR	BOOLEAN
SHOWORIGINALAMOUNTVAR	BOOLEAN
ORIGINALSTANDARDVAR	AMOUNT
DEBITREMAINDERSTANDARDVAR	AMOUNT
CREDITREMAINDERSTANDARDVAR	AMOUNT
PRINTVENDORVAR	BOOLEAN
PRINTVENDORENTRYVAR	BOOLEAN
DEBITDUEREMAININGSTANDARDVAR	AMOUNT
CREDITDUEREMAININGSTANDARDVAR	AMOUNT
REMAINDERBASEVAR	AMOUNT
BALANCEBASEVAR	AMOUNT
DUEBASEVAR	AMOUNT
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
COMPANYNAMEOFORIGINVAR	STRING
PRINTPAGEBREAKVAR	BOOLEAN
VENDORNAME1VAR	STRING
SETTLINGCOMPANYNAMEVAR	STRING
BALANCESTANDARDVAR	AMOUNT
STANDARDCURRENCYVAR	CurrencyType
BASECURRENCYVAR	CurrencyType
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
BALANCEREPORTINGVAR	AMOUNT
CREDITDUEREPORTINGVAR	AMOUNT
PRINTREPORTINGCURRENCYVAR	BOOLEAN

COMPANYBALANCEREPORTINGVAR	AMOUNT
COMPANYCREDITDUEREPVAR	AMOUNT
LASTCOMPANYOFORIGINVAR	STRING
USERCOMPANYVAR	STRING
ControlAccountCodeVar	VendorControlAccountType
VendorGroupVar	VendorGroupType
CountryVar	CountryType
CurrencyVar	CurrencyType
FromDimensionCombNumberVar	STRING
ToDimensionCombNumberVar	STRING
FromStatistic1Var	STRING
ToStatistic1Var	STRING
FromStatistic2Var	STRING
ToStatistic2Var	STRING
FromStatistic3Var	STRING
ToStatistic3Var	STRING
FromStatistic4Var	STRING
ToStatistic4Var	STRING
Vendorpopup1Var	VendorpopupType1
Vendorpopup2Var	VendorpopupType2
Vendorpopup3Var	VendorpopupType3
Vendorpopup4Var	VendorpopupType4
Vendorpopup5Var	VendorpopupType5
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE
FromLocationNameVar	STRING
ToLocationNameVar	STRING
FromEntityNameVar	STRING
ToEntityNameVar	STRING
FromProjectNameVar	STRING
ToProjectNameVar	STRING
FromPurposeNameVar	STRING
ToPurposeNameVar	STRING
FromSpecification1NameVar	STRING
ToSpecification1NameVar	STRING
FromSpecification2NameVar	STRING
ToSpecification2NameVar	STRING
FromSpecification3NameVar	STRING
ToSpecification3NameVar	STRING
FromSpecification4NameVar	STRING
ToSpecification4NameVar	STRING
FromSpecification5NameVar	STRING
ToSpecification5NameVar	STRING
FromSpecification6NameVar	STRING
ToSpecification6NameVar	STRING
FromSpecification7NameVar	STRING
ToSpecification7NameVar	STRING
FromSpecification8NameVar	STRING

P VendorOpenEntryStatement

ToSpecification8NameVar	STRING
FromSpecification9NameVar	STRING
ToSpecification9NameVar	STRING
FromSpecification10NameVar	STRING
ToSpecification10NameVar	STRING
FromLocalSpec1NameVar	STRING
ToLocalSpec1NameVar	STRING
FromLocalSpec2NameVar	STRING
ToLocalSpec2NameVar	STRING
FromLocalSpec3NameVar	STRING
ToLocalSpec3NameVar	STRING
FromLocalSpec4NameVar	STRING
ToLocalSpec4NameVar	STRING
FromLocalSpec5NameVar	STRING
ToLocalSpec5NameVar	STRING
FromLocalSpec6NameVar	STRING
ToLocalSpec6NameVar	STRING
FromLocalSpec7NameVar	STRING
ToLocalSpec7NameVar	STRING
FromLocalSpec8NameVar	STRING
ToLocalSpec8NameVar	STRING
FromLocalSpec9NameVar	STRING
ToLocalSpec9NameVar	STRING
FromLocalSpec10NameVar	STRING
ToLocalSpec10NameVar	STRING

P VendorReport

The following cursors can be used in this printout:

COMPANYINFORMATION
VENDORENTRY

CompanyInformation
VendorEntry

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromDateVar	DATE
ToDateVar	DATE
VENDORAPAMOUNTVAR	AMOUNT
VENDORAFAMOUNTVAR	AMOUNT
COMPREGNOTOTALAFAMOUNTVAR	AMOUNT
SHOWCOMPREGNOTOTALVAR	BOOLEAN
FIRSTTIMEVAR	BOOLEAN
VENDORNUMBERVAR	STRING
SHOWVENDORTOTALVAR	BOOLEAN
COMPREGNOTOTALAPAMOUNTVAR	AMOUNT
COMPANYTOTALAPAMOUNTVAR	AMOUNT
COMPANYTOTALAFAMOUNTVAR	AMOUNT
VENDORNAME1VAR	STRING
TOTALAPAMOUNTVAR	AMOUNT
TOTALAFAMOUNTVAR	AMOUNT
PREVOIUSCOMPANYREGISTRATIONNUMBERVAR	STRING
RESETCOMPREGNOAMOUNTVAR	BOOLEAN
SHOWHEADERVER	BOOLEAN
CompanyRegistrationNumberVar	STRING
ToCompanyRegistrationNumberVar	STRING
VENDORNAME2VAR	STRING
VENDORNAME3VAR	STRING
VENDORZIPCODEVAR	STRING
VENDORPOSTALDISTRICTVAR	STRING
VENDORNAME4VAR	STRING
VENDORNAME5VAR	STRING
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
BASECURRENCYVAR	CurrencyType

PaymentSelection

The following cursors can be used in this printout:

OUTPUTDATALINE	OutputDataLine
OUTPUTDATARECONCILIATION	OutputDataReconciliation
OUTPUTDATAREMITTANCELINE	OutputDataRemittanceLine
NOTSELECTEDVENDORENTRY	VendorEntry
VENDORENTRY	VendorEntry
VENDORSWITHDUEENTRIESNOTBEINGPAIDTEMPORAL1	Temporal1

The following variables can be used in this printout:

THETIME	STRING
TODAYSDATE	STRING
PAGENUMBER	INTEGER
NAMEOFUSER	STRING
COMPANYNAME	STRING
LayoutName	LayoutNameType
NEWREMAINDERVAR	AMOUNT
ENTRYAMOUNTVAR	AMOUNT
ENTRYDISCOUNTVAR	AMOUNT
VENDORDISCOUNTVAR	AMOUNT
VENDORPAYMENTVAR	AMOUNT
VENDORREMAINDERVAR	AMOUNT
NOTFULLYRECONCILEDDISCOUNTVAR	AMOUNT
NOTFULLYRECONCILEDPAYMENTVAR	AMOUNT
NOTFULLYRECONCILEDREMAINDERVAR	AMOUNT
TOTALDISCOUNTVAR	AMOUNT
TOTALPAYMENTVAR	AMOUNT
TOTALREMAINDERVAR	AMOUNT
VENDORNUMBERVAR	STRING
SETTLINGCOMPANYVAR	STRING
VENDORCURRENCYVAR	CurrencyType
VENDORNAME1VAR	STRING
VENDORYOURREFERENCEVAR	STRING
VENDOROURREFERENCEVAR	STRING
VENDORTELEPHONEVAR	STRING
VENDORTELEFAXVAR	STRING
VENDORTELEXVAR	STRING
VENDOROURCUSTOMERNUMBERVAR	STRING
VENDORBANKADDRESS1VAR	STRING
VENDORBANKADDRESS2VAR	STRING
VENDORBANKADDRESS3VAR	STRING
VENDORBANKADDRESS4VAR	STRING
VENDORSWIFTCODEVAR	STRING
VENDORCNRNUMBERVAR	STRING
VENDORCOMPANYREGISTRATIONNUMBERVAR	STRING
SUPPLIERNAME1VAR	STRING

PaymentSelection

SUPPLIERNAME2VAR	STRING
SUPPLIERNAME3VAR	STRING
SUPPLIERNAME4VAR	STRING
SUPPLIERNAME5VAR	STRING
SUPPLIERZIPCODEVAR	STRING
SUPPLIERPOSTALDISTRICTVAR	STRING
SUPPLIERATTENTIONVAR	STRING
SUPPLIERCOUNTRYVAR	CountryType
SUPPLIERBANKADDRESS1VAR	STRING
SUPPLIERBANKADDRESS2VAR	STRING
SUPPLIERBANKADDRESS3VAR	STRING
SUPPLIERBANKADDRESS4VAR	STRING
SUPPLIERSWIFTCODEVAR	STRING
INCLUDEVENDORVAR	BOOLEAN
LatestDueDateVar	DATE
JointPaymentDateVar	DATE
CreateSelection	BOOLEAN
SelectedVendorGroup	VendorGroupType
ControlAccountCodeVar	VendorControlAccountType
LastVendor	STRING
FirstVendor	STRING
WriteOverVar	BOOLEAN
PaymentModeVar	STRING
PaymentAgentVar	STRING
OverwriteReconciledVar	BOOLEAN
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
COMPANYNAME1VAR	STRING
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
IncludeCashDiscountVar	BOOLEAN
RemittanceTextVar	STRING
ShowAllDueVar	BOOLEAN
IncludeRemittanceVar	BOOLEAN
CheckbookVar	CheckbookType
FromSupplierNumberVar	STRING
ToSupplierNumberVar	STRING
FromCardTypeCodeVar	STRING
ToCardTypeCodeVar	STRING
FromCompanyOfOriginVar	STRING
ToCompanyOfOriginVar	STRING
TransactionTypeVar	STRING
SHOWTOTALSVar	BOOLEAN

P APSuspenseOverview

The following cursors can be used in this printout:

COMPANYVENDOR	CompanyVendor
OUNALLOCATEDVENDORINVOICEJOURNAL	VendorInvoiceJournal
OPURCHASEVOUCHER	PurchaseVoucher

The following variables can be used in this printout:

NAMEOFUSER	STRING
LayoutName	LayoutNameType
COMPANYNAME	STRING
TODAYSDATE	STRING
THETIME	STRING
PAGENUMBER	INTEGER
FromVendorNumberVar	STRING
ToVendorNumberVar	STRING
FromCompanyNumberVar	STRING
ToCompanyNumberVar	STRING
VendorGroupVar	VendorGroupType
FromTransactionNumberVar	INTEGER
ToTransactionNumberVar	INTEGER
FromInvoiceNumberVar	STRING
ToInvoiceNumberVar	STRING
StatementDateVar	DATE
VENDORNUMBERVAR	STRING
VENDORNUMBERNAMEVAR	STRING
ReportingCurrencyVar	CurrencyType
ExchangeRateDateVar	DATE
COMPANYNAME1VAR	STRING
ENTRYTYPEVAR	STRING
DEBITAMOUNTBASEVAR	AMOUNT
CREDITAMOUNTBASEVAR	AMOUNT
AMOUNTREPORTINGVAR	AMOUNT
ORIGINALAMOUNTVAR	AMOUNT
BASECURRENCYVAR	CurrencyType
INVOICETOTALREPORTINGVAR	AMOUNT
PURCHASETOTALREPORTINGVAR	AMOUNT
VENDORTOTALREPORTINGVAR	AMOUNT
GRANDTOTALREPORTINGVAR	AMOUNT
LASTUSEDCOMPANYNUMBERVAR	STRING
PRINTVENDORVAR	BOOLEAN
PRINTHEADERVAR	BOOLEAN
LASTTRANSACTIONNUMBERVAR	INTEGER
PRINTPURCHASEVOUCHERVAR	BOOLEAN
IncludeInactiveVar	BOOLEAN
InactiveDateVar	DATE



About Deltek

Better software means better projects. Deltek is the leading global provider of enterprise software and information solutions for project-based businesses. More than 23,000 organizations and millions of users in over 80 countries around the world rely on Deltek for superior levels of project intelligence, management and collaboration. Our industry-focused expertise powers project success by helping firms achieve performance that maximizes productivity and revenue. www.deltek.com