



Deltek

Deltek Costpoint®

8.2

Import Cash Receipts
Preprocessor

December 20, 2023



While Deltek has attempted to verify that the information in this document is accurate and complete, some typographical or technical errors may exist. The recipient of this document is solely responsible for all decisions relating to or use of the information provided herein.

The information contained in this publication is effective as of the publication date below and is subject to change without notice.

This publication contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, or translated into another language, without the prior written consent of Deltek, Inc.

This edition published December 20, 2023.

© 2023 Deltek, Inc.

Deltek's software is also protected by copyright law and constitutes valuable confidential and proprietary information of Deltek, Inc. and its licensors. The Deltek software, and all related documentation, is provided for use only in accordance with the terms of the license agreement. Unauthorized reproduction or distribution of the program or any portion thereof could result in severe civil or criminal penalties.

All trademarks are the property of their respective owners.

Contents

- Import Cash Receipts..... 1
 - Display the Import Cash Receipts Screen.....2
 - Contents of the Import Cash Receipts Screen..... 2
 - Table Information for the Import Cash Receipts Screen.....19

Use this screen to import cash receipt records into Costpoint from electronic bank files in accordance with EDI or NACHA formatting for the transaction sets 820 and 823, or from a comma-separated values (CSV) file.

The following illustration provides an example of a NACHA-formatted input file that contains an 820 transaction set, after the ST segment.

The following illustration provides an example of an EDI-formatted input file that contains an 823 transaction set, after the ST segment.


The following illustration provides an example of a CSV input file.

H,02/03/2022,1001,MTTEST-10,2022,1,1,USD,DAILY,02/28/2022,
L,I,1001,1,INV-0000005942,ARMY,1ST-CHECK,30.63,Cust AR Line,3.06,Default AR Cash,,,,,,,,11.12,This is a note
L,I,1001,2,INV-0000005942,ARMY,2ND-CHECK,Customer Finance Charge Acct,Default AR Cash,,,,,,,,7.12,,,This is a note
H,02/03/2022,1002,MTTEST-11,2022,1,1,USD,DAILY,02/28/2022,
L,I,1002,1,INV-0000005953,BROOKE,1ST-CHECK,112.33,Cust AR Line,3.05,,,,,,,,22.2,This is a note
L,I,1002,2,INV-0000005953,BROOKE,2ND-CHECK,Customer Finance Charge Acct,,,,,,,,10.23,,,This is a note

Only one user at a time can run this application. Before you run this application, you must establish settings on the Manage Cash Receipts Preprocessor Settings screen.

There are two ways to work with input files in Costpoint:

- You can access the input file from the network by using Alternate File Locations.
- You can upload the input file to the Costpoint database; in which case, no further access to network folders is necessary.

If you decide to use the first option, click  in the **Location** field to select an alternate file location. If you choose the second option, leave the **Location** field blank and use the File Upload Manager to upload the input file to the Costpoint database.

Note: The input file layout may contain fields that are available only in Costpoint Advanced. If you are using Costpoint Essentials, these fields are excluded from the import process and may be left blank or null when you create the input file.

Display the Import Cash Receipts Screen

You access the Import Cash Receipts screen from the Accounting domain.

Click **Accounting » Accounts Receivable » Accounts Receivable Interfaces » Import Cash Receipts**.


Contents of the Import Cash Receipts Screen


Use the fields and options to configure the Import Cash Receipts Screen.

Identification

Use the fields in this block to create a new parameter ID or to retrieve a previously saved parameter ID. A parameter ID represents a set of screen selection parameters. After you have saved a parameter ID and its related parameters, you can retrieve them using **Query**.

You can use the retrieved parameters to produce reports and run processes more efficiently and with greater consistency. The saved parameters are also useful and necessary when you want to run the process as part of a batch job. Many users save a unique set of parameters for each different way they run a report or process. When you select a previously saved parameter ID or parameter description, the associated saved screen selection parameters automatically display as selection defaults. The page setup and print options, if there are any, are also included in the saved parameter ID. You can change any of the associated selection defaults as necessary.

Field	Description
Parameter ID	<p>Enter, or click  to select, a parameter ID of up to 15 alphanumeric characters. Choose characters for your parameter ID that help identify the type of selections you made on the screen, such as PERIOD or QUARTERLY.</p> <p>When you save your record, all the selections made on the screen are stored with the parameter ID. Later, you can retrieve the parameter using Query.</p> <p>You can use the parameter to run the process more efficiently because you can select the parameter ID with its previously defined screen selections. After the default selections display on the screen, you can override the defaults.</p>



Field	Description
Description	Enter, or click  to select, a parameter description of up to 30 alphanumeric characters.

Options

Use this group box to specify the input file you want to use, the accounting period you want to update, and receipt, EDI delimiter, and extended matching options.

Input File Options

Use this group box to specify the input file from which you want to import data. You must also specify the location, file format, and transaction set of the input file in this group box.




Field	Description
Location	<p>Enter the location of the input file you are importing. There are two ways to do this:</p> <ul style="list-style-type: none"> In the Location field, enter, or click  to select, the alternate file location where the input file is located. Alternate file locations are set up in the Manage Alternate File Locations screen. From the Global Menu, click Process » File Upload. On the File Upload Manager dialog box, click Browse and use the dialog box to select the file you want to import. If you select the Overwrite? check box, Costpoint will overwrite any file of the same name that already exists in the Costpoint database. Click Upload when you are finished. If you use this method, leave the Location field blank. For more information about the File Upload Manager, see the File Upload Manager topic in the Getting Started Guide.
Name	Use this field to enter, or click  to select, the file name of the input file you want to use.
File Format	<p>Use this drop-down list box to select the electronic format of the data contained in the input file. The available formats are:</p> <ul style="list-style-type: none"> EDI: Select this option to indicate that the input file data is in EDI transaction set format. NACHA: Select this option to indicate that the input file is in complete NACHA record format. CSV: Select this option to indicate that the input file is a comma-separated values file.
Transaction Set	<p>Use this drop-down list box to select the EDI transaction set used in the input file. The available EDI transaction sets are:</p> <ul style="list-style-type: none"> 820: Select this option if the input file uses EDI transaction set 820.

Field	Description
	<ul style="list-style-type: none"> ▪ 823: Select this option if the input file uses EDI transaction set 823. <p>This field is disabled if the File Format is CSV.</p>
File Contains Hard Returns	<p>Select this check box if a carriage return/line feed (CR/LF) ends each line of data in the input file. Clear this check box if the file contains one continuous data string.</p> <p>This checkbox is disabled if the File Format is CSV.</p>

Accounting Period

Use this group box to specify an open fiscal year, period, and subperiod for which to create cash receipts from the transactions in the input file.

Use this group box to specify an open fiscal year and period for which to create cash receipts from the transactions in the input file.

Field	Description
Fiscal Year	Use this field to enter, or click  to select, the fiscal year you want to update.
Period	Use this field to enter, or click  to select, a period within this Fiscal Year .
Subperiod	Use this field to enter, or click  to select, a subperiod within this Period .

Receipt


Use this group box to specify how cash receipts are numbered when imported into Costpoint and identify the date when you have received the cash for the transactions in the input file.

Field	Description
Use Last System Assigned Cash Receipt Number	Select this option to allow Costpoint to assign the next available cash receipt within the Period you selected. If you select this option, Costpoint adds 1 to the cash receipt number currently stored in the transaction control number table.
Supply Beginning Cash Receipt Number	Select this option to manually assign a beginning cash receipt number. Use the unlabeled field to the right to enter the value you want to use as the beginning cash receipt number. When you select this option, Costpoint sequentially assigns unique cash receipt numbers to the transactions you import, starting with the number you entered in the unlabeled field. The beginning receipt number you specify must be a nine-character numeric value that is unique within the accounting Period .
Use Cash Receipt Number From Input File	Select this option to manually assign a number to the cash receipts in the input file.

Field	Description
Receipt Date	<p>Use this field to enter the date, in MM/DD/YYYY format, to record in Costpoint as the date on which you received the cash. This date overrides any date in the input file. In general, you should enter cash receipts daily. The date you enter cannot be more than 50 years before the current year, as determined by your system date. If you enter a date more than 50 years before the current system date, Costpoint displays an error message asking you to check and re-enter the date.</p> <p>This field is disabled if the File Format is CSV.</p>

Cash Account Used When no Customer Default Exists

Use this group box to specify the default account/organization combination, bank abbreviation, and REF 1 and REF 2 numbers if the customer in the import file has no default **Cash Account**.

Field	Description
Cash Account	<p>Enter, or click  to select, the cash account to be used if the customer in the import file has no default Cash Account.</p> <p>The unlabeled field to the right displays the cash account name.</p>
Organization	<p>This field displays the default organization ID that is linked to the Cash Account.</p> <p>The unlabeled field to the right displays the organization name.</p>
Bank Abbreviation	<p>This field displays the default bank abbreviation that is linked to the Cash Account.</p> <p>The unlabeled field to the right displays the bank abbreviation description.</p>
REF 1	<p>This field displays the default Reference 1 ID that is linked to the Cash Account.</p> <p>The unlabeled field to the right displays the Reference 1 name.</p>
REF 2	<p>This field displays the default Reference 2 ID that is linked to the Cash Account.</p> <p>The unlabeled field to the right displays the Reference 2 name.</p>

EDI Delimiters

Use this group box to specify the EDI delimiters used in your input file. An EDI format input file uses these delimiters to separate data segments and file elements. You must first check what characters your input file uses before running this process.

Note: The fields in this group box are disabled if the **File Format** is **CSV**.

Field	Description
Segment	Use this field to enter the character that your input file uses to separate data segments.

Field	Description
Element	Use this field to enter the character that your input file uses to separate file elements.

Extended Matching

Use this group box to specify additional matching options in order to increase the number of accurate cash applications as part of this import process. Extended matching is a two-way match which you can apply through any combination of two of the following:

- Invoice ID (or partial Invoice ID)
- Balance Due
- Invoice Amount
- Customer Name
- Bill Number (which is different from Invoice ID)

Note:

- Two-way matching cannot be done with the combination of **Balance Due** and **Invoice Amount**.
- The fields in this group box are disabled if the **File Format** is **CSV**.

Field	Description
Match Invoice on Non-Zero Numeric Portion	Select this check box to include non-alphabetical and non-zero characters from the invoice matching process. Otherwise, clear this check box. Selecting this check box matches the application code to the non-zero numeric portion of the invoice.
Invoice Amount	Select this check box to enable enhanced invoice matching based on the invoice amount. Use the field to the right to enter the priority level for this option during the enhanced invoice matching process.
Balance Due	Select this check box to enable enhanced invoice matching based on the invoice balance amount due. Use the field to the right to enter the priority level for this option during the enhanced invoice matching process.
Customer Name	Select this check box to enable enhanced invoice matching based on the customer name. Use the field to the right to enter the priority level for this option during the enhanced invoice matching process.
Bill Number	Select this check box to enable enhanced invoice matching based on the bill number. Use the field to the right to enter the priority level for this option during the enhanced invoice matching process.
Continue to Process with Error Records	Select this check box to allow this preprocessor to continue the importing process even when it encounters errors with one or more records in the input file.

Field	Description
Overwrite Existing Records	Select this check box to replace existing records in Costpoint with the records in the input file/tables that have the same cash receipt record.

Related Topics

See the following topics for more information about this preprocessor:

- [CSV Input File Format](#)
- [Table Maps](#)
- [Validations](#)
- [Processing Considerations](#)
- [Reports](#)

Import Cash Receipts Table Maps

The following tables detail the table and file mapping associated with running the Import Cash Receipts preprocessor.

CASH_RECPT_HDR Table Map

Table Column	Contents
CASH_RECPT_HDR_KEY	System assigned
FY_CD	From preprocessor screen
PD_NO	From preprocessor screen
CASH_RECPT_NO	System assigned or from the preprocessor screen
SUB_PD_NO	From preprocessor screen
ENTR_USER_ID	Log-in user ID
ENTR_DTT	System date
S_JNL_CD	CR
POST_SEQ_NO	Null
RECPT_DT	From EDI file: BPR (820) and DEP (823)
MODIFIED_BY	Log-in User ID
TIME_STAMP	System date and time
COMPANY_ID	Log-in company
ADVANCE_FL	N
PAY_CRNCY_CD	Functional currency of log-in company

Table Column	Contents
PAY_CRNCY_DT	From RECPT_DT
RATE_GRP_ID	Default rate group
TRN_TO_EUR_RT	1
EUR_TO_FUNC_RT	1
TRN_TO_EUR_RT_FL	N
TRN_FREEZE_RT_FL	N
BANK_DEPOSIT_NO	From EDI file: DEP (823)
OVR_BUD_FL	N
DOC_LOCATION	Left blank
ROWVERSION	0

CASH_RECPT_TRN Table Map

Table Column	Contents
CASH_RECPT_HDR_KEY	System assigned
CASH_RECPT_TRN_KEY	System assigned
LN_NO	System assigned (1 for cash account and 1 for billed A/R)
ACCT_ID	Billed A/R and RCV_ACCT_ID from AR_HDR_HS
ORG_ID	RCV_ORG_ID from AR_HDR_HS
ORG_ABBRV_CD	ORG_ABBRV_CD from ORG
PROJ_ID	PROJ_ID from AR_HDR_HS
PROJ_ABBRV_CD	PROJ_ABBRV_CD from PROJ
REF1_ID	RCV_REF1_ID from AR_HDR_HS
REF2_ID	RCV_REF2_ID from AR_HDR_HS
INVC_ID	From EDI file RMR02
CUST_ID	From EDI file N102
CR_CHK_ID	From EDI file REF02 (823 only)
TRN_DESC	Account name
DISC_TAKEN_AMT	From EDI file RMR06
TRN_AMT	From EDI file RMR04
MODIFIED_BY	Log-in user ID

Table Column	Contents
TIME_STAMP	System data and time
BANK_ACCT_ABBRV	From cash account in AR_SETTINGS
VEND_ID	Left blank
TVL_ADV_ID	Left blank
TVL_ADV_HDR_KEY	Left blank
TVL_ADV_LN_KEY	Left blank
CASH_ACCT_LINE_FL	Left blank
S_LINE_SOURCE_CD	I for 'invoice'
PAY_TRN_AMT	Map from TRN_AMT
PAY_DISC_TAKEN_AMT	Map from DISC_TAKEN_AMT
TRN_TRN_AMT	From PAY_TRN_AMT
TRN_DISC_TAKEN_AMT	From PAY_DISC_TAKEN_AMT
MU_REAL_GAIN_AMT	Zero by system default (no multicurrency)
MU_REAL_LOSS_AMT	Zero by system default (no multicurrency)
PROJ_ACCT_ABBRV_CD	Left blank
TRN_FINCHG_RCV_AMT	System calculation as per AR settings
PAY_FINCHG_RCV_AMT	System calculation as per AR settings
FINCHG_RCV_AMT	System calculation as per AR settings
ROWVERSION	System default
EXP_RPT_ID	Left blank

Import Cash Receipts Validations

This topic provides information on the various validations performed by the Import Cash Receipts preprocessor.

Field/Form Validations

The following tables list the field and form validations Costpoint performs when you run the Import Cash Receipts preprocessor.

Field Name	Condition	Type	Message
File Input	The input file does not exist.	Error	File does not exist.
Use Last System CR number	The Use Last System Assigned Cash	Warning	Selecting the Use Last System Assigned Cash Receipt Number

Field Name	Condition	Type	Message
	Receipt Number option is selected.		option for cash receipt numbering will reset and disable Beginning Cash Receipt Number.
Input File	One or more Amount records are not in the input file.	Error	Amount not in input file.
Input File	One or more Receipt Date records are not in the input file.	Error	Receipt Date not in input file.
Input File	The input file contains the same invoice number for multiple customers.	Error	Same invoice but different customer.
Input File	A line is missing a Customer Name record.	Error	Customer Name missing or cannot be defaulted.
Input File	A line is missing a Invoice Number record.	Error	Invoice Number missing or cannot be defaulted.
Fiscal Year	User enters an invalid fiscal year.	Error	Please pick a value from the list of Fiscal Year. Press OK to continue.
Subperiod	User enter a fiscal year, period, and subperiod combination that does not exist in the Subperiod table.	Error	Fiscal Year/Period/ Sub-period combination does not exist.
Default Customer	User enters a customer account (CUST_ACCT) that does not exist in the CUST table.	Error	Please enter or use Lookup to select a valid customer account.
Beginning CR number	The beginning cash receipt number is not greater than zero.	Error	The Supply Beginning Cash Receipt Number must be greater than zero.
Receipt Date	Receipt Date is more than 50 years prior to the current year.	Error	Receipt Date entered is %PO years prior to the current year. Please check and re-enter.

Field Name	Condition	Type	Message
Beginning CR number	Beginning cash receipt number exists in CASH_RECPT_HDR or CASH_RECPT_HDR_HS.	Error	No message.
Subperiod	Subperiod must be open for CR. The OPEN_FL in the SUB_PD_JNL_STATU S table must not be 'N' for the FY/Period/ subperiod entered on the screen.	Error	The Journal Entry Edit Status for this subperiod indicates that Cash Receipt is "Not Available" for data entry.
Input File	The Invoice Number is longer than 15 characters.	Warning	Invoice number longer than 15 characters.
Input File	The Customer Name is longer than 25 characters.	Warning	Customer Name longer than 25 characters.
Input File	Project not within period of performance.	Warning	Project not within period of performance.

Form/RS-Level Validations

Condition	Type	Message
Process is not able to find the file name entered in the Name field.	Error	The file cannot be found. Please select a valid file to be uploaded.

Process Validations

The following tables list the process validations Costpoint performs when you run the Import Cash Receipts preprocessor.

Validation	Message
Invoice number cannot start with UNK.	A manually-assigned Invoice Number cannot begin with "UNK"
Customer must exist in the CUST table.	This Customer does not exist
Account must not exist in the ACCT table.	This Account does not exist
Account ACTIVE_FL must be 'Y'.	Account is not active
Account DETL_FL must be 'Y'.	Account is not a detail Account

Validation	Message
Account must be in the ACCT_ENTRY_RULES table.	This account belongs to an account group that may not be used in this transaction screen.
Organization must exist in the ORG table.	This Organization does not exist.
Organization must match login.	This Organization is not associated with your Company.
Organization ACTIVE_FL must be 'Y'.	Organization is not active.
Org/Acct combination does not exist.	Combination not found in Acct/Org table
Org/Acct ACTIVE_FL must be 'Y'.	Org/Acct is not active.
Org/Acct POP.	Org/Acct not within period of performance.
Proj/Org/Acct does not exist.	Proj/Org/Acct not found in Proj/Org/Acct table.
Proj/Org/Acct ACTIVE_FL must be 'Y'.	Proj/Org/Acct is not active.
Proj/Acct combination does not exist.	Combination not found in Proj/Acct table or ACCT_GRP_SETUP
Proj/Acct ACTIVE_FL must be 'Y'.	Acct is not active for the project account group
Proj/Org does not exist.	Proj/Org not found in Proj/Org table.
Project must exist in PROJ table for login company.	This Project does not exist for this Company.
Project exists in PROJ table but company does not match login company.	This Project is not associated with your Company.
Project ACTIVE_FL must be 'Y'.	Project is not active.
A project is not included for a project-required account.	Project is required for this account.
A project is not required for an account.	A project cannot be used with this account.
Account does not exist in the Account Entry Group table.	The account is not found in the Account Entry Group table.
Last Unknown Invoice Number from AR Settings table.	Unable to select Last Unknown Invoice Number from AR Settings table.
No default customer cash account in CUST_DFLT_ACCT table.	Cannot retrieve default customer account.
Invoice is not provided but a customer has been provided in the input file. The project is defaulted from the customer defaults.	An existing invoice must be used if Allow charging has been turned off for the Project.
A new invoice number is provided in the input file but no customer is in the input file and the default customer has not been provided on the screen.	Customer Account is required when a new Invoice Number has been entered.

Validation	Message
Customer exists in the input file but no invoice number is provided in the input file and the check box to use a UNK invoice is not selected.	Invoice Number is required when a Customer Account has been entered.
Input file amount received is zero.	Amount Received cannot be zero.
Existing Invoice is provided in the input file and the S_BILL_TRN_TYPE on AR_HDR_HS is 'D' and the DEL_INVC_NET_FL on BILL_SETTINGS is 'N'.	Discounts cannot be applied to Delivery Invoices when the '*1443 Posting*' method, on the Billing Settings screen, indicates the '*Gross*' Amount.
Standard POA.	Standard POA messages.
Check number in input file must be numeric.	Check number must be numeric.
Check number in input file cannot be more than nine digits.	Check number cannot be greater than 9 digits.
REF1_ID and REF2_ID for CASH_RECPT_TRN.	Reference is not found in Reference Structure table.
REF1_ID and REF2_ID for CASH_RECPT_TRN.	Reference may not be used in data entry.
REF1_ID for CASH_RECPT_TRN.	This entry is valid as a reference 1
REF2_ID for CASH_RECPT_TRN.	This entry is valid as a reference 2
Input file does not contain data.	No records have been selected to transfer.
Input file contains errors.	Errors have occurred that may need correcting. Do you want to continue?
Input File Format not set to NACHA.	Settings call for a NACHA file format and this file layout does not correspond to a NACHA file.
Input File Format not set to EDI.	Settings call for an EDI file format and this file layout does not correspond to an EDI file.
Input File EDI Delimiter Segment does not match the settings.	The input file does not use the same segment delimiter as entered in the Preprocessor Settings screen.
Input file EDI Delimiter Element does not match the settings.	The input file does not use the same element delimiter as entered in the Preprocessor Settings screen.
Input File Transaction Set is not set to 820.	Settings are set for Transaction Set 820 and this is not an 820 format file.
Input File Transaction Set is not set to 823.	Settings are set for Transaction Set 823 and this is not an 823 format file.

Import Validations

The following table list import validations Costpoint performs when you run the Import Cash Receipts preprocessor.

Validation	Message
Check for good records in worktable.	No records found in the table. Please process the input file before importing.
Check that the screen parameters have not changed since the process step.	Screen parameters have changed since the Process step was performed. Either set parameters back to what they were when the Process step was run or Process the input file again with new screen parameters.
Check that the login company matches the original login company used in the process step.	Company ID has changed since the Process step was performed. Either use the original Company ID or Process the input file again with the new Company ID.
Cash Receipt number exists.	No message. Renumber them.

Import Cash Receipts Processing Considerations

Importing cash receipts begins after you select an electronic bank file in the Import Cash Receipts screen and all the required fields on the screen are completed and validated.

First, Costpoint processes the electronic bank file, which updates the X_Z_AOPUTLCR_CR table. And then, Costpoint completes the process by importing/creating the cash receipts. This clears the rows in the X_Z_AOPUTLCR_CR table and updates the CASH_RECPT_HDR and CASH_RECPT_TRN tables in accordance with the mapping described in Table Maps.

If Costpoint finds no bank file in the specified location, an error message displays on the screen to indicate that the import file process cannot start. After finding the file, Costpoint processes the electronic bank file.

Costpoint identifies the bank file as a NACHA record including all the envelopes or an EDI transaction set based on the data segments in the file. The NACHA record contains the ISA and GS envelopes while the EDI transaction set starts immediately with the ST data segment of the file. The first data element, ST01, of the ST segment notifies Costpoint if the file is an 820 or 823 transaction set. For an overview of the 820 and 823 transaction sets data fields, see Table Maps.

After Costpoint obtains these informational elements, processing proceeds with the ST data element in the NACHA or EDI format file. Electronic bank files usually contain multiple deposits in a single file. Costpoint identifies and retrieves all relevant data segments between ST and SE as part of the X_Z_AOPUTLCR_CR table updates.

Note: The Import Cash Receipts preprocessor establishes a CUST_ID from AR_HDR_HS when an existing INVC_ID is presented in the RMR02 field of the electronic bank file. This preprocessor contains functionality that matches the Payer (remitting party) Name from the N102 position in the bank file with the Customer Name or Customer Alias Name in the new CUST_ALIAS table. Costpoint initiates this process if the **Unidentified Customer Alias Match** check box on the Manage Cash Receipts Preprocessor Settings screen is checked. This additional matching process determines if the program is able to establish a CUST_ID before a

default CUST_ID must be provided by the user. You set up the customer alias names in the Customer Alias subtask of the Manage Customers screen.

The following table lists the columns in the X_Z_AOPUTLCR_CR table Costpoint updates when you select **823** from the **Transaction Set** drop-down list box of the Import Cash Receipts screen.

Table Column	Contents
X_RECORD_NO	System-assigned
BANK_DEPOSIT_NO	From screen
CASH_RECPT_NO	System-assigned or from screen
CASH_RECPT_HDR_KEY	System-assigned
CASH_RECPT_TRN_KEY	System-assigned
S_JNL_CD	System-assigned
FY_CD	From screen
PD_NO	From screen
SUB_PD_NO	From screen
RECPT_DT	From EDI file (position DEP 02)
INVC_ID	From EDI file (position RMR 02) or from screen
CUST_ID	From EDI file (position N1 02) or from screen
CR_CHK_ID	From EDI file (position REF 02) or left blank
DISC_TAKEN_AMT	From EDI file (position RMR 06) or left blank
TRN_AMT	From EDI file (position RMR 04)

The following table lists the columns in the X_Z_AOPUTLCR_CR table Costpoint updates when you select **820** from the **Transaction Set** drop-down list box of the Import Cash Receipts screen.

Table Column	Contents
X_RECORD_NO	System-assigned
BANK_DEPOSIT_NO	From screen
CASH_RECPT_NO	System-assigned or from screen
CASH_RECPT_HDR_KEY	System-assigned
CASH_RECPT_TRN_KEY	System-assigned
S_JNL_CD	System-assigned
FY_CD	From screen
PD_NO	From screen
SUB_PD_NO	From screen
RECPT_DT	From EDI file (position BPR 16)

Table Column	Contents
INVC_ID	From EDI file (position RMR 02) or from screen
CUST_ID	From EDI file (position N1 02) or from screen
CR_CHK_ID	Not applicable
DISC_TAKEN_AMT	From EDI file (position RMR 06) or left blank
TRN_AMT	From EDI file (position RMR 04)

Processing Scenarios

Based on the electronic bank file data and screen selections that update the X_Z_AOPUTLCR_CR table, there are six specific processing scenarios that are identified. The following sections describe each scenario.

Field	Description
Bank file contains an existing invoice number and customer	<p>Costpoint handles this scenario as follows:</p> <ul style="list-style-type: none"> ■ CUST_ID and INVC_ID are derived from the AR_HDR_HS table. ■ ACCT, ORG, and PROJ are derived from the existing AR_HDR_HS rows. ■ Cash ACCT_ID in CASH_RECPT for LN_NO 1 is derived from the CUST_DFLT_ACCT table, if available; otherwise, it is derived from the AR_DFLT_ACCT table where S_AR_TRN_TYPE is 'C'. ■ The credit side to Billed A/R is derived from the existing AR_HDR_HS row. ■ CHK_NO and TRN_AMT are derived from the EDI file.
Bank file contains an existing invoice number but a customer does not exist	<p>Costpoint handles this scenario as follows:</p> <ul style="list-style-type: none"> ■ CUST_ID and INVC_ID are derived from the AR_HDR_HS table on existing INVC_ID. ■ ACCT, ORG, and PROJ are derived from the existing AR_HDR_HS rows. ■ Cash ACCT_ID in CASH_RECPT for LN_NO 1 is derived from the CUST_DFLT_ACCT table, if available; otherwise, it is derived from the AR_DFLT_ACCT table where S_AR_TRN_TYPE is 'C'. ■ The credit side to Billed A/R is derived from the existing AR_HDR_HS row. ■ CHK_NO and TRN_AMT are derived from the EDI file.
Bank file contains an existing customer but	<p>In this scenario, The "UNK" Invoice Assigned by the System check box is selected on the Manage Cash Receipts Preprocessor Settings screen. Costpoint handles this scenario as follows:</p>

Field	Description
no invoice number	<ul style="list-style-type: none"> Costpoint uses the UNK input process where the INVC_ID will be assigned. CUST_ID, TRN_AMT, and CHK_NO come from the EDI file. Costpoint uses the same logic as the UNK invoice process from the Manage Cash Receipts application. <p>If the "UNK" Invoice Assigned by the System check box is cleared, all unidentified invoice numbers are displayed on the error report.</p>
Bank file contains an existing customer and an invoice number that does not exist in the system	<p>In this scenario, The Unidentified Invoice Number from Bank File is selected on the Manage Cash Receipts Preprocessor Settings screen. Costpoint handles this scenario as follows:</p> <ul style="list-style-type: none"> Costpoint uses the same logic from the Manage Cash Receipts application when a user enters a line on the main screen to a customer and keys in an invoice number that does not already exist. The posting will create a row in the AR_HDR_HS table for the new invoice. CUST_ID, TRN_AMT, and CHK_NO are derived from the EDI file. <p>If the Unidentified Invoice Number from Bank File is cleared and the "UNK" Invoice Assigned by the System check box is selected, Costpoint uses the same logic as the system-assigned UNK invoice process from the Manage Cash Receipts application.</p> <p>If the Unidentified Invoice Number from Bank File and the "UNK" Invoice Assigned by the System check boxes are cleared, all unidentified invoice numbers are displayed on the error report.</p>
Bank file does not contain a customer but has an invoice number that does not exist in the system	<p>In this scenario, the Unidentified Invoice Number from Bank File check box is selected on the Manage Cash Receipts Preprocessor Settings screen. Costpoint handles this scenario as follows:</p> <ul style="list-style-type: none"> Costpoint uses the same logic from the Manage Cash Receipts application when a user enters a line on the main screen to a customer and keys in an invoice number that does not already exist. The posting will create a row in the AR_HDR_HS table for the new invoice. INVC_ID, TRN_AMT, and CHK_NO are derived from the EDI file. Before applying the data from the Default Customer Account field on the Manage Cash Receipts Preprocessor Settings screen, the preprocessor includes additional functionality to match the Payer (remitting party) Name from the N102 position in the bank file with the Customer Name or Customer Alias Name in the new CUST_ALIAS table. This process is executed by the preprocessor if the Unidentified Customer Alias Match is selected on the Manage Cash Receipts Preprocessor Settings screen. This additional

Field	Description
	<p>matching piece determines if the preprocessor is able to establish a CUST_ID.</p> <ul style="list-style-type: none"> If the preprocessor is not able to match the Payer Name from the N102 position in the bank file with the Customer Name or Customer Alias Name in the CUST_ALIAS table, it obtains the data in the Default Customer Account field from the Manage Cash Receipts Preprocessor settings screen if the Unidentified Customer to Default check box is selected. <p>If the Unidentified Invoice Number from Bank File is cleared and the "UNK" Invoice Assigned by the System check box is selected, Costpoint uses the same logic as the system-assigned UNK invoice process from the Manage Cash Receipts application.</p> <p>If the Unidentified Invoice Number from Bank File and the "UNK" Invoice Assigned by the System check boxes are cleared, all unidentified invoice numbers are displayed on the error report.</p> <p>If the Unidentified Customer to Default or Unidentified Customer Alias Match check boxes are cleared, all unidentified customers are displayed on the error report.</p>
Bank file does not contain a customer or invoice number	<p>In this scenario, "UNK" Invoice Assigned by the System check box is cleared. the Costpoint handles this scenario as follows:</p> <ul style="list-style-type: none"> Before applying the data from the Default Customer Account field on the Manage Cash Receipts Preprocessor Settings screen, the preprocessor includes additional functionality to match the Payer (remitting party) Name from the N102 position in the bank file with the Customer Name or Customer Alias Name in the new CUST_ALIAS table. This process is executed by the preprocessor if the Unidentified Customer Alias Match is selected on the Manage Cash Receipts Preprocessor Settings screen. This additional matching piece determines if the preprocessor is able to establish a CUST_ID. If the preprocessor is not able to match the Payer Name from the N102 position in the bank file with the Customer Name or Customer Alias Name in the CUST_ALIAS table, it obtains the data in the Default Customer Account field from the Manage Cash Receipts Preprocessor settings screen if the Unidentified Customer to Default check box is selected. Costpoint uses the UNK invoice process where the INVC_ID will be assigned. TRN_AMT and CHK_NO are derived from the EDI file. Costpoint uses the same logic as the UNK invoice process from the Manage Cash Receipts application.

Field	Description
	<p>If the "UNK" Invoice Assigned by the System check box is cleared, all unidentified invoice numbers are displayed on the error report.</p> <p>If the Unidentified Customer to Default or Unidentified Customer Alias Match check boxes are cleared, all unidentified customers are displayed on the error report.</p>

Import Cash Receipts Reports

You can generate two reports on the Import Cash Receipts screen: an edit report and an error report.

Contents

Use the following reports to view the status and other information about your input file and import process.

Field	Description
Edit Report	When you process the Import Cash Receipts preprocessor and Costpoint successfully imports transactions from the input file, Costpoint produces an edit report. This report includes the cash receipt records that the preprocessor generated from the input file records.
Error Report	<p>When you process the Import Cash Receipts preprocessor, Costpoint produces an error report when one or more of the following conditions exist:</p> <ul style="list-style-type: none"> When the input file customer payment does not contain an invoice number and the "UNK" Invoice Assigned by the System check box is cleared on the Manage Cash Receipts Preprocessor Settings screen. When the input file customer payment contains an invoice number that does not exist in Costpoint and the Unidentified Invoice Number From Bank File and "UNK" Invoice Assigned by the System check boxes are cleared on the Manage Cash Receipts Preprocessor Settings screen. When the input file customer payment name cannot be validated against the CUST_NAME column of the CUST table to establish the CUST_ID and the Default Customer Account check box is cleared on the Manage Cash Receipts Preprocessor Settings screen.

Table Information for the Import Cash Receipts Screen

Changes to the Table Information for Import Cash Receipts screen update the W_FUNC_PARM_CATLG table.

About Deltek

Better software means better projects. Deltek delivers software and information solutions that enable superior levels of project intelligence, management, and collaboration. Our industry-focused expertise makes your projects successful and helps you achieve performance that maximizes productivity and revenue.

www.deltek.com