


Deltek Costpoint® 7.1.1

Process Execution Modes



October 24, 2014

While Deltek has attempted to verify that the information in this document is accurate and complete, some typographical or technical errors may exist. The recipient of this document is solely responsible for all decisions relating to or use of the information provided herein.

The information contained in this publication is effective as of the publication date below and is subject to change without notice.

This publication contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, or translated into another language, without the prior written consent of Deltek, Inc.

This edition published October 2014.

© 2014 Deltek, Inc.

Deltek's software is also protected by copyright law and constitutes valuable confidential and proprietary information of Deltek, Inc. and its licensors. The Deltek software, and all related documentation, is provided for use only in accordance with the terms of the license agreement. Unauthorized reproduction or distribution of the program or any portion thereof could result in severe civil or criminal penalties.

All trademarks are the property of their respective owners.

Contents

Overview	1
Benefits of a Web Application	1
Processing Jobs in Interactive Mode	2
Processing Jobs in Batch Mode	3
Submit a Process in Background Mode	3
Submit a Process in Job Server Mode	4
Job Server Overview	7
Job Server	7
Job	7
Temporary Job	7
Job Group	7
Job Queue	7
Configure Batch Job Rules	8
Manage Job Servers	10
Create a Job Server	10
Set Job Priorities	11
Monitor the Status of Jobs	11
Cancel Jobs	12
Review and Purge Job History	13
Monitor Batch Mode Processes	14
Filter Data	14
Display Detailed Data about a Job	15
Display Detailed Data about the Tasks in a Job	17
Display Restartable Process Details	17
Cancel a Job	19
Set Up Email Notifications for Batch Processes	20
For Users	20
For Administrators	20
Overcome Single User Application Locking	22
Single-User Process: Interactive Execution	22
Single-User Process: Background Execution	22
Use a Sequential Queue to Overcome Single-User Process Limitations	23
Use Retry Logic to Overcome Single-User Process Limitations	24
Use Both Methods Together to Overcome Single-User Process Limitations	25
References	26

Overview

This guide describes the different ways in which you can execute processes and reports in Deltek Costpoint 7.

Benefits of a Web Application

The fundamental difference between Costpoint 7 and all previous versions of Costpoint is that Costpoint 7 is a Web application. According to Wikipedia:

“In software engineering, a web application or **webapp** is an application that is accessed via web browser over a network such as the Internet or an intranet. It is also a computer software application that is coded in a browser-supported language (such as HTML, JavaScript, Java, etc.) and reliant on a common web browser to render the application executable. ("Web Application," 2009, para. 1)

To access and work within Costpoint 7, all you need is a Web browser and a workstation powerful enough to run the browser. All application (business) processing is done on the server.


Whenever you run a process, the process is executed on the application server, not on your workstation. An application server is usually a cluster of servers, utilizing load balancing and failover algorithms, that provides high reliability and workload distribution for many users.

In contrast, previous versions of Costpoint were Windows applications that processed data on the user's workstation. Multiple users corresponded to multiple applications accessing a common database residing on the database server. While a process was running, the user interface was locked until the process was completed.

Processing Jobs in Interactive Mode

In Costpoint 7, when you run a process or report in interactive mode, your experience is similar to that of earlier Costpoint versions. A process starts immediately, and your screen is locked during process execution.

A progress status window provides detailed information about the status and percent complete of the process.



The process is executing on the application server, and the workstation is displaying the status of the server-side process.

Clicking the **Cancel** button initiates a cancel request.



Cancel requests are not processed immediately. Clicking **Cancel** sends a message to the application code that runs the process. Based on its business logic, the application chooses to accept, process, or (in some rare cases) ignore the cancel request.

The fact that your workstation is locked during an interactive process is an obvious disadvantage of the interactive mode.

Processing Jobs in Batch Mode

In addition to the interactive mode previously described, Costpoint offers two additional ways to execute processes and reports—background mode and job server mode—collectively known as batch modes.

Both of these modes allow you to submit a process to be executed, and then continue using your workstation for other tasks. But there are important differences between the two approaches:

- **Background** — When you submit a process, it runs immediately on the application server. You do not need to start or configure a job server to use this option.
- **Job Server** — When you submit a process, you schedule it to run sometime in the future, on a specially configured process server.



You have several options to monitor process execution status, which are described in the [Monitor Batch Mode Processes](#) section. An administrator can also set up email notifications, which are described in the [Set Up Email Notification for Batch Processes](#) section.

Submit a Process in Background Mode

To submit a process in background mode, complete the following steps:

1. From the application screen for a process, click the drop-down arrow next to the **Action**



icon or the **Print**



icon.

2. Select **Batch Mode** to display the Submit Batch job screen.

3. Select **Execute Now** in the **Execution Options** field.
4. Leave the fields in the **Scheduled Jobs** area blank.
5. (Optional) Select the **Notify When Job Is Completed** option if you want to be notified by email after the process completes.
6. Click **Submit**.

The process begins executing immediately on the application server. You can perform other Costpoint tasks immediately because the process you started runs in the background and does not lock your workstation.

Submit a Process in Job Server Mode

You can submit a job for processing by a Job Server in either of two ways:

- Directly from the process or report application screen.
- From the Submit Job to Queue (PMMSPRQ) application screen.

From the Process or Report Screen

To submit a process from the process or report screen, complete the following steps:

1. From the application screen for a process, click the drop-down arrow next to the **Action**



icon or the **Print**



icon.

2. Select **Batch Mode** to display the Submit Batch job screen.

3. Select a value in the **Execution Options** field.
 - **Submit to Job Queue Now** — Execute the job as soon as you click **Submit**.
 - **At Specific Date/Time** — Execute the job at a future date and time. To use this option, you must also specify an execution date and time in the **Start Date** and **Start Time** fields. The job server must be active at the specified future date and time for the job to execute.
 - **Hold For Release** — Submit the job to the queue but delay its execution. You can later release the job from the Manage Job Queues (PMMQUE) screen or the Update Job Status (PMMCMPs) screen.
4. (Optional) Select the **Notify When Job Is Completed** check box if you want to be notified by email after the process completes.
5. Select the **Job Queue** that the process will go to.



Refer to the [Job Server Overview](#) section for details about job queues.

6. If you selected **At Specific Date/Time**, enter a **Start Date** and **Start Time** for the process to run.

7. Enter a **Priority** for the job to help determine how quickly the job is processed in relation to other jobs in the queue. Priorities only work for sequential queues.



Refer to the [Manage Job Servers](#) section for details about priorities.

8. Click **Submit**.

A confirmation message displays. The process is assigned a temporary name (job ID) so that it can be identified and managed along with other jobs running on the Job Server.

Messages

Message(s) ⓘ
The job is successfully submitted to the process queue with the assigned process ID: CPSU_095251

From the Submit Job to Queue Screen

To submit a process from the Submit Job to Queue screen, complete the following steps:

1. Click **Administration » Job Management » Job Management Processing » Submit Job to Queue**.

The screenshot shows a web-based form titled 'Job'. It includes a search bar at the top right showing '45 of 158 Existing'. The form is divided into several sections: 'Identification' with fields for 'Job' (containing 'CSS2') and 'Queue'; 'Execute' with a dropdown for 'Execution Option' (set to 'Now'), a text field for 'Priority' (set to '50'), and date/time pickers for 'Start Date' and 'Start Time'; 'Job Recurrence' with fields for 'Every', 'Until', 'End Date', and 'End Time'; and a 'Comments' text area. A 'Notify When Job Is Completed' checkbox is also present. A 'Submit To Queue' button is located at the bottom right of the form.

2. Select a job to process.
3. Select the **Queue** that the process will go to.



Refer to the [Job Server Overview](#) section for details about job queues.

4. Select a value in the **Execution Options** field.
 - **Now** — Execute the job as soon as you click **Submit to Queue**.
 - **Start Time/Date** — Execute the job at a future date and time. To use this option, you must also specify an execution date and time in the **Start Date** and **Start Time** fields. The job server must be active at the specified future date and time for the job to execute.
 - **Hold For Release** — Submit the job to the queue but delay its execution. You can later release the job from the Manage Job Queues (PMMQUE) screen or the Update Job Status (PMMCMPS) screen.

5. Enter a **Priority** for the job to help determine how quickly the job is processed in relation to other jobs in the queue. Priorities only work for sequential queues.



Refer to the [Manage Job Servers](#) section for details about priorities.

6. If you selected **At Specific Date/Time**, enter a **Start Date** and **Start Time** for the process to run.
7. (Optional) Select the **Notify When Job Is Completed** check box if you want to be notified by email after the process completes.
8. (Optional) Enter notes about the job you are processing.
9. Click **Submit to Queue**.

You also have the option to submit a recurring job, which will run automatically in the future on a recurring schedule.

To submit a recurring process, complete the following steps:

1. Perform steps 1 to 8 above.
2. In the **Job Recurrence** section, enter the frequency of the recurrence in the **Every** field and select a unit of time (Minutes, Hours, Days, Weeks, Months) from the drop-down.
For example, for a job that should run every 12 hours, enter **12** in the **Every** field and select **Hours**.
3. Enter an **End Date** and **End Time**, representing when the job should stop running automatically on the recurring schedule.
4. Click **Submit to Queue**.

Job Server Overview

The Job Server is Costpoint's job scheduling subsystem. Any set of Costpoint processes or reports can be grouped into collections called jobs. Once defined, jobs can be scheduled for execution at a specific time or set up to recur at specific time intervals.

Job Server

In Costpoint 7, a Job Server is a service rather than a physical computer; although, you can dedicate specific hardware resources to a Job Server if needed. You can create multiple Job Servers to distribute work among several different dedicated physical servers.

By default, all Job Servers run on the physical server or cluster where Costpoint is deployed as a Web application. In a cluster configuration, the Job Server automatically uses all available servers in the cluster and benefits from the cluster's load-balancing and fail-over features.

To use a dedicated physical server, the administrator must select an appropriate destination server for the Job Server entry in the Start/Stop Job Server (PMSERVER) application. The Job Server service can be moved from one dedicated server to another, or back to the default system/cluster.

Job

For the purposes of this discussion, a job is set of Costpoint functions made up of Costpoint reports, computation functions, or postings. A job can consist of one or many individual actions and/or reports. A job is the basic block (or work set) that can be scheduled for execution by a Job Server. Jobs are scheduled by submitting them to job queues.

Temporary Job

When an action or report is started in Batch mode using the Job Server, Costpoint creates a temporary job, containing just one step (one report, computation function, or posting). This temporary job has an assigned name so that it can be identified and managed along with other jobs running on the Job Server.

Job Group

A Job Group is an optional code that logically groups jobs together under a user-defined category (for example, by department or accounting function). If you set up Job Groups, you can use them to narrow your queries in the Jobs screen (for example, searching for only HR department jobs) or include only selected Job groups on the Job Report screen.

Job Queue

To start a job, you must submit it to a job queue. Queues are assigned to a particular Job Server and provide a means for job scheduling and execution. Queues can be sequential or non-sequential:

- **Sequential queue** — Jobs run sequentially, meaning that the next job will not start until the previous job completes.
- **Non-sequential queue** — Jobs run in parallel whenever they are scheduled to run.

Configure Batch Job Rules

The Costpoint administrator can configure how processing and reporting applications are executed. Configuration is done using the Configure Application Batch Job Settings (PMMSETNG) application. The path to this application is **Administration » Job Management » Job Management Controls » Configure Application Batch Jobs Settings**.

The administrator can:

- Set up defaults for some process execution options to make the user's experience easier
- Determine how a particular process or report will execute.

The administrator can make these specifications at the application level or for a particular process or report. Process- or report-level settings take precedence over application-level settings. If process/report entries are missing, then configuration is set at the application level. By default, if no configuration is done at the application level, all of the execution options are available in the Submit Batch Jobs dialog.

The options on this screen are:

- **Enable Interactive Execution** — Allows users to execute the application, process, or report in interactive mode. This check box is selected by default. You can enable interactive execution even if you provide batch mode information below.
- **Queue** — Select the **Queue** that the process will go to.
By default a user can change the queue that a job goes to, but not if you clear the **Allow Queue to be Changed** check box, which forces the job to go to a particular queue each time it is run.



To understand the benefits of this approach, see the [Overcome Single Application Locking](#) section.

- **Allow Queue to be Changed** — Select this check box to make users unable to send the job to a different queue than the one specified on this screen.
- **Batch Mode Priority** — Enter a **Priority** for the job to help determine how quickly the job is processed in relation to other jobs in the queue. Priorities only work for sequential queues.



Refer to the [Manage Job Servers](#) section for details about priorities.

- **Allow Priority to be Changed** — Select this check box to make users unable to change the priority that is established on this screen (for example, unable to make their jobs a higher priority than other jobs in the queue).
- **Number of Retries** — Enter the number of times you want the Job Server to try to process a job before the job fails.



Refer to the [Overcome Single User Application Locking](#) section for more information.

-
- **Retry Period** — Enter the time (in minutes) between retry attempts.
 - **Send Successful Emails** — Indicate whether or not you want users to receive an email message when the job is successfully executed.



Refer to the [Set Up Email Notifications for Batch Processes](#) section for more information.

-
- **Send Unsuccessful Emails** — Indicate whether you want users to receive an email message when the job fails.



Refer to the [Set Up Email Notifications for Batch Processes](#) section for more information.

Manage Job Servers

Job Servers are created and managed using the Start/Stop Job Server (PMSEVER) application. The path to this application is **Administration » Job Management » Job Management Processing » Start/Stop Job Server**.

Create a Job Server

Creating a new Job Server is simple. All you need to do is provide a name for the Job Server and specify the destination server where the Job Server will run.

Job Servers				
	Server Name *	Status	Destination Server *	Daily Shutdown Time
<input checked="" type="checkbox"/>	A-TEST	Not Running	Default Server or Cluster	
<input type="checkbox"/>	ALICESERVER	Not Running	Default Server or Cluster	
<input type="checkbox"/>	AMARSERVER	Not Running	Dedicated Server 1	
<input type="checkbox"/>	BORIS	Not Running	Default Server or Cluster	
<input type="checkbox"/>	BORISD	Not Running	Default Server or Cluster	
<input type="checkbox"/>	CATH	Not Running	Default Server or Cluster	

In the **Destination Server** field, you can select **Default Server or Cluster** or you can select a dedicated server if you have configured and deployed dedicated servers using the Costpoint Configuration Utility.

By using a dedicated server, you ensure that the Job Server and all of the jobs run within it have exclusive access to an application server hardware resource. However, it is important to remember that all running processes still share the same database.



For more information about dedicated servers, see the *Delttek Costpoint 7.0 Configuration Utility* guide.

When you first create a new Job Server, its status is **Not Running**. To start the server, select the server row and click **Start**.

In order to have a Job Server process jobs, you must assign a Job Queue(s) to the Job Server because the Job Server will only process jobs in Job Queues that are assigned to it.

Available Job Queues			
<input checked="" type="checkbox"/>	Job Queue	Process Sequentially	Use Parallel SQL
<input type="checkbox"/>	ABC	N	N
<input type="checkbox"/>	AIQUEUE	Y	N
<input type="checkbox"/>	AMARQ	Y	Y
<input type="checkbox"/>	AOPUTLJE_QUE	Y	N
<input type="checkbox"/>	APPPURVR_QUE	Y	N
<input type="checkbox"/>	APPUPWP_QUE	Y	N
<input type="checkbox"/>	BORISQ	Y	N
<input type="checkbox"/>	CSS1	N	N
<input type="checkbox"/>	CSSNONSEQ	N	N
<input type="checkbox"/>	FRANK2	Y	Y

Assigned Job Queues			
<input checked="" type="checkbox"/>	Job Queue *	Active for Server	Process Sequentially
<input checked="" type="checkbox"/>	AIQUEUE	<input checked="" type="checkbox"/>	Y
<input checked="" type="checkbox"/>	SEQQUEUE	<input checked="" type="checkbox"/>	Y

Set Job Priorities

The Job Server system lets you assign priorities to jobs, but only to jobs in sequential job queues. Jobs submitted to sequential queues are run in sequence, and the next job cannot be started until the previous job is completed.

Jobs submitted to non-sequential queues are immediately run in parallel, using the application server's multi-threaded architecture.

In sequential queues, submitted jobs are sorted by priority and submission time, with the higher priority jobs run first. A job's priority is specified using the numbers 1 to 99, with 1 being the highest priority.

An administrator can define a default priority for a specific job, and disable/enable a user's ability to change the job priority in the Manage Users (SYMUSR) and Configure Application Batch Job Settings (PMMSETNG) applications.

Monitor the Status of Jobs

You can monitor the status of submitted jobs using the Manage Job Queues (PMMQUE) and Update Job Status (PMMCPS) applications. Both of these applications let you run a query to find one or more submitted jobs.

Scheduled Jobs							
Delete Form Query							
Job	Description	Status *	Start Date	Start Time	Priority	Recur Every	Recurring Timeframe *
CPSU_104343	Temporary Job: CPSU_104343	Scheduled	05/09/2011	10:40:31 AM12:	50		None
111	1233	Scheduled	06/27/2011	11:26:22 AM12:	50		None
Cancel Job							
Scheduled Job Steps							

Select a job row and click the **Scheduled Job Steps** link to display the status of each task in the job.

Scheduled Job Steps					
Job: A-TEST Description: a-test Status: Scheduled					
Sequence	Status	Name	Started Date/Time	End Date/Time	
1	SCHEDULED	Print Effective User Rights Report			SYREFFUR
2	SCHEDULED	Print User Report			SYRUSR
Job Step Details					
OK					

Select a task row and click the **Job Step Details** link to open a detailed execution status window that displays application-level details about that task.

Job Step Details
1 of 2 Existing
Query

Job: A-TEST Description: a-test Status: Scheduled
Sequence: 1

Actions/Reports

Application Name
Print Effective User Rights Report
Report Name
Effective User Rights Report
Action Name

Submittal Information

Submitting User
RAMASAMIYA
Company
1
Execution Method
Scheduled Job
Priority
50
Restartable
N

Status

Status
Scheduled
Submitted Date/Time
11/19/2010 10:39:10 AM
Started Date/Time
End Date/Time
Percent Complete
Cancelled By
Job Step
Report Status

Scheduled Job Information

Job
A-TEST
a-test
Job Queue
A-TEST1
Job Sequence
1

Retry Information

Retry Status
Retry Period
Total Number of Retries
Previous Attempts
Last Retry Date/Time

OK

Cancel Jobs

You can cancel an executing job by selecting a job row for the Scheduled Jobs screen and clicking the **Cancel** button. The Job Cancel action sends a cancel request to the currently running task and ensures that the next task in the sequence does not run.





Cancel requests are not processed immediately. Clicking **Cancel** sends a message to the application code that runs the process. Based on its business logic, the application chooses to accept, process, or (in some rare cases) ignore the cancel request.

Review and Purge Job History

View the Print/Purge Job History (PMPPURGE) report to see detailed information about job processing steps. Because job history tables can contain a great deal of data, Deltek recommends filtering the report by selecting appropriate date ranges.

To print or purge job history, complete the following steps:

1. Click **Administration » Job Management » Job Management Utilities » Print/Purge Job History**.
2. Select one of the following actions:
 - To print the report, click the drop-down arrow next to the **Print**  icon and select **Purge Job History Report**.
 - To purge history, click the drop-down arrow next to the **Action**  icon and select **Purge Job History**.

```
BEGIN the processing of Job ID '33184' (03/06/2009 12:29:46 PM)
Processing 1 of 3 tasks
    Function Parameter '33184-01' (Application:'PCRMOCST')
        Started: (03/06/2009 12:29:46 PM)
        Completed: (03/06/2009 12:30:00 PM)
Processing 2 of 3 tasks
    Function Parameter '33184-01' (Application:'PCPWIPV')
        Started: (03/06/2009 12:30:00 PM)
        Completed: (03/06/2009 12:30:14 PM)
Processing 3 of 3 tasks
    Function Parameter '33184-02' (Application:'PCRMOCST')
        Started: (03/06/2009 12:30:14 PM)
        Completed: (03/06/2009 12:30:27 PM)
END the processing of Job ID '33184' (03/06/2009 12:30:27 PM)
```


Monitor Batch Mode Processes

When a process is started in Interactive mode, the application screen is locked and a progress bar displays the status of the executing process. But when a process is started in Batch mode, it runs in the background and the current status of the process execution is hidden.



To monitor background tasks, click the **View Action and Report Status** toolbar button, which looks like this:



This button is a shortcut to the View Action and Report Status (SYQJSTAT2) screen, which provides a window into all actions and reports submitted by the current user that are completed or still running on the Costpoint application server.

Job Step Details			Form Query ▾
<input checked="" type="checkbox"/>	Application Name	Report Name	Action Name
<input type="checkbox"/>	Import Purchase Requisitions		Import Purchase Requisitions
<input type="checkbox"/>	Import Purchase Requisitions		Import Purchase Requisitions
<input type="checkbox"/>	Import Purchase Requisitions		Import Purchase Requisitions
<input type="checkbox"/>	Import Purchase Requisitions		Print/Import Purchase Requisitions
<input type="checkbox"/>	Import Purchase Requisitions		Print/Import Purchase Requisitions
<input type="checkbox"/>	Import Purchase Requisitions		Print/Import Purchase Requisitions
<input type="checkbox"/>	Import Purchase Requisitions		Print/Import Purchase Requisitions
<input type="checkbox"/>	Import Purchase Requisitions		Print/Import Purchase Requisitions
<input type="checkbox"/>	Print Employee Labor Summary Report	Employee Labor Summary Report	
<input type="checkbox"/>	Create/Update Rough-Cut Capacity Plan		Generate Rough-Cut Capacity Plan
<input type="checkbox"/>	Create/Update Rough-Cut Capacity Plan		Generate Rough-Cut Capacity Plan
<input type="checkbox"/>	Create/Update Rough-Cut Capacity Plan		Generate Rough-Cut Capacity Plan

Cancel Job
Restartable Job Details Scheduled Job History

Administrators can also use another version of the same application (SYQJSTAT), which provides exactly the same functionality, but is not filtered by the current user. The administrator version displays actions and reports submitted by all users or by any specified user.

To find and display data about processes, complete the following steps:

1. Click the **View Action and Report Status**  toolbar button.
2. Enter filtering options (described below).
3. Click the **Execute**  button on the toolbar to populate the Job Steps Detail screen with requested data.

Filter Data

A main selection window provides filtering options. Because a great deal of data exists about completed and running processes, it is important to filter this data.

User	<input type="text"/>	Starting Date	<input type="text"/>	Job Status <input checked="" type="checkbox"/> Scheduled <input checked="" type="checkbox"/> Hold <input checked="" type="checkbox"/> Active <input checked="" type="checkbox"/> Suspended <input checked="" type="checkbox"/> Completed <input checked="" type="checkbox"/> Cancel Requested <input checked="" type="checkbox"/> Failed <input checked="" type="checkbox"/> User Cancelled
Application	<input type="text"/>	Ending Date	<input type="text"/>	
Execution Method	All ▾			

Records can be filtered by user ID, application, start and end date, job status, and execution method.

The **Job Status** area contains the following options:

- **Scheduled** — Display all jobs that have been submitted to the Job Server and are waiting to be processed
- **Active** — Display all jobs that are currently being processed by the job server and those that are scheduled but have not started
- **Completed** — Display all jobs that have been processed successfully
- **Failed** — Display all jobs that were not processed successfully due to an error
- **Hold** — Display all scheduled jobs that have been postponed for a later date and time
- **Suspended** — Display all active jobs that are waiting to be retried
- **Cancel Requested** — Display all scheduled jobs that have been cancelled, but for which the cancellation has not yet been accepted
- **User Cancelled** — Display all jobs that have been cancelled by a user and have stopped running

The **Execution Method** drop-down list contains the following options, all of which are ways in which Costpoint jobs are executed:

- All
- API (through an externally accessible API (Web Service calls))
- Batch (Background mode)
- Batch API (batch through API)
- Scheduled Job (Job Server mode)
- Interactive

Display Detailed Data about a Job

When you click **Execute** ⚡ , you populate the Job Steps Detail screen with requested data.

Job Step Details						
<input checked="" type="checkbox"/>	Application Name	Report Name	Action Name	Submitting User	Company	Execution Method
	Rebuild Global Settings		Reload Settings	CPSUPERUSER	1	Batch
	Rebuild Global Settings		Reload Settings	CPSUPERUSER	1	Batch
	Create Accounts Payable Vouchers			CPSUPERUSER	1	Batch
	Reconcile Leave Balances			CPSUPERUSER	1	Batch
	Create Accounts Payable Vouchers			CPSUPERUSER	1	Batch
	Create Accounts Payable Vouchers			CPSUPERUSER	1	Batch
	Create Accounts Payable Vouchers			CPSUPERUSER	1	Batch
	Update Employees for Manager Ch:		Print/Post Update Employees for Ma	CPSUPERUSER	1	Batch
	Compute Leave Accruals			CPSUPERUSER	1	Batch
	Create Invoices		Print/Create Sales Order Invoices	CPSUPERUSER	1	Batch
	Create Invoices		Create Sales Order Invoices	CPSUPERUSER	1	Batch

[Restartable Job Details](#) [Scheduled Job History](#)

To see more information about a process, complete the following steps:

- 1. Select the process.
- 2. Click **Form**.

Actions/Reports

13 of 29,938 Existing

TableQuery

Application Name

Create/Update Rough-Cut Capacity

Report Name

Action Name

Generate Rough-Cut Capacity Plan

Submittal Information

Submitting User

CPSUPERUSER

Company

1

Execution Method

Scheduled Job

Priority

50

Restartable

N

Status

Status

Scheduled

Submitted Date/Time

07/05/2009 11:14:55 PM

Started Date/Time

End Date/Time

Percent Complete

Cancelled By

Job Step

Application Status

Report Status

Scheduled Job Information

Job

CPSU_111455

Temporary Job: CPSU_111455

Job Queue

MSPRCAP

Job Sequence

1

Retry Information

Retry Status

Retry Period

Total Number of Retries

Previous Attempts


Last Retry Date/Time

Cancel Job

Restartable Job Details

Scheduled Job History

You can also purge job detail from this screen, but Deltek highly recommends that you archive data before purging.

To purge job detail, click the drop-down next to the **Action**  icon, and select **Purge Displayed Rows**.

Display Detailed Data about the Tasks in a Job

If task is a part of the Job Server job, you may want to review the status of all of the tasks within a job (for example, if a job fails or is cancelled and you want to see which tasks completed before the job ended).

To view the status of the tasks in a job, complete the following steps:

1. Select a job with an Active status from either the table view or form view.
2. Click **Scheduled Job History**.

Scheduled Job History					
Application Name: Create PSR Budget Report Tables Submitting User: CPSUPERUSER Status: Completed Started Date/Time: 05/27/2009 1:57:00 AM					
Scheduled Job History					
Job	EDS-JOB	eds job	Job Group	MAK-ATI_QA	
Scheduled By	CPSUPERUSER				
Submitted Date/Time	05/27/2009 1:56:28 AM	Scheduled Date/Time	05/27/2009 1:56:28 AM	Started Date/Time	05/27/2009 1:56:29 AM
Scheduled Job Steps					
Sequence	Status	Name	Started Date/Time	End Date/Time	Application Name
1	COMPLETED	Update Incurred Costs for Project Budgets	05/27/2009 1:56:29 AM	05/27/2009 1:56:30 AM	BPPETCUP
2	COMPLETED	Compute Estimate to Complete	05/27/2009 1:56:30 AM	05/27/2009 1:56:34 AM	BPPREV
3	COMPLETED	Create PSR Budget Report Tables	05/27/2009 1:56:34 AM	05/27/2009 1:56:35 AM	BPPMBRT
4	COMPLETED	Print Project Budget Summary Report	05/27/2009 1:56:35 AM	05/27/2009 1:56:42 AM	BPRPJBD
5	COMPLETED	Print Labor Estimate To Complete Report	05/27/2009 1:56:42 AM	05/27/2009 1:56:49 AM	BPRLBETC
6	COMPLETED	Print Estimate To Complete Report	05/27/2009 1:56:49 AM	05/27/2009 1:56:57 AM	BPRPJETC
7	COMPLETED	Print Earned Value Report	05/27/2009 1:56:57 AM	05/27/2009 1:57:03 AM	BPRPJEV
8	COMPLETED	Print Project Budget Detail Report	05/27/2009 1:57:03 AM	05/27/2009 1:57:10 AM	BPRPJSUB

Display Restartable Process Details

Some complex Costpoint processes contain a sequence of steps that must all be completed. If such a process is interrupted for any reason (cancellation or failure), subsequent execution must continue from the interrupted step, and cannot start from the beginning. We call these restartable processes.

These processes use the POST_SEMAPHORE table to track execution progress by recording information about each step as it is completed. The POST_SEMAPHORE table accumulates status information for each step, including application ID, action ID, step number/description, posting sequence number, and start and end date times.

If, according to the POST_SEMAPHORE table, the process has not yet performed the first step that updates database tables, it can be restarted from the beginning.

However, if the process has already updated database tables, it must be restarted from the last completed step so that database tables are not left in an inconsistent state.

To display restartable process details, complete the following steps:

1. Click the **Restartable Job Details** link to display the status information for each step.

The screenshot shows the 'Actions/Reports' window with the following sections:

- Application Name:** Create/Update Rough-Cut Capacity
- Report Name:** [Empty]
- Action Name:** Generate Rough-Cut Capacity Plan
- Submittal Information:**
 - Submitting User:** CPSUPERUSER
 - Company:** 1
 - Execution Method:** Scheduled Job
 - Priority:** 50
 - Restartable:** N
- Status:**
 - Status:** Scheduled
 - Submitted Date/Time:** 07/05/2009 11:14:55 PM
 - Started Date/Time:** [Empty]
 - End Date/Time:** [Empty]
 - Percent Complete:** [Empty]
 - Cancelled By:** [Empty]
 - Job Step:** [Empty]
- Scheduled Job Information:**
 - Job:** CPSU_111455
 - Temporary Job:** CPSU_111455
 - Job Queue:** MSPRCAP
 - Job Sequence:** 1
- Retry Information:**
 - Retry Status:** [Empty]
 - Retry Period:** [Empty]
 - Total Number of Retries:** [Empty]
 - Previous Attempts:** [Empty]
 - Last Retry Date/Time:** [Empty]

At the bottom right, there are two links: **Restartable Job Details** (highlighted with a red box) and **Scheduled Job History**.

2. Run the process that failed or was cancelled. You can do this through Interactive or Batch mode.

- Run in Interactive mode
 - If the application has not made updates to database tables, it will run from the beginning.
 - If the application has already made updates to database tables, a dialog box displays. Click **OK** to resume the job at the point where it failed.

The screenshot shows a 'Messages' dialog box with the following text:

Warning(s) [Warning Icon] [OK] [Cancel] Press OK to continue or CANCEL to abort.

The previous attempt to run the following process failed before the process completed: Compute Revenue. Do you want to resume the previously-failed process?

- Run in Batch Mode

Running the process in batch mode will make this decision automatically, without displaying a dialog box.

 - If the application has not made updates to database tables, it will run from the beginning.
 - If the application has already made updates to database tables, it will resume the job at the point where it failed.

Cancel a Job

A user can only cancel a process (Interactive or Batch) that they started. An administrator can cancel any process.

To cancel a job, complete the following steps:

1. Select a job with an Active status from either the table view or form view.
2. Click **Cancel Job**. This has the same effect as clicking the **Cancel** button on the progress dialog box in Interactive mode.



Cancel requests are not processed immediately. Clicking **Cancel Job** sends a message to the application code that runs the process. Based on its business logic, the application chooses to accept, process, or (in some rare cases) ignore the cancel request.


Set Up Email Notifications for Batch Processes

Batch processes are run in the background, and something that is invisible can easily be forgotten. Also, it is not practical to check the status of a running process all the time. This is why email notification is a very useful feature.

You can set up email notifications at both the user and administration levels.

For Users

If you, as a user, want to receive email notifications about batch jobs, select the **Notify When Batch Job is Completed** check box in the Configure User Preferences (UPMUSRPR) application screen. The path to this screen is **Administration » System Administration » System Administration Controls » Configure User Preferences**.



very Options

Phone


Phone 703-123-4568

Extension 5678

☒ Notify When Batch Process/Report Is Completed

When you enable notifications, emails are sent to you after the batch process or report is completed. If the job is composed of multiple tasks, then an email is sent for each individual task and another email for overall job completion.

Regardless of the whether you have chosen to receive emails on the Configure User Preferences screen, you can opt to receive an email for a specific job. If you select **Notify When Job Is Completed** on the Submit Batch Job screen, an email is sent after the job is completed.



Submit Batch Job (Compute Burden Cost)


Execution Option Now

☒ Notify When Job Is Completed

Scheduled Jobs

For Administrators

Administrators can set up email address lists so that an email will go out to a user or group of users after a task is completed (successfully or unsuccessfully), regardless of the user who submitted the job for execution. The administrator sets up these lists on the Configure System Settings (SYMSETNG) application screen.



Company Settings Batch Job

Email Notification

☒ Send Successful Emails

Successful Email List

catherine@deltek.com

☒ Send Unsuccessful Emails

Unsuccessful Email List

catherine@deltek.com

To set up email lists for batch job notifications, complete the following steps:

1. Click **Administration » System Administration » System Administration Controls » Configure System Settings**.
2. Click the Batch Job tab.
3. If you want to send emails when a job completes successfully, select **Send Successful Emails**, and enter a list of recipients in the field below. Separate email addresses with semi-colons.
4. If you want to send emails when a job fails, select **Send Unsuccessful Emails**, and enter a list of recipients in the field below. Separate email addresses with semi-colons.
5. If you want to fine-tune these settings at the application or process/report level, go to the Configure Application Batch Job Rules (PMMSETNG) application. The path to this screen is **Administration » Job Management » Job Management Controls » Configure Application Batch Jobs Settings**.

Any settings that you make here will take precedence over the **Send Successful Emails** and **Send Unsuccessful Emails** settings you entered in Steps 1 through 4. However, both applications share the same recipient lists.

Overcome Single User Application Locking

For various application design reasons, some processes and reports in Costpoint are “single-user,” meaning that only one instance of the process or report can run at a time. If one instance of a single-user process is running, all other interactive or batch attempts to run this process will fail.


There are two scenarios in which a single-user process can execute:

- A single-user process executed in Interactive mode
- A single-user process executed in Batch mode

The following sections describe the two scenarios and suggest ways to optimize user access to these processes.


Single-User Process: Interactive Execution

Assume that a user executes a process interactively. If the process is not locked, it starts, and the progress bar displays the status of process execution and completion. If the process is locked (because another user is running the same action or report), the users receives a message that the process cannot start.



Single-User Process: Background Execution


Regardless of how a background job is started (submitted by a user or previously scheduled), if the same single-user process is submitted multiple times as a background job, only the first one started will run (from start to finish). All other instances of the single-user process will be locked by the first instance, and these other instances will fail.



Use a Sequential Queue to Overcome Single-User Process Limitations

One of the ways to mitigate these problems is to use a sequential queue on a Job Server. A sequential queue is a queue that forces submitted jobs to execute in sequence. The execution of the next job waits until a previous job completes.

Assume that a user submits a job to a queue, or the scheduler determines that the execution time is **Now** for an already submitted job. Jobs are placed in the queue according to their scheduled time. The first job in the queue runs first. All others wait in the queue for the current job to complete, and then run in sequence.



The notion of using a sequential queue is well-known and widely used by existing Costpoint customers. Costpoint 7 makes this option more attractive by providing administrators with a way to enforce the policy that selected applications can only be executed through predefined queues. Administrators can make sure single-use processes are executed via sequential queues, thereby avoiding the locking problem.

Rules are configured using the Configure Application Batch Job Settings (PMMSETNG) application.

Options	
<input type="checkbox"/> Enable Interactive Execution	
Queue	SEQUENTIALQ
Batch Mode Priority	50
Number of Retries	3
Retry Period	1
Send Successful Emails	Yes
Send Unsuccessful Emails	Yes
<input type="checkbox"/> Allow Queue to be Changed	
<input type="checkbox"/> Allow Priority to be Changed	

To set up sequential job queue rules, complete the following steps:

1. Click **Administration » Job Management » Job Management Controls » Configure Application Batch Job Settings**.
2. Select an application.
3. Select a process or report.
4. Clear the **Enable Interactive Execution** check box.
5. Select a **Queue** that is an existing sequential queue.
6. Clear the **Allow Queue to be Changed** check box.

Now, when a user submits this process or report as a background job, the Submit Batch Job screen does not allow the user to choose a queue. Instead, the job goes automatically to the sequential queue designated for this process or report.

Use Retry Logic to Overcome Single-User Process Limitations


If the use of a sequential queue is not desirable or feasible, an administrator should consider using Retry logic.

When a process is locked because another instance of the process is already running, Retry functionality will move this process to a retry list and try to run it in the future using the same execution method. How often and how many times the process will be retried depends on configuration settings.

Default retry settings are configured at the system level. Setting up system-level Batch Job Retry parameters enables the Retry functionality. The path to these settings is **Administration » System Administration » System Administration Controls » Configure System Settings » Company Settings tab » Corporate Settings**.


Number of Retries is the number of retry attempts made before a process fails. **Retry Period** is the time (in minutes) between retry attempts

These settings can be fine-tuned at the process or report level using the Configure Application Batch Job Settings (PMMSETNG) application. The path to this screen is **Administration » Job Management » Job Management Controls » Configure Application Batch Jobs Settings**. Use this screen to set up special retry rules for a specific process or report.




Use Both Methods Together to Overcome Single-User Process Limitations

Another option is to use both methods together: a sequential queue and retry logic. In this case, if several users submit their jobs in the Batch mode and compete for processing, those jobs end up in the sequential queue and on the retry list.



References

Web Application. (2009, April 12). In *Wikipedia, the free encyclopedia*. Retrieved April 15, 2009, from <http://en.wikipedia.org/wiki/Webapp>.

A blue geometric graphic consisting of several overlapping triangles and polygons, located in the top-left corner of the page.

Deltek is the leading global provider of enterprise software and information solutions for professional services firms, government contractors, and government agencies. For decades, we have delivered actionable insight that empowers our customers to unlock their business potential. Over 14,000 organizations and 1.8 million users in approximately 80 countries around the world rely on Deltek to research and identify opportunities, win new business, optimize resource, streamline operations, and deliver more profitable projects. Deltek – Know more. Do more.®

deltek.com