

The background of the slide features two prominent diagonal stripes. A light blue stripe runs from the top-left corner towards the bottom-right, and a darker blue stripe runs from the bottom-left corner towards the top-right, intersecting the first stripe.

Deltek

Deltek Costpoint® 8.2

Approval Workflows: WFA

August 2, 2023



While Deltek has attempted to verify that the information in this document is accurate and complete, some typographical or technical errors may exist. The recipient of this document is solely responsible for all decisions relating to or use of the information provided herein.

The information contained in this publication is effective as of the publication date below and is subject to change without notice.

This publication contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, or translated into another language, without the prior written consent of Deltek, Inc.

This edition published August 2023.

© Deltek, Inc.

Deltek's software is also protected by copyright law and constitutes valuable confidential and proprietary information of Deltek, Inc. and its licensors. The Deltek software, and all related documentation, is provided for use only in accordance with the terms of the license agreement. Unauthorized reproduction or distribution of the program or any portion thereof could result in severe civil or criminal penalties.

All trademarks are the property of their respective owners.

Contents

Introduction	1
Purpose of this Guide.....	2
Terminology	3
Overview of the WFA Functionality.....	4
Approval Roles.....	5
Roles.....	6
Role Users.....	6
Role Filtering Conditions	6
Reject Codes.....	7
Reject Codes	7
Role Filter Fields	8
Approval Email Message	9
Approval Workflow Models.....	11
Header Section Parameters	12
Approval Entity Fields.....	14
Approval Application Screens	14
Approval Screen Fields.....	15
Conditions	17
Workflow Reject Codes	18
Approval Workflow Owners	18
Approval Steps: Designing the Workflow Model	18
Node Types.....	19
Edit Activity	21
Edit node.....	22
Updates.....	23
View Approval Cases	23
Import/Export.....	24
Delegate Approval.....	27
Running Approval Workflows.....	28
Start Tab.....	28
Approve or Reject Tab.....	29
Escalate or Delegate Tab.....	30
History Tab	31

Reject Tab	31
Approval Steps	32
Approval Role Users.....	32
Approval by Email	33
Interactive Email.....	34
My Approval Tasks.....	36

Introduction

The Approval Workflow is a generic Costpoint functionality that enables the automation of approvals of business entities across all application screens. The project abbreviation is WFA. The basic WFA features are:

- Ability to configure multi-level workflow approval process with sequential and concurrent approvals
- Assign approval workflows to Costpoint application screens, have more than one workflow per screen, and have a single workflow to span multiple screens
- Ability to set conditions before the workflow can begin, or set thresholds on the approval process
- Approval roles:
 - Define the membership model for approval roles and Costpoint users as members
 - Utilize built-in roles (Project Manager, Employee Manager)
 - Build groups or associate users/user groups to roles
 - Enable role user selection based on data conditions, role filtering
- Ability of approvers to delegate approval on demand or for a period of time
- Escalation capabilities:
 - Ability of the approver to escalate to another person or role within the approval process
 - Ability to set time limits for approval of individual steps, and escalate after assigned time has expired
- Rejection capabilities
 - Ability to define whether rejection reasons are required
 - Ability to set up user-defined rejection codes/reason for use in workflow
 - Reject workflow back to the previously completed step or to the beginning
- Email notification
 - Customize message with a link to the approval screen or direct approval
 - Approve step just by clicking the approve link located in the email message body
 - Attach documents linked to record to email notification messages
- Comprehensive view into Approval history audit

Note: The Approval Workflow feature (WFA) is a new functionality that has some similarities with the old Costpoint Workflow, but it is designed and developed completely from the ground up as a standalone feature without any common code shared with the old Workflow system.

Purpose of this Guide

This guide describes how to configure, design, and run Approval workflows. Approvals are always tied to a single business entity that can exist within multiple Costpoint application screens. Accordingly, approval workflows can include tasks spanning multiple Costpoint screens.

Configuration and design are done using configuration applications inside **Workflow » Approval Workflow** menu group.

Running Approval Workflows is a built-in extension to any application that is previously configured for it.

This document will guide you through the process of configuring and designing the flow of detailed approval steps (activities) and will explain the process of running workflows by multiple users and roles.

Terminology

This document uses the following terms and abbreviations.

Term	Definition
Approval Workflow	Software system (engine) that is used to automate the multistage approval process of any Costpoint business entity
Approval Workflow Model	Definition, a model, of the process flow, sequential or parallel steps that define the outline of an approval process
Approval Entity	Business entity, document, or category that is subject to approval
Approval Application Screen	Costpoint application screen that is referenced and associated with the approval process. Multiple screens can be associated with the approval workflow through sharing of the common approval entity.
Workflow Activity	A step in the approval process that requires user action
Workflow Node	An element in the approval process that does not require user intervention. A node is processed programmatically to make specific decisions about workflow processing. Examples are: Start, Finish, If, Group, and Notification nodes.
Approval Role	A group of users having the same approval rights
Built-In Approval Role	A Role that gets its members identified using application logic, using the data contained within the approval entity instance.
Email Notification	An email message sent to all members of the Approval Role to approve the specific activity
Email Approval	Direct approval using the approval URL contained in the email notification message
Interactive Email	An adaptive card Email message in Outlook that enables direct interactions with the approval process.
Approval Workflow Case	An instance of Approval Workflow for a specific Approval Entity in the Costpoint data
Approval Workflow Routing	Execution of the workflow case. Processing workflow nodes from start to finish, following the workflow model definition.

Overview of the WFA Functionality

When WFA is configured for a particular Costpoint application screen, the **Approval** button on the toolbar becomes enabled. Click this button to display the Approve system subtask. This form displays the current action that is assigned to you. If no actions are assigned, or if approval is completed, only the History tab is visible.

If approval is not yet started, you can start it, but you must be in the Start Role for given approval.

Click the Approval steps to see a list of previously completed steps, or click the History tab to view the detailed graph of Approval Case flow.

Approval toolbar button: Click to open approval dialog

Approve, Escalate, or History tab

Approve Action button

Reject Action button

Approval

Approval workflow

Name: APMVCHR Training <> @! Revision: 0 Start Role:

Start User: Start Time: Status: Completed Reject?

History of Approval

▶ START Case #97 on 02/25/2019 02:08:26

- ▶ IF: Invoice < 1,000 = FALSE
- ▶ ELSE: IF: Invoice < 10,000 = FALSE
- ▶ ELSE: IF: Invoice < 100,000 = FALSE
- ▶ ELSE ACTIVITY: Approve >100,000 on APMVCHR - Started on 02/25/2019 02:08:30, Assigned to CEO - Approved by CPSUPERUSER on 03/06/2019 02:07:01
- ▶ FINISHED on 03/06/2019 02:07:13

History tab shows detailed audit trace of approval execution

Approval Roles

Use the Approval Roles (WFMAROLE) application screen to enter roles and associated users for your approval workflows.

A role represents the qualification of the participants who perform specific approval steps or activities. Only roles that exist on this screen can be assigned to execute approval steps.

Note: It is important that users associated with the roles are correctly set up in Manage Users with a valid email address and employee ID. These users must be configured to receive messages through email so that they get notified once activities are routed to them.

Roles

New
Copy
Delete
Query

Role Name *	Type
Buyer	Built-In
Employee Manager	Built-In
Project Manager	Built-In
A/P Accountant	Regular
A/P Manager	Regular
AP Clerk	Regular
CEO	Regular
Director of Finance	Regular

Role Users

Role Users

New
Copy
Delete
Query

User / User Group *
CPSUPERUSER

Role Filtering Conditions

Close

Role Filtering Conditions

New
Copy
Delete
Query

Role Filter Field Name *	Operator *	Data Type	Text Value	Date Value	Numeric Value
--------------------------	------------	-----------	------------	------------	---------------

Close

There are two types of approval roles:

- Regular:** This is a group of users or user groups. You can enter or modify a regular role on this screen and assign users and/or user groups to it.
- Built-In:** This is a pre-defined role and cannot be modified or deleted. The built-in roles are **Project Manager**, **Employee Manager**, and **Buyer**. You cannot add users to a built-in role. Role membership for the built-in role is evaluated for Approval Cases from particular entity instance data.

Because the role designation is necessary to determine where to route activities and messages, you must set up roles on this screen as one of the first steps in designing approval workflows and before adding data to the Approval Workflow Models screen. Although you can add to, delete, or change the information on this screen at any time, use caution in timing your edits because they could affect the execution of pending and future approval workflow cases.

Roles

Use this table window to add new regular approval roles. This table window displays both built-in and regular roles.

- **Name:** For regular roles, use this field to enter a role name for a group of individuals that meet the required qualifications to perform approval activities. For built-in roles, this field displays **Buyer**, **Employee Manager**, or **Project Manager**.
- **Type:** This field displays **Built-In** or **Regular**.

Role Users

Use this subtask to enter role members, users or user groups who should receive approval steps and messages in their email when the role is associated with a particular step. You can use this subtask to enter users or user groups for regular roles. You may also update this subtask at any time.

- **User / User Group:** Enter the user ID or user group you want to associate with the role selected in the Roles table window. The user IDs or user groups you enter in this field will have approval steps assigned to them and messages routed to their email address when steps are routed to their role.

Role Filtering Conditions

You can configure role-filtering conditions for each user. These conditions are evaluated at workflow runtime and are used to exclude or include a particular user from the role, based on the data values of the approval entity.

These conditions are constructed using fields defined in the Role Filter Fields (WFMARF) application. If multiple condition lines are defined, the AND operation between them is assumed.

Reject Codes

Use the Reject Codes (WFMARRJCD) application screen to enter codes for rejecting approval workflows.

Existing codes display when you open this screen. You can delete existing lines, modify existing lines, or create new codes for all possible reject reasons. Codes on this screen can be selected on the Approval Workflow Models screen for a specific approval workflow. Maintain this screen whenever necessary.

Reject Codes		New	Copy ▼	Delete	Query ▼	□	✕
<input checked="" type="checkbox"/>	Reject Code *						
<input type="checkbox"/>	Incomplete						
<input type="checkbox"/>	Incorrect Account						
<input type="checkbox"/>	Incorrect Amount						
<input type="checkbox"/>	Incorrect Currency						
<input type="checkbox"/>	Incorrect Fiscal Year						
<input type="checkbox"/>	Incorrect G/L Account						
<input type="checkbox"/>	Incorrect Owning Org						
<input type="checkbox"/>	Incorrect PAG						
<input type="checkbox"/>	Incorrect Period						
<input type="checkbox"/>	Incorrect Project						
<input type="checkbox"/>	Incorrect Project Labor Category (PLC)						
<input type="checkbox"/>	Incorrect Vendor						
<input type="checkbox"/>	Invoice missing Burdens						

Reject Codes

Use this table window to add reject codes.

- **Reject Code:** Enter alphanumeric characters in this field for the reject code.

Role Filter Fields

Use the Role Filter Fields (WFMARF) application screen to define fields for role filtering.

Role Filter Fields		New	Copy	Delete	Query		
<input checked="" type="checkbox"/>	Filter Field Name *	Data Type *					
	AMOUNT	Number					
	AMOUNT LINE 1	Number					
	AMOUNT LINE 2	Number					
	APPROVAL	Text					
	APPROVAL FLAG	Text					
	APPROVAL USER	Text					
	Contract ID	Text					
	DATE	Date					
	DESCRIPTION	Text					
	ENTRY USER	Text					
	FISCAL YEAR	Text					
	FW.EmployeeID	Text					
	JE NUMBER	Number					
	LINE	Number					

Existing fields display when you open this screen. You can delete existing lines, modify existing lines, or create new fields. It is important to enter the correct data type because only matching data types will be possible to map with entity fields in the Approval Workflow Models (WFMAPPR) application.

Fields from this screen can be used to define role user filtering conditions and are associated with actual data through mapping with entity fields selected on the Approval Workflow Models screen for a specific approval workflow. Maintain this screen whenever necessary.

Approval Email Message

Use the Approval Email Message (WFMAEMAIL) application screen to define text templates for email notifications.

A read-only DEFAULT set of templates is already created for you, and if you do nothing, it will be used for all workflows. You can define your custom templates and assign them to your workflows. The easiest way to create a customized message template is to clone DEFAULT and enter your changes. A modified template can be later assigned to the workflow model.

There are several tabs for the message body, each one for a different notification type. They contain text templates for the messages that will be sent for the following actions:

- **Assigned:** Sent to role user when activity is assigned
- **Additional Time:** Sent to role user when the regular time for approval expires and additional time is assigned
- **Escalated:** Sent to role user when activity is assigned through escalation
- **Other Escalated:** Sent to all currently assigned role users, notifying them that the activity has been escalated
- **Delegated:** Sent to role user when activity is assigned through delegation
- **Other Delegated:** Sent to all currently assigned role users, notifying them that the activity has been delegated
- **Approved:** Sent to all currently assigned role users, notifying them that the activity has been approved
- **Rejected:** Sent to all currently assigned role users, notifying them that the activity has been rejected
- **WF Completed:** Sent to start user, notifying that the workflow has been completed
- **WF Rejected:** Sent to start user, notifying that the workflow has been rejected

For new templates, you can change the following fields:

- **Message ID:** Identifier for the email message template
- **From email address:** Address that will be used as email message **From** element for all email notifications
- **Email Subject Text:** Text that will be used as an email **Subject**
- **Email Message Bodies for different notification types:** Body of the email message. The email template subject and body can contain any text, and it can also contain variables inserted directly by the framework to compose a specific email message instance.

These variables are replaced with the following values.

Variable	Value
&wfName	Workflow name
&wfCase	Workflow case number
&appld	Application id
&appName	Application name
&approveUser	Name of the user who approved the activity
&rejectUser	Name of the user who rejected the activity
&rsId	The result set (screen) id
&rsName	The result set (screen) name
&activityName	Actual activity (task) name
&activityInstructions	Actual activity (task) instructions
&roleName	Role name (for the escalated message it will be the escalate role)
&addTime	Additional time assigned
&approveUrl(Click here to approve)	Approve link. This will be generated as an <a> html tag with text inside parenthesis shown in the email, and the approval url as a link.
&openUrl(Click here to open record in Costpoint)	Open link. This will be generated as an <a> html tag with text inside parenthesis shown in the email and the open url as a link.
&nameValuePairs	List of entity properties set to be shown in email, together with their values
&actionText	Since email messages are sent for different approval actions, this field defines configurable texts for each of these actions: Assigned, Additional time assigned, Escalated, and Delegated. The actual text for these actions can be defined in fields grouped in Action Text (&actionText) group

Approval Workflow Models

Use this application to design approval workflow models. The topmost screen section defines the master information about the workflow. The middle section displays the graphical presentation of the approval flow structure, while the bottom table is used to edit the approval steps. Also, there are several subtasks that are individually described.

Approval Workflow Models

Workflow Name: AP Voucher | Revision: 0 | Test Mode: ☐ | Active: ☐ | [Activate](#)

Start Role: AP Workflow Start Group | Total Time Allowed (Hours): 0.0 | ☒ Require Code for Rejection

Company: | Email Text: RH_DFLT_AP | Pending or Completed Cases: 0 | Pending or Completed Test Cases: 0

Approval Flow Structure

- ▶ START
 - ▶ IF: Account Starts with 24
 - THEN ACTIVITY: PR Mgr Approves on APMVCHR - Role: Payroll Manager, Duration: unlimited
 - ELSE IF: Account Starts with 61
 - THEN ACTIVITY: PR Mgr Approves on APMVCHR - Role: Payroll Manager, Duration: unlimited
 - ELSE IF: Account Starts with 5
 - THEN ACTIVITY: HR Approves on APMVCHR - Role: HR - VP, Duration: unlimited
 - ELSE ACTIVITY: Controller Approves on APMVCHR - Role: Controller, Duration: unlimited
 - ▶ FINISH: Done!

[Approval Entity Fields](#) | [Application Screens](#) | [Approval Workflow Owners](#) | [Workflow Reject Codes](#) | [View Approval Cases](#) | [Import/Export](#)

Approval Steps

Level	Type	Name
Next	Start	START
Next	If	Account Starts with 24
Then	Activity	PR Mgr Approves
Else	If	Account Starts with 61
Then	Activity	PR Mgr Approves

[Add Step](#)

The logical order for creating a new approval workflow model is:



1. Parameters in the header section
2. Approval Entity Fields subtask
3. Workflow Reject Codes subtask (if required by the checkbox)
4. Approval Application Screens subtask (with Fields subtask)
5. Assign Entity Fields to Application Screen Fields
6. Save
7. Add Approval Steps (Nodes and Activities)
8. Edit Approval Nodes and Activities
9. Set the Test flag to make the model active for testing
10. Test approval workflow for the specific application
11. Modify the model to fine-tune it to your needs
12. Optionally delete test cases in the View Approval Cases subtask and test again
13. Activate the model for production (activation deletes all previous test cases)
14. Once active and cases are completed, the model cannot be changed, only new revisions created



Warning: Do not activate the workflow until it is fully tested and ready for production. Setting the workflow into test mode makes it fully functional. The only difference is that test cases can be conveniently deleted while active cases cannot be deleted.

New revisions are suitable only after prolonged use of the workflow model in production.

The remaining subtasks—View Approval Cases and Import/Export—are used for maintenance and are described later in this guide.

Header Section Parameters

Parameter	Description
Workflow name	This is a unique name assigned to the workflow model.
Revision	<p>There can be multiple revisions of the model. It is important to understand the concept of revisions. After a single approval case is created with a specific active workflow model, the model cannot be modified anymore. There is a strong dependency between the instance of the workflow (a case) and a model. If you want to change the model after a period of use and X completed cases, the only permitted way to do it is to create a new revision. Details of the process are described in the following New Revision action section.</p>
New Revision	<p>This button becomes active when the activated workflow model has pending or completed cases.</p>  <p>Clicking the New Revision button opens a dialog box with the message. If you click OK, a new revision of the workflow model is created in the database. A new revision is a complete replica of the existing model but with a new revision number.</p>  <p>The newly created model is inactive and can be deleted if not needed. The old revision is still active. To retire an old revision, you must activate a new one. As soon as there is a single started case with the new revision, it cannot be modified or deleted anymore.</p>

Parameter	Description
Test Mode	<p>If selected, the workflow model is active in test mode. While designing a model, you can test it by running test cases.</p> <p>If you just want to test and fine-tune a new model, select the Test checkbox to set the model into test mode. In test mode, the model behaves the same as in the active model.</p> <p>Only inactive models can be set into test mode. Test mode is the preferred state for testing the workflow before it is set as ready for production.</p> <p>All cases created while in test mode are considered temporary and will be deleted after you activate the workflow model. Individual pending or completed test cases can be viewed in the View Approval Cases subtask and deleted there if necessary.</p>
Active	<p>This checkbox indicates the workflow model is active and cannot be changed anymore. Activation can be performed only using the Activate/Deactivate button.</p>
Activate/Deactivate	<p>Clicking this button initiates workflow model activation. Being active means enabling the approval workflow for application screens listed in Approval Application Screens. When you click Activate, a message displays:</p>  <p>Clicking OK will delete all test cases, select the Active checkbox, and activate the model. Clicking Deactivate will deactivate the model and clear the Active checkbox.</p> 
Start Role	<p>The start role is an optional field that defines a group of users authorized to start the workflow case. If Start Role is missing, any user who has the right to access the Start application screen can start the workflow.</p>
Total Time Allowed	<p>This is the total amount of time available for workflow completion. If workflow case duration exceeds the assigned time, the case will be automatically rejected as expired. This value is optional and if left as 0.00, it will be assumed that there is no time limit set.</p>
Require Code for Rejection	<p>Selecting this checkbox indicates that the rejection code is always required for rejecting activities or rejecting a completed workflow. If selected, reject codes that are available for the model must be listed in the Workflow Reject Codes subtask.</p>

Parameter	Description
Company	This optional field limits the use of the workflow model only for a specific company. If left blank, the workflow model applies to all companies.
Email Text	This optional field defines which email text template will be used for the workflow. If left blank, the DEFAULT text from the Approval Email Message application screen is used.
Pending or Completed Cases	This field lists the number of pending or completed cases using a specific instance and revision of the workflow model.
Pending or Completed Test Cases	This field lists the number of pending or completed test cases using a specific instance and revision of the workflow model.

Approval Entity Fields

This subtask defines the entity which is the actual object of approval.

Approval Entity Fields						New	Copy	▼	Delete	Query	▼	★	□	×
Entity Field Name *	Data Type *	Include in Email	Matched Role Filter Field	Filter Field Data Type										
Approved	Text	<input type="checkbox"/>												
Due Date	Date	<input type="checkbox"/>												
Fiscal Year	Text	<input type="checkbox"/>												
Line Amt	Number	<input type="checkbox"/>												
Project Id	Text	<input type="checkbox"/>												
Project Name	Text	<input type="checkbox"/>												

An Approval Entity is defined by its fields. This table outlines an abstract definition of the entity with field names, data types, and checkbox values that define the inclusion of the property/value pair in the approval email message. Deltek recommends writing descriptive names because it will be easier for approvers to understand their meaning when they see them in the notification email. The actual matching of **Approval Entity Fields** with **Screen Fields** is done in the Approval Application Screens » Approval Screen Fields subtask.

Fields in this table are:

- **Entity Field Name:** Descriptive name of the entity field
- **Data Type:** Text, Number, Date, or special system field **Current User**
- **Include in Email:** Notification email inclusion
- **Matched Role Filter Field:** This is where role filter condition fields are mapped with entity fields, and indirectly to actual approval data
- **Filter Field Data Type:** Entity data types and filter field data types must match

Approval Application Screens

This subtask defines the application screens associated with approval, in other words, it defines the screens that contain the entity that is the object of approval. Multiple screens can be associated with the workflow model, but only one can be the start screen, the screen where users can start the execution of the workflow.

Assigning multiple screens to a single approval workflow model enables the workflow to span multiple screens in its activities. There are limitations to screen definition that must be respected and will be enforced. **The application screen can only be the topmost or second-level result set in the application tree.**

You have to assign the following fields in the subtask:

- **Application:** Costpoint application ID and name that is assigned to this workflow model
- **Result Set (Screen):** Actual screen assigned to this model. This is the screen that contains the entity that is the subject of approval. Note: result set must be 1st or 2nd level in the screen result set tree.
- **Workflow Start Screen:** Selecting this checkbox designates the screen as a start screen for approvals.
- **Lock Actions and Subtask:** The Approval Screen Fields subtask defines the locking requirements for fields. Selecting this checkbox locks all actions and subtasks on the approval screen during the duration of the approval workflow case.
- **Include File Attachments in Email Notifications:** If selected, CMI documents attached to the record under approval will be included in all notification email messages.

Note: Content Management Integration (CMI) is a Costpoint feature that enables linking documents from CMS like SharePoint to Costpoint transactional data (that is, actual PDF or image scan of the invoice attached to voucher, and so on).

Approval Screen Fields

For each screen associated with approval, you must define screen fields and match them to previously defined entity fields.

The easiest way to populate the fields is to click the **Load All Screen Fields** button. This action uses the Costpoint screen definition and populates the table with all the fields defined for a particular screen. You can run it only once and only if there are no records in the fields table. The next steps are to define the key fields and to map the map screen fields to entity fields.

It is important to note that fields from the parent result set can also be included if a given screen is not the topmost result set in the approval application.

Approval Workflow Models

Approval Screen Fields							New	Copy	Delete	Query			
<input checked="" type="checkbox"/>	Key	Locked	Screen Label	Entity Key Field Name	Field Id *	Primary Key	Data Type						
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Voucher	Voucher No	VCHR_NO	<input checked="" type="checkbox"/>	Number						
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Vendor Name	Vendor Name	VEND_NAME	<input type="checkbox"/>	Text						
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Project Name	Project Name	PROJ_NAME	<input type="checkbox"/>	Text						
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	TRN_NET_AMT	Line Amt	VL_TRN_NET_AMT	<input type="checkbox"/>	Number						
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Project	Project Id	PROJ_ID	<input type="checkbox"/>	Text						
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Fiscal Year	Fiscal Year	FY_CD	<input checked="" type="checkbox"/>	Text						
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Due Date	Due Date	DUE_DT	<input type="checkbox"/>	Date						
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Approved	Approved	APPRVD_FL	<input type="checkbox"/>	Text						
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	ACCT_ENTR_GRP_CD		ACCT_ENTR_GRP_CD	<input type="checkbox"/>	Text						

Load All Screen Fields
Close

Column	Description
Key	<p>Keys uniquely identify the record that is the subject of approval. It is very important to select proper keys to eliminate the possibility of misidentifying a correct record being approved or having a situation where multiple records match the same keys.</p> <p>Running the Load Fields action selects the Key checkbox for all fields that are defined as Primary Key fields in the screen design.</p> <p>Keys also play an important role in approval URL generation. Using the keys defined here, the approval framework will generate unique URLs that will be included in the notification email. The URLs can be used later by approvers to remotely approve workflow activities just by clicking the links in the email.</p>
Locked	<p>This checkbox is selected by default and indicates that the field will be locked for edit during the approval process. The default state is checked. It is recommended to keep the record locked during the approval; otherwise, if the underlying data is changed, the approval becomes vague.</p>
Screen Label	<p>This is the label for the field. Some fields have no screen label; in which case, this value is equal to the field ID.</p>
Entity Key Field Name	<p>This is where you define the mapping between the Entity Fields and the Screen Fields. This mapping helps to retrieve values for the entity fields from the actual screen fields when the approval starts. All Key fields must be mapped to Entity Fields.</p>
Field	<p>This is the ID of the field.</p>
Primary Key	<p>This checkbox is selected for fields that are configured as primary keys for the screen in the application definition.</p>
Data Type	<p>This column displays the predefined field data type: Text, Number, or Date.</p>
Screen Name	<p>This is the name of the result set (screen) for the field. It is important to emphasize that some fields from the parent result set can be included in this table. If the screen is not the topmost result set for the application, it is usually necessary to include key fields from the parent result set to uniquely identify the record in the child result set.</p>

Column	Description
Result Set (Screen)	This is the ID of the result set.

Note: Approval Workflow model is defined for an abstract entity that is configured using the Approval Entity Fields subtask. All conditions, especially those that define workflow branching, are composed with logical expressions containing entity fields.

Mapping actual screen fields to entity fields is important to identify abstract entity as actual business entity defined by specific screen data. When workflow is started, entity fields are matched and screen data is retrieved. This enables every workflow case (instance) to process actual data values.

Conditions

Start conditions can be defined for the start screen. If the conditions are not met, the approval process cannot be started.

The Conditions screen is used in several places in the Approval Workflow Models application, and it is defined as a list of conditional expressions built entity fields. If multiple condition lines exist, the AND operator is assumed between them.

Entity Field	Operator *	Data Type	Text Value	Date Value	Numeric Value
Req Requestor	is not blank (is not null)	Text			

Note: An **Entity Field** used in a condition must be mapped to a screen field in order for the workflow engine to locate the actual value of the field at runtime.

Column	Description
Entity Field	This column lists the entity field(s) used for the condition.
Operator	The list of logical operators include: =, >, <, >=, <=, !=, is blank, is not blank, begins with, ends with, contains.
Data Type	The data type for the entity field displays in this column.
Text Value Date Value Numeric Value	There is a separate column for the text, numeric, or date value.

Workflow Reject Codes

This subtask defines a list of reject codes that apply to the parent Workflow Model. The codes are entered in separate application Reject Codes (WFMARRJCD). Select the checkbox for the ones that apply to this model.

Workflow Reject Codes	
<input checked="" type="checkbox"/>	Reject Code * Incorrect Account

Approval Workflow Owners

This subtask defines a list of users who have the right to view and make modifications to workflow cases in the Manage Approval Workflow Case Status (WFMACASE) application.


User ID	Model Owner	Workflow Owner Status *
CPSUPERUSER	Bear, Coffee	Update and Delete

Column	Description
User ID	ID of a user who is granted access
Model Owner	User name
Workflow Owner Status	Possible values are: Read Only , Update , and Update and Delete .

Approval Steps: Designing the Workflow Model

To design a workflow model, you have to define nodes, their actions, and a flow. A flow is a sequence of nodes.

Several different types of nodes can be configured, and they are processed differently based on their type and properties. Activity is the only node that requires user interaction. All other node types are processed by the system, and their purpose is to define the routing order and system actions. Activities define individual steps in the approval process. On the other hand, **Start**, **If**, **Group**, and **Finish** nodes define the flow or the routing sequence of the workflow.



Node Types

Node	Description
Start	A workflow always starts with the Start node, which is automatically created and cannot be entered or deleted.
Activity	Activity is the most important node and represents the actual approval step. Activity always assumes user interaction and intervention.
If	If is a branching node that uses a condition expression to branch to Then or Else branches. You can set conditions for the If node on the Conditions subtask of the Edit Node subtask. If is followed by nodes with Then and Else levels. Then level defines the branch of the flow when conditions evaluate to True . The Else defines the branch of the flow when conditions evaluate to False . At the very least, a Then branch must be present; otherwise, the If node is incomplete.
Group	<p>Group contains parallel activities or options. When the Group node is reached in the workflow routing, all activities defined as options under this node are executed immediately (in parallel). If all options under this node are required, the steps after the Group node will not proceed until all activities have been approved. If none of the options are required, the Group step/node is considered complete if only one of them has been approved. Under the Group node, only steps with Type = Activity and Level = Option are permitted. An activity that is defined as an Option has a required parameter on the Edit Activity subtask.</p> <p>Group is used for parallel execution and cannot be used for branching. Only an If node can branch the flow sequence.</p>
Notify	When the Notify node is reached, a notification message is sent to the role. Specific message text and the recipient role are defined using the Edit Node operation for Notify node.
Finish	This optional node marks the end of the workflow. If the workflow reaches the end, finish is assumed. It is, however, helpful to add a Finish node to visually mark the end of the workflow, or especially when it contains updates pertaining to the completion of the workflow.

Based on its position in the flow, the node can have a specific level.

Level	Description
Next	This is a default level. It indicates that the node is processed in sequence after the previous node is completed

Level	Description
Option	This level can be only applied to the Activity node inside a Group node. It indicates that the activity with an option level will be executed in parallel, together with other activities inside a group. Option is a closing node and cannot be used for branching: There cannot be another node in the sequence after Option .
Then	This level can only be entered after an If node, and it can be applied to Activity , If , Group , and Finish nodes. The Then node defines a flow branch that will be routed if the parent If node condition evaluates to True .
Else	The level is the same as the Then level. This level defines a flow branch that will be routed if the parent If node condition evaluates to False .

The Approval Steps table lists all nodes that are visually present in the Approval Flow Structure outline. In this table, you can enter new steps, configure their details, or delete existing ones.

Use the Add Step subtask to add a new step.

Option	Description
Parent	This field defines a parent node that will contain a new step.
Name	This is the name of the step. You can edit the name later in the Edit Node or Edit Activity dialog box.
Level	This is the level for the new step, relative to the parent node. The default level is Next .
Type	This option defines the type of the node. The default is Activity .

After you create the node, you can edit its details using either the Edit Node or Edit Activity subtask.

Edit Activity

Activity is defined by following options.

Option	Description
Activity Name	The descriptive name you entered when you created the activity on the Add Step dialog box displays here. You can edit the name if needed.
Required	This checkbox displays only for activities that have a level equal to Option . These are parallel activities inside a Group node. If not checked, the activity is optional, and it will be automatically approved if any other activity in the group is approved by the corresponding role user. If all activities inside a group are not required, the group itself is still required, and at least one of the non-required options must be approved.
Screen Name	An Activity is always associated with a specific Costpoint application screen. A specific role member is expected to approve the entity on the specific application screen. By default, this field is populated with the screen name entered in the Approval Application Screens subtask and designated as the start screen. But if multiple screens are configured for the workflow, you can select the specific screen that this activity is referring to.
Role	This is the activity assignment field. Here you define who is responsible for activity approval. Roles are defined in the Approval Roles application.
Notify (Role)	If selected, all role members will receive an email notification when an activity is assigned to them, or when any other activity assignment change is processed.
Escalate to Role	This is the role that is assigned when an activity is escalated. An activity can be escalated manually or escalated automatically when the expected time expires.
Notify (Escalate to Role)	If selected, all escalate role members will receive an email notification when an activity is assigned to them, or when any other activity assignment change is processed.

Option	Description
Expected Duration (Hours)	This field defines the time that is assigned to the Role for completion of the activity. If set to 0.00, infinite time is permitted for activity completion.
Additional Time Allowed (Hours)	If expected time expires, and Additional Time is defined, role members will receive an email notification, and they will have this extra time for completion. If additional time is set to 0.00, or if expired, activity is escalated to escalate role.
Instructions	This field can be used to write detailed instructions about activity approval. This text will be included in the approval dialog and notification email message.
Conditions subtask	The Conditions subtask opens up the conditions table, the same one as Conditions . If all conditions listed in this subtask do not evaluate to true, the activity cannot be approved.
Updates subtask	Updates subtask opens up the Updates table. This table lists update expressions that will be executed upon approval of the activity.

Edit node

The Edit Node dialog box displays the node **Type** and can be used to edit the **Name** of the node. As already mentioned, node type can be: **Start**, **If**, **Group**, **Notify**, or **Finish**. A **Start** node cannot be edited.

The **If** node has the [Conditions](#) subtask, and the **Finish** node has the [Updates](#) subtask:

- The Conditions subtask for an If node defines conditions that evaluate to true or false by defining the branching to Then or Else route branches.
- The Updates subtask for a Finish node lists all the update expressions that execute after the workflow is completed.

Updates

Updates can be defined as a list of expressions that will automatically execute upon activity or workflow (Finish node) completion.

Updates						
	Entity Field	Data Type	Text Value	Date Value	Numeric Value	System Value
<input checked="" type="checkbox"/>	Approved Flag	Text	Y		0.00	-None-

[Close](#)

Column	Description
Entity Field	Any entity field
Data Type	Pulled from entity
Value	Separate fields for Text, Numeric, or Date value
System Value	The value assigned by the system. Possible options are: <ul style="list-style-type: none"> CP_COMPANY_ID: Current company ID CP_CURRENT_DT: Current date CP_USER_ID: Current user ID

View Approval Cases

This subtask for the workflow model lists all completed or pending cases (instances) of the workflow.

View Approval Cases							
	Approval Screen	Status	Start User ID	Start Time	Completion Time	Audit	Test Case
<input checked="" type="checkbox"/>	Open	In-Process	CPSUPERUSER	06/17/2020 09:56:11 AM			<input checked="" type="checkbox"/>
	Open	In-Process	CPSUPERUSER	06/17/2020 09:23:14 AM			<input checked="" type="checkbox"/>
	Open	Rejected	CPSUPERUSER	06/16/2020 06:19:58 PM	06/16/2020 06:20:30 PM		<input checked="" type="checkbox"/>
	Open	Rejected	CPSUPERUSER	06/16/2020 06:16:05 PM	06/16/2020 06:17:55 PM		<input checked="" type="checkbox"/>

[Load Detailed Flow](#)
[Case Field Values](#)
[Close](#)

The table window of the View Approval Cases subtask populates automatically when opened, but details about each case are not loaded. To load the audit details for a particular case, click the **Load Detailed Flow** button.

The screenshot shows a window titled "Approval Cases" with a toolbar at the top containing buttons for "Delete", navigation arrows, "3 of 4 Existing", "Table", "Query", and window controls. The main area displays the following information:

- Start User ID: CPSUPERUSER
- Start Time: 06/16/2020 06:19:58 PM
- Status: Rejected
- Approval Screen: [Open](#)
- Completion Time: 06/16/2020 06:20:30 PM
- ☒ Test Case

A detailed log is shown below:

- ▶ START Case #159 on 06/16/2020 06:19:58
 - ▶ ACTIVITY: Enter Voucher for Approval on APMVCHR - Started on 06/16/2020 06:19:58, Assigned to AP Workflow Initiator - Rejected By CPSUPERUSER on 06/16/2020 06:20:30 - Incorrect Project
 - ▶ REJECTED: Case Rejected as Incorrect Project by CPSUPERUSER on 06/16/2020 06:20:30

At the bottom right, there is a link "Case Field Values" and a "Close" button.

Clicking the **Open** link in the **Approval Screen** field loads the specific application screen where the workflow case is running or completed.

If the workflow case is running or is completed as a test case, the **Test Case** checkbox is selected.

Import/Export

Workflow models can be exported to an XML definition file and imported from it. The subtask contains two tabs: **Import** and **Export**. Both tabs store and retrieve the definition file from the Costpoint database file location that is accessible through the menu options **Process -> File Download** and **File Upload**. Exported files are visible in the database file storage and you can download it from there to your workstation. To import a file into a new model, you first have to upload the file to Costpoint.

Note: In order to upload and download XML files to Costpoint database storage, you first need to add the XML file extension in the **Configure System Settings -> File Upload Limits** table.

To export a file, enter the file name, and click the **Export** button. The **File Name** field automatically populates with the workflow name and revision number.

The screenshot shows a window titled "Import/Export Approval Workflow Model" with tabs for "Import" and "Export". The "Export" tab is active. It contains a "File Name" text field with the value "AP_Voucher_Approval_Bug_Test_rev_0.xml" and an "Export" button below it. A "Close" button is located at the bottom right of the window.

Once exported, the file is visible on the **File Download** screen, and you can download the file to your workstation from there.

Approval Workflow Models

Manage Application/Content Links	SYMCIAL	TEST_ALL_REV_0 (9).XML	text/xml
Approval Workflow Models	WFMAPPRL	TEST_ALL_REV_0 (9).XML	text/xml
Approval Workflow Models	WFMAPPRL	TEST_ALL_REV_0.XML	text/plain
Approval Workflow Models	WFMAPPRL	VOUCHER_APPROVAL_REV_0.XML	text/plain

To import a file, you first need to upload the XML definition file to Costpoint. Open the Approval Workflow application screen, and select **Process -> File Upload** from the system Menu.

File Upload


File Name*

Choose FileJG_BLMGBILL_rev_0.xml

Description

Alternate File Location

Expiration Date



☐ Overwrite

Upload

Close

After you choose the file from your workstation, leave all other fields empty, and click on **Upload**.

Open the Import/Export subtask. On the Import tab, select the newly uploaded file in the lookup.

[illegible]

After file selection, click **Load**. This action checks for the structural integrity of the workflow model definition file and loads the basic information into the **Preview** fields.

Import/Export Approval Workflow Model

Import Export

File Name: APPROVE_AP_VOUCHERS_KH_(LINE_APPROVAL-PROJ)_rev_0.xml Load

Workflow Name: APPROVE AP VOUCHERS KH (LINE APPROVAL-PROJ) ☐ New Revision Import

Preview

Start Application: APMVCHR Manage Accounts Payable Vouchers

Start Result set: APMVCHR_LN A/P Voucher Detail


► START
 └─► ACTIVITY: Project Approval on APMVCHR - Role: Project Manager, Duration: unlimited
 └─► FINISH: Finish

Close

If you are certain that the model is what you expect, you can still change the Workflow name and click the **Import** button. Once imported, you will need to query on the Approval Workflow screen to find it among your other models.

Delegate Approval

As a Costpoint user, you can decide to delegate all your approval rights and responsibilities to another person. This delegation can be permanent or temporary. Use the **Delegate Approvals** group box on the User Preferences screen to enter another user as your delegate and to define the time interval for this delegation.




The screenshot shows a software interface with a 'Delegate Approvals' section. At the top of this section are two checkboxes: 'Archive' and 'Local Printer'. Below them is a 'User ID' field containing the text 'BLACKJ'. Underneath the 'User ID' field are two time selection fields: 'Start Time' with the value '06/13/2017 12:00:00 AM' and 'End Time' with the value '06/21/2017 12:00:00 AM'. Each time field has a small calendar icon to its right. At the bottom right of the 'Delegate Approvals' section is a blue 'Change' button.

All fields are optional. If the **Start Time** and **End Time** are missing, the delegation is permanent or until this record is changed again. If only the start time is entered, the delegation will begin at that time and will be permanent until changed. If only the end time is entered, delegation starts immediately and lasts until the end time is reached.

Running Approval Workflows

After you have defined and activated, or set a test mode for a workflow model, all the associated application screens become **Approval Workflow Enabled**. For all configured application screens, an **Approval** button displays in the screen header.



Depending on the color of the button, you can conclude the state of the workflow:

- Default color means that the workflow is not yet started.
- Orange means that the workflow is pending.
- Green is for successfully completed workflows.
- Red indicates a rejected workflow model.

Note: Please note that if multiple workflows are assigned to a single screen, button coloring cannot be conclusive to one of them. In this case, a color is the combination of all associated workflows state.

Clicking the button opens the Approval dialog box. This dialog box has several tabs which are hidden or shown based on the current state and context of the workflow.

The header section displays the **Name** of the workflow and a **Start Role**. If the workflow has already started, the **Start User**, **Start Time**, and **Status** fields populate with the appropriate information.

Usually, there is only one workflow associated with the screen, but theoretically, there can be more. If there are multiple associated screens, the Approval dialog box can have multiple records. You can use the **Next** and **Previous** buttons to locate a specific workflow. The same situation can happen with the single workflow if you as a user are a member of multiple roles and parallel activities are assigned to those roles. In this case, you can use the **Next** and **Previous** buttons to locate the specific activity that you want to approve.

Start Tab

This tab is visible only when the workflow is not yet started, or it was previously rejected and can be started again.

Approval

Approval workflow

Name: APMVCHR test Revision: 0 Start Role: []

Start User: [] Start Time: [] Status: []

Start

Approval Workflow for this record is not started.

[Start Approval](#)

[Approval Steps](#) [Approval Role Users](#)

[Close](#)

Clicking the **Start Approval** button initiates the approval workflow case, and the internal workflow engine starts routing activities based on the workflow model designed in the [Approval Workflow Models](#) application.

Approve or Reject Tab

Approval

1 of 4 Existing

Name: AP Voucher Approval Bug Test Revision: 0 Start Role: []

Start User: CPSUPERUSER Start Time: 06/17/2020 09:23:14 AM Status: In-Process

Approve or Reject | Escalate or Delegate | History of Approval

Approval Step Assigned to You

Name: GL Team Approval Start Time: 06/18/2020 09:00:00 AM

Instructions: If approve, delegate to Signature Authority; else Reject Expected Duration: 0.0

Your Role: AP GL Approvers

Approve

Approval Comments

[Approve](#)

Reject

Reject reason

Reject Comments

[Reject](#) Back to: []

[Approval Steps](#) [Approval Role Users](#)

[Close](#)

If an activity is assigned to you (your role) for approval, the Approve or Reject tab displays. In the top section of the tab displays the details of the activity (step) assigned to you. The bottom section provides two options: **Approve** or **Reject**.

To approve the activity, enter any optional **Approval Comments** you want, and click **Approve**. Routing of the workflow case continues to the next node in the approval workflow.

To reject the activity, select **Reject Reason**, and enter any optional **Reject Comments** you want. The **Back to** field defines the depth of the reject action. **Reject All** selection rejects the complete workflow while you can select any previously approved activity to go back just one or more steps in the flow. If the workflow model was configured to require a reject reason, you cannot reject the activity without first selecting one of the predefined reject reasons.

Escalate or Delegate Tab

The screenshot shows a software window titled "Approval". At the top, there's a header bar with the title and a toolbar containing navigation icons and a label "1 of 4 Existing". Below the header, there's a form area with several fields: "Name" (AP Voucher Approval Bug Test), "Revision" (0), "Start Role", "Start User" (CPSUPERUSER), "Start Time" (06/17/2020 09:23:14 AM), and "Status" (In-Process). Below these fields are three tabs: "Approve or Reject", "Escalate or Delegate" (which is the active tab), and "History of Approval". The "Escalate or Delegate" tab contains two main sections. The "Escalate" section has a label "Escalate to" followed by a text input field. The "Delegate" section has a label "Delegate To" followed by a text input field, a "Delegate" button, and a "Delegated Time" field with a text input. At the bottom right of the window, there are two links: "Approval Steps" and "Approval Role Users", and a "Close" button.

By clicking the **Escalate** button on this tab, you can manually escalate the activity (step) to a predefined escalation role. As mentioned earlier, escalation will happen automatically if the assigned time and extended time for the approval role has expired. If this happens, this section will indicate that the activity is already escalated.

Delegate is another option to redirect approval of the activity to somebody else. You can enter, or use lookup to select, any other user. Clicking the **Delegate** button will redirect execution exclusively to that person.

History Tab

The screenshot shows the 'History Tab' of an 'Approval' window. The window title is 'Approval' and it has a toolbar with navigation icons and a '3 of 4 Existing' indicator. The main area is divided into two sections: a top section for workflow details and a bottom section for the 'History of Approval'.

Workflow Details:

- Name: APMVCHR Training <> @!
- Revision: 0
- Start Role: (empty)
- Start User: (empty)
- Start Time: (empty)
- Status: Completed
- Buttons: Reject?

History of Approval:

- START Case #97 on 02/25/2019 02:08:26
 - IF: Invoice < 1,000 = FALSE
 - ELSE IF: Invoice < 10,000 = FALSE
 - ELSE IF: Invoice < 100,000 = FALSE
 - ELSE ACTIVITY: Approve >100,000 on APMVCHR - Started on 02/25/2019 02:08:30, Assigned to CEO -
- Approved by CPSUPERUSER on 03/06/2019 02:07:01
 - FINISHED on 03/06/2019 02:07:13

At the bottom right of the history section, there are links for 'Approval Steps' and 'Approval Role Users', and a 'Close' button.

The History tab displays the current or complete audit of the workflow. Here you can inspect all the details about routing and completed approval.

Reject Tab

The screenshot shows the 'Reject Tab' of the 'Approval' window. The window title is 'Approval' and it has a toolbar with navigation icons and a '3 of 4 Existing' indicator. The main area is divided into two sections: a top section for workflow details and a bottom section for the 'Reject' action.

Workflow Details:

- Name: APMVCHR Training <> @!
- Revision: 0
- Start Role: (empty)
- Start User: (empty)
- Start Time: (empty)
- Status: Completed
- Buttons: Reject?

Reject Action:

- The 'History of Approval' tab is selected, and a 'Reject WF' button is visible.
- A 'Reject' section contains a text area for 'Reject All Comments' and a 'Reject All' button.

At the bottom right, there are links for 'Approval Steps' and 'Approval Role Users', and a 'Close' button.

There are situations where an already completed workflow needs to be rejected. The most common scenario is when data has changed and you need to restart the approval process. To reject the completed workflow, click the **Reject?** button. Clicking this button enables the display of the red Reject WF tab.

This option is also available for already running workflows if the user is a member of any role that has already completed its approval steps. If you are a member of the current role, you can reject your activity and that will automatically reject the workflow. The rules for rejecting a workflow are the same as for rejecting an activity. If required by the model, you have to enter a **Reject reason** before clicking the **Reject All** button.

Approval Steps

The Approval Steps subtasks lists all completed activities in tabular form.

Approval Steps					
				Query ▼	★ □ ✕
<input checked="" type="checkbox"/>	Step Name	Status	Role	Instructions	Assigned To
	Enter Voucher for Approval	Completed	AP Workflow Initiator	Enter Voucher for Approval	
	GL Team Approval	In-Process	AP GL Approvers	If approve, delegate to Signature Authority	
<div> <div>◀</div> <div> </div> <div>▶</div> </div>					
<div>Close</div>					

Approval Role Users

This subtask lists users that are assigned to a current activity and lists role users who will be assigned to the next activity. Determining the next users is a complex process where some users might be assigned through delegation and some might be filtered out by a role filter.


Approval Role Users								
					New	Copy ▼	Delete	★ □ ✕
<input checked="" type="checkbox"/>	Enabled	Assigned	Activity Name	Role Name	Built-In Role	Excluded by Role Filter	Role Type	User ID
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Enter Voucher for Approval	AP Workflow Initiator	<input type="checkbox"/>	<input type="checkbox"/>	Regular	CPSUPERUS
	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	GL Team Approval	AP GL Approvers	<input type="checkbox"/>	<input type="checkbox"/>	Regular	CPSUPERUS
<div> <div>◀</div> <div> </div> <div>▶</div> </div>								
<div>Close</div>								

For the next activity, the system presents users who will be assigned to the **Regular** and **Escalate** role. The approver of the current activity here has the option to deselect some users and exclude them from the approval process of the next activity.

The system will validate this selection and won't permit approval if at least one approver is available for the approval process of the next activity.

Approval by Email

Whenever an activity is assigned to the role, all members of the role receive an email notification. Note that the notification checkboxes must be selected on the [Edit Activity](#) screen. The notification message contains two links:



The **Click here to approve** link opens a default browser and initiates a special request that will approve the activity without logging in to Costpoint. The following message displays upon successful approval:

Workflow Activity has been approved.

If the approval request is invalid, the activity is already approved, or something went wrong, the system will respond with a different message:

Approve Workflow Activity failed.

Note that approval by email is possible with any device capable of receiving email and internet browsing, including tablets and smartphones.

Attention: For information on how to customize the content of the notification messages and text for links refer to the [Approval Email Message](#) section.<Replace text>

The **Click here to open record in Costpoint** link opens Costpoint to the specific application screen and record that is the subject of the approval activity. This assumes that single sign-on is set up. If not, you will be first prompted to log in.

Interactive Email

Interactive email functions like a simple application screen within an email message. You can use this email to approve, reject, escalate, refresh state, or open a record in Costpoint.

Note: Delegation is not implemented in interactive email due to sensitive information about user IDs that would need to be exposed in that case.

APMVCHR Simple

Case # 193

Manage Accounts Payable Vouchers

Started: 07/31/2023 15:49

Expire: never

Workflow activity 1. Project Management Approval is assigned to your role Accounts Payable for approval.

Instructions: Please approve

✓
Approve

✗
Reject

Escalate

Open record in Costpoint
↗

Approval entity values:

Account	<empty>
User	BORIS
Invoice Date	01/24/2007
Invoice Number	<empty>
Vendor ID	41 VENDOR
Approved	Y
Vendor Name	41 Customer
Voucher Number	2

Approval history:

Jul 31, 2023


15:49 PM Started by BORIS

15:49 PM Activity 1. Project Management Approval assigned to Accounts Payable

Refresh

The interactive email message is always in sync with the approval case state in Costpoint. Whenever you perform the approval action in Costpoint or the email message, the message changes to reflect the new state.

Interactive Email



Costpoint Approval Workflow APMVCHR Simple


Case # 193

Manage Accounts Payable Vouchers


Activity 1. Project Management Approval approved by BORIS on 07/31/2023 16:11

Approved:

Open record in Costpoint

 Approval entity values:

Account	<empty>
User	BORIS
Invoice Date	01/24/2007
Invoice Number	<empty>
Vendor ID	41 VENDOR
Approved	Y
Vendor Name	41 Customer
Voucher Number	2

 Approval history:

Jul 31, 2023

15:49 PM Started by BORIS

15:49 PM Activity 1. Project Management Approval assigned to Accounts Payable

16:11 PM Activity 1. Project Management Approval completed by BORIS

16:11 PM Activity 2. Accounting approval assigned to Accounts Payable

Note: Interactive emails are implemented using Microsoft's Actionable Messages technology. Messages are rendered in Outlook as Adaptive Cards. This technology is limited to Microsoft Outlook only and should be functional in Outlook on Windows, Mac, iPhone, and Android operating systems.

Interactive emails are available for other Costpoint applications, such as Timesheet entry or Requisition approval. To enable the use for Approval workflows, use the checkboxes on the Interactive Email tab in the Costpoint System Settings.

Company Settings

Batch Job

Case Reporting

Login Banner

Interactive Email

☒ Enable Time & Expense Interactive Email

☒ Enable Workflow Interactive Email

☒ Enable Requisition Approval Interactive Email

My Approval Tasks

My Approval Tasks is a separate application that lists all activities that you as a Costpoint user and possible member of different roles are due to approve.

My Approval Tasks								
Workflow Name	Approval Screen	Start User	WF Start Time	Status	Step	Instructions	Role	
APMVCHR Training	Open	CPSUPERUSER	04/28/2020 01:00:11 PM	Escalated	Approve Invoices < 1,000	Please approve voucher	AP Clerk	

Entity Field Name	Field Name	Field ID	Value
Approved Flag	Approved	APPRVD_FL	N
Due Date	Due Date	DUE_DT	03/01/2000
Invoice Amount	INVC_AMT	INVC_AMT	0.00
Invoice ID	Invoice	INVC_ID	INV3-2-2-33
Vendor ID	Vendor	VEND_ID	1M-ARP
Vendor Name	Vendor Name	VEND_NAME	Advanced Research Prod

The top table window lists all tasks (activities) that are due for approval. The bottom table window displays the specific entity values for a particular workflow case.

Clicking the **Open** link for a task opens the application and a record that requires approval.

The form view displays all the fields in a more structured form.

My Approval Tasks			
<div> <div> <div>Approval Workflow</div> <div> <div>Name</div> <div>APMVCHR Training</div> </div> <div> <div>Start User</div> <div>CPSUPERUSER</div> </div> <div> <div>Start Time</div> <div>04/28/2020 01:00:11 PM</div> </div> <div> <div>Approval Screen</div> <div>Open</div> </div> <div> <div>Status</div> <div>Escalated</div> </div> </div> </div>			
<div> <div> <div>Task</div> <div> <div>Step</div> <div>Approve Invoices < 1,000</div> </div> <div> <div>Instructions</div> <div>Please approve voucher</div> </div> <div> <div>Your Role</div> <div>A/P Accountant</div> </div> <div> <div>Completion Notes</div> <div></div> </div> </div> <div> <div>Start Time</div> <div>04/28/2020 01:00:11 PM</div> </div> <div> <div>Expected Duration</div> <div>12.0</div> </div> <div> <div>Additional Time</div> <div>2.0</div> </div> <div> <div>Escalate Time</div> <div>04/29/2020 03:02:23 AM</div> </div> <div> <div>Delegate Time</div> <div></div> </div> </div>			



About Deltek

Better software means better projects. Deltek delivers software and information solutions that enable superior levels of project intelligence, management, and collaboration. Our industry-focused expertise makes your projects successful and helps you achieve performance that maximizes productivity and revenue. www.deltek.com