


Deltek Specpoint 1.5

Cumulative Release Notes for A/E Users

June 14, 2023



While Deltek has attempted to verify that the information in this document is accurate and complete, some typographical or technical errors may exist. The recipient of this document is solely responsible for all decisions relating to or use of the information provided herein.

The information contained in this publication is effective as of the publication date below and is subject to change without notice.

This publication contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, or translated into another language, without the prior written consent of Deltek, Inc.

This edition published June 2023.

© Deltek, Inc.

Deltek's software is also protected by copyright law and constitutes valuable confidential and proprietary information of Deltek, Inc. and its licensors. The Deltek software, and all related documentation, is provided for use only in accordance with the terms of the license agreement. Unauthorized reproduction or distribution of the program or any portion thereof could result in severe civil or criminal penalties.

All trademarks are the property of their respective owners.

Contents

Overview	1
Release 1.5.8	2
New Features	2
Issuance and Addendum Designations	2
Pasting Multi-Level Paragraphs	3
Enhancements	3
Import Notifications	3
Software Issues Resolved	4
Undefined Paragraph Numbering	4
Track Changes for Imported Families and Product Types	5
Pills from Option Sets	5
Missing Imported Families	6
Release 1.5.7	7
New Features	7
Shortcuts for Paragraph Addition	7
Enhancements	7
Condensed Content for Track Change Tips	7
Software Issues Resolved	8
Visibility of Deleted or Inactive Users	8
Project Workspace	9
Product Listing Filtering	10
Missing Project Notes	11
Project Formatting and Styles	12
MasterSpec Updates	13
Release 1.5.6	14
Enhancements	14
Modifying Custom Entries in Insert Options	14
Project-Level Import	14
Project Formatting and Styles	16
Exported Document Properties	17
Software Issues Resolved	17
Modifying BOD Product Entries	17
Track Changes	19

Project-Level Import.....	20
Project Formatting and Styles.....	21
Product Selection for Rule-Set Property Options	22
Release 1.5.5	23
Software Issues Resolved	23
Modifying Insert Options	23
Missing Track Change Tips	23
Release 1.5.4	24
New Features	24
Design Automation for the Sustainability Parameter	24
Accepting or Rejecting All Track Changes	24
Software Issues Resolved	25
MasterSpec Updates	25
Removing an Added Product Type Copy	26
Article-Level or Paragraph-Level Notes	26
Importing a Family	26
Release 1.5.3	28
Software Issues Resolved	28
Unsaved and Mismatched Family/Section Content.....	28
Release 1.5.2	29
New Features	29
UpCodes Quick Access	29
Software Issues Resolved	30
Product Type Order in MasterFormat® View	30
Paragraphs	30
Track Changes.....	32
Option Sets	34
Formatting in Exported Project Files.....	34
Release 1.5.1	36
Software Issues Resolved	36
Copied Product Types	36
Paragraph Promotion and Demotion	38
Release 1.5	40
New Features	40
Integrating with Autodesk® Revit®	40
Copied Product Types	44

Enhancements.....	46
Track Changes.....	46
Shortcuts for Paragraph Promotion and Demotion.....	48
Office Master Notes (OMN) Style Support.....	48
Software Issues Resolved	49
Incorrect Spacing in the Section Preview	49
Export Performance	49
Appendix: For Additional Information.....	50
Specpoint Customer Assistance Program.....	50
Deltek Support Center	50
Access Deltek Support Center.....	50
Available Documentation for this Release.....	51

Overview

The Deltek Specpoint 1.5 Cumulative Release Notes for A/E Professional Firm Users contain a summary of the following updates for each included release:

- New Features
- Enhancements
- Software Issues Resolved

The scope of these release notes covers release versions 1.5 through 1.5.8.

Release 1.5.8

Released: June 14, 2023

New Features

This section includes summaries of the new features in this release.

Issuance and Addendum Designations

You can now specify issuance and addendum designations for your firm's projects to accurately indicate additional project milestones and changes in plans or agreements. In the Edit Project Details pane on the Project Overview page, you can specify the following information:

Field	Description
Project Date	This indicates the project completion date.
Issue For	This indicates the purpose or reason for which the addendum was issued.
Issue Date	This indicates the date when the addendum was issued for the project.
Addendum Number	This indicates the number or code that identifies the addendum that was issued for the project.

This information is also available under General Information on the Project Overview page.

The screenshot shows the Deltek Specpoint interface. On the left is the 'Project Overview' page for 'Test Project'. The 'Details' section under 'GENERAL INFORMATION' has a red box around the 'Project Date', 'Issue For', 'Issue Date', and 'Addendum Number' fields. On the right is the 'EDIT PROJECT DETAILS' pane. The 'Project Date' and 'Issue For' fields in this pane are also highlighted with a red box. Below these are the 'Issue Date' and 'Addendum Number' fields. The 'PROJECT LOCATION' section at the bottom includes fields for Address, City, State/Province, Zip, and Country.

For headers & footers, you can use the following merge fields to reference this issuance information:

Merge Field	Syntax
Project Date	{Project Date}

Merge Field	Syntax
Issue For	{Issue For}
Issue Date	{Issue Date}
Addendum Number	{Addendum Number}

Pasting Multi-Level Paragraphs

The element form of the project workspace now supports pasted paragraphs on multiple levels. When you paste multi-level paragraphs as the content of a newly added paragraph, Specpoint reads these paragraphs and converts each one into its respective paragraph. This enhancement enables you to quickly insert external paragraphs into your project elements and eliminates the need to copy and paste content, one paragraph at a time.


The platform can process only content that you copied from a supported third-party software, such as Microsoft® Word. The copied content must be in the supported format.

Enhancements

This section includes summaries of the enhancements made to existing features in this release.

Import Notifications

For the notifications of possible issues in your imported project families, both the Caution dialog box and the Needs Attention dialog box now list the possible issues by article.




In earlier versions of these dialog boxes, you viewed issues by paragraph. This change enables you to have a better overview of the issues and prevents you from being overwhelmed with large amounts of detail.

Software Issues Resolved

This section includes summaries of the resolved software issues in this release.

Undefined Paragraph Numbering


Bug 1866613: The project workspace included paragraphs that had “undefined” as their numbering. This issue affected PR1 levels that exceed the A-Z alphabet numbering and include AA, BB, CC, DD, EE, and so on.




Track Changes for Imported Families and Product Types

Bug 1899086: For imported product types under an imported family, you encountered the following track change issues:

- For option selections in a manufacturer paragraph or a BOD product paragraph, the platform did not generate a track change tip.



- For modifications to other paragraphs, such as product type property paragraphs, the platform generated both the correct track change tip and a blank track change tip that included only "Added:".



Pills from Option Sets

Bug 1927626: In the project workspace, options or pills in option sets included the following display discrepancies:

- When you selected a pill as a second selection, the pill unexpectedly changed colors, alternating between white and orange. The pill's color should simply change from white to orange.

- When you selected multiple pills, the blue highlight only encircled the last selected pill. The blue highlight, which indicates a track change, should encircle all pills in the option set.

2. Compressive Strength: Not less than **4000 psi** **5000 psi** **6000 psi**

at **28 days** when tested according to ASTM C109/C109M.

Missing Imported Families

Bug 1904746: When you imported a family into your project and did not set associations with an assembly, the imported family was not available in the following locations:

- The Project Elements pane in the project workspace
- Exported project files

DelteK Specpoint >

ADD FILES FOR IMPORT START IMPORT

ELEMENT NAME	PRODUCT TYPES	DATE	CAUTION	NEEDS ATTENTION	SET ASSOCIATIONS	REMOVE
> 092900 GYPSUM BOARD Family	24	Imported on 05/03/2023	2	0	<input type="button" value="Set Association"/>	<input type="button" value="Remove"/>
071113 BITUMINOUS DAMPPROOFING Family	4	Imported on 05/03/2023	0	0	<input type="button" value="Set Association"/>	<input type="button" value="Remove"/>
COLD-APPLIED, CUT-BACK-ASPHALT DAMPP... Product Type					<input type="button" value="Set Association"/>	
COLD-APPLIED, EMULSIFIED-ASPHALT DAMP... Product Type					<input type="button" value="Set Association"/>	
Nonwoven-Geotextile-Faced, Molded-Sheet Dr... Product Type					<input type="button" value="Set Association"/>	
Insulation Drainage Panels Product Type					<input type="button" value="Set Association"/>	

071113 BITUMINOUS DAMPPROOFING Family

1.1 SUMMARY

A. Section Includes:

- Interior gypsum board.
- Exterior gypsum board for ceilings and soffits.

Tile backing panels in first subparagraph below may be specified in this Section or in Section 093013 "Ceramic Tiling."

- Tile backing panels.
- Texture finishes.

B. Related Requirements:

Retain subparagraphs below to cross-reference requirements

Release 1.5.7

Released: May 16, 2023


New Features

This section includes summaries of the new features in this release.

Shortcuts for Paragraph Addition

In the project workspace, the following keyboard shortcuts for paragraph addition and modification are now available:

Action	Shortcut Keys	Description
Add Paragraph	SHIFT++	Add a blank paragraph after your currently selected paragraph.
Save Paragraph Addition or Modification	ENTER	Save the content that you entered in a new or existing paragraph.



Enhancements

This section includes summaries of the enhancements made to existing features in this release.

Condensed Content for Track Change Tips

Track change tips that exceed 40 characters now condense their content and include a **Show More** option to show their hidden contents. This enhancement improves your experience in browsing track change tips on the Track Changes tab.

095113 ACOUSTICAL PANEL CEILINGS
Family | 0 Note/s

Remove From Project

General Product Execution Expand All Collapse All

exposed and concealed suspension systems.

Retain paragraph below if cast-in-place attachment devices are required for Project.

C. Products furnished, but not installed under this Section, include anchors, clips, and other ceiling attachment devices to be cast in concrete.

1.3 PREINSTALLATION MEETINGS

Retain "Preinstallation Conference" Paragraph below if Work of this Section is extensive or complex

TRACK CHANGES PROJECT PROPERTIES

Actions

AA A/E Administrator 11:14 AM Today ✓ X

ADDED: Include design calculations for seismic restraints including analysis data signed and [Show More](#)

Software Issues Resolved

This section includes summaries of the resolved software issues in this release.

Visibility of Deleted or Inactive Users

Bug 1904748: Administrators were able to add deleted or inactive users to the project team. The Add Team Members dialog box, which you can open from the Teams portion of the Project Overview page, included deleted and inactive users for selection.

Deltek Specpoint Overview Schedule Workspace Import Format Export

Test Project

Project Overview

Details

GENERAL INFORMATION

Project Group: 2023 Sprint 2
Project Name: Test Project
Project Number: 2023020102
Construction Budget: \$5-\$20 Million
Gross Building Area:

PROJECT PARAMETERS

Building Type: Dining Family
Contract Type: A141-2014, Design Build
Construction Type: Type III - Ordinary
Sustainability: LEED v4
Owner: Test Owner

ADD TEAM MEMBERS

DISCIPLINE	NAME	ROLE	EMAIL
Architectural	A/E Admin	Architect	
Civil	Reviewer 1 A/E 1	Civil Engineer	
Construction	A/E Author	Construction Manager	

CANCEL ADD

TEAMS

Add Team Member

STRU Structural Team

CONSU Consultant Team

MECH Mechanical Team

ELEC Electrical Team

PLUM Plumbing Team

CIVIL Civil Team

COOR Coordination Team


Project Workspace

This section includes the descriptions of resolved software issues with features in the project workspace.

Project Workspace Displaying as a White Screen


Bug 1873360: The project workspace displayed as a white screen, without any content, when you performed the following steps:

1. On the element form, you modified text in an element's paragraph. You did not click any other part of the project workspace to save the modification.
2. In the Project Elements pane, you selected a different element.




Searching for Project Elements

Bug 1911161: When you shifted the Project Elements pane of the project workspace to MasterFormat®/division view and searched for an element through the element search bar, the project elements pane stalled and did not display the search results.



Unresponsive Option Set Controls

Bug 1928772: The **Okay** button on the option set controls was unresponsive. You were unable to reset or deactivate all options within a paragraph.



This issue affected only paragraphs that included only the property key/title and an insert option and that were within select project elements, such as the **099113 Exterior Painting** family.

Product Listing Filtering

Bug 1926098: When you filtered the Product Listings window for a specific family, the window displayed product listings for a different family.

Product Listings

Filter By: 083113 - ACCESS DOORS AND FRA... Product Types Manufacturers Advanced Filters

All Categories / C1010 Interior Partitions / C1010.10 Interior Fixed Partitions / C1010.1045 Partitions - Metal Stud with Gypsum Board

Products (220) Related Products (0)

<p>Premium MasterSpec</p> <p>ACTIVAR CONSTRUCTION PRODUCTS GROUP INC.</p> <p>MasterSpec Published 01/25/2021 - Active</p> <p>DOORS, WALLS Security Access Door 10 ga. (SP) SECURITY ACCESS DOORS AND FRAMES Medium-Security Flush Access Doors with Exposed Flanges</p>	<p>Premium MasterSpec</p> <p>ACTIVAR CONSTRUCTION PRODUCTS GROUP INC.</p> <p>Published 03/05/2022 - Active</p> <p>MasterSpec Approved MANUFACTURER</p> <p>DOORS, WALLS SECURITY ACCESS DOORS AND FRAMES High-Security Flush Access Doors</p>	<p>Premium MasterSpec</p> <p>ACTIVAR CONSTRUCTION PRODUCTS GROUP INC.</p> <p>Published 03/05/2022 - Active</p> <p>MasterSpec Approved MANUFACTURER</p> <p>DOORS, WALLS SECURITY ACCESS DOORS AND FRAMES Maximum-Security Flush Access Doors</p>
<p>Premium MasterSpec</p> <p>cendrex</p> <p>MasterSpec Published 04/20/2022 - Active</p>	<p>Manufacturer</p> <p>cendrex</p> <p>MasterSpec Published 04/20/2022 - Active</p>	<p>Manufacturer</p> <p>cendrex</p> <p>MasterSpec Published 04/28/2022 - Active</p>

This issue involved a family with a six-digit element number and products for a family with an eight-digit element number that shares its first six digits with the first element's number. For example, you filtered the product listings by the **083113 Access Doors and Frames** family and the window displayed product listings for the **083113.53 Security Access Doors and Frames** family.

Missing Project Notes

Bug 1927177: The Notes window did not display the available project notes for the selected elements. This applies to project notes that users added from a specific article or paragraph in the project workspace.

Deltek Specpoint

Overview Schedule Workspace

PROJECT PARAMETERS View PRODUCT SELECTION View Products SELECTED PRODUCTS 4 Items ADDED TO PROJECT 76 Items NOTES View

SHOW / HIDE: Categories Project Elements Track Changes Project Properties

ASSEMBLIES: ALL PROJECT ELEMENTS

- Standard Foundations Assembly A1010
- Wall Foundations Assembly A1019.10
- Continuous Footings Assembly A1010.1010
- MAINTENANCE OF CAST-IN-PLACE CONCRETE Family 030130
 - Epoxy-Modified, Cementitious Bonding and Anticorrosion Agent Product Type
 - Epoxy Bonding Agent Product Type
 - Latex Bonding Agent, Product Type

030130 MAINTENANCE OF CAST-IN-PLACE CONCRETE Family 3 Note/s

General Product Execution

2.1 SOURCE LIMITATIONS

A. For repair products, obtain each color, grade, finish, type, and variety with resources to provide products of consistent quality in appearance.

2.2 BONDING AGENTS

2.3 PATCHING MORTAR

2.4 MIXES

Notes

+ Add Note Note Name

New In Progress


No Results Found. Try Searching Again.

Project Formatting and Styles

This section includes the descriptions of resolved software issues with project formatting and styles.

Misaligned Indentations in Exported Project Files

Bug 1916737: Your exported project files included paragraphs with incorrect formatting against your set style guide margins, such as the **Tab Space to Paragraph Number** field and the **Tab Space to Text** field on the Styles tab of the Document Settings pane on the Format page.




This issue applied to exporting in either DOCX or PDF.

Inconsistent Font in the Default Style Guide


Bug 1929775: The Default Style Guide, which you can apply to all projects through the Format page, included inconsistent font sizes for the following content:

- Section title and end of section line
- Part titles
- Notes to specifier
- Units of measure (UOM)



MasterSpec Updates

Bug 1925401: When you clicked  » **MasterSpec Updates**, the platform downloaded the *Deltek Specpoint 1.5 Cumulative Release Notes for A/E Users*, which included software updates, instead of the MasterSpec update document.



Release 1.5.6


Released: April 26, 2023

Enhancements

This section includes summaries of the enhancements made to existing features in this release.

Modifying Custom Entries in Insert Options

In the project workspace, you can now modify a custom entry in an insert option of a paragraph. When you click an insert option with a custom entry, the option retains the custom entry and enables you to enter or delete text.



This makes it easier for you to modify existing user-added content within project elements. Previously, you needed to delete the custom entry and enter a new value. In addition, this enhancement prevents you from losing existing entries by accidental clicks.

Project-Level Import

This section includes the descriptions of enhancements for uploading and importing content into your project.

Sustainability Automation

Specpoint now associates applicable paragraphs in imported families to their respective sustainability values. This enables the platform's design automation to activate or inactivate these converted paragraphs based on the selected Sustainability parameters for your project.

084423 STRUCTURAL-SEALANT-GLAZED CURTAIN WALLS

Family

Supporting DocumentsExportPreview

GeneralProductExecution

Expand All

> 1.3 PREINSTALLATION MEETINGS

< 1.4 ACTION SUBMITTALS

A. Product Data: For each type of product.

1. Include construction details, material descriptions, dimensions of individual components and profiles, and finishes.

B. Sustainable Design Submittals:

"Product Data" Subparagraph below applies to LEED 2009 NC, CI, and CS; LEED v4; IgCC; ASHRAE 189.1; and Green Globes. Coordinate with requirements for sealants.

1. Product Data: For sealants, indicating VOC content.

"Laboratory Test Reports" Subparagraph below applies to LEED 2009 for Schools, LEED v4, IgCC, ASHRAE 189.1, and Green Globes. Coordinate with requirements for sealants.

2. Laboratory Test Reports: For sealants, indicating compliance with requirements for low-emitting materials.

Retain "Product Data" Subparagraph below to require minimum recycled content for LEED 2009 MR Credit 4 - "Recycled Content."

Import Notifications

The dialog boxes for warnings and errors now have new names to better clarify their differences. The following renamed dialog boxes are available:

New Name	Previous Name	Description
Caution	Warnings	This dialog box displays a list of issues in your imported content that do not prevent the import process, but we recommend that you address.
Needs Attention	Errors	This dialog box displays a list of issues in your imported content that prevent the import process, all of which you must address.

Deltek Specpoint>

OverviewScheduleWorkspacesReportsFormatExport

ADD FILES FOR IMPORTSTART IMPORT

ADD FILES

START IMPORT

ELEMENT NAME

PRODUCT TYP...

DATE

> 093000 TILING Family 34 Draft uploaded on 04/18/2023

> 071113 BITUMINOUS DAMPPROOFING Family 4 Draft uploaded on 04/18/2023

> 062023 INTERIOR FINISH CARPENTRY Family 6 Draft uploaded on 04/18/2023

> 040110 MASONRY CLEANING Family 12 Draft uploaded on 04/18/2023

Execution

Expand All

Collapse All

Caution (14)

View Differences

Close

These types of errors won't prevent an import into the project database, but are areas the author should be aware of. For example, if duplicate subparagraphs under the same parent paragraph are detected, then Specpoint will append them so that they are unique within the database.

Family - 093000 TILING

< Renamed Properties (14)

A "Property Key" is the value that comes before a colon. Duplicate property keys cannot appear at the same outline level under an Article. Specpoint has automatically added a prefix to create unique keys.

1. Interior Floors, Concrete Subfloor

2. Interior Walls, Metal Studs or Furring

3. Exterior Wall Installations, Masonry or Concrete

4. Interior Wall Installations, Masonry or Concrete

5. Interior Wall Installations, Wood or Metal Studs or Furring

6. Bathtub/Shower Wall Installations, Wood or Metal Studs or Furring

7. Shower Receptor and Wall Installations

8. Exterior Floor Installations

9. Exterior Roof/Deck Floor Installations

10. Interior Floor Installations, Concrete Subfloor

11. Interior Floor Installations, Wood Subfloor

Close

Project Formatting and Styles

This section includes the descriptions of enhancements to project formatting and styles.

Line Formatting for Section Titles

You can now separate the section title line into two lines. This enables you to improve the uniformity and readability of long section titles.

The screenshot shows the Deltek Specpoint interface. The top navigation bar includes 'Overview', 'Schedule', 'Workspace', 'Import', 'Format', and 'Export'. The 'Format' tab is active. The 'Test Project' header is visible. On the left, the 'Style Guides' pane shows a list of style guides, with 'Test Style Guide' selected. The main 'DOCUMENT SETTINGS' pane has tabs for 'Global', 'Styles', 'Title', 'Notes', and 'UOM'. The 'Title' tab is selected, showing options for 'SECTION TITLE'. The 'Font' is set to 'Arial' and 'Size' is '11'. The 'FONT STYLE' section includes 'B', 'I', and 'U' options. The 'JUSTIFICATION' section includes 'Left', 'Center', and 'Right' options. The 'Number of Lines' dropdown is set to 'One Line' and 'Space Between Lines' is set to '0'. The 'Space Before' is '12' and 'Space After' is '0'. The 'INDENTATION' section shows 'Left' indentation of '0'. On the right, the 'Remove Style Guide' and 'Copy Style Guide' buttons are visible, along with a preview of the style guide content.

On the Title tab of the Document Settings pane on the Format page for Style guides, the following options are available:

- **Number of Lines**
- **Space Between Lines**

Adding or Removing Columns in the Headers and Footers

To further customize headers and footers for your projects, you can now specify the number of columns in both the header and footer. Previously, a header had exactly three columns and a footer had exactly two columns.

The screenshot shows the Deltek Specpoint interface. The top navigation bar includes 'Overview', 'Schedule', 'Workspace', 'Import', 'Format', and 'Export'. The 'Format' tab is active. The 'Test Project' header is visible. On the left, the 'Style Guides' pane shows a list of style guides, with 'Default Header And Footer' selected. The main 'HEADERS & FOOTERS' pane has tabs for 'Global', 'Styles', 'Title', 'Notes', and 'UOM'. The 'Title' tab is selected, showing options for 'HEADER & FOOTER SPACING'. The 'Header from Top' is '0.4' and 'Footer from Bottom' is '0.2'. The 'HEADER & FOOTER COLUMNS' section includes 'Columns in Header' set to '3' and 'Columns in Footer' set to '2'. On the right, the 'Remove Template' and 'Copy Template' buttons are visible, along with a preview of the header and footer content.


On Headers & Footers tab of the Format Page, the following options for adjusting the column number are available:

- **Columns in Header**
- **Columns in Footer**

Exported Document Properties

Exported project files in DOCX format now include the following properties:

- **Title:** SECTION <FAMILY ID> - <FAMILY TITLE>
- **Subject:** <FAMILY TITLE>
- **Keyword:** BAS-12345-MS80 (Same across all files)



This enhancement is available for both single section export and the project manual export.


Software Issues Resolved

This section includes summaries of the resolved software issues in this release.


Modifying BOD Product Entries

Bug 1875556: The Product Listings page displayed a *There was a problem in deleting the listing* error message after you performed the following steps:

1. On the Product Listings page, you selected a BOD product listing for a product type by clicking **BOD** on a product listing card.



2. In the project workspace, you modified text in the BOD product field (initially the **[Insert manufacturer's name; product name or designation]** field) in the BOD product paragraph of the respective product type.




Specpoint now retains your BOD product selection for a product type when you modify text in the BOD product field in the BOD product paragraph of the respective product type. When you delete the BOD entry entirely, Specpoint automatically removes the selected product from your project.

Track Changes

This section includes the descriptions of resolved software issues with track changes in the project workspace.


Track Changes for Deleted Content

Bug 1878345: When you turned off track changes and deleted accepted user-added paragraphs, the project workspace displayed the paragraphs without any content.



Article Load upon Accepting or Rejecting All Changes

Bug 1910547: When you accepted or rejected all track changes, the project workspace reloaded all the expanded articles and their paragraphs.



Rejected Changes Displaying in Red Font

Bug 1911583: When you deleted all the text from a baseline paragraph's contents and rejected all track changes (by clicking **Action » Reject All Changes** on the Track Changes tab), the text of the baseline paragraph displayed in red font.

092900 GYPSUM BOARD
Family | 0 Note/s

General Product **Execution** Expand All Collapse All

3.1 EXAMINATION

A. Examine areas and substrates including welded hollow-metal frames and support framing, with Installer present, for compliance with requirements and other conditions affecting performance of the Work.

B. Examine panels before installation. Reject panels that are wet, moisture damaged, and mold damaged.

C. Proceed with installation only after unsatisfactory conditions have been corrected.

3.2 INSTALLATION AND FINISHING OF PANELS, GENERAL

3.3 INSTALLATION OF INTERIOR GYPSUM BOARD

3.4 INSTALLATION OF EXTERIOR GYPSUM PANELS FOR CEILINGS AND SOFFITS

TRACK CHANGES PROJECT PROPERTIES

Actions

AQ AE Admin 4:54 PM Today
ADDED: Examine panels before installation. Reject panels that are wet, moisture damaged, and mold damaged. Show More

AQ AE Admin 4:54 PM Today
DELETED: Examine panels before installation. Reject panels that are wet, moisture damaged, and mold damaged. Show More

Project-Level Import

This section includes the descriptions of resolved software issues in uploading and importing content into your project.

Imported Notes to Specifier (CMT) Styles

Bug 1880898: The platform did not detect and convert select content in CMT styles from your imported families into notes to specifier.

1.1 RELATED DOCUMENTS

A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and Division 01 Specification Sections, apply to this Section.

1.2 SUMMARY

Office CMT Test Data

A. Section includes cleaning the following:

1. Unit masonry surfaces.

2. Stone surfaces.

Review CMT Test Data

1.3 ALLOWANCES

A. Allowances for cleaning masonry are specified in Section 012100 "Allowances."


TRACK CHANGES PROJECT PROPERTIES

Actions

AQ AE Admin 4:54 PM Today
ADDED: Examine panels before installation. Reject panels that are wet, moisture damaged, and mold damaged. Show More


AQ AE Admin 4:54 PM Today
DELETED: Examine panels before installation. Reject panels that are wet, moisture damaged, and mold damaged. Show More

The affected content did not display in either the project workspace or preview pane of the Import page.



Duplicate Section Titles

Bug 1917835: Section titles of imported families displayed twice in both the project workspace and preview pane of the Import page. This issue applied to long section names.




Project Formatting and Styles

This section includes the descriptions of resolved software issues with project formatting and styles.

Pagination


Bug 1887459: When you applied a custom header and footer template that includes the **{PageNumber}** merge field to your project (through the Headers & Footers tab of the Format page) and exported your project, your exported project files displayed "1" as the page number on all pages.



This issue applied to both single section exports and the project manual exports.

Misaligned Indentations in Exported Project Files


Bug 1842679: Your exported project files included paragraphs with misaligned indentations against your set style guide margins, such as the **Tab Space to Paragraph Number** field and the **Tab Space to Text** field on the Styles tab of the Document Settings pane on the Format page.



This issue applied to single section exports.


Product Selection for Rule-Set Property Options

Bug 1917850: When you selected a rule-set option from an option set of a product type property under an added product type in your project, the Product Listings page did not display any product listing, but instead displayed a **No Results** message.



In option sets, a rule-set option is an option that refers to an external reference, such as drawings, schedules, project files, and other paragraphs. A rule-set option typically begins with **“As indicated by...”** and **“Match...”** phrases.

C. Tile Standard: ASTM F1700.



Release 1.5.5


Released: April 12, 2023

Software Issues Resolved

This section includes summaries of the resolved software issues in this release.


Modifying Insert Options

Bug 1915177: The project workspace displayed an error message when entered architects under the D. Architects Consultants paragraph on General element tab of the **01000 Summary** family.



Missing Track Change Tips

Bug 1915177: The project workspace did not generate a track change tip when you modified text immediately succeeding an insert option.



Release 1.5.4

Released: April 5, 2023

New Features


This section includes summaries of the new features in this release.

Design Automation for the Sustainability Parameter

Specpoint now automatically filters project content based on your project's set **Sustainability** parameter. The platform activates and inactivates relevant paragraphs and properties in the project elements that you add to your project.

For example, you select **LEED v4.1** as the sustainability parameter for your project and you add a family with an article for sustainability. The platform will include paragraphs for LEED v4.1 and inactivate paragraphs for other sustainability options, such as IGCC.


If you activate a paragraph that is outside your selected sustainability parameter, which the platform automatically inactivated, the project workspace displays a message prompt informing you of the conflict. Likewise, when you inactivate a paragraph assigned for your selected sustainability parameter, the project workspace also displays a message prompt.



Through this new automation, design professionals will realize increased reliability and accuracy of sustainability-specific content in their project specifications.

Accepting or Rejecting All Track Changes

You can now accept or reject all unresolved track change items within a family, section, or product type. This enables you to efficiently resolve all track changes after you verify and decide on each change.



The Track Changes tab in the project workspace includes an Action menu, which you can click to access the following options:

- **Accept All Changes**
- **Reject All Changes**


When you accept all track changes within an element, Specpoint processes each track change as if you individually accepted each one. For each track change, the platform updates its in-line indicator on the element form and its track change tip on the Track Changes tab based on its change type. Likewise, when you reject all track changes, Specpoint processes each track change as if you individually rejected each one.

Software Issues Resolved

This section includes summaries of the resolved software issues in this release.


MasterSpec Updates

Bug 1890457: When you clicked  » **MasterSpec Updates**, the platform downloaded the *Deltek Specpoint 1.5 Cumulative Release Notes for A/E Users*, which included software updates, instead of the MasterSpec update document.



Removing an Added Product Type Copy


Bug 1911933: When you removed an added product type copy from your project, the project workspace displayed an error messaged and did not process the element removal.



Article-Level or Paragraph-Level Notes

Bug 1911936: You were unable to add notes from an article or paragraph in the project workspace. From the menu option (⋮) of an article or paragraph, the following options were not available:

- All Notes
- Create New Note



Importing a Family

Bug 1907119: When you imported a family with an element number of 107110, you encountered the following issues:

- The Project Elements pane in UniFormat®/assembly view included a duplicate instance of the family.
- The Project Elements pane in MasterFormat®/division view did not display the imported family.
- Select element tabs/parts of the element form did not display the contents of the family. This affected Part 2: Products and Part 3: Execution.

107110 Exterior Sun Control Devices

Family | 0 Note/s

General Product Execution

ASSEMBLIES : ADDED TO PROJECT

- Exterior Wall Aperturances
Assembly 820385
- Exterior Fabrications
Assembly 82080.79
- Exterior Sun Control Devices
Family 107110**

FAMILY GROUPS

- Facility Superstructure Work Group
Assembly 24010
- Superstructure Interiors
Subgroup
Assembly 24010.2039
- Exterior Sun Control Devices
Family 107110**
- Exterior Sun Control Devices
Family 107110**

1.3 QUALITY ASSURANCE

- A. Obtain entrances, storefronts, ribbon walls, window walls, curtain walls, window systems, and finish through one source from a manufacturer.
- B. Manufacturer must operate, design, assemble, and finish their product in the United States of America as a "Made in America". All materials must be procured from sources inside the United States of America.

PART 2 - Products

PART 3 - Execution

3.1 Material Inspection

- A. Examine crates and reconcile to a shipping manifest or packing slip. Verify all required components are present.

3.2 Site Inspection

- A. Prior to Clip Installation:
 1. Verify conditions: Examine areas where work is to be performed and identify any conditions that could be detrimental to proper timely completion.
- B. Prior to Shade Installation:
 1. Contractor Shall field confirm openings widths and elevations as shown on shop drawings prior to fabrication of shade section. dimensions of clip locations shall be verified prior to fabrication of sections.
- C. Installation of sections should not proceed until all conditions are satisfactory.

3.3 Installation

- A. Comply with manufacturer's instructions and recommendations for installation of the work.
- B. Verify dimensions of supporting structure at the site by accurate field measurements so that the work will be accurately designe fabricated, and fitted to the structure.
- C. Anchor Sunscreen to building substructure as indicated on the sunshade shop drawings and verified by the engineer of record.
- D. Erection Tolerances:
 1. *Clip or Mounting Brackets:*

Release 1.5.3


Released: March 23, 2023

Software Issues Resolved

This section includes summaries of the resolved software issues in this release.

Unsaved and Mismatched Family/Section Content

Bug 1904504: Instances of families/sections that you added to your project at an earlier time had mismatched content with instances of families/sections that you later added to your project. In some cases, the platform did not retain your modifications and selections in the earlier instances of these families/sections.



Release 1.5.2

Released: March 16, 2023

New Features

This section includes summaries of the new features in this release.

UpCodes Quick Access

When you create a project or modify project information, you can now quickly access UpCodes references based on your project's state. This enables you to view the appropriate code requirements while you are specifying project parameters for your project.

This feature is available only for projects that are in the United States.

The screenshot displays the 'NEW PROJECT DETAILS' form. The form is divided into several sections: 'City *', 'State/Province *' (New York), 'Zip *', 'Country *' (United States), 'PROJECT PARAMETERS', 'INITIAL PROJECT MILESTONE', and 'Design Phase'. The 'PROJECT PARAMETERS' section includes fields for 'Building Type *' (Dining Bar Lounge or Leis...), 'Contract Type *' (A141-201...), 'Construction Type *' (Type III - Ordinary), 'Sustainability *' (LEED v4), 'Owner *', 'Geographic Region *', 'Seismic Zone *', and 'Wind Zone *'. The 'UpCodes' button, located at the bottom right of the 'PROJECT PARAMETERS' section, is highlighted with a red box. The 'INITIAL PROJECT MILESTONE' section includes a 'Design Phase' dropdown and a 'Phase Start Date' calendar icon. The 'Design Phase' dropdown is currently set to 'Design Phase'. The 'Phase Start Date' is currently empty. The 'UpCodes' button is a blue button with a magnifying glass icon and the text 'UpCodes'.

The **UpCodes** button is available in the following panes:


- The New Project Details pane of the Projects Home page
- The Edit Project Details pane of the Project Overview page

Software Issues Resolved

This section includes summaries of the resolved software issues in this release.

Product Type Order in MasterFormat® View

Bug 1846813: When you filtered the Project Elements pane in the project workspace by **Divisions:** **Added to Project**, the pane displayed added product types in incorrect order.




Paragraphs

This section includes the descriptions of resolved software issues with paragraphs in the project workspace.

Adding a Paragraph to a Product Type

Bug 1724698: When you added keyed paragraph after you added and deleted non-keyed paragraph, you encountered an error, and the platform did not save the added keyed paragraph.

Release 1.5.2




Note: A keyed paragraph is a paragraph with a title/property key. A property key is typically one to four words followed by a colon (:) at the beginning of a paragraph. For example, **Modular Size:** and **Antimicrobial Treatment:**.

- L. Modular Size: 24 by 24 inches 24 by 48 inches 24 by 72 inches 24 by 96 inches 48 by 48 inches As indicated on Drawings As indicated in a schedule Insert size
- M. Antimicrobial Treatment: Manufacturer's standard broad spectrum, antimicrobial formulation that inhibits fungus, mold, mildew, and gram-positive and gram-negative bacteria and showing no mold, mildew, or bacterial growth when tested according to ASTM D3273, ASTM D3274, or ASTM G21 and evaluated according to ASTM D3274 or ASTM G21.

Hidden User-Added Paragraphs

Bug 1896307: When you added a paragraph on the same level as and immediately after a user-added paragraph, the paragraph that you added becomes hidden. This issue applied to select product types, such as **Basketball Equipment**.



Track Changes

This section includes the descriptions of resolved software issues with track changes in the project workspace.

Tracking of Basis-of-Design (BOD) Product Entries

Bug 1889987: The track changes feature did not create a track tip when you entered a basis-of-design (BOD) product in the **Insert manufacturer's name; product name or designation** field of a BOD product paragraph.

Tracking of Inactive Manufacturer and BOD Product Paragraphs

Bug 1890029: The Track Changes tab of the project workspace displayed track change tips for changes in inactive manufacturer paragraphs and BOD product paragraphs.

Tracking of Added Property Keys

Bug 1874962: When you added a property key/paragraph title to a non-keyed paragraph, the platform did not update the track change tip on the Track Changes tab. In addition, the in-line indicator on the element form separately encircled the property key and the paragraph value.

Option Sets

This section includes the descriptions of resolved software issues in working with option sets in the project workspace.

Resetting Insert Option Entries

Bug 1891276: When you reset a paragraph that has a custom entry in its insert option, the insert option retained its custom entry and its track change tip remained.

030130 MAINTENANCE OF CAST-IN-PLACE CONCRETE
Family | 0 Note/s

Expand All Collapse All

General Product Execution

of injection-treated, whole, dense concrete block or brick units representative of the range of required adhesive colors.

3. Include sets of polymer-overlay Samples in the form of treated cementitious tiles at least 4 inches long by 4 inches wide. ☒ Reset All Options ☐ Deactivate All Options Cancel Okay

4. Include sets of polymer-sealer Samples in the form of treated cementitious tiles at least 4 inches long by 4 inches wide. Insert dimensions representative of the range of required colors and textures.

5. Have each set of Samples contain a close color range of at least three six. Insert number Samples of different mixes of materials that match the variations in existing, adjacent concrete when cured and dry.

TRACK CHANGES PROJECT PROPERTIES

AA A/E Administrator 5:12 PM Today

DELETED: 4 inches (100 mm) long by 4 inches (100 mm) wide

ADDED: 5 inches long by 5 inches wide

Option Set Selection After Deactivation

Bug 1877619: When you deactivated all options in an option set, you needed to click an option from the option set twice to select it.

b. Interior Load-Bearing Wall Framing: Horizontal deflection of

1. ☐ Reset All Options ☒ Deactivate All Options Cancel Okay

of 5 lbf/sq. ft.

Formatting in Exported Project Files

Bug 1896340: For select sections/families, exported project files included the following formatting issues:

- Multiple option set selections did not include a spacing between them.

c. PerformEngage a professional engineer to perform an engineering survey of condition of building to determine whether removing any element might result in structural deficiency or unplanned collapse of any portion of structure or adjacent structures during selective building demolition operations.

- Unselected options in an option set displayed in red font.
 1. Stationary Type: Manufacturer's standard assembly for stationary backstop.
 2. Folding Type: Manufacturer's standard assembly for **[upward]** **[side]**-folding backstop.
 3. Framing: Steel pipe, tubing, and shapes designed to minimize vibration during play.
 - a. Finish: Manufacturer's standard polyester powder-coat finish.
 4. Extension: **6 inches**~~12 inches~~~~18 inches~~~~24 to 48 inches~~~~48 to 120 inches~~~~As indicated on Drawings.~~

Consider retaining "Goal Height Adjuster" Subparagraph below for locations, such as elementary schools. If electrically operated unit has other type of control, insert requirements.

5. Goal Height Adjuster: Adjustable from **8 to 10 feet** (**2.40 to 3.05 m**) to top of ring with gear-drive mechanism, locking in any position within adjustment range, with visible height scale attached to side of framing.
 - a. Operation:

Retain "Manual" or "Electrical" Subparagraph below

Release 1.5.1

Released: March 6, 2023

Software Issues Resolved

This section includes summaries of the resolved software issues in this release.

Copied Product Types

This section includes the descriptions of resolved software issues in working with copied product types.

Copied Product Type Contents

Bug 1866917: The project workspace did not display the content items for copied product types. This issue applied only to product types under select families, such as **030130 Maintenance of Cast-in-Place Concrete** and **071113 Bituminous Dampproofing**.

The screenshot displays the software interface for a project workspace. On the left, a sidebar titled 'ASSEMBLIES: ALL PROJECT ELEMENTS' lists various product types, including 'Acrylic Latex', 'Copy of Acrylic Latex', 'Sealant Backing Material', and 'JOINT SEALANTS' under 'Family 079200'. The main panel shows the 'Product' tab for 'Copy of Acrylic Latex'. It displays a paragraph about ASTM C834 and a list of manufacturers. The right sidebar shows project properties like 'ASSIGNED TO', 'STATE', and 'CURRENT LEVEL OF SPECIFICATION (LOS)'.

Product Selections in Parent Families

Bug 1836591 and 1762991: When you added a product listing on the family level for a copied product type, added listing did not reflect in the copied product type's manufacturer paragraph. In some cases, the added listing is displayed in the manufacturer paragraph of the original product listing.

Copy of Cementitious Patching Mortar Insert drawing designation

Product Type | 0 Note/s

General **Product** Execution Expand All Collapse All

provide products by one of the following
available manufacturers offering products that may be incorporated into the Work include, but are not limited to, the following

- AWRC Corporation
- CGM, Incorporated
- ChemMasters, Inc.
- Dayton Superior Corporation
- Kaufman Products, Inc.
- KOSTER American Corporation
- MAPEI Corporation
- Master Builders Solutions
- Schonox HPS North America, Inc.
- Sika Corporation
- Simpson Strong-Tie Co., Inc.
- Sto Corp.
- Tnemec Company, Inc.
- United Fillexx Laboratories (UFL)

TRACK CHANGES PROJECT PROPERTIES

No changes have been made




Note: For product selection on the family level, you can filter **Product Types** by your copied product type. Product listing cards for copied product types display the name of the copied product type.

Product Listings

Filter By: Families 030130 - MAINTENANCE OF ... Product Types Copy of Cementitious Patchin... Manufacturers Advanced Filters

All Categories / A1010 Standard Foundations / A1010.10 Wall Foundations / A1010.1010 Continuous Footings


Products (75) Related Products (0)

 <p>MasterSpec Published 11/18/2022 - Active</p> <p>STRUCTURAL REBAR EucoRepair V100-RR MAINTENANCE OF CAST-IN-PLACE CONCRETE Copy of Cementitious Patching Mortar</p> <p>Premium MasterSpec</p>	 <p>MasterSpec Published 11/18/2022 - Active</p> <p>STRUCTURAL REBAR Eucocrete..tt MAINTENANCE OF CAST-IN-PLACE CONCRETE Copy of Cementitious Patching Mortar</p> <p>Premium MasterSpec</p>	 <p>MasterSpec Published 11/29/2022 - Active</p> <p>STRUCTURAL REBAR Euopatch MAINTENANCE OF CAST-IN-PLACE CONCRETE Copy of Cementitious Patching Mortar</p> <p>Premium MasterSpec</p>
---	--	---

In addition, when you added a product listing to the original product type, the original product type's manufacturer listing displayed duplicate instances of the added product listing/manufacturer.

Product Selections in Multiple Copies of a Product Type

Bug 1891130: When you added a product to a second or succeeding copy of a product type, the platform did not automatically select the appropriate option from the lead-in option set of the manufacturer paragraph.




Paragraph Promotion and Demotion

This section includes the descriptions of resolved software issues in working with paragraph promotion and demotion in the project workspace.

Unexpected content from Sibling Product Types

Bug 1890511: When you used keyboard shortcuts to promote or demote a paragraph within a product type, the project workspace displayed content from the product type's sibling product types. You were able to view unexpected articles and paragraphs within the product type.



Demotion of User-Added Paragraphs


Bug 1890529 and 1890538: When you demoted a user-added paragraph, the project workspace displayed the following error messages:

- There was a problem promoting/demoting the content
- Cannot promote or demote MasterSpec content. Create custom content for added flexibility.

Duplicated and Misplaced User-Added Paragraphs


Bug 1890529 and 1892359: When you demoted a user-added keyed paragraph under a user-added non-keyed paragraph, the element form duplicated the demoted paragraph in both its initial and target position.

J. Test non-keyed paragraph



K. Property Key: Test keyed paragraph

Note: A keyed paragraph is a paragraph with a title/property key. A property key is typically one to four words followed by a colon (:) at the beginning of a paragraph. For example, **Modular Size:** and **Antimicrobial Treatment:**.



M. Antimicrobial Treatment: Manufacturer's standard broad spectrum, antimicrobial formulation that inhibits fungus, mold, mildew, and gram-positive and gram-negative bacteria and showing no mold, mildew, or bacterial growth when tested according to ASTM D3273, ASTM D3274, or ASTM G21 and evaluated according to ASTM D3274 or ASTM G21.

When you refreshed the page, the demoted user-added keyed paragraph displayed in an unexpected position within the article.

Release 1.5

Released: February 28, 2023

New Features


This section includes summaries of the new features in this release.

Integrating with Autodesk® Revit®

Specpoint streamlines the coordination of graphic and non-graphic project information with the introduction of our new Autodesk® Revit® plug-in.

The information within each system complements one another, and provides project teams with the opportunity to better meet design intent and performance requirements during pre-construction. Specpoint achieves this mission by extending UniFormat® with MasterFormat® and using UniFormat classification codes as a vehicle to unify functional elements with their graphical equivalent.

Integration between Specpoint and Revit consists of user-linked projects and user-set assembly codes. For a given Revit model, you can link one Specpoint project. For each element in the Revit model, you can use the plug-in to set its assembly code. Setting an assembly code creates an association between a given Revit model element and an added assembly in the Specpoint project.



When you set an assembly code, Specpoint automatically creates associations between the Revit model element and the added families under the associated assembly.

Specpoint's integration with Revit enables project teams to access the same information in real-time to meet both design intent and performance.

For more information, see [Integrating with Autodesk® Revit®](#) in the *Specpoint Help for A/E Users*.

Plug-in Installation and Setup

You can download the installation files from the Help menu (?) of Specpoint for A/E Users. Click ? » **Autodesk Revit® Plug-ins** to download DeltekSpecpointRevitPlugins.zip, which contains SpecpointRevitInstaller.exe. This installs Specpoint Plug-in for Revit based on your version of Autodesk Revit. The plug-in supports Revit versions 2021, 2022, and 2023.


After installing the plug-in, you can access the assembly codes file, Specpoint Assembly Codes.txt, in your selected file location during installation. The assembly codes file contains the descriptions of baseline assemblies within Specpoint. Use this file to align assembly descriptions between your Specpoint project and your Revit model.

Specpoint Plug-in for Revit

Use Specpoint Plug-in for Revit to integrate your Specpoint project specifications with your Revit models. This plug-in provides you with tools that enable your BIM integration workflow.

You can access these tools on the Specpoint tab on the Revit ribbon.

Specpoint Tab on the Revit Toolbar




Use the Specpoint tab to access options for integrating your Specpoint project with your Revit model. The following options are available:

- **Account:** Log in to Specpoint to access Specpoint project data from Revit.
- **Link Project:** Link a Specpoint project to a Revit model.
- **Validation Schedule:** Review and verify set assembly codes and associated Specpoint project elements.
- **Set Assembly Code:** Set assembly codes to assign Specpoint project elements to Revit model elements.
- **View Specifications:** Open the project workspace and view project specification contents for associated assemblies and families.
- **Product Listings:** Open the Product Listings window and browse product listings for Revit model elements, on the assembly-level.

Project Linking

In the Link Project dialog box and the Select Project dialog box, you can select a Specpoint project and link it to your Revit model. You can also use these dialog boxes to modify or remove your linked project.



You can link only one project to a Revit model. To save the project that you linked through these dialog boxes, you must save the Revit model.

Specpoint Model Validation Report

This report displays elements in your Revit model as well as each element's associated Specpoint assembly and family. To generate this report, you must use the following dialog boxes:

- **Filter Assemblies:** Use this dialog box to select categories under the Architecture, MEP, and Structure disciplines. This selection filters the included Revit model elements on the Specpoint Model Validation report.
- **Specpoint Model Validation:** This dialog box displays the report in a table view and provides options for further filtering of model elements.

Specpoint Model Validation

	BIM Category	Revit Family	Revit Type	Assembly Code	Assembly Description	Specpoint Family Number	Specpoint Family
	Curtain Panels	System Panel	Solid			(Not Set)	(Not Set)
	Curtain Wall Mullions	Rectangular Mullion	50 x 150mm			(Not Set)	(Not Set)
	Curtain Wall Mullions	L Corner Mullion	L Mullion 1			(Not Set)	(Not Set)
	Curtain Wall Mullions	Rectangular Mullion	30mm Square			(Not Set)	(Not Set)
	Walls	Basic Wall	Exterior - Insulation on Masonry			(Not Set)	(Not Set)
	Walls	Curtain Wall	Exterior Curtain Wall	B2010.1040	Curtain Wall, Storefront, Window Wall	055000	METAL FABRICATIONS
	Walls	Curtain Wall	Exterior Curtain Wall	B2010.1040	Curtain Wall, Storefront, Window Wall	078443	JOINT FIRESTOPPING
	Walls	Curtain Wall	Exterior Curtain Wall	B2010.1040	Curtain Wall, Storefront, Window Wall	079200	JOINT SEALANTS
	Walls	Curtain Wall	Exterior Curtain Wall	B2010.1040	Curtain Wall, Storefront, Window Wall	084413	GLAZED ALUMINUM CURTAIN WALLS
	Walls	Curtain Wall	Exterior Curtain Wall	B2010.1040	Curtain Wall, Storefront, Window Wall	084423	STRUCTURAL SEALANT-GLAZED CURTAIN WALLS
	Walls	Curtain Wall	Exterior Curtain Wall	B2010.1040	Curtain Wall, Storefront, Window Wall	084433	SLOPED GLAZING ASSEMBLIES
	Walls	Curtain Wall	Exterior Curtain Wall	B2010.1040	Curtain Wall, Storefront, Window Wall	088000	GLAZING
	Walls	Curtain Wall	Pavilion Curtain Wall			(Not Set)	(Not Set)
	Walls	Basic Wall	Interior - 138mm Partition (1-hr)			(Not Set)	(Not Set)
	Walls	Basic Wall	Generic - 200mm	B2010.1015	Unit Masonry	042613	MASONRY VENEER
	Walls	Basic Wall	Generic - 200mm	B2010.1015	Unit Masonry	054000	COLD-FORMED METAL FRAMING
	Walls	Basic Wall	Generic - 200mm	B2010.1015	Unit Masonry	061600	SHEATHING
	Walls	Basic Wall	Generic - 200mm	B2010.1015	Unit Masonry	072100	THERMAL INSULATION
	Walls	Basic Wall	Generic - 200mm	B2010.1015	Unit Masonry	072600	VAPOR RETARDERS
	Walls	Basic Wall	Generic - 200mm	B2010.1015	Unit Masonry	079200	JOINT SEALANTS
	Walls	Basic Wall	Generic - 200mm	B2010.1015	Unit Masonry	096513	RESILIENT BASE AND ACCESSORIES
	Walls	Basic Wall	Generic - 200mm	B2010.1015	Unit Masonry	099123	INTERIOR PAINTING
	Walls	Curtain Wall	Storefront			(Not Set)	(Not Set)

Include in report:

☒ Assigned Assembly Codes ☒ Added Specpoint Families

☒ Unassigned Assembly Codes ☒ Unadded Specpoint Families

Save Report As... Help OK Cancel

On the report, each model element displays with the following Specpoint and Revit information:

Revit Information	Specpoint Information
<ul style="list-style-type: none"> BIM Category Revit Family Revit Type 	<ul style="list-style-type: none"> Assembly Code Assembly Description Specpoint Family Number Specpoint Family


For a model element that has a set assembly with multiple added families under it, the model validation report displays one instance of the model element for each added family.

In addition, you can use perform the following tasks for the report:

- Filter the available Revit model elements by set assemblies and/or associated families.
- Export the report as a CSV, HTML, or XML file.

Set Assembly Code Dialog Box


You can use this dialog box to create an association between a Specpoint assembly and your selected Revit model element.




The Set Assembly code contains options for selecting a category and an assembly. Only assemblies added to the linked project are available for selection. This dialog box automatically selects a category based on your selected Revit model element.


Copied Product Types

In the project workspace, you can now create a custom product type by copying an added product type element in your project. This enables you to create custom or proprietary product types for your specialized project requirements.



Copying product types is a smarter way of managing product type information in a database-driven system. You can easily add an article or paragraphs in an existing product type as it is in the system today, but copying a paragraph has its advantages for various cases. For example, complex assemblies may require multiple instances of the same product type, with each of having its respective drawing designation. For additional information, view the available notes to specifier in the product types that you want to copy.



Product type copying is available in organization by both UniFormat (assemblies) and MasterFormat (divisions). For added product types, the element form includes the  (copy) button. Instances of the copied product type are available under added families that contain the original product type.

When you remove a copied product type from a project, you delete the copied product type from the platform entirely.

Included Contents in Copied Product Types

A copied product type contains the following content items based on its original product type (from where you copied the product type):

- All baseline articles and paragraphs, including special paragraphs such as manufacturer paragraphs, BOD product paragraphs, and product type property paragraphs

In a copied product type, you can delete the copied baseline articles and paragraphs, except for manufacturer paragraphs, BOD product paragraphs, and shared properties.

- All user-added articles and paragraphs
- All text edits to paragraph contents

The platform discards all selections in all option sets and entries in all insert options.

Product Selection for Custom Types

Specpoint enables you to select product listings for custom product types in the same way you select products for baseline product types from the MasterSpec library. This includes filtering of product listings based on your selected product type and product type properties.

All product additions and removals for a custom product type are independent from the product selection for its original product type. The copied product type does not include any added product listings from its original product type.

Enhancements

This section includes summaries of the enhancements made to existing features in this release.

Track Changes








This section includes the descriptions of enhancements to track changes in the project workspace.

Track Changes for Option Sets

The Track Changes feature now tracks the user-actions on option sets. Changes to option set create indicators on the element form as well as generates to a track tip, similar to other track change types. This enhancement provides you with better visibility and transparency on design decisions made on option sets, especially for product type properties and product selections.

In addition to existing changes, the platform tracks the following changes:


Change and Indicator	Track Tip
<p>You selected one or multiple options from an option set.</p> <p>All options in the option set include a blue highlight.</p>	

Change and Indicator	Track Tip
<p>You modified the selections in an option set.</p>  <p>All options in the option set include a blue highlight. The existing track tip updates its values based on your change.</p>	
<p>You entered a value in an insert option.</p>  <p>All options in the option set include a blue highlight.</p>	
<p>You reset all options in an option set.</p>  <p>All options in the option set include a blue highlight.</p>	<p>The platform does not create a track change tip or deletes the existing track change tip for the option set.</p>
<p>You deactivated all options in an option set.</p>  <p>All options in the option set include a blue highlight.</p>	

Track Changes Options

Track Changes options now include the following updates:

- When you turn off track changes, the project workspace displays element content items with track changes as if you accepted all changes. This update provides you with a simpler and cleaner view of your specification contents in its current state.
- The Track Changes toggle retains its active or inactive state on the project level. Previously, The Track Change toggle retention was on the element level. You no longer need to set the toggle based on your preference every time you work on a different element.
- On the Show/Hide bar, the **Track Changes** toggle displays before the **Project Properties** toggle.
- On the element form, the Track Changes tab displays before the Project Properties tab.



Shortcuts for Paragraph Promotion and Demotion

In the project workspace, the following keyboard shortcuts for paragraph promotion and demotion are now available:

Action	Shortcut Keys	Description
Promotion	CTRL+SHIFT+LEFT ARROW	Promote a paragraph as a sibling of its current parent paragraph.
Demotion	CTRL+SHIFT+RIGHT ARROW	Demote a paragraph as a subparagraph of the paragraph that precedes it on the same paragraph level.

This feature includes the promotion or demotion of the paragraph's subparagraphs. Specpoint limits the promotions and demotions to ensure adherence to the content hierarchy.

Office Master Notes (OMN) Style Support

Specpoint now supports office master notes (OMN) styles from MasterWorks. The platform converter reads these styles and converts them to notes to specifier (CMT) styles. When you import your firm's custom document master, you can include guidance specific to the custom master.

Software Issues Resolved

This section includes summaries of the resolved software issues in this release.

Incorrect Spacing in the Section Preview

Bug 1858977: The Section Preview did not include spacing in between selected options sets items in specific paragraphs, such as **A. Source Limitations** under the **2.2 Polyvinyl Chloride (PVC) Roofing System** article in the **075419 Polyvinyl Chloride (PVC) Roofing** family.

2.2 POLYVINYL CHLORIDE (PVC) ROOFING SYSTEM

- A. Source Limitations: Obtain components for roofing system from roof membrane manufacturer or manufacturers approved by roof membrane manufacturer.

Export Performance

Bug 1875865: You experienced longer wait times for exporting a single section or the project manual. In some cases, you encountered an HTTP Error 504 Gateway Timeout message.

Export

Name Your Export

Enter Export Name Here

☐ Portable Document Format (PDF)

☒ Word Document (DOCX)

☐ Include Notes to Specifier

☒ Include Bookmarks

☒ Show Track Changes

Cancel Export

Appendix: For Additional Information

Specpoint Customer Assistance Program

To access Specpoint FAQ and training videos, register for the [Specpoint Customer Assistance Program](#).

Deltek Support Center

The Deltek Support Center is a support Web site for Deltek customers who purchase an Ongoing Support Plan (OSP).

The following are some of the many options that the Deltek Support Center provides:

- Search for product documentation, such as release notes, install guides, technical information, online help topics, and white papers
- Ask questions, exchange ideas, and share knowledge with other Deltek customers through the Deltek Support Center Community
- Access Cloud-specific documents and forums
- Download the latest versions of your Deltek products
- Search Deltek's knowledge base
- Submit a support case and check on its progress
- Transfer requested files to a Customer Care analyst
- Subscribe to Deltek communications about your products and services
- Receive alerts of new Deltek releases and hot fixes
- Initiate a Chat to submit a question to a Customer Care analyst online

Attention: For more information regarding Deltek Support Center, refer to the online help available from the Web site.

Access Deltek Support Center

To access the Deltek Support Center:

1. Go to <https://deltek.custhelp.com>.
2. Enter your Deltek Support Center **Username** and **Password**.
3. Click **Login**.

Note: If you forget your username or password, you can click the Need Help? button on the login screen for help.

Available Documentation for this Release

The following table lists the Deltek documentation available for this release. Except where noted, all the user guides and quick reference guides listed in this table are available for download from the Deltek Support Center.

Document Name	Description
Deltek Specpoint 1.4 Cumulative Release Notes for A/E Users	These release notes are cumulative and contain a summary of the new features, enhancements, and resolved software issues in earlier releases or hotfixes.
Deltek Specpoint 1.0 Release Notes for A/E Users	These release notes contain a summary of the key features for the first release of Specpoint.
Deltek Specpoint Help for A/E Users	This guide contains descriptions of and procedural information about features included in Specpoint. You can access this guide from Specpoint's help menu.
Deltek Specpoint SaaS Administrator Guide	This guide contains descriptions of and procedural information about features that are available for administrators who are responsible for the initial activation and ongoing management of Specpoint.



About Deltek

Better software means better projects. Deltek delivers software and information solutions that enable superior levels of project intelligence, management and collaboration. Our industry-focused expertise makes your projects successful and helps you achieve performance that maximizes productivity and revenue. www.deltek.com