

**Deployment Date: 4/15/2015**

**Hot Fix: cp711\_aomaics\_001.zip**

**OTHERS/PRODUCT INTERFACES/AOMAICS/Interface Configuration and Scheduler**

**Deltek Defect Tracking Number:**

495315

**Issues Resolved:**

**Description:** The following error message displayed on the screen: "Attempt to set an invalid value to combobox. object:INTFC\_STATUS\_CD value: E." This error prevented you from continuing to use the screen.

**Customers Impacted:** This defect affects Costpoint to GovWin Capture Management Integration users who run the transfer process using Deltek Connector.

**Workaround Before Fix:** None.

**Additional Notes:** An E (Error) status code was added to fix this issue.

**Files Updated:**

cp711\_aomaics\_001.jar

**System File Dependencies:**

N/A

**Custom Programs Affected:**

Sometimes a hot fix can cause custom programs and reports to stop working as expected. Before applying this hot fix, consider whether you have any custom programs or reports in the application area affected by the hot fix. If so, contact Deltek support at <https://deltek.custhelp.com> before you install the hot fix.

**To Download the Hot Fix:**

1. From Internet Explorer, go to <https://dsm.deltek.com>.
2. Click Run Deltek Software Manager.
3. Log in using your Deltek Customer Care Connect credentials.
4. In the left pane of the Deltek Software Manager, expand your Deltek product.
5. Expand the Hotfix folder for your product, and select the hotfix to download.
6. Click Download at the bottom of the screen.

**More Information:**

If you have any questions, please contact Deltek support at <https://deltek.custhelp.com>.