



Deltek

Deltek Costpoint® 8.1

Extensibility Designer Quick Start Guide

July 6, 2022



While Deltek has attempted to verify that the information in this document is accurate and complete, some typographical or technical errors may exist. The recipient of this document is solely responsible for all decisions relating to or use of the information provided herein.

The information contained in this publication is effective as of the publication date below and is subject to change without notice.

This publication contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, or translated into another language, without the prior written consent of Deltek, Inc.

This edition published July 2022.

© Deltek, Inc.

Deltek's software is also protected by copyright law and constitutes valuable confidential and proprietary information of Deltek, Inc. and its licensors. The Deltek software, and all related documentation, is provided for use only in accordance with the terms of the license agreement. Unauthorized reproduction or distribution of the program or any portion thereof could result in severe civil or criminal penalties.

All trademarks are the property of their respective owners.

Contents

Introduction	1
General Steps Overview	2
Check the Requirements and Set Up Extensibility	2
Create the Extension	2
Test the Extension	2
Package the Extension	3
Deploy the Extensibility Package to Another System	3
Verify the Deployment to the System	3
Step 1: License Requirement	4
Step 2: Enable System for Extensibility	5
Step 3: Enable Costpoint User for Extensibility Designer	6
Step 4: Log In to Extensibility Designer	7
Step 5: Create a Project	8
Step 6: Create a Unit for the Project	10
Step 7: Create an Extension	11
Example	13
Step 8: Test the Extension	15
Step 9: Export Script	17
Step 10: Package the Extension	18
Step 11: Deploy the Extensibility Package	19
Step 12: Verify the Deployment to the System	21

Introduction

This quick start guide is designed to help you learn the basic steps in creating and deploying extensibility. Refer to other documentation for deeper or more detail discussion of the subject.

- *Deltek Costpoint 8.1 Extensibility Designer User Guide*: Navigating and using the Extensibility Designer to create Costpoint extensions
- *Deltek Costpoint 8.1 Screen Customization and Business Logic Extensibility*: Concepts and features of Costpoint extensibility
- *Deltek Costpoint 8.1 Extensibility Designer Coding Guide*: Creating business logic extensions with stored procedures and java classes

General Steps Overview

There are 12 general steps for creating and deploying an extension, divided into the following categories:

- Checking requirements and setting up
- Creating the extension
- Testing the extension
- Packaging the extension
- Deploying the extensibility package to another system
- Verifying the Deployment to the system

Check the Requirements and Set Up Extensibility

Step	Description
1	License Requirement.
2	Enable System for Extensibility
3	Enable Costpoint user for Extensibility Designer

Create the Extension

Step	Description
4	Log In to Extensibility Designer
5	Create a project
6	Create a unit for the project
7	Create an extension

Test the Extension

Step	Description
8	Test the Extension

Package the Extension

Step	Description
9	Run Export Script
10	Package the Extension

Deploy the Extensibility Package to Another System

Step	Description
11	Run DBWizard tool to deploy the extensibility package

Verify the Deployment to the System

Step	Description
12	Repeat “Step 8: Test the Extension” to verify the extension was successfully deployed to the system in Step 11.

Step 1: License Requirement

You must have the license for Extensibility in order to use the tool.

To verify that you have the Extensibility license:

1. In Costpoint, open the View Costpoint License Information application.
2. In the **Licensed Add-On Modules** grid, verify that there is an entry for Extensibility.

★ 5 Browse Applications Administration > Security > Security Reports/Inquiries > [View Costpoint License Information](#)

Enterprise Licenses

License Name: Costpoint

Maximum Licensed Employee: Unlimited

Active Employee: 744

Active Employee By Company

	Company	Company Name	Employee Count
1		Company 1	677
3		European Exchange Company	17
	APPLEJACK2	Apple Jacks 2	48
	711BIGBYTE	711 Big Byte	2

Licensed Add-On Modules

Product Code	Product Name	Termination Date
EC	Engineering Change Notice	
EI	Expedition Interface	
XT	Extensibility	
FA	Fixed Assets	
LG	German Language	
HR	Human Resources	
IW	Inter-Company Work Orders	
IN	Inventory Control	

Step 2: Enable System for Extensibility

To enable the system for extensibility:

1. Start the Costpoint Configuration Utility by running **CPWebConfigUtility.cmd** located on the application server in the \deltek\costpoint\81\bin folder.

Note: Make sure the server is running before you start this utility.

2. Select to configure Costpoint Application Configuration.
3. When the Costpoint Configuration Utility screen displays, perform the following:
 - a. Click the Systems tab.
 - b. From the **Displaying System** drop-down list, select the appropriate system.
 - c. Click the Extensibility tab.
 - d. Click **Enabled** to enable the system for extensibility.

The screenshot shows the Costpoint Configuration Utility interface. At the top, there are tabs: General, Systems, Weblogic, Dedicated Servers, Logging, Reporting, IIS, and CMS. The 'Systems' tab is selected. Below the tabs, there is a 'Displaying System' dropdown menu set to 'CTB80QCO12', with 'Add', 'Clone', and 'Remove' buttons. Below this, there are more tabs: System, Standard Databases, TE, BP, Extensibility, System Integrations, Access List, and External. The 'Extensibility' tab is selected. Under the 'Extensibility' tab, there are two sub-tabs: 'Extensibility Settings' and 'Custom Databases for Extensibility'. The 'Extensibility Settings' sub-tab is active. It contains a section titled 'Extensibility For All Applications (except those listed below)' with two radio buttons: 'Enabled' (selected) and 'Disabled'. Below this, there is a section titled 'Application Level Overwrites' with 'Add', 'Remove', and 'Remove All' buttons. At the bottom, there is a table with two columns: 'Application Id' and 'Application Name'.

Step 3: Enable Costpoint User for Extensibility Designer

To enable a Costpoint user for the Extensibility Designer tool:

1. In the Costpoint system selected in Step 2, open the Manage Users application.
2. Query and select a user that will be using the Extensibility Designer.
3. On the Authentication tab, select the **Allow Access to Extensibility Console** check box.

The screenshot shows the 'Manage Users' application interface. The breadcrumb trail is 'Browse Applications > Admin > Security > System Security > Manage Users'. The 'Identification' section at the top has fields for 'User ID' and 'User Name'. Below this are tabs for 'Information', 'Workflow', 'Printing Defaults', 'Authentication', and 'User Interface'. The 'Authentication' tab is active, showing 'Authentication Settings' and '2FA Settings'. In the 'Authentication Settings' section, the 'Authentication Method' is set to 'Database'. At the bottom of this section, the checkbox 'Allow Access to Extensibility Console' is checked and highlighted with a red rectangular box. Other checkboxes include 'Allow Access to Integration Console' (unchecked) and 'Allow Application Access via Integration Services' (unchecked). The '2FA Settings' section on the right shows 'None' selected for the authentication method, with options for 'Mobile Application', 'Email', and 'FIDO' (which has an 'Effective Date' and 'PIN' field).


This user can now log in to the Extensibility Designer with their Costpoint user ID and password.

Note: This procedure does not change any security rights for the user within Costpoint. It only allows this user to log in to the Extensibility Designer in order to create customization work.

Step 4: Log In to Extensibility Designer


To log in to the Extensibility Designer:

1. Start the Extensibility Designer by running **CPWebExtDesigner.cmd** located on the application server in the \deltek\costpoint\81\bin folder.
2. On the Deltek's J2EE Application Designer – Login dialog box, enter the **User ID** and **Password** for the user enabled in Step 3.



3. Click **Login**.

If the user is not enabled to use the Extensibility Designer, the following message displays.




Step 5: Create a Project

A project is an umbrella under which the units created for the project reside. A project does not contain any logic except for tracking and grouping the work done in the Extensibility Designer. A project helps differentiate work done by different companies in case you have contracted customization work out to third-party companies.

To create a new project:

1. Click the **New** icon, and then click **Extensibility Project** on the shortcut menu, or click **Object » New » Extensibility Project**.



2. On the New Extensibility Project dialog box, enter the following information:
 - **Id:** Enter an unique ID for the extensibility project. Cloud Clients must include the five-digit customer ID number after the **XT_** prefix. This field is required.

Note: All extensibility project IDs must begin with 'XT_'. All new extensibility objects inside this project will have this project ID as prefix. This separates extensibility objects from regular objects and helps track what objects belong to what project.


Each extensibility project ID must be unique. This ensures that customers can apply multiple extensibility projects to their environments.

Cloud Clients: If you do not follow the required naming format, your extension request will be rejected.

- **Name:** Enter the unique name for the new project. This informational descriptor is a required field and is limited to a total of 13 characters.

Note: You should enter some text describing the purpose of the Projects into the notes field. It is a free-form text field.


Step 5: Create a Project



The dialog box is titled "New Extensibility Project - CTB80DEM17". It contains the following fields and controls:

- Id ***: Text box containing "XT_PROJ_1"
- Name ***: Text box containing "My First Ext Project"
- Vendor**: Text box containing "Deltek"
- Project Version**: Text box containing "1"
- Product Version**: Text box containing "8.0.0"
- Description**: A large text area containing the text: "This is my first Ext Pproject. It is customizing app XYZ adding several very cool fields to it. It will be awesome!"
- Buttons**: "Ok", "Cancel", and "Validate" buttons at the bottom right.

3. Click **Ok** to save.
4. When asked to create the folder to contain the files for this project, click **Yes**.



The dialog box is titled "Confirm Folder Creation". It contains the following elements:

- Question**: "Would you like to create folder structure to exporting and packaging new Extensibility Project:"
- Path**: "c:\costpointweb\70\dev\java\src\com\deltek\enterprise\extensions\xt_project_x\dbscripts\admin ?"
- Buttons**: "Yes" and "No" buttons at the bottom.

The location for the files is not critical as long as the structure starting with **\com** is preserved. In this case, the structure is:

`\com\deltek\enterprise\extensions\xt_12345AAAAA\dbscripts\admin`, where **xt_12345AAAAA** is the project ID


If you develop java classes as part of the extension, the application expects the java package to follow this naming convention, so every package will have unique name.

Step 6: Create a Unit for the Project


An Extensibility Unit contains a set of changes to applications, screens, reports, or processes to be assigned as a whole to user(s) or user group(s) inside Costpoint. If there are different changes to be applied to different users or groups, they should be implemented in separate units.

To create a new unit for a project:

1. Click the **New** icon, and then click **Extensibility Unit** on the shortcut menu, or click **Object » New » Extensibility Unit**.
2. On the Select Extension Project dialog box, select the project that will contain this unit, and click **Next**.



3. On the New Extensibility Unit dialog box, enter the **Unit Id** and **Name**.
A unit ID always starts with the Project ID.
4. In the text field, enter the description of the unit as applicable.



5. Click **Ok**.


Step 7: Create an Extension

The Extensibility Designer allows you to extend the functionality of an existing result set (a subtask within an application), an action (process), or a report. You can also add brand new Result Set (subtask), action, report, message text, or constants to be used in the extended result set, report, or action. You can even create a brand new custom Application with any number of subtasks.

Each screen in an application is called result set (RS). In any screen, you can change field labels, field status text, and/or field position. You can change the behavior of a field such as non-required to required, visible to not visible, and so on. You can also add additional data fields to the screen.

To extend a result set:

1. Click **Extensions » Extend » RS**.
2. Select the project and unit in which to create the extension.
3. On the Select RS dialog box, select the result set to extend.



Note: Use the **RS Wild Card** field to filter the list of result sets based on the RS ID. Generally, the RS ID starts with the application ID. For example SYMUSR_WUSERUGRLIST is the top level result set for the SYMUSR application (Manage Users).

4. Click **Next**.

Step 7: Create an Extension

- On the Edit Result Set dialog box, customize the result set.

Edit Result Set - SYMUSR_WUSERUGRPLIST - C701RDO

Extension:

RS List | RS Description | RS Presentation

Id * Name * Type *

```

U.CHG_PROF_CONFIG_FL AS CHG_PROF_CONFIG_FL,
U.OVR_PRIORITY_FL AS OVR_PRIORITY_FL,
U.AUTO_COMPLETE_FL AS AUTO_COMPLETE_FL,
U.AUTO_POSITION_FL AS AUTO_POSITION_FL
from W_USER_UGRP_LIST U, W_LOCALE L
where U.TYPE = 'U' AND
DbF_OuterJoin(U.LOCALE_ID,L.LOCALE_ID)
order by SEC_OBJ_ID
    
```

SQL Editor | Refresh OBJ_IDs | Check Sql | Map PK

UI Options | System Information | Classes | Extensibility Plug Ins

When	Order	Plug In Type	Plug In Name	Insert	Update	Delete

You can use this dialog box to customize the following: (see Extensibility Designer User Guide for details)

- Change RS title
- Register a stored procedure or additional java classes to be called after Costpoint executes the standard logics. You will need to create the stored procedure or java classes.
- Enable email notifications when certain events happen to the data.
- Add additional data fields
- Change certain attributes for existing fields such as Visible, Editable, Required, Default Value, labels, status text, and so on.

Attention: See the *Deltek Costpoint 8.1 Extensibility Designer User Guide* for more information.

Example

The following example changes the email ID field in the Maintain User application from **Non-required** to **Required**.

To create a result set extension:


1. On the Edit Result Set dialog box, click the RS Description tab.
2. Browse the **Object Id** list in the left panel and select **U_EMAIL_NAME** (the Email Name field).

Note: Object IDs on this panel are ordered alphabetically. Object IDs are created by Deltek, so they are not changeable. They are usually named after the column name in the database.

The screenshot shows the 'Edit Result Set' dialog box for 'SYMUSR_WUSERUGRPLIST - C701RDO'. The 'RS Description' tab is active. The 'Object Id' list on the left contains various system object IDs, with 'U_EMAIL_NAME' selected and highlighted by a red rectangle. On the right, the 'General' section shows 'Extensibility' checked. The 'UI Options' section shows the 'Required' property set to 'No', also highlighted by a red rectangle. The 'Table' is 'W_USERUGRPLIST' and the 'Column' is 'EMAIL_NAME'.


3. To make sure this is the correct object, complete the following steps:
 - a. Click the RS Presentation tab.
 - b. In the **Object Id** list, select **U_EMAIL_NAME**.
Objects in this list are generally ordered in the same sequence as the order of columns in table view when viewed in Costpoint.
 - c. Verify that the **Form Label**, **Table Label**, and **Status Text** fields contain the appropriate text.
These are the labels and status text displayed for this field when you are in Costpoint.

Step 7: Create an Extension



4. Click the RS Description tab.
5. In the **Required** drop down list, select **Yes**.
6. Click the RS Presentation tab.
7. Change the **Status Text** to “Enter the email address. This is a required entry.”

Notice that any changes you make are highlighted in yellow, so you can quickly identify what you have changed.



8. Click **OK** to save and close the result set extension.

Step 8: Test the Extension

To test the extension:

Note: This procedure verifies the result set extension created in the example for the previous step.

1. Log in to Costpoint as Administrator, and go to the Manage Extensibility Units application.
2. Verify that the unit is available and the **Valid** flag is **Y**, and then click the **Applications** subtask to make sure the application(s) shown is correct.

Extensibility Unit ID	Extensibility Unit Name	Valid	Notes
XT_PROJ7_UNIT7	Test Unit 7	N	
XT_PROJ8_UNIT8	Test Unit 8	Y	
XT_PROJ9_UNIT9	Test Unit 9	Y	
XT_PROJECT_X_U1	Project X Unit 1	Y	Customize system screens
XT_PROJ_3_16_UNIT1	Unit1	N	
XT_PROJ_VN1_UNIT1	Unit 1	Y	Proj VN1 Unit 1

Application	Application Name
SYMUSR	Manage Users

3. In the Manage User Interface Profile application, create a UI profile.
4. Each profile must have a different **Priority** number.

This number is in case changes are made to the same screen from different units and happen to assign to the same user. The system will resolve this by aggregating the changes. However, some changes cannot be aggregated if they are made on the same object. In such a case, the system will select the changes from the one with the highest priority.

UI Profile ID	UI Profile Name	Priority
VNPROFILE1	VN Profile 1	1
SYSTEM_PROFILE	System Profile	2

User / User Group	Name	Type	Company
EVERYONE	Every One	User Group	ALL

5. Assign the profile to a user group or groups or to a particular user as applicable.

Note: The extensibility feature will only be seen and executed for the user(s) assigned to this profile. If the profile applies to everyone, assign it to the group **EVERYONE**.

Step 8: Test the Extension

- Click the **Extensibility Units** subtask, and assign the unit to this profile.

The screenshot shows the 'Enter/Manage User Interface Profiles' window. The 'UI Profile' table has the following data:

UI Profile ID *	UI Profile Name *	Priority *
VNPROFILE1	VN Profile 1	1
SYSTEM_PROFILE	System Profile	2

The 'Extensibility Units' subtask is selected, showing the following table:

Extensibility Unit *	Name	Valid	Active
XT_PROJECT_X_U1	Project X Unit 1	Y	<input checked="" type="checkbox"/>

- Save the profile.
- Log off and log in to Costpoint with the user ID assigned to the UI profile that contains the extensibility changes.
- Go to the application that has been customized. In this example, the Manage Users application was customized.
- Verify that the **Email Name** field is now marked as required (with the red asterisk) and the status text at the bottom has been customized with the additional message.

Now, when saving a record without an **Email Name** entry, an error message displays.

Step 9: Export Script


Exporting script is needed if you are creating the extension in a design/development system and want to deploy the extension to a second system (for example, QC or production).

To export the result set extension script for deployment to another system:

1. From the Extensibility Designer main menu, expand the **Extensibility Projects** folder, and select the appropriate project.
2. Click **Extensions » Export Script**.
3. When a dialog box displays confirming the location of the folder where script files will be created, click **OK**.

Note: This folder was created when you created the project.

4. When a message displays confirming the data has been exported to a SQL file, click **OK**.




Step 10: Package the Extension

You need to package the extension if you create the extension in a design/development system and want to deploy the extension to a second system (for example, QC or production).

To package an extension for deployment to another system:

1. From the Extensibility Designer main menu, click **Tools » Extensibility Packager**.

The Extensibility Projects Packager dialog box displays with a list of projects created in this system.



2. Select the project to package.
The location and name of the zip file to be created displays at the bottom of the dialog box.
3. Click **Pack**.
A progress dialog box displays, showing the log.
4. Click **Close** when done.
5. Navigate the folder where the extension zip file was created and verify that it is there.


Step 11: Deploy the Extensibility Package

To deploy the extensibility package:


1. On the application server machine for the system where the package is to be deployed, launch the DBWizard tool by running **CPWebDBWizard**. in the \deltek\costpoint\81\bin folder.

Note: Presumably, this is the QC or production server that is different from the server used for developing the extension.

2. On the Costpoint DB Wizard screen, click **Deploy Extensions**.



3. On the Deploy Extension screen, select the system on which to deploy the package



Step 11: Deploy the Extensibility Package

4. Browse and select the extensibility zip file created in Step 10.



5. Optional. If your package contains a stored procedure, create tables, views, or other database objects SQL scripts to be applied, select the **Deploy Custom DB Scripts** check box.
6. Click **Next » Run** to deploy the package.

If the Extension contains Java classes, the Weblogic server (or all Weblogic nodes if given deployment has more than 1 server) needs to be restarted to make changes to Java side effective.

Step 12: Verify the Deployment to the System

To verify that the extension was successfully deployed, repeat “[Step 8: Test the Extension](#)” for the system in Step 11.

When completed, the extension is ready and active.

Note: If you have application Extensions, Deltek recommends deploying the application or system hotfixes first to your testing environment where you can verify that the hotfix did not change the application in a significant manner, making your Extensions no longer valid or usable. Even though the DBWizard has built in logic to check each Extension Unit against the standard application, some features like screen layouts or your business Java or Stored Procedure plug-ins can be verified only by testing.



About Deltek

Better software means better projects. Deltek delivers software and information solutions that enable superior levels of project intelligence, management, and collaboration. Our industry-focused expertise makes your projects successful and helps you achieve performance that maximizes productivity and revenue. www.deltek.com